Android Security Lab 1

Goal: try to find a secret hidden in an Android app

Report:

- 1 per group of 2 or 3 students
- no more than 2 or 3 pages
- to be provided at the latest on Monday January 6 2025 (i.e. before lab 2 on January 7) by email at polytech@securingapps.com

Step 1: Static analysis

- Download jadx (with jre)
  - Unzip
  - Launch jadx.exe
- Copy app1.apk
- Open app1.apk with jadx
  - Find MainActivity in Resources section
  - Find package name thanks to R class

- Browse through the Source code files and try to understand
  - The root detection protection
  - The encryption logic
  - The main application logic

- What would be needed to retrieve the secret ?

Step 2: Dynamic analysis

- Install Android Studio
    - Including Android Virtual Device
- New project / No activity
    - Accept default parameters
- From Tools menu
    - Device Manager
    - Create a new device
        - With x86_64
        - WITHOUT Google Play
    - Emulator will launch slowly in the bottom right corner
- Run app1.apk in the emulator
    - Drag and drop app1.apk on the Android screen to install it
    - Start the Android application called Uncrackable1

- Download Frida server
    - Choose Frida server Android x86 64 (to match the architecture of the Pixel virtual device you created in Android studio)
    - Unzip the file and rename it frida-server
    - Use Device File Explorer in Android Studio (bottom right instead of Emulator)
    - Drag and drop unzipped frida-server file to data/local/tmp folder

- Find adb path
    - Android Studio, Tools menu then SDK Manager
    - Android SDK Location text box: copy paste this path
    - In a terminal, go this path
    - Then subfolder platform-tools
    - Check with command adb version
- Start Frida server
    - adb shell
    - su (to become root)
    - ./data/local/tmp/frida-server &

- Install Frida client on your laptop
    - Check if you have pip3 installed: pip3 –version
        - If not, install latest version of Python
        - Find out where pip3 binary has been installed and go to the corresponding folder
    - pip3 install frida-tools

- See how to write Frida hooking scripts thanks to those examples
    - hooking scripts are in .js files
    - Hook application with
      `frida -U -l your_script.js -f <package_name>`
      where package_name has been found in Step 1

- Display the secret