## Anatomy of Dynamical Systems

D. Roy

University of Amsterdam

June 2, 2024


























June 2, 2024







Consider the following autonomous ordinary differential equation (ODE):

$$\frac{d\mathbf{x}}{dt} = \mathbf{F}(\mathbf{x})\tag{1}$$

where  $\mathbf{F}(\mathbf{x})$  is vector valued function of  $\mathbf{x}$ .

June 2, 2024

Consider the following non-autonomous ordinary differential equation (ODE):

$$\frac{d\mathbf{x}}{dt} = \mathbf{F}(t, \mathbf{x}) \tag{2}$$

where  $\mathbf{F}(t, \mathbf{x})$  is a vector valued function of both t and  $\mathbf{x}$ .

Consider the following non-autonomous ordinary differential equation (ODE) with control u(t) and parameters p:

$$\frac{d\mathbf{x}}{dt} = \mathbf{F}(t, \mathbf{x}, \mathbf{u}; \mathbf{p}) \tag{3}$$

where  $\mathbf{F}(t, \mathbf{x}, u, p)$  is a function of time t, state  $\mathbf{x}$ , control  $\mathbf{u}$ , and parameters  $\mathbf{p}$ .

#### Navier-Stokes equation

The Navier-Stokes equation for an incompressible fluid in Cartesian coordinates is given by:

$$\rho \left( \frac{\partial \mathbf{u}}{\partial t} + (\mathbf{u} \cdot \nabla) \mathbf{u} \right) = -\nabla p + \nu \nabla^2 \mathbf{u} + \mathbf{f}$$
 (4)

with the continuity equation:

$$\nabla \cdot \mathbf{u} = 0 \tag{5}$$

where **u** represents the velocity vector field, t is time, p is pressure,  $\rho$  is density,  $\nu$  is the kinematic viscosity, and **f** denotes external forces.

## Schrödinger wave equation

The time-dependent Schrödinger wave equation is given by:

$$i\hbar \frac{\partial \Psi}{\partial t} = \hat{H}\Psi \tag{6}$$

where i is the imaginary unit,  $\hbar$  is the reduced Planck constant,  $\Psi$  is the wave function, t is time, and  $\hat{H}$  is the Hamiltonian operator.

• Unknown 'f'

- Unknown 'f'
- 2 Non-linear 'f'

- Unknown 'f'
- 2 Non-linear 'f'
- **3** High dimensional

- Unknown 'f'
- 2 Non-linear 'f'
- 4 High dimensional
- 4 Multi-scale

June 2, 2024

- Unknown 'f'
- 2 Non-linear 'f'
- 4 High dimensional
- Multi-scale
- 6 Chaotic

- Unknown 'f'
- 2 Non-linear 'f'
- 4 High dimensional
- Multi-scale
- 6 Chaotic
- Noise, Stochastic

- Unknown 'f'
- 2 Non-linear 'f'
- **3** High dimensional
- Multi-scale
- 6 Chaotic
- Noise, Stochastic
- Uncertainty

• Predict using 'f' (ensemble)

- Predict using 'f' (ensemble)
- 2 Design and Optimization (airplane, Traffic)

- Predict using 'f' (ensemble)
- ② Design and Optimization (airplane, Traffic)
- Control

- Predict using 'f' (ensemble)
- 2 Design and Optimization (airplane, Traffic)
- Control
- 4 Understanding mechanisms (interpretable)

- Predict using 'f' (ensemble)
- 2 Design and Optimization (airplane, Traffic)
- Control
- 4 Understanding mechanisms (interpretable)
- 6 Generalize

Everybody models - all of you forecast the future in some way, predicting the way a friend reacts, planning your future<sup>1</sup>

10 / 16

<sup>&</sup>lt;sup>1</sup>Epstein, "Why Model?"

- Explain (very distinct from predict)
- 2 Guide data collection
- 3 Illuminate core dynamics
- Suggest dynamical analogies
- **1** Discover new questions
- Promote a scientific habit of mind
- O Bound outcomes to plausible ranges
- 8 Illuminate core uncertainties.
- Offer crisis options in near-real time
- Demonstrate tradeoffs / suggest efficiencies
- Train practitioners
- Discipline the policy dialogue
- Educate the general public
- Reveal the apparently simple (complex) to be complex (simple)

Explain (very distinct from predict)

Plate tectonics describe the mechanism of earthquakes, but doesn't allow us to predict.

generative explanation, where large scale regularities such as wealth distributions, spatial settlement patterns, or epidemic dynamics—emerge in populations of heterogeneous software individuals

(agents) interacting locally under plausible behavioral rules.

#### Guide Data Collection

Inductivism:: 'Science proceeds from observation, and then models are constructed to 'account for' the data.' First collects lots of data and then runs regressions on it or machine learning.

A model is simply a theory - the model may predict a particular dynamic that you would need to measure to corroborate. This happens a lot in Physics - Maxwell's equations, Higg's Boson, etc.

Illuminate Core Dynamics: All the Best Models are Wrong

A lot of ABMs do this, this is really about furthering scientific understanding. Building the simplest theory you can do describe the processes and dynamics of a system without it necessarily being predictive.

The Lotka-Volterra ecosystem model, Hooke's Law, or the Kermack-McKendrick epidemic equations. They continue to form the conceptual foundations of their respective fields


#### Suggest Analogies

It is a startling and wonderful fact that a huge variety of seemingly unrelated processes have formally identical models (i.e., they can all be seen as interpretations of the same underlying formalism). Do revolutions, or religions, or the adoption of innovations unfold like epidemics? Is it useful to think of these processes as formal analogues? If so, then a powerful pre-existing theory can be brought to bear on the unexplored field, perhaps leading to rapid advance. This type of thinking/science is endemic in Complexity Science.

To me, however, the most important contribution of the modeling enterprise—as distinct from any particular model, or modeling technique—is that it enforces a scientific habit of mind, which I would characterize as one of militant ignorance—an iron commitment to "I don't know."

— [Joshua M. Epstein $^a$ ]





<sup>&</sup>lt;sup>a</sup>Epstein, "Why Model?"