

# Index

---

Note: Page numbers followed by *f* indicate figures, *t* indicate tables and *ge* indicate glossary.

## A

- Abrupt speciation, 135
- Absciscic acid (ABA), 255
- Acanthamoeba castellanii*, 359
- Accessory enzymes, 147–149
- Achnatherum robustum*, 236
- Acrasiomycetes, 35–36
- Active discharge mechanisms, 72
- Adaptation to physical factors
  - carbon dioxide, 174
  - light, 172–173
  - pH, 174–175
  - temperature, 173–174
  - water potential, 168–172, 429<sub>ge</sub>
    - changes in, 170–172
    - and fungal environment, 169–170, 170<sub>t</sub>
- Adaptive evolution, 126
- Adhesins, 307
- Aeciospores, 18–19, 267–268, 268<sub>f</sub>, 425<sub>ge</sub>
- Aedes aegypti*, 194<sub>f</sub>, 423
- Aerial hyphae, 53, 157
- Aflatoxin, 164, 201, 299
- Agaricales, 3–4, 13
- Agaricomycetes, 13, 134, 200
  - phylogeny, 200
- Agaricomycotina
  - Agaricales, 13
  - Auriculariales, 15
  - Boletales, 14
  - jelly fungi, 15–19
  - Phallales, 15
  - Polyporales, 14–15
  - Russulales, 14
- Agaricus* sp., 382, 386–387
  - A. bisporus*, 119–120, 354, 355, 356–357, 401–402, 402<sub>f</sub>, 403
  - A. campestris*, 90
- Aggressive interspecific interactions, 339
- Agrobacterium tumefaciens*, 413–415
- AIB. *See*  $\alpha$ -Aminoisobutyric acid (AIB)
- Air pollutants, 383, 384<sub>f</sub>
- Air pollution, 383–386
- Air spora, 425<sub>ge</sub>
- Allergens, 293
- Allergic bronchopulmonary aspergillosis, 306
- Allergic bronchopulmonary mycoses (ABPM), 297<sub>t</sub>
- Allergic rhinitis, 297<sub>t</sub>
- Allergic sinusitis, 297<sub>t</sub>
- Allergies
  - in humans body, 293–296
  - types, 297<sub>t</sub>
- Allomyces* sp.
  - A. arbuscula*, 136
  - A. arbusculus*, 27–28
  - A. javanicus*, 136
  - A. macrogynus*, 27–28, 136
- Allopatric speciation, 135
- Alpha-amylases, 417
- Alternaria destruens*, 423
- Amanita* sp., 63–64
  - A. muscaria*, 160, 162, 299–300, 386–387
  - A. phalloides*, 299–300, 390, 391<sub>f</sub>
- Ambrosia beetles, 333–334
- AMF. *See* Arbuscular mycorrhizal fungi (AMF)
- Amino acids, 154, 167
- $\alpha$ -Aminoisobutyric acid (AIB), 154
- Amixis, 122
- Ammonium ion, 154
- Ampelomyces* sp., 343
  - A. quisqualis*, 423
- Amphibians
  - by *Batrachochytrium dendrobatidis*, 380
  - chytridiomycosis of, 311, 312<sub>f</sub>
- Amphotericin B, 41–42, 41<sub>f</sub>
- Ampicillin, 418–419
- Amylostereum* sp.
  - A. areolatum*, 323<sub>f</sub>, 333–334
  - A. chailletii*, 333–334
  - A. laevigatum*, 333–334
- Anamorphs, 19–21, 20<sub>f</sub>, 425<sub>ge</sub>
- Anastomosis, 56–57, 425<sub>ge</sub>
- Angiocarpic development, 63–64
- Annosum root and butt rot, 277–279, 277<sub>f</sub>
- Annulus, 63–64
- Antagonism
  - effects on physiology/ecology, 352–354
  - fungal–fungal interactions, 339–349
  - mycoparasitism, 341–349
- Antheridium, 112, 425<sub>ge</sub>
- Anthrachnose (sunken dead spots), 270–271, 270<sub>f</sub>

- Anthropocene, 367  
 Anthrophilics, 302  
 Antibiotics, 297–298  
   biofuels, 421–422  
   biotransformations, 421  
    $\beta$ -lactam, 418–419, 418f  
   mycopesticides, mycoherbicides, and  
     mycofungicides, 423  
   penicillin, 163f  
   production, 355–356  
   secretions, 330–332  
 Antifungal agents, 40, 309  
 Antifungal drug, 306, 310t  
 Ants, and higher termites, 330–332  
*Aphanomyces invadans*, 313  
 Apical recycling model, 50–51  
 Apoplast, 208–209, 254–255, 425ge  
 Apoptosis, 160–161  
 Apothecia, 19–21, 21f, 23–24, 425ge  
 Appressorium, 18–19, 56–57, 258–259, 265–267, 266f,  
   268f, 273f, 316f, 346f, 425ge  
 Aquaporins, 172  
 Aquatic fungi, 9f, 26–27, 94, 387  
 Aquatic spores  
   motile, 95–97  
   non-motile, 94–95  
*Arabidopsis thaliana*, 281f  
 Arable land, 382–383  
 Arbuscular mycorrhizal fungi (AMF), 357, 425ge  
   colonisation, 209  
   community, 382–383  
   ecosystems, 212–215  
   high-throughput transcriptional analysis, 212  
   hyphae, 208–209, 209f  
   hyphopodia, 208–209  
   LysM domain receptor kinases, 209–210  
   meiosis-associated genes, 208  
   MiSSPs, 209–210  
   molecular techniques, 208  
   MST2, 210  
   MtPT4, 210–212  
   photosynthesis, 206–208  
   plant phosphate transporters, 210–212  
   rhizomes, 206–208  
   soil nitrogen, 212  
   strigolactones, 209–210  
 Arbuscules, 25, 208–209  
*Arbutus menziesii*, 227–228  
 AreA, transcription factor, 152  
*Armillaria* sp., 59, 176, 258, 265  
   *A. gallica*, 60, 113  
   *A. mellea*, 146–147  
   *A. ostoyae*, 13  
   Artefacts, 193  
   *Arthrinium cuspidatum*, 81–83  
   *Arthrobotrys oligospora*, 321–323  
   Arthrospores, 67, 425ge  
   Asci, 19–21  
     of *Ascobolus immersus*, 81  
     cluster of, 23  
     explosive discharge of, 78  
     fissitunicate, 23  
     non-explosive, 78  
     in truffles, 23–24  
     of *Xylaria hypoxylon*, 79f  
   *Ascobolus immersus*, 78, 81  
   Ascocarp, 225, 425ge  
   Ascogenous hypha, 21–23, 425ge  
   Ascogonium, 112, 425ge  
   Ascoma, 19–21, 23–24, 425ge  
   Ascomata, 19–21, 61–66  
   Ascomycota, 121f, 247, 293–296, 320, 333, 404  
     basal lineage of, 78  
     life cycle, 21–23  
     mycoparasite, 330–332  
     overview and unifying characteristics, 19–21  
     Pezizomycotina, 23–24  
     phylum, 19–25  
     Saccharomycotina, 24–25  
     Taphrinomycotina, 25  
     taxonomic groups in, 23–25  
   Ascospores, 19–21, 425ge  
   Ascus, 425ge  
   Asexual spores, 67–71  
   Asian fermented foods, 410–411  
   Aspergillois, 23–24, 306, 325  
   *Aspergillus* sp., 69–70, 169–170, 305–306, 416–417  
     *A. flavus*, 163f, 299  
     *A. fumigatus*, 40, 110, 114, 156–157, 163f, 306, 359, 380  
     *A. lentulus*, 306  
     *A. nidulans*, 49–50, 123–124, 163f, 164, 165, 173, 174,  
       201, 413–415, 414f  
     *A. niger*, 151–152, 415, 416–417  
     *A. nominus*, 299  
     *A. ochraceus*, 299  
     *A. oryzae*, 415  
     *A. parasiticus*, 299  
     *A. sydowii*, 325  
     *A. terreus*, 163f, 306, 417  
     disease caused by, 306  
     itaconicus, 417  
   Assimilation, 141–161  
   Asthma, 297t  
   *Athelia arachnoidea*, 284–285  
   Atopic dermatitis, 297t  
   (H<sup>+</sup>)-ATPase, 42

*Auricularia auricular-judae*, 15  
 Auriculariales, 15  
 Autolysis, 160–161  
 Autophagosomes, 160–161  
 Autophagy, 160–161  
 Autotroph interactions, 246  
   active/induced defence, 254–256  
   crops, 282–284  
   direct effects, 283*t*  
   disease cycle  
     arrival, attachment, and entry, 258–259  
     biotrophic pathogens, establishment and exploitation, 262–263  
     events in development, 257*f*  
     exit and survival, 263–265  
     gene-for-gene interaction, 256*t*  
     necrotrophic pathogens, establishment and exploitation, 259–262  
     spores, 258  
     symptoms, 260*t*  
   disease triangle, 253*f*  
   distribution amongst fungal groups, 247, 248*t*  
   emerging diseases, 285–290  
   genetic compatibility/incompatibility, 256–257  
   natural ecosystems, 282–284  
   preformed/constitutive defence, 254  
   susceptibility to and defence against, 252–257  
 Autotrophic plants  
   biosecurity threat, 285–290  
   and heterotrophic fungi, 361  
   subsystem, 362  
 Autumn fruiting, 370–371  
 Avirulence (Avr) gene, 256–257  
 Axenic, 425*ge*

## B

Bacterial-fungal interactions, 354–357  
   negative effects, 354–356  
   positive and mutualistic effects, 356–357  
   *Pseudomonas aeruginosa* on, 355  
   rod-shaped Gram-negative cells, 208  
*Badhamia utricularis*, 358–359  
 Baking, using yeasts, 408  
 Balancing selection, 128  
 Ballistospore, 425*ge*  
 Bamboo rats (*Rhizomys*), 308  
 Bark beetles, 333–334  
*Barnettozyma californica*, 382  
 Basal resistance, 252  
 Basic linear alignment search tool (BLAST), 189–190  
 Basidia, 9–10, 11–12, 425*ge*  
*Basidiobolus*, 84–85  
 Basidiocarp, 425*ge*  
 Basidioma, 425*ge*  
 Basidiomata, 61–66  
 Basidiome, 13  
 Basidiomycete mycelia, 350*f*  
 Basidiomycota, 247, 401–402  
   life cycle, 10–12  
   overview and unifying characteristics, 9–10  
   Pucciniomycotina, 18–19  
   Ustilaginomycotina, 16–18  
 Basidiospores, 9–10, 18–19, 267–268, 425*ge*  
 Basidium initials, 425*ge*  
 Batch culture, 411–412  
*Batrachochytrium* sp.  
   *B. dendrobatidis*, 28–29, 311, 312*f*, 380  
   *B. salamandrivorans*, 311  
 Bat White-nose syndrome, 309–311  
 Bayesian inference, 6  
*Beauveria bassiana*, 423  
 Beer  
   from starchy materials, 406–408  
   using yeasts, 404–408  
   wheat, 407*f*  
*Berberis* sp.  
   *B. canadensis*, 18–19  
   *B. vulgaris*, 18–19  
 Bern Convention, 392, 395–397, 398  
 Beta-glucan, 403–404  
*Betula nana*, 373  
 Binding protein (BiP), 151–152  
 Bioactive compounds, 239  
 Bioconversions, 362–365  
 Biodiversity  
   factors affects, 368*f*  
   threats to, 367  
 Bioethanol, 417  
 Biofuels, 421–422  
 Biogeography, 365–367  
 Biological species, 107–108  
 Biomass, 426*ge*  
 Bioprospecting, 239  
 Bioreactors, 411–412  
 Bioremediation, 422–423  
 Biosecurity threat, 285–290  
 Biota movement, 390–391  
 Biotransformations, 421  
 Biotrophic fungi, 316–317  
 Biotrophic mycoparasites, 341–342  
 Biotrophic pathogens, 18–19  
   establishment and exploitation, 262–263  
   necrotrophic and, 246, 247*t*, 252  
 Biotrophy, 205, 426*ge*  
 Bioweathering, 224  
 BiP. *See* Binding protein (BiP)

- Bipolar incompatibility, 116, 426ge  
*Bjerkandera adusta*, 337–338  
 Black Sigatoka disease, 264f  
 BLAST. *See* Basic linear alignment search tool (BLAST)  
*Blastocladiella emersonii*, 28  
 Blastocladiomycota, 26–28  
*Blastomyces dermatitidis*, 303  
 Blastomycosis, 303  
 Blights (tissue browning), 270–271  
 Blue-light responses, 172–173  
*Blumeria graminis*, 125, 272  
*Bolbitius vitellinus*, 347  
 Boletales, 14, 162–164, 164f, 165f  
*Boletus* sp., 386–387  
     *B. edulis*, 14, 162–164  
*Botryobasidium botryosum*, 200  
*Botrytis* sp.  
     *B. allii*, 286–289  
     *B. cinerea*, 276, 341–342  
*Brachiosphaera tropicalis*, 94–95  
*Branchiomyces sanguinis*, 313  
 Breeding system, 426ge  
*Bremia lactucae*, 280  
 Broad bean (*Vicia faba*) rust, 267, 268f, 269  
 Brown rot fungus, 146–147, 149–150, 150f, 151  
 Budding yeast, 47–49  
*Bufo bufo*, 380  
 Buller phenomenon, 113  
*Burkholderia gladioli* pv. *agraricola*, 355, 356–357  
 Butt rots, 277–279, 277f, 283t
- C**  
 Caesium, 160  
*Camarophyllus* species, 382  
 cAMP, 174  
*Candida* sp., 302, 305–306  
     *C. albicans*, 24–25, 114, 122–123, 167, 174, 175–176, 175f, 177f, 302, 306–307  
         growth, 359  
         pH, 174  
     *C. glabrata*, 306–307  
     *C. parapsilosis*, 306–307  
     *C. tropicalis*, 306–307  
 Candidiasis, 306–307  
 Cankers, 283t  
 Carbapenems, 418–419  
 Carbohydrate-binding module (CBM), 144  
 Carbon  
     assimilation, 143  
     cycle, 364–365, 364f  
     and energy sources, 143  
     polymeric forms of, 142, 142t, 143–152  
 Carbon dioxide, 174  
 Carrier proteins, 42–43  
 Cavitation, 74–75  
 CBM. *See* Carbohydrate-binding module (CBM)  
 Cell fusion, 111  
 Cell growth/division  
     aerial hyphae and conidiophores, 53  
     budding yeast and fission yeast, 47–49  
     nuclear division, 49  
     septa, woronin bodies, and septal pore complex, 53–55  
     tip growth in filamentous fungi, 49–52  
 Cell structure  
     cell wall, 37–41  
     cytoskeleton, 45–47  
     endomembrane system, 44–45  
     plasma membrane, 41–43  
     of wood, 146, 146f  
 Cellulases, 417  
 Cellulose in plant cell wall, 143, 144f, 145f  
 Cell wall, 37–41  
 Cell wall proteins (CWP), 38–40  
 Cephalodia, 230, 426ge  
 Cephalosporins, 418–419  
*Ceratocystis*, 274  
*Chaetomium* sp., 143  
     *C. thermophile*, 173–174  
 Character-based methods, 6  
 Chasmothecium, 23–24  
 Cheeses, using yeast, 409  
 Chemostat, 426ge  
 Chemotaxis, 426ge  
 Chemotropism, 426ge  
 Chitin, 38–40, 426ge  
 Chitin synthases, 40, 171–172  
 Chitosan, 38–40  
 Chitosomes, 50–51  
 Chlamydosporos, 67, 274, 426ge  
 Chocolate, using yeasts, 410  
 Chromo-blastomycosis, 304t  
 Chromosomal speciation, 136  
 Chronograms, 6, 200–201  
 Chymosin, 409  
 Chytridiomycosis, 28–29  
     of amphibians, 311, 312f  
 Chytridiomycota, 28–29, 169–170  
 Cinnamomi root disease, 287t  
 Circadian system, 172–173  
 Cisternae, 45  
 Citric acid, 417  
*Cladonia* sp., 285  
     *C. grayi*, 232  
     *C. perforata*, 395  
*Cladosporium myrmecophilum*, 332  
 Clamp connections, 54–55, 426ge  
*Claviceps* sp., 299  
     *C. purpurea*, 60–61, 163f, 236, 289–290, 420

- Clavicipitaceous endophytes*, 234–236  
*Cleistothecia*, 19–21, 272, 426*ge*  
 Climate changes, 368–381  
     animal disease, 380  
     extinctions due to, 381  
     impact on energy food crops, 376*t*  
     lichens, effects on, 373–374  
     mycorrhizal fungi, 368–381  
     plant disease, 374–379  
     saprotrophs, effects on, 370–372  
     on species distributions, 375*f*  
*Clitocybe*, 299–300  
 Clones, ectomycorrhizal fungi, 193–194  
 Closed mitosis, 49  
*Coccidioides* sp.  
     *C. immitis*, 132, 137, 303–305  
     *C. posadasii*, 303–305  
 Coccidioidomycosis, 303–305, 380  
*Coelomomyces psorophorae*, 28, 314  
*Coenococcum geophilum*, 224  
 Coffee leaf rust (*Hemileia vastatrix*), 263–264  
 Cold-tolerant yeasts, 173–174  
*Coleus forskohlii*, 215  
*Colletotrichum* sp.  
     anthracnose and blights, 270–271, 270*f*  
     *C. gloeosporioides*, 270–271  
     *C. gloeosporioides*, 423  
     *C. lindemuthianum*, 270*f*  
*Collybia fusipes*, 63–64  
 Colony, 426*ge*  
 Common mycorrhizal networks, 226–228  
 Community analysis, fungal diversity,  
     190–191  
     high-throughput sequencing, 192, 192*f*  
     methodology, 192–193  
 Comparative genomics, 44–45, 198–201  
 Compatible solutes, 171  
 Competition  
     exploitation, 338  
     interference, 338  
 Conidia, 19–21, 67  
*Conidiobolus*, 81–83  
 Conidiogenesis, 68  
 Conidiophores, 19–21, 53, 67, 426*ge*  
 Conidium, 426*ge*  
*Coniophora puteana*, 14, 151  
 Conjugation/gametangial fusion, 33  
 Conservation of fungi, 391–392  
     IUCN Red List categories, 392–394, 393*t*  
     measures, 394–397  
     principles, 396*t*  
     rare and endangered species, 397–398  
 Contamination, 422–423, 426*ge*  
 Continuous culture, 411–412  
 Continuous variation, 124  
*Coprinellus heptemerus*, 347  
*Coprinopsis* sp.  
     *C. cinerea*, 65–66, 116–117  
     *C. lagopus*, 63–64  
*Coprinus cinereus*, 114–115  
 Coprophilous, 426*ge*  
 Cord-forming basidiomycetes, 176  
 Cords, 58–60  
 Corn smut, 271–272, 271*f*  
 Cortina, 63–64  
*Cortinarius*, 63–64  
*Coussapoa floccosa*, 391–392  
 CreA, transcription regulator, 143  
 Crops, development of disease, 282–284  
 Croziers, 23  
*Cryphonectria parasitica*, 122–123, 130, 287*t*  
 Cryptic species, 193, 426*ge*  
*Cryptococcus* sp., 307–308  
     *C. neoformans*, 15–16, 174, 305–306, 307–308, 309  
     *C. neoformans* var. *grubii*, 307–308  
     *C. neoformans* var. *neoformans*, 307–308  
     infection, 307–308  
 Cryptomycota, 29–31  
 Crystallinity, 143  
*Curvularia protuberata*, 237  
 Cutaneous infections, 302  
*Cyathus*, 76–77  
 Cyclosporin A, 419–420  
 Cyclosporin synthetase, 419–420  
 Cyindro-conical fermenters, 407–408  
 Cyst, 426*ge*  
 Cytoskeleton, 45–47
- ## D
- Dacrymyces stillatus*, 15–16  
 Dacrymycetes, 13, 15–19  
*Dactylaria candida*, 321–323  
*Dactylella passalopaga*, 358–359  
*Dactylis glomerata*, 237  
 Damping-off diseases, *Pythium*, 279–281  
*Debaryomyces hansenii*, 409  
 Decomposer subsystem, 362, 364  
*Deightoniella torulosa*, 74–75  
 Depolymerisation, 149–150  
 Dermatophytes, 156–157, 426*ge*  
 Developmental adaptation, for nutrient acquisition,  
     175–180  
*Dichanthelium lanuginosum*, 237  
 Dictyosteliomycetes, 35–36  
*Dictyostelium discoideum*, 35–36  
 Dieback, 283*t*  
 Diffusible organic compounds (DOCs), 339–341  
 Dikarya, 191

- Dikaryon, 10–11, 426ge  
 lifecycle, 113  
 mycelium, 10–11  
 Dikaryotization, 426ge  
*Dimorphic yeasts*, 175–176  
 Dimorphisms, 303–305, 309, 426ge  
 Diploid lifecycle, 113  
*Diploschistes muscorum*, 285  
*Dipodascus*, 24–25, 78  
*D. utricularis*, 359  
 Directional selection, 126–127  
 Discontinuous variation, 124  
 Dispersal of spores and aeromycology  
   animals, 92–93  
   mushroom spores and atmospheric chemistry, 89–90  
   plant disease epidemiology, 89  
   sampling methods, 91–92  
 Disruptive/diversifying selection, 127–128  
 Distance methods, 6  
 DNA  
   in ecology, 189–190, 190f  
   ITS region, 189–190  
   transposons, 132–133  
 DOCs. *See* Diffusible organic compounds (DOCs)  
 Dolipore septum, 9–10, 54–55, 426ge  
 Domestic/host-tracking, 289t  
 Douglas fir (*Pseudotsuga menziesii*), 373  
 Downstream processing, 412–413  
 Downy mildews, 279–281, 281f  
*Drosophila*, 326, 329  
 Duplicative transposition, 132, 426ge  
 Dutch elm disease (DED), 274–276, 275f, 287t
- E**  
 Ecology, antagonistic effects on, 352–354  
 Ecosystems  
   autotrophic subsystem, 362  
   in decomposer subsystem, 362, 364  
   fungal diversity and, 196–198  
   herbivore subsystem, 362  
   model of, 363f  
 Ectomycorrhizal (ECM) fungi, 189–190, 191  
   climate change responses, 372–373  
   clones of, 193–194  
   ecosystems, 220–224  
   evolution, 220  
   metal pollution effects on, 387t  
   morphology and anatomy, 216–220  
   mycelium of, 196  
   nutritional modes, 215–216, 222f  
   seedlings of birch, 215–216, 221f  
 Effectors, 252, 426ge  
 Effector triggered immunity (ETI), 252  
   subsequent activation of, 255  
 Effector triggered susceptibility (ETS), 252–254  
 Electroporation, 413–415  
 Electrostatics, 74  
 Element cycles, 362–365  
 Elicitors, 252, 426ge  
 Emerging infectious diseases (EIDs), 285–290, 286f, 287t, 290f  
 eMOTU, 7  
 Encystment, 426ge  
 Endoglucanases, 143  
 Endomembrane system, 44–45  
 Endoparasites, 323  
 Endophytes, 426ge  
   bioactive compounds, 239  
   *Claviceps purpurea*, 236  
   criteria, 234, 234t  
   *Dactylis glomerata*, 237  
   DSE, 238–239  
   environmental genomic sampling, 234  
   *Fusarium culmorum*, 237  
   grass plant, 234–236, 235f  
   hyperdiversity, 238  
   life cycles, 234–236, 235f  
   *Neotyphodium*, 234–236  
   systemic, 236  
   wood decay fungi, 238  
 Endoplasmic reticulum, 44–45  
 Energy flows, 362–365  
 Energy sources, 143  
*Enterocytozoon bieneusi*, 34  
*Entoloma* sp., 382  
*Entomophthora* sp., 81–83, 84–85, 314  
   *E. erupta*, 314–316, 317  
 Entomophthoromycosis, 304t  
 Entomophthoromycotina, 303  
 Environmental fungal sequences, 195–196  
 Environmental genomic sampling, 234  
 Environment, fungal diversity  
   classification, 195–196  
   community analysis, 190–193  
   ecosystem function, 196  
   nomenclature, 195–196  
   prairie soils, 191  
 Enzymic combustion, 147  
*Epicoccum nigrum*, 81–83  
 Epigenetics, 134–135  
*Eremothecium*, 78  
 Ergosterol, 41–42  
 Ergot alkaloids, 420  
 Ericoid mycorrhizal fungi, 225–226  
*Erioderma pedicellatum*, 369f, 395  
 Erisyphaceae (Ascomycota), 272  
 Erisyphales, 247  
*Erisyphe* sp.

- E. cichoracearum*, 272, 273f  
*E. pisi*, 272  
*Erynia*, 81–83  
 Eukaryotic cell, 151–152  
 European white elm (*Ulmus laevis*), 276  
*Exidia glandulosa*, 15  
 Exocyst, 50–51  
 Exoglucanase action, 143, 151  
 Exploitation competition, 338  
 Exploitation phase, 314–316  
 Expressed sequence tags (ESTs), 426ge  
 External transcribed spacer sequences (ETS), 5  
 Extraradical mycelium, 206
- F**  
 Facilitated diffusion, 43  
 Facultative, 426ge  
*Fagaceae*, 397, 398  
*Fagus sylvatica*, 226  
 Fed-batch culture, 411–412  
 Fed-batch fermentation, 408  
 Felled beech decomposition, 351f  
 Fermentation, 401, 426ge  
   downstream processing, 412–413  
   feedstocks, 411  
   fermenter design and operation, 411–412  
   solid-state fermentations, 413  
 Fermentation-produced chymosin (FPC), 409  
 Fermenter, 426ge  
 Fertility barriers, 121–122  
 Fescue grass (*Festuca rubra*), 282–284  
 FHB. *See* Fusarium head blight (FHB)  
 Filamentous fungi, 49–52, 415–423, 426ge  
 Fish, pathogens of, 313  
 Fission yeast, 25, 47–49  
*Flagellospora penicillioides*, 371–372  
 Floral infections, 283t  
 Fluorescence in situ hybridization (FISH), 6–7  
 Fluorescent protein tagging, 44–45  
 Foliar diseases, 283t  
*Formae speciales*, 246  
 Frequency dependent selection, 128  
 Fruit bodies, 61–66, 426ge  
   for animals, 326–328  
   hyphae within, 348  
   invertebrate feeding on, 327–328  
   mycoparasitic fungi, 348f  
 Fruiting, 402–403  
*Fulgensia bracteata*, 284–285  
 Functional diversification, 153  
 Fungal biotechnology, 401  
   biofuels, 421–422  
   bioremediation, 422–423  
   biotransformations, 421  
   ergot alkaloids, 420  
   fermentation technology  
     downstream processing, 412–413  
     feedstocks, 411  
     fermenter design and operation, 411–412  
     solid-state fermentations, 413  
   fungal enzymes, 416–417  
   genetic manipulation of, 413–415  
   immunosuppressants, 419–420  
    $\beta$ -lactam antibiotics, 418–419  
   lovastatin, 419  
   mushrooms  
     cultivation methods, 401–403, 402f  
     as food and medicine, 403–404  
     uses of lichens, 404  
   mycopesticides, mycoherbicides, and  
     mycofungicides, 423  
   organic acid synthesis, 417  
   single cell protein, 415–416  
   vitamin B<sub>2</sub> synthesis, 418  
   yeasts  
     Asian fermented foods, 410–411  
     baking using, 408  
     cheeses and meat products, 409  
     chocolate, 410  
     filamentous fungi and, 415–423  
     wine and beer using, 404–408  
 Fungal cell biology and development  
   cell structure  
     cell wall, 37–41  
     cytoskeleton, 45–47  
     endomembrane system, 44–45  
     plasma membrane, 41–43  
   growth and cell division  
     aerial hyphae and conidiophores, 53  
     budding yeast and fission yeast, 47–49  
     nuclear division, 49  
     septa, woronin bodies, and septal pore complex,  
       53–55  
     tip growth in filamentous fungi, 49–52  
   multicellular organs  
     ascomata and basidiomata, 61–66  
     cords and rhizomorphs, 58–60  
     pseudosclerotia and pseudosclerotial plates, 61  
     sclerotia, 60–61  
   mycelium, 56–58  
   organelles, cells, organs, 37  
 Fungal community development, 190–191  
   high-throughput sequencing, 192, 192f  
   interspecific interactions, 354  
   methodology, 192–193  
 Fungal diversity  
   classification  
     gasteromycete, 4–5



- Fungal diversity (*Continued*)  
 gilled mushrooms, 3–4, 4f  
 implications of molecular phylogeny, 7–8  
 operational taxonomic units and environmental sampling, 6–7  
 phylogenetic trees, 5–6  
 pre-Darwinian schemes, 2–3  
 taxonomy, 3  
 in environment  
 classification, 195–196  
 community analysis, 190–193  
 identification, 193–194  
 link to ecosystem function, 196  
 nomenclature, 195–196  
 prairie soils, 191  
 evolutionary origins, 1  
 fungal phyla and orders  
 Ascomycota, 19–25  
 Basidiomycota, 9–13  
 Blastocladiomycota, 26–28  
 Chytridiomycota, 28–29  
 Glomeromycota, 25–26  
 Neocallimastigomycota, 29  
 microsporidia, 34  
 miscellaneous microorganisms, 35–36  
 Fungal enzymes, 416–417  
 Fungal–fungal interactions  
 antagonism at distance, 339–341  
 gross mycelial contact, 349–354  
 mycoparasitism, 341–349  
 spectrum of, 340f  
 Fungal hydrolases, 416–417  
 Fungal proteinases, 156  
 Fungus-like oomycete gun-cell-forming parasites, 324f  
*Furia*, 81–83  
*Furu*, 410–411  
 Fusarium head blight (FHB), 374, 378, 379f  
*Fusarium* sp., 162–164, 263, 274, 280  
*F. chlamydosporum*, 215  
*F. culmorum*, 237, 299, 378  
*F. fujikuroi*, 162–164, 163f  
*F. graminearum*, 299, 378  
*F. oxysporum*, 158, 274  
*F. poae*, 299  
*F. sporotrichoides*, 299  
*F. subglutinans*, 378  
*F. venenatum*, 326  
 Fusion biotrophs, 343  
 Fusion of gametangia, 112  
 Fusion of gametes, 112  
*Fusarium culmorum*, 237
- G**  
*Galerina*, 382  
 Gametangial copulation, 112  
 Gametangium, 27–28, 33, 426ge  
 Gametes, 426ge  
 Gametophyte, 27–28  
*Ganoderma* sp.  
*G. applanatum*, 90  
*G. lucidum*, 14–15  
*GDAP1*, 171  
 GenBank, 189–190, 191, 195, 196  
 Gene families  
 with breaking down wood polymers, 200  
 and niche adaptation, 200–201  
 Gene flow, 128–130  
 Genet, 100  
 Genetic drift and founder effect, 130  
 Genetics  
 disharmony, 121–122, 136  
 divergence, 136  
 drift and founder effect, 130  
 hyphal fusion, 102  
 individuals, 100–101  
 life cycles and sexual process  
 mating systems, 114–119  
 parasexual cycle, 122–123  
 sex, outcrossing, and non-outcrossing, 109–111  
 systems restricting outcrossing, 119–122  
 types and phases of life cycles, 111–114  
 manipulation of fungal biotechnology, 413–415  
 microevolution  
 epigenetics, 134–135  
 gene flow, 128–130  
 genetic drift and founder effect, 130  
 horizontal gene transfer, 134  
 mutation, 125–126  
 natural selection, 126–128  
 recombination, 130–132  
 transposable elements, 132–134  
 population, 104–107  
 somatic incompatibility, 102–103  
 speciation  
 asexual fungi, 137  
 modes, 135  
 sexual phase, 136–137  
 species, 107–109  
 variation, 123–124  
 Genome  
 adaptation by changes in architecture, 201  
 analysis, 143, 144  
 and transcriptome, 199–201  
 Genotype, 105–107  
 Geographical speciation, 135  
 Geomycology, 180–184, 181t  
 Geophilics, 302  
*Geosiphon pyriforme*, 26  
*Geotrichum candidum*, 409  
 Germplasm, 282



- Germ sporangia, 33  
 Germ tube, 426<sub>ge</sub>  
 GFP. *See* Green fluorescence protein (GFP)  
*Gibberella* sp., 80–81  
   *G. zeae*, 81  
 Global carbon cycle, 364<sub>f</sub>  
 Glomalin, 215  
 Glomalin-related soil protein (GRSP), 215  
 Glomeromycota, 25–26  
*Glomus* sp.  
   *G. etunicatum*, 110–111  
   *G. fasciculatum*, 215  
 $\beta$ -1 $\rightarrow$ 3-Glucan, 38–40  
 Glucans, 38–40  
 $\beta$ -1 $\rightarrow$ 3-Glucan synthase, 40  
 Glucoamylases, 417  
 Gluconic acid, 417  
 Glucose, 142  
 Glutathione, 158  
 Glycoproteins, 38–40  
 Golgi apparatus, 44–45  
 Golgi equivalent, 45  
 G-protein coupled receptor (GPCR), 166–167  
 Grasslands, 381–382  
 Green apple bug (*Lygus communis*), 314–316, 317  
 Green fluorescence protein (GFP), 194, 194<sub>f</sub>  
 Greenhouse effect, 368–369  
 Grey mould, Botrytis, 276  
 Gross mycelial contact, 349–354  
   antagonistic effects, 352–354  
   chemistry *vs.* gene expression, 351–352  
   fungal community development, 354  
   interspecific interactions, 354  
 Groundsel (*Senecio vulgaris*), 282–284  
 Growth factors, and vitamins, 160  
 GS-GOGAT pathway, 154  
 GTP-binding protein, 171–172  
 Gut symbionts, 329–330  
 Gymnocarpic development, 63–64  
*Gymnopholus lichenifer*, 395  
*Gymnosporangium globosum*, 19  
*Gyromitra esculenta*, 299–300
- H**  
 HAART. *See* Highly active antiretroviral therapy (HAART)  
*Hanseniaspora guilliermondii*, 410  
*Hanseniaspora opuntiae*, 410  
 Haploid–diploid lifecycle, 113  
 Haploid lifecycle, 113  
 Hartig net, 218, 426<sub>ge</sub>  
 Haustorial biotrophs, 343  
 Haustorium, 18–19, 426<sub>ge</sub>  
*HcPT1*, 157  
 Heat sterilisation, 412  
*Hebeloma* sp.  
   *H. crustuliniforme*, 224  
   *H. cylindrosporum*, 157  
 Hemibiotroph, 426<sub>ge</sub>  
 Hemibiotrophic fungi, 246, 316–317  
*Hemileia vastatrix*, 263–264  
 Herbivore subsystem, ecosystems, 362  
*Hericium* sp.  
   *H. cirrhatum*, 397  
   *H. coralloides*, 369<sub>f</sub>, 397  
   *H. erinaceus*, 369<sub>f</sub>, 397, 403–404  
*Heterobasidion* sp.  
   *H. annosum*, 113, 258, 277–279, 277<sub>f</sub>, 347  
   *H. irregulare*, 277<sub>f</sub>  
   hosts of, 278<sub>t</sub>  
   *H. parviporum*, 347  
*Heteroconium chaetospora*, 358–359  
 Heterogenesis  
   compatibility, 115, 427<sub>ge</sub>  
   incompatibility, 121–122, 137  
 Heterokaryon, 426<sub>ge</sub>  
 Heterokaryotic mycelia, 10–11  
 Heterologous proteins, 413  
 Heterothallic system, 115  
 Heterothallism, 426<sub>ge</sub>  
 Heterotrophic fungi, autotrophic plants and, 361  
 Heterozygote, 110  
 Heterozygous, 426<sub>ge</sub>  
 High-affinity transporter, 153  
 Highly active antiretroviral therapy (HAART), 305–306  
*Histoplasma*  
   *H. capsulatum* var. *capsulatum*, 303  
   *H. capsulatum* var. *duboisii*, 303  
 Histoplasmosis, 303  
*HOG1* gene, 171  
*HOG1* protein, 171  
 Homogenic incompatibility, 115, 427<sub>ge</sub>  
 Homokaryon, 10–11, 427<sub>ge</sub>  
 Homologous proteins, 413  
 Homothallism, 427<sub>ge</sub>  
 Homozygous, 427<sub>ge</sub>  
 Horizontal gene transfer (HGT), 134, 201, 289<sub>t</sub>  
 Horizontal resistance, 427<sub>ge</sub>  
 Horizontal transmission, 427<sub>ge</sub>  
 Host, 427<sub>ge</sub>  
 Host jump/shift, 289<sub>t</sub>  
 Host-specific toxin (HST) gene, 252–254, 256–257, 261<sub>t</sub>  
 Humans body  
   allergies, 293–296  
   mycoses  
   antifungal agents for treatment, 309  
   cutaneous infections, 302  
   subcutaneous infections, 303  
   superficial infections, 300

Humans body (*Continued*)  
 systemic-dimorphic/true pathogens, 303–305  
 systemic-opportunistic infections, 305–309  
 mycotoxicoses, 297–300  
*Humulus lupulus*, 407–408  
 HXT genes, 166–167  
*Hyaloperonospora parasitica*, 280, 281f  
 Hybridisation, 136, 286–289, 289t  
 Hydrophobins, 53, 231–232, 427ge  
 Hydroxyl radical, 151  
*Hygrocybe* sp., 382  
   *H. collucera*, 369f  
   *H. lanecovens*, 369f  
 Hymenium, 11–12, 427ge  
 Hyperdiversity, 238  
 Hypersensitive response (HR), 256–257  
 Hypersensitivity  
   pneumonitis, 297t  
   types, 296  
 Hypha, 427ge  
 Hyphae within fruit bodies, 348  
 Hyphal fusion, 102  
 Hyphal interference, 347  
*Hyphoderma setigerum*, 365  
*Hypholoma fasciculare*, 176, 354  
 Hyphopodia, 208–209  
*Hypocrea jecorina*, 144–145  
*Hypomyces chrysospermus*, 341–342  
 Hysterothecia, 23–24

## I

Ichthyophonosis, 313  
 Immunoglobulin E (IgE), with allergen, 296  
 Immunosuppressants, 419–420  
 Inbreeding potential, 115–116  
 Index Fungorum, 195  
 Induced systemic resistance (ISR), 255  
*Inocybe*, 299–300  
 Inoperculate condition, 28–29  
 Insects pathogens, 315t, 316f  
 Integral membrane proteins, 42  
 Integral monotopic proteins, 42  
 Interference competition, 338  
 Internal transcribed spacers (ITS), 5  
 Interspecific interactions, 339, 341f, 354  
 Intracellular nutrient levels, 167–168  
 Intracellular parasites, 343, 346f  
 Invasive aspergillosis, 306  
 Invasive candidiasis, 23–24  
 Invasive growth, 52  
 Invasive necrotrophs, 347  
 Invertebrates killers, 314  
   aspergillosis of coral, 325  
   entomopathogens, 314–320

  mycelial growth, 314–316  
   nematophagous, 320–325  
   rotifer-trapping fungi, 320–325  
 Ion channels, 43  
 Ion pump, 42  
 Isinglass, 408  
 Isolate, 427ge  
 Itaconic acid, 417  
*Itersonilia perplexans*, 86–87  
 ITS1, 5  
 ITS2, 5  
 IUCN red-listing system, 392–394, 393t

## J

*Jaapia argillacea*, 200  
*Janthinobacterium agaricidamnorum*, 355  
 Jarrah dieback, 287t  
 Jeffrey pine (*Pinus jeffreyi*), 372  
 Jelly fungi, 15–19  
 JGI Community Sequencing Program, 199

## K

Karnal bunt, 71–72, 287t  
 Karyogamy, 111, 113, 427ge  
 Killers of invertebrates, 314  
   aspergillosis of coral, 325  
   entomopathogens, 314–320  
   nematophagous, 320–325  
   rotifer-trapping fungi, 320–325  
 Kilning, 407  
*Cluyveromyces*, 416–417

## L

Laboulbeniales, 23–24, 319f  
 Laboulbeniomycetes, 317  
 Labyrinthulomycota, 35–36  
*Laccaria* sp.  
   *L. amethystina*, 224  
   *L. bicolor*, 13, 153, 172, 201, 218  
   *L. laccata*, 386–387  
 Laccases, 147–149, 417  
*Laccoccephalum* sp.  
   *L. basilapiloides*, 61  
   *L. mylittae*, 60–61  
*Lachnellula pini*, 381  
 β-Lactam antibiotics, 418–419  
 β-Lactamases, 418–419  
 Lactases, 416–417  
 LaeA, transcription factor, 164  
 Land use change, 367  
   arable and plantation forests, 382–383  
   grasslands, 381–382  
 Late blight, 279, 287t  
   of potato, 285, 288t

- Lecanicillium lecanii*, 423  
*Lecanora rupicola*, 230  
 Lentinan, 403–404  
*Lentinula edodes*, 401–402, 402f  
*Lenzites betulina*, 348  
*Leptosphaeria maculans*, 378  
*Letharia vulpine*, 232  
*Leymus mollis*, 237  
 Lichens, 170–171, 183, 284–285  
     airborne pollutants, 384f  
     air pollution, 383–386  
     anatomy and range of form, 228–230, 229f  
     classification, 230  
     effects on, 373–374  
     evolution, 233  
     fungus host, 228–230  
     nomenclature, 230  
     photosynthetic cells, 228–230  
     physiology and adaptation, 231–233  
     SO<sub>2</sub> pollution, 385t  
     soredia, 228–230  
     symbiosis in, 19–21  
     thallus, 228–230, 328, 383  
     toxic metals, 386  
     uses of, 404  
 Life cycles, 234–236, 235f  
 Life cycles and sexual process  
     mating systems, 114–115  
     types and phases of life cycles, 111–114  
 Light responses, 172–173  
 Lignin, 255–256  
     degradation, 147–149  
     molecular structure of, 147, 148f  
     peroxidases role in, 149f  
 Lignin peroxidases (LiP), 147  
 Lignocellulose  
     agricultural waste, 421  
     brown rot fungus, 146–147, 149–150, 150f, 151  
     cellular structure of wood, 146, 146f  
     peroxidases, 147, 149f  
     phenylpropanoid monomers, 147, 148f  
     white rot wood decay fungi, 146–147, 150f  
 Lipid-anchored proteins, 42  
 Live cell imaging, 44–45  
 Lovastatin, 419  
 Lower Devonian Rhynie chert, 342–343  
     fossil fungi in, 1, 2f  
*Lunulospora curvula*, 371–372  
 LysM domain receptor kinases, 209–210  
*Lysobacter enzymogenes*, 355
- M**  
 Macroconidia, 267, 274  
     *Fusarium graminearum*, 379f  
 Macrofungi, 370, 383, 386–387, 392, 395–397, 427ge  
*Macrolepiota*, 382  
*Macrophomina phaseolina*, 60–61  
*Macrotermes bellicosus*, 330–332  
 Magic mushrooms, 161, 162  
*Magnaporthe* sp.  
     *M. grisea* complex, 81–83, 137  
     *M. oryzae*, 114, 137, 166–167, 172, 197, 245, 265–267, 266f, 287t, 288t  
*Malassezia* sp., 300  
     *M. furfur*, 300  
     *M. globosa*, 10f, 16  
 Malting, 407  
 Manganese-dependent peroxidases (MnP), 147  
 Mannoproteins, 38–40  
 MAPK signalling pathways, 171  
 Marine ecosystems, 9, 362  
 Marram grass (*Ammophila arenaria*), 282–284  
 Mating systems, 114–115, 427ge  
     amixis, 122  
     bifactorial incompatibility, 116–117  
     dimixis, 115–116  
     evolution of mating genes, 118–119  
     modified tetrapolar incompatibility, 118  
     unifactorial incompatibility, 116  
 Mating type, 11, 16, 19, 21–23, 24, 33, 120, 279–280, 427ge  
 Maximum likelihood method, 6  
 Maximum parsimony, 6  
 Meat products, 409, 416–417  
*Medicago trunculata*, 209–212  
 Medium, culture, 91, 143, 174–175, 427ge  
*Megacollybia platyphylla*, 176  
 Meiosis, 111  
 Meiosporangia, 26–27  
 Meiospores, 427ge  
*Melampsora* sp.  
     *M. columbiana*, 286–289  
     *M. medusa*, 136  
     *M. occidentalis*, 136  
 Melanin, 61, 173, 238–239, 307–308, 352, 355  
 Mep cell surface ammonium transporters, 167  
*Meruliporia incrassata*, 60  
 Metabasium, 267–268  
 Metagenomics, 190–191, 239  
 Metalloids, 160  
 Metals, 158–160  
     pollution effect on fungi, 386–387  
 Metapopulation, 104–105, 427ge  
*Metarhizium* sp., 194  
     *M. anisopliae*, 314, 423  
     *M. brunnei*, 194f  
 Metatranscriptome, 190–191, 196  
 Meticillin, 418–419

- Metschnikowia*, 78  
 Microbe-associated molecular patterns (MAMPs), 252, 254–255  
*Microbotryum violaceum*, 17–18  
 Microconidia, 21–23, 274  
 Microevolution  
   epigenetics, 134–135  
   gene flow, 128–130  
   genetic drift and founder effect, 130  
   horizontal gene transfer, 134  
   mutation, 125–126  
   natural selection, 126–128  
   recombination, 130–132  
   transposable elements, 132–134  
 Microsporidia, 8, 34, 34f  
 Microtubule organising centres, 49  
 Mildew, 427ge  
 Mildews  
   downy, 280  
   powdery, 23–24, 79f, 258, 259, 343  
 Mineral nutrient cycling, 362, 364–365  
 MiSSP7, 218, 219f  
 Mitogen-activated protein (MAP), 255  
 Mitospore, 132, 427ge  
 Mitosporic fungi, 110, 114, 137  
 Mixotrophs, 226  
 Molecular ecology, 190  
   comparative genomics, 198–201  
   DNA technology, 189–190, 190f  
   fungal diversity, in environment  
     classification, 195–196  
     community analysis, 190–193  
     identification, 193–194  
     link to ecosystem function, 196  
     nomenclature, 195–196  
     prairie soils, 191  
   whole-genome sequencing, 198–201  
*Monilia*, 61  
*Moniliophthora perniciosa*, 119–120, 263  
 Monokaryon, 10–11, 113, 427ge  
 Monosaccharide transporters, 143  
 Morphological species, 107  
 Motile aquatic spores, 95–97  
 MtPT4, 210–212  
 Mucomycoses, 31–32  
*Mucor* sp., 56  
   *M. circinelloides*, 308  
   *M. mucedo*, 8  
   *M. pusillus*, 173–174  
 Multicellular organs  
   ascomata and basidiomata, 61–66  
   cords and rhizomorphs, 58–60  
   pseudosclerotia and pseudosclerotial plates, 61  
   sclerotia, 60–61  
   Multiple copies of gene, 413–415  
   Mutation, 125–126  
   Muscimol, 162  
   Mushrooms  
     cultivation methods, 401–403, 402f  
     as food and medicine, 403–404  
     fruiting, 402–403  
     spore, 89–90  
     toxin, 298t  
   Mutualism, 205, 337–338, 427ge  
     animals, 328–334  
     endophytes  
       DSE, 238–239  
       grass plant, 234–236, 235f  
       systemic, 236  
     lichens (*see* Lichens)  
     mycorrhiza  
       AMF, 206–215  
       ectomycorrhizal fungi, 215–224  
       ericoid mycorrhizal fungi, 225–226  
   Mycangia, 333  
   Mycelia growth, 176, 327f  
   Mycelium, pellets, 194f, 427ge  
   Mycelial cord, 176, 178f, 179f, 180f, 427ge  
   Mycelial strand, 427ge  
   *Mycena pura*, 386–387  
   Mycetoma, 304t  
   Mycetomes, 329  
   Mycobiont, 228–230  
   Mycofungicides, 423  
   Mycoherbicides, 423  
   Mycoheterotrophic associations, 226  
   Mycoparasitism, 341–349, 346f, 427ge  
     on fruit bodies, 348f  
     of sclerotia, 349  
     of spores, 348  
     types, 344t  
   Mycopesticides, 423  
   Mycoprotein, 415–416  
   Mycorrhiza, 183, 193, 427ge  
     arbuscular mycorrhizal fungi (AMF)  
       MiSSPs, 209–210  
     climate change responses, 368–381  
     common mycorrhizal networks, 226–228  
     ectomycorrhizal fungi, 215–224  
     ericoid mycorrhizal fungi, 225–226  
     Hartig net, 206f, 207f, 216, 218, 238  
     nitrogen enrichment effects on, 388–390  
     pollution effects on, 386–387  
   Mycorrhiza helper bacteria, 219  
   Mycorrhizal small secreted proteins (MiSSP), 209–210, 218  
   Mycoses, 293, 300  
     antifungal agents for treatment, 309  
     cutaneous infections, 302

- infections of humans, 301*t*  
 subcutaneous infections, 303  
 superficial infections, 300  
 systemic–dimorphic/true pathogens, 303–305  
 systemic–opportunistic infections, 305–309  
*Mycosphaerella fijiensis*, 264*f*, 282  
 Mycotoxins, 293  
   control of, 298–299  
   and mushroom toxins, 298*t*  
 Mycoviruses, 357–358  
 Myxomycetes, 35–36  
   plasmodia of, 358–359
- N**  
 Natural selection, 126–128  
 Necrotrophic pathogens, 246, 247*t*  
   establishment and exploitation, 259–262  
   host-specific and non-host-specific toxins produced  
     by, 261*t*  
 Necrotrophs, 314–316, 427*ge*  
   in solid plant tissues, 338  
*Nectria* sp., 80–81  
   *N. exigua*, 359  
*Nectriopsis violacea*, 359  
 Neighbour-joining, 6  
 Nematodes  
   eggs/cysts, 325  
   fungus-like oomycete gun-cell-forming parasites,  
     324*f*  
 Nematode trapping fungi, 322*f*  
 Nematophagous, 320–325, 321*t*  
*Nematospora gossypii*, 337–338  
 Neocallimastigomycota, 29  
*Neonothopanus gardneri*, 93  
*Neottia nidus-avis*, 226  
*Neotyphodium*, 234–236  
 Net primary productivity (NPP), 364–365, 382  
*Neurospora* sp., 160  
   *N. crassa*, 21–23, 40, 108–109, 129  
     blue-light responses, 172–173  
     opsin NOP-1 from, 173  
     tip growth, 49–52  
   *N. discreta*, 108–109  
   *N. tetrasperma*, 119–120  
*Nia vibrissa*, 94–95  
 Niche adaptation, 141, 200–201  
*Nigrospora oryzae*, 81–83  
 Nitrate uptake in fungi, 152–157  
 Nitrogen enrichment, effects on fungi, 388–390  
 Non-host-specific toxins, 252, 261*t*  
 Non-invasive necrotrophic mycoparasites, 347  
 Non-motile aquatic spores, 94–95  
 Non-transcribed spacer region (NTS), 5  
*Nostoc punctiforme*, 232  
 NPP. *See* Net primary productivity (NPP)  
 Nrt2 protein, 153  
 Nuclear cap, 26–27  
 Nuclear division, 49–50, 175–176  
 Nuclear fusion, 9–10, 18, 111, 122  
 Nutrient acquisition, 141–161, 262  
   developmental adaptation for, 175–180  
   ECM, 219  
 Nutrient cycling, 388–390  
   agents of, 370  
   mineral, 364–365  
 Nutrient sensing, 166, 175
- O**  
 Obligate, 427*ge*  
*Oculimacula yallundae*, 264  
 Oidium, 427*ge*  
*Olpidium*, 29–31  
 Oomycetes, 35, 279–281, 313, 313*f*  
 Oospore, 427*ge*  
 Open mitosis, 49  
 Operational taxonomic unit (OTU), 7  
 Operculate condition, 28–29  
*Ophiocordyceps* sp., 61  
   *O. sinensis*, 369*f*, 395  
*Ophiospora* sp.  
   *O. novo-ulmi*, 275*f*  
   *O. ulmi*, 275*f*  
*Ophiostoma* sp., 80–81, 274, 390  
   *O. clavigerum*, 333  
   *O. novo-ulmi*, 102, 274–276, 286*f*, 287*t*  
   *O. ulmi*, 274–276, 287*t*  
 Opsins, 173  
 Organic acid synthesis, 417  
 Osmophiles, 169–170  
 Osmotic potential, 168, 169  
 Outbreeding potential, 115–116, 117, 118  
 Outcrossing, 115–119  
   roles and consequences of, 109–111  
   systems restriction, 119–122  
 Oxidative lignin, 147  
 Oyster mushrooms (*Pleurotus ostreatus*), 419, 422*f*
- P**  
*Palo podrida*, 146–147  
*Paracoccidioides brasiliensis*, 305  
 Paracoccidiomycosis, 305  
 Parasexual cycle, 122–123  
 Parasexuality, 24–25, 427*ge*  
 Parasites, 246. *See also* Mycoparasitism  
   intracellular, 343, 346*f*  
   nematode eggs/cysts, 325  
 Parasitic fungi, 156–157  
 Partial veil, 63–64

- Passive discharge mechanisms, 72  
 Pathogenic fungi, 362  
 Pathogens  
   of fish, 313  
   human, 302*f*  
   of insects, 315*t*, 316*f*  
   of invertebrates, 318*f*  
   of plants, 264*f*, 282–284  
 Pathotype, 123–124, 130, 131–132, 427*ge*  
 Pattern recognition receptors (PRRs), 252  
 Pattern triggered immunity (PTI), 254–255  
 Penicillin G, 418–419  
 Penicillins, 161, 356, 418–419, 418*f*  
*Penicillium* sp., 69–70, 169–170  
   *P. camemberti*, 409, 409*f*  
   *P. chrysogenum*, 163*f*, 418–419  
   *P. expansum*, 299  
   *P. marneffeii*, 137, 305–306, 308  
   *P. nalgiovense*, 409  
   *P. roqueforti*, 409  
*Peniophora aurantiaca*, 128  
 Peptaibols, 154  
 Peptidyl prolyl isomerase (PPIase), 151–152  
 Perithecia, 19–21, 23–24, 61  
 Perithecial stroma, 21*f*, 23–24  
 Perithecium, 2*f*, 23, 62*f*, 80–81, 427*ge*  
 Peronosporales, 247  
*Peronospora* sp.  
   *P. hariotii*, 281*f*  
   *P. tabacina*, 263–264  
   *P. viciae*, 281*f*  
 Peroxcretion, 152  
 Peroxidases  
   role in lignin, 147, 149*f*, 352  
 Persistent organic pollutants (POP), 422–423  
 Petri dish, 63–64, 91, 427*ge*  
 Pezizomycotina, 19–21, 23–24, 78, 81–83, 94, 237  
 Phallales, 15  
*Phallus impudicus*, 15, 28*f*, 350*f*  
*Phanerochaete chrysosporium*, 6, 151, 200  
*Phellinus* sp.  
   *P. ellipsoideus*, 61–62  
   *P. weirii*, 282–284  
*Phellodon melaleucus*, 369*f*  
 Phenolates, 151  
 Phenotype, 105–107, 110, 128, 230  
*Phlebiopsis gigantea*, 278–279, 347  
 Phosphatases, 417  
 Phosphorus, 157–158  
 Photobionts, 228–230, 229*f*, 285  
 Photosynthetic cells, 228–230  
*Phycomyces* sp., 160  
   *P. blakesleanus*, 118  
 Phylloplane, 427*ge*  
 Phylogenetic species, 108–109  
 Phylotype, 427*ge*  
 Phylum-level diversity, 146–147  
*Physarum polycephalum*, 35–36  
 Phytases, 417  
   enzyme, 157–158  
 Phytate, 225–226  
 Phytoalexins, 255–256, 427*ge*  
 Phytoanticipins, 254, 428*ge*  
 Phytochromes, 173  
 Phytopathogens. *See* Pathogens  
*Phytophthora* sp., 153, 263, 280, 286*f*  
   *P. alni* subsp. *alni*, 286–289  
   *P. cinnamomi*, 258, 287*t*  
   *P. citrophthora*, 258  
   *P. infestans*, 245, 279, 285, 286, 287*t*, 288*t*  
   *P. ramorum*, 134, 286*f*, 287*t*  
 Phytotoxins, 297–298  
*Pichia kudriavzevii*, 410  
 Pileus, 428*ge*  
*Pilobolus kleinii*, 83–84  
 Pinaceae, 215–216, 366*f*, 398  
*Pinus sylvestris* forest, 197*f*, 353*f*  
*Piptocephalis* sp.  
   *P. fimbriata*, 343  
   *P. unispora*, 346*f*  
*Piptoporus quercinus*, 369*f*  
*Pisolithus tinctorius*, 216, 354  
 Pkc1 protein, 171–172  
 Plantation forests, 382–383  
 Plant cell wall, 255  
   cellulose in, 13, 143, 144*f*, 145*f*  
   formation, 210  
   intercellular spaces, 209–210  
 Plant disease  
   climate changing patterns of, 374–379  
   epidemiology, 89  
   triangle, 253*f*  
 Plant pathogenic fungi, 264*f*  
 Plant–pathogen interactions, 282–284  
 Plasma membrane, 41–43  
 Plasmids, 413  
*Plasmodiophora brassicae*, 35–36, 358–359  
 Plasmodiophoromycota, 35–36  
 Plasmodium, 358–359, 428*ge*  
 Plasmogamy, 111, 112, 113, 115, 428*ge*  
 Plasmolysis, 170–171  
*Pleurotus* sp.  
   *P. nebrodensis*, 369*f*, 395  
   *P. ostreatus*, 422*f*  
 Ploidy, 112, 269*t*, 428*ge*  
*Pneumocystis jirovecii*, 25, 305–306, 308  
 Pneumocytosis, 308  
*Podospora* sp., 80–81

- P. anserina*, 121–122, 201  
*P. arizonensis*, 122  
 Podzols characteristic, 183  
 Poikilohydric lichens, 231–232  
 Polarisome, 50–51  
 Polyketide (PKS) megasynthase, 419  
 Polymeric forms of carbon, 143–152  
 Polyphosphate, 157  
 Polyploidy/aneuploidy, 136  
 Polyporales, 14–15  
*Polyporus umbellatus*, 403–404  
*Populus* sp.  
     *P. deltoides*, 136  
     *P. trichocarpa*, 136  
 Porcini, 14, 162–164  
*Poronia punctata*, 367, 369f  
*Postia placenta*, 151, 200  
 Potato (*Solanum tuberosum*), 285  
     blight, 279–281  
 Powdery mildews, 23–24, 79f, 258, 259, 272–274, 273f, 343  
 Predatory fungi, 320  
 Pressure potential, 168  
 Primary active transport, 42  
 Primary homothallism, 119–120, 428ge  
 Primary production, 362–364, 428ge  
 Primary saprotrophs, 31–32  
 Primordium, 63–64, 428ge  
 Progametangia, 33  
 Promycelium, 16–17, 271–272  
 Proteases, 156  
 Protein, 156  
     in cell wall, 38–40  
     secretion  
         apoptosis, 160–161  
         autolysis, 160–161  
         autophagy, 160–161  
         essential metals, 158–160  
         growth factors and vitamins, 160  
         identification and purification, 152  
         low-disturbance habitats, 156  
         mycelium, 155f  
         nitrogen sources, 152–157  
         phosphorus, 157–158  
         proteases, 156  
         sulphur, 158  
         synthesis and regulation, 151–152  
 Protein disulfide isomerase (PDI), 151–152  
 Protein kinase C (PKC) signal transduction  
     pathway, 171  
 Proteoglycan, 403–404  
 Protists and fungi, 358–359  
 Protoperithecium, 21–23, 428ge  
 Protoplast, 413–415, 428ge  
 Protosteliomycetes, 35–36  
*Pseudocyphellaria crocata*, 232  
*Pseudomonas* sp.  
     *P. aeruginosa*, 355  
     *P. agaricus*, 355  
     *P. fluorescens*, 219  
     *P. monteilii*, 215  
     *P. tolaasii*, 355  
 Pseudoparenchyma, 62–63  
 Pseudorhiza, 63–64  
 Pseudosclerotia, 61  
 Pseudosclerotial plates, 61  
 Pseudothecia, 23–24  
*Psilocybe* sp., 299–300  
     *P. semilanceata*, 162  
 Psilocybin, 161, 162  
*Puccinia* sp.  
     *P. graminis*, 18–19, 286, 288t  
     *P. graminis* f.sp. *tritici* (Basidiomycota), 245, 263, 267–270  
     *P. hordei*, 259f  
     *P. kuehnii*, 287t  
     *P. melanocephala*, 263–264  
     *P. striiformis*, 125, 130  
     *P. striiformis* f.sp. *tritici*, 263–264  
 Pucciniomycotina, 18–19  
 Pulmonary aspergilloma, 306  
 Pycniospores, 428ge  
*Pyrenophora tritici-repentis*, 201  
 Pythiales, 35  
*Pythium* sp., 263, 279–281  
     *P. irregulare*, 280  
     *P. phanidermatum*, 280  
     *P. ultimum*, 341–342
- ## Q
- Quantitative PCR, 194  
 Quorn, 415–416, 416f  
 Quorum sensing, 106f, 175–176, 355, 428ge
- ## R
- Race, 123–124, 130, 428ge  
 Radial growth, 428ge  
 Raman spectroscopy, 197–198  
*Ramariopsis pulchella*, 369f  
 Ramet, 100  
 rDNA. *See* Ribosomal DNA (rDNA)  
 Recombination, 130–132  
 Red-light responses, 173  
 Reproductive isolation, 136  
 Resistance gene pyramids, 125  
 Resource unit restricted fungi, 428ge  
 Response of fungi, 166–175  
 Resting spore, 428ge  
 Retrotransposons, 132–133



- Rhizanthella gardneri*, 226  
*Rhizoctonia* sp., 263, 280  
     *solani*, 258, 265, 341–342  
 Rhizoids, 28–29, 428<sup>ge</sup>  
 Rhizomorphs, 58–60, 428<sup>ge</sup>  
*Rhizophagus irregularis*, 153  
*Rhizopogon* sp., 93  
     *R. vesiculosus*, 228  
     *R. vinicolor*, 228  
*Rhizopus* sp.  
     *R. arrhizus*, 341–342  
     *R. microsporus*, 410  
     *R. oligosporus*, 31–32  
*Rhizoscyphus ericae*, 225  
 Rhizosphere, 428<sup>ge</sup>  
 Rho1, 171–172  
 Ribosomal DNA (rDNA)  
     in fungal identification, 190<sup>f</sup>  
     ITS region, 189–190  
 Rice blast, 166–167, 245, 265–267, 266<sup>f</sup>, 287<sup>t</sup>, 288<sup>t</sup>  
 Root diseases, 283<sup>t</sup>  
 Root wounds, 277–279, 277<sup>f</sup>  
 Rot, 279–281  
 Rotifer-trapping fungi, 320–325, 321<sup>t</sup>  
 Rough endoplasmic reticulum, 45  
*Rozella* sp., 29–31  
     *allomycis*, 29–31  
 R proteins, 255  
 Rumen, neocallimastigomycota inhabit, 330<sup>f</sup>  
 Russulales, 14  
*Russula subnigricans*, 299–300  
 Rust fungus, 267–270, 428<sup>ge</sup>
- S**  
 Saccharification, 407, 408  
*Saccharomyces cerevisiae*, 40, 45, 143, 154, 158, 171, 404,  
     405, 405<sup>f</sup>, 408, 410, 413, 415  
     bud formation, 47–49  
     nuclear division, 49  
     pH, 174  
     self-fertility, 120  
*Saccharomyces* sp., 172, 404  
     *S. bayanus*, 404  
     *S. pastorianus*, 404  
 Saccharomycotina, 24–25  
 SAP. *See* Species action programmes (SAP)  
 Saprolegniales, 35, 247  
 Saprolegniasis, 313, 313<sup>f</sup>  
 Saprotrrophic fungi, 141, 428<sup>ge</sup>  
     metal pollution effects on, 386–387, 387<sup>t</sup>  
     nitrogen enrichment effects on, 388–390  
     radionuclide pollution effects on, 386–387  
     in solid plant tissues, 338  
 Saprotrrophic, effects on, 370–372  
*Schizophyllum commune*, 53, 65–66, 113, 116–117  
*Schizoplasmodium cavostelioides*, 89  
*Schizosaccharomyces pombe*, 25, 49, 120  
*Schwanniomycetes castelli*, 382  
 Sclerotia, 60–61  
 Sclerotium, 60–61, 428<sup>ge</sup>  
*Sclerotium sclerotiorum*, 60–61  
*Scolytus scolytus*, 275<sup>f</sup>  
 Seaweeds, 284–285  
     *Athelia arachnoidea*, 284–285  
     *Diploschistes muscorum*, 285  
     *Phycomelaina laminariae*, 285  
 Secondary active transport, 42–43  
 Secondary homothallism, 119–120, 428<sup>ge</sup>  
 Secondary metabolism  
     *Aspergillus nidulans*, 163<sup>f</sup>, 165  
     environmental cues, 164, 166<sup>f</sup>  
     examples, 163<sup>f</sup>  
     gene clusters, 165  
     genes encoding, 162–164  
     psilocybin, 161, 162  
     *Tapinella panuoides*, 164<sup>f</sup>  
 Second generation biofuel production, 421–422  
 Seed decay, 283<sup>t</sup>  
 Seedling diseases, 283<sup>t</sup>  
 Selective delignification, 146–147  
 Selective sweep, 125  
 Self-fertility, 119–120  
 Sensing, 166–175  
 Septa, 53–55  
 Septal pore cap, 54–55  
 Septal pore complex, 53–55  
*Septobasidium* sp. (Basidiomycota), 316–317  
*Septoria nodorum*, 201  
*Serpula* sp.  
     *S. himantioidea*, 137  
     *S. incrassata*, 151  
     *S. lacrymans*, 14, 60, 102, 130, 149–150, 151, 162–164,  
         176, 179–180, 180<sup>f</sup>, 199, 199<sup>f</sup>  
 Sex, outcrossing, and non-outcrossing, 109–111  
 Sexual cleistothecia, 272  
 Sexual spores, 71  
 Shiitake, 401–402, 402<sup>f</sup>, 403–404  
*Shizosaccharomyces pombe*, 40  
 Siderophores, 159–160, 159<sup>f</sup>  
 Signalling, 166–175  
 Signal sequences, 45  
 Signal transduction pathways, 177<sup>f</sup>  
*Silene* sp.  
     *S. alba*, 17–18  
     *S. dioica*, 17–18  
 Single cell protein, 415–416  
 Single nucleotide polymorphisms (SNPs), 193–194  
 SIP. *See* Stable isotope probing (SIP)

- Sirenin, 27–28  
*Smittium morbosum*, 329  
 Smooth endoplasmic reticulum, 45  
 Smut, corn, 271–272, 271f  
 Smut fungus, 428ge  
 Snow moulds, 173–174  
 SNPs. *See* Single nucleotide polymorphisms (SNPs)  
 Solid-state fermentations, 413  
 Somatic incompatibility, 102–103, 428ge  
 Somatogamy, 112, 428ge  
*Sordaria* sp., 80–81  
   *S. macrospora*, 414f  
 Soredium, 228–230, 428ge  
 Soy sauce production, 410–411  
 Speciation, 428ge  
   asexual fungi, 137  
   modes, 135  
   sexual phase, 136–137  
 Species action programmes (SAP), 395–397  
 Species interactions, 338t  
 Spermatogonia, 19  
 Spermatization, 112, 428ge  
 Spermatium, 18–19, 428ge  
 Spindle pole bodies, 49  
 Spitzenkörper, 50–51, 428ge  
 Spizellomycetales, 169–170  
 Sporangiophores, 31–32, 428ge  
 Sporangiospores, 67, 428ge  
 Sporangium, 31–32, 428ge  
 Spores  
   aquatic spores  
     motile, 95–97  
     non-motile, 94–95  
   discharge  
     airflow and drying, 73–74  
     air viscosity and boundary layers, 73  
     cavitation, 74–75  
     electrostatics, 74  
     raindrops and vibration, 75–77  
     surface tension, 86–89  
     turgor pressure, 78–85  
   dispersal and aeromycology  
     animals, 92–93  
     mushroom spores and atmospheric chemistry, 89–90  
     plant disease epidemiology, 89  
     sampling methods, 91–92  
   diversity, development, and functions  
     asexual spores, 67–71  
     sexual spores, 71  
     spore functions, 71–72  
   function, 71–72  
   size and shape, 72  
   wind dispersal of, 264f  
*Sporidesmium sclerotivorum*, 347  
 Sporidia, 16–17  
 Sporocarp, 25  
 Sporophore, 428ge  
 Sporophyte, 26–27  
 Sporotrichosis, 304t  
 Sporulation, 428ge  
 Spruce (*Picea abies*), 196  
 SPS, 167  
*Ssy1*, 167  
*Ssy5*, 167  
 Stable isotope probing (SIP), 197–198  
*Stachybotrys chartarum*, 296  
*Staphylococcus aureus*, 232  
 Starchy materials, beer from, 406–408  
*Stereum hirsutum*, 113  
 Sterigma, 428ge  
 Sterols, 160  
*Stigmatomyces baeri*, 317  
 Stipe, 428ge  
 Stirred tank fermenters, 411–412, 412f  
 Strain, 428ge  
 Strands, 59  
 Stroma, 428ge  
 Strong promoter, 413–415  
 Subcutaneous infections, 303, 304t  
 Suberin, 255–256  
 Substratum, 258, 329, 364–365, 393–394, 429ge  
 Sudden oak death, 287t  
 Sufu, 410–411  
 Sugarcane rust (*Puccinia melanocephala*), 263–264  
 Sugars and fungi, 143  
 Sugar sensors, 166–167  
 Sugary juices, wine from, 405–406  
 Sulphur, 158  
 Sunken dead spots (anthracnose), 270–271, 270f  
 Superficial infections, 300  
 Sweet chestnut (*Castanea sativa*), 290  
 Symbiosis, 429ge  
 Sympatric speciation, 135  
 Symporter, 42–43  
*Synchytrium endobioticum*, 28–29  
 Synthetic growth medium, 141, 142t  
 Systemic-acquired resistance (SAR), 255, 280  
 Systemic infections, 283t  
 Systemic–opportunistic infections, 305–309
- ## T
- Taphrina deformans*, 78  
 Taphrinomycotina, 25  
*Tapinella panuoides*, 164f  
 Target of rapamycin (Tor) protein, 167–168  
 Teleomorph, 19–21, 169–170, 429ge  
 Telia, 267–268

- Teliospores, 16–17, 18–19, 267–268, 429<sup>ge</sup>  
 Tempe, 410  
 Temperature, 173–174  
 Temporarily parasitics, 348  
 Terbinafine hydrochloride, 41–42  
 Termites, ants and, 330–332  
*Termitomyces* sp., 63–64, 330–332  
   *T. titanicus*, 61–62, 332  
 Terrestrial ecosystems, 152, 196, 232–233, 364–365  
   carbon cycle in, 364–365  
 Tetrapolar incompatibility, 116–117, 118, 429<sup>ge</sup>  
 Thallospores, 67  
 Thallus, 228–230, 429<sup>ge</sup>  
*Theobroma cacao*, 410  
*Thermoascus aurantiacus*, 173–174  
*Thraustochytrium aureum*, 171  
*Tilletia indica*, 287<sup>t</sup>  
 Timber decay, 149–150  
 Tissue browning (blights), 270–271  
*Tolypocladium inflatum*, 163<sup>f</sup>  
*Toninia caeruleonigricans*, 284–285  
 Top yeasts, 406–407  
 Tor gene, 167–168  
 Tps1 enzyme protein, 166–167  
 Tranceptors, 166–167  
 Transcription factors  
   AreA, 152  
   LaeA, 164  
 Transcription regulator, CreA, 143  
 Transcriptome, 196  
   genome and, 199–201  
 Transformation, 413  
 Translocation, 59, 157, 176, 179–180, 212, 429<sup>ge</sup>  
 Transmembrane proteins, 42  
 Transposable elements, 132–134, 201  
 Transposons, 132  
*Trebouxia*, 230  
*Tremella fuciformis*, 15–16  
 Tremellomycetes, 13, 15–19  
*Trentepohlia*, 374  
*Trichoderma* sp.  
   mycoparasitism, 347  
   *T. reesei*, 144–146, 415, 417  
   *T. virens*, 341–342  
 Trichogynes, 21–23, 429<sup>ge</sup>  
*Tricholoma equestre*, 299–300  
 Trichothecene T-2, 299  
*Trichothecium roseum*, 341–342  
 Trophics, 429<sup>ge</sup>  
 Tropism, 429<sup>ge</sup>  
*Tuber* sp.  
   *T. borchii*, 153  
   *T. magnatum*, 93  
   *T. melanosporum*, 93, 201  
 Turgor pressure, 37, 168–169  
   active conidial discharge, 81–83  
   ascospore discharge, 78–81  
   *Basidiobolus*, 83–85  
   *Entomophthora*, 83–85  
   *Pilobolus*, 83–85  
   *Sphaerobolus*, 85  
   zoospore discharge, 83  
 U  
*Ulmus* sp.  
   *U. glabra*, 276  
   *U. laevis*, 276  
   *U. thomasi*, 390  
 Universal veil, 63–64  
 Uptake systems, 141–161  
 Urediospores, 267–268  
 Uredospores, 18–19, 429<sup>ge</sup>  
*Uromyces* sp.  
   *U. appendiculatus*, 269  
   *U. fabae*, 262, 267–268, 268<sup>f</sup>, 269  
     spore types, 269<sup>t</sup>  
   *U. viciae-fabae*, 19  
*Usnea aurantiaco-atra*, 373  
*Usnea-Himantormia*-lichen heath, 373  
 Ustilaginales (Basidiomycota), 271  
 Ustilaginomycotina, 16–18  
*Ustilago maydis*, 49, 114, 271–272  
 V  
*Vaccinium vitis-idaea*, 226–227  
 Vacuolar movement, 155–156  
 Valley fever. *See* Coccidioidomycosis  
 Vascular wilt fungi, 260  
   DED, 274–276  
   *Fusarium oxysporum*, 274  
 Vegetative incompatibility, 102–103, 103<sup>f</sup>, 104<sup>t</sup>, 114–115,  
   122–123, 137, 358, 429<sup>ge</sup>  
 Vegetative mycelium, 113, 122–123, 429<sup>ge</sup>  
 Versatile peroxidases (VP), 147  
 Vertical resistance, 429<sup>ge</sup>  
 Vertical transmission, 235<sup>f</sup>, 329, 429<sup>ge</sup>  
*Verticillium* sp., 274  
   *V. longisporum*, 286–289  
 Vesicles, 44–45  
*Vicia faba*, 267, 268<sup>f</sup>, 269  
 Virulence factor, 429<sup>ge</sup>  
 Viruses of fungi, 357–358  
 Vitamins  
   growth factors and, 160  
   vitamin B<sub>2</sub> synthesis, 418  
 Volatile organic compounds (VOCs), 326, 339–341, 342<sup>t</sup>  
*Volva*, 63–64  
*Volvariella volvacea*, 63–64, 122

**W**

- Water activity, 429<sup>ge</sup>
- Water potential, 168–172, 429<sup>ge</sup>
  - changes in, 170–172
  - and fungal environment, 169–170, 170<sup>t</sup>
- Water-soluble beta-glucan, 403–404
- Wheat stem rust, 288<sup>t</sup>
- White button mushroom, 401–402, 402<sup>f</sup>
- White Collar 1 (WC-1), 172–173
- White fir (*Abies concolor*), 372
- White rot wood decay fungi, 146–147
- Whole-genome sequencing, 198–201
- Wilts, 283<sup>t</sup>
- Wine
  - fermentation, 405, 406<sup>f</sup>
  - from sugary juices, 405–406
  - using yeasts, 404–408
- Wood
  - cellular structure of, 146, 146<sup>f</sup>
  - rotting basidiomycetes, mycelia of, 341<sup>f</sup>
- Wood decay fungi, 238
- Wood wasps, 333–334
- Woronin bodies, 19–21, 53–55
- Wych elm (*Ulmus glabra*), 276

**X**

- Xanthomendoza borealis*, 384–386
- Xenobiotics, 183–184
- Xenoma, 34
- Xerophiles, 169–170
- Xerula radicata*, 63–64

- Xestobium rufovillosum* (Anobiidae), 325–326
- Xylanases, 417
- Xylaria hypoxylon*, 61
- Xylosphaera furcata*, 81–83

**Y**

- Yeasts, 429<sup>ge</sup>
  - Asian fermented foods, 410–411
  - baking using, 408
  - cheeses and meat products, 409
  - chocolate, 410
  - filamentous fungi and, 415–423
  - wine and beer using, 404–408

**Z**

- Zeus olympius*, 369<sup>f</sup>
- Zoophilic, 302
- Zoosporangium, 26–27, 429<sup>ge</sup>
- Zoospore, 2<sup>f</sup>, 95, 429<sup>ge</sup>
  - Blastocladiella emersonii*, 28
  - Coelomomyces psorophora*, 314
  - discharge, 83
  - freshwater chytrid, 3<sup>f</sup>
  - infective, 323
- Zygomycetes, 31–33
- Zygomycosis, 308–309
- Zygophores, 33, 429<sup>ge</sup>
- Zygosaccharomyces rouxii*, 171
- Zygosporangium, 33
- Zygospores, 33, 429<sup>ge</sup>