#### University of Illinois at Chicago

#### DOCTORAL THESIS

## Devices for Biological Systems: On-Chip Horizontal Gene Transfer and 3D-Printed Microfluidic Applications

Author:

Martin D. Brennan

Committee:

Dr. David T. EDDINGTON, Chair and Adviser

Dr. Donald A. Morrison, Dept. Biological Sciences

Person2

Person3

Person4

A thesis submitted in fulfilment of the requirements for the degree of Doctor of Philosophy in Bioengineering

in the

Eddington Lab
Department of Bioengineering

**April** 2017

## Declaration of Authorship

I, Martin D. Brennan, declare that this thesis titled, 'Devices for Biological Systems: On-Chip Horizontal Gene Transfer and 3D-Printed Microfluidic Applications' and the work presented in it are my own. I confirm that:

- This work was done wholly or mainly while in candidature for a research degree at this University.
- Where any part of this thesis has previously been submitted for a degree or any other qualification at this University or any other institution, this has been clearly stated.
- Where I have consulted the published work of others, this is always clearly attributed.
- Where I have quoted from the work of others, the source is always given. With the exception of such quotations, this thesis is entirely my own work.
- I have acknowledged all main sources of help.
- Where the thesis is based on work done by myself jointly with others, I have made clear exactly what was done by others and what I have contributed myself.

Signed:		
Date:		

"Thanks to my solid academic training, today I can write hundreds of words on virtually any topic without possessing a shred of information, which is how I got a good job in journalism."

Dave Barry

#### UNIVERSITY OF ILLINOIS AT CHICAGO

### Abstract

Faculty Name
Department of Bioengineering

Doctor of Philosophy in Bioengineering

# Devices for Biological Systems: On-Chip Horizontal Gene Transfer and 3D-Printed Microfluidic Applications

by Martin D. Brennan

The Thesis Abstract is written here. The page is kept centered vertically so can expand into the blank space above the title too...

This is a test

## Acknowledgements

The acknowledgements and the people to thank go here, don't forget to include your project advisor...

## Contents

D	eclar	ation o	of Authorship					j		
Abstract							ii			
A	ckno	wledge	ements				į	iν		
C	ontei	nts						v		
Li	st of	Figur	res				v	/ <b>i</b> i		
Li	st of	Table	es es				vi	iii		
A	bbre	viation	ns				j	ix		
Ρl	hysic	al Con	nstants					X		
Sy	mbc	ols						xi		
1	Int	odusti	tion and Background					1		
1	1.1		Section 1					1		
	1.1	1.1.1	Subsection 1			•	•	1		
		1.1.2	Subsection 2					1		
	1.2		Section 2					2		
	1.2	1.2.1	Subsection 1					2		
	1.3		contal Gene Transfer					2		
	1.0	1.3.1	History and discoveries					2		
		1.3.2	Mechanisms					3		
		1.3.3						3		
2	Ma		s and Methods					4		
	2.1	3D Pr	rinted Microfluidic Devices					4		
		2.1.1	Fabrication of the 3D-printed Part					4		
		2.1.2	Attachment of Membranes					4		
		2.1.3	Oxygen Characterization				•	5		
		2.1.4	Subsection 1					5		

*Contents* vi

		2.1.5 Subsection 2	5
	2.2	Microbiology	5
		2.2.1 Streptococcus pneumoniae strains	5
		2.2.2 Culturing	6
3	Res	ults	7
	3.1	Main Section 1	7
		3.1.1 Subsection 1	7
		3.1.2 Subsection 2	7
	3.2	Main Section 2	8
4	Disc	cussion	9
	4.1	Main Section 1	9
		4.1.1 Subsection 1	9
		4.1.2 Subsection 2	9
	4.2	Main Section 2	10
A	Med	lia Recipes 1	1
Bi	bliog	raphy 1	2

# List of Figures

## List of Tables

2.1 Summary of phenotypes of strains used for transformation studies  $\dots$  6

## Abbreviations

LAH List Abbreviations Here

# **Physical Constants**

Speed of Light  $c = 2.997 924 58 \times 10^8 \text{ ms}^{-8} \text{ (exact)}$ 

# Symbols

a distance m

P power W (Js<sup>-1</sup>)

 $\omega$  angular frequency rads<sup>-1</sup>

For/Dedicated to/To my...

## Chapter 1

## Introduction and Background

#### 1.1 Main Section 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam ultricies lacinia euismod. Nam tempus risus in dolor rhoncus in interdum enim tincidunt. Donec vel nunc neque. In condimentum ullamcorper quam non consequat. Fusce sagittis tempor feugiat. Fusce magna erat, molestie eu convallis ut, tempus sed arcu. Quisque molestie, ante a tincidunt ullamcorper, sapien enim dignissim lacus, in semper nibh erat lobortis purus. Integer dapibus ligula ac risus convallis pellentesque.

#### 1.1.1 Subsection 1

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

#### 1.1.2 Subsection 2

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget

ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

#### 1.2 Main Section 2

#### 1.2.1 Subsection 1

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.

#### 1.3 Horizontal Gene Transfer

#### 1.3.1 History and discoveries

In 1928 Griffith reported on the discovery of the 'transforming principal' where mice that were injected with a non-virulent strain resulted in a lethal infection when injected along with a heat killed virulent strain[?, Griffith1928] Both virulent and non-virlent strains could then be isolated from the blood of the dead mouse. Somehow the presence of the virulent strain, although dead, passed information that allowed the non-virulent strain to transform and become virulent. A subsequent study by Avery, McLeod and McCarty demonstrated that the presence of an overlooked substance, DNA, was responsible for re-programing strains[?, Avery1944] At the time it was believed that some yet to be discovered protein complex was the carrier of genetic information, but after this result scientists began looking more closely at DNA. In 1951 Freeman demonstrated that a phage could re-program Corynebacterium diphtheriae from non-virulent to virulent[?]. Hershey and Chase found that the DNA is incorporated into the cell rather than the protein from the phage[?]. They confirmed this by producing two groups of phages, one with a radio labeled protein and one with radio labeled DNA. Watson, one of the scientist that discovered the structure of DNA was a phage scientist as well.

#### 1.3.2 Mechanisms

Horizontal gene transfer (HGT) or (sometimes lateral gene transfer) describes the introduction of genes from an outside source which is distinct from vertical gene transfer where genes are passed from mother to daughter cells. The mechanisms of HGT are transformation, transduction and conjugation.

**Transduction** involves a phage which carries and infects the host cell by injecting the DNA or RNA into the cytoplasm.

In **conjugation** genetic material is passed directly during cell-to-cell contact.

#### 1.3.3 Transformation

**Transformation** is the uptake of exogenous DNA from the environment by a cell[?]. Many species naturally transformable species of bacteria have been reported such as *Streptococcus pneumoniae*, Species such as *Streptococcus pneumoniae* undergo transformation naturally. Transformation was first described in *Streptococcus pneumoniae* [?]. In transformation the recipient cell controls the process and expresses all the proteins required

### Chapter 2

## Materials and Methods

#### 2.1 3D Printed Microfluidic Devices

#### 2.1.1 Fabrication of the 3D-printed Part

The fluidic distribution networks were designed in Autocad in 2D and then extruded to 3D with Blender. Because the channel path length to each well varied the flow resistance in each channel was balanced by adjusting the width. Each distribution network services six pillars that reach into the well of the plate leaving a 500  $\mu$ m gap to the culture surface. A pipe within a pipe design was used to allow a forward and return path in each pillar that also created uniform flow across the diffusion membrane. The design was repeated to create four sets that service six wells. Hose barbs were added to each inlet and outlet port. The resulting STL file was printed by fineline prototyping with a Viper SLA system in WaterShed XC, an ABS or PBT-like proprietary material.

#### 2.1.2 Attachment of Membranes

Gas permeable membranes were made by compressing 10:1 mixed and degassed PDMS between two glass plates that were spaced 100  $\mu$ m apart with scotch tape. Molds were baked at 50°C on a hot plate to avoid bubble formation. Membranes were transferred to a transparency and placed over a cutting template and cut to size for the pillar bottoms. To attach the membranes to the 3D printed part, a small amount of PDMS was applied to the membranes and spread thin to act as a mortar. The membranes were left in place to cure overnight.

#### 2.1.3 Oxygen Characterization

PtOEPK (Pt(II) Octaethylporphine ketone) sensors were created by spinning thin films from a PtOEPK in polystyrene-toluene solution. Thin film sensors were cut and fixed to the bottom of each well with PDMS.

to each well in the network we One central input branches to central input that equalizes the flow along each path length by varying the channel width to the proximal, intermediate, and distal wells (Fig 1).

#### 2.1.4 Subsection 1

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

#### 2.1.5 Subsection 2

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

### 2.2 Microbiology

#### 2.2.1 Streptococcus pneumoniae strains

Two strains of *Streptococcus pneumoniae* were produced by Dr. Morrison of the Biological Sciences Department at UIC: CP2204 and CP2215. The strains were made to be complementary in antibiotic resistances to aid in assaying transformation events. The CP2204 strain has inducible competence so is the designated recipient where CP2215 can not become competent so it is the natural donor of DNA.

Table 2.1: Summary of phenotypes of strains used for transformation studies

Strain	Competence	Rifampin	Spectinomycin	Novobiocin	Label
CP2204	CSP inducible	Resistant	Sensitive	Sensitive	RFP
CP2215	non-competent	Sensitive	Resistant	Resistant	GFP

#### 2.2.2 Culturing

Streptococcus pneumoniae strains CP2204 and CP2215 were grown separately in 12 mL of CDM with 1% CAT medium at 37°C to the desired OD (media recipes can be found in Appendix A). When the desired OD was reached suspended cultures were spun down at 8000 RCF for 8 minutes in a 4°C centrifuge. The supernatant was poured off and the cultures were re-suspended in M9 or a ratio of up to 20% CDM in M9 medium depending on the application and held at 4°C.

### Chapter 3

## Results

#### 3.1 Main Section 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam ultricies lacinia euismod. Nam tempus risus in dolor rhoncus in interdum enim tincidunt. Donec vel nunc neque. In condimentum ullamcorper quam non consequat. Fusce sagittis tempor feugiat. Fusce magna erat, molestie eu convallis ut, tempus sed arcu. Quisque molestie, ante a tincidunt ullamcorper, sapien enim dignissim lacus, in semper nibh erat lobortis purus. Integer dapibus ligula ac risus convallis pellentesque.

#### 3.1.1 Subsection 1

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

#### 3.1.2 Subsection 2

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget

ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

#### 3.2 Main Section 2

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl portitior. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.

### Chapter 4

## **Discussion**

#### 4.1 Main Section 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam ultricies lacinia euismod. Nam tempus risus in dolor rhoncus in interdum enim tincidunt. Donec vel nunc neque. In condimentum ullamcorper quam non consequat. Fusce sagittis tempor feugiat. Fusce magna erat, molestie eu convallis ut, tempus sed arcu. Quisque molestie, ante a tincidunt ullamcorper, sapien enim dignissim lacus, in semper nibh erat lobortis purus. Integer dapibus ligula ac risus convallis pellentesque.

#### 4.1.1 Subsection 1

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

#### 4.1.2 Subsection 2

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget

ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

#### 4.2 Main Section 2

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.

## Appendix A

# Media Recipes

CDM

CAT

M9

# Bibliography