

```

import { useState, useEffect, useRef } from "react";

// — Brand System —————
const B = {
  navy:    "#0A0F2E",
  navyBg:  "#132558",
  navyMid: "#141B45",
  gold:    "#C9A84C",
  goldLt:  "#DFC178",
  teal:    "#2B8A6E",
  tealLt:  "#3BAF8A",
  ivory:   "#F8F7F4",
  border:  "#E8E4DC",
  muted:   "#6B7280",
  red:     "#C0392B",
};

const grid = {
  backgroundImage: `linear-gradient(rgba(201,168,76,0.09) 1px,transparent 1px),li
  backgroundSize: "48px 48px",
};

// — VM Seal SVG Component —————
function VMSeal({ size = 200, variant = "dark", animated = false }) {
  const isDark = variant === "dark" || variant === "gold-on-dark";
  const bg = isDark ? B.navy : B.ivory;
  const ring = isDark ? B.goldLt : B.gold;
  const mark = isDark ? B.gold : B.navy;
  const sub = isDark ? B.tealLt : B.teal;
  const inner = isDark ? "rgba(201,168,76,0.08)" : "rgba(10,15,46,0.04)";

  return (
    <svg
      width={size} height={size} viewBox="0 0 200 200"
      xmlns="http://www.w3.org/2000/svg"
      style={animated ? { animation: "sealSpin 40s linear infinite" } : {}}
    >
      <defs>
        <radialGradient id={`rg-${variant}`} cx="50%" cy="30%" r="70%">
          <stop offset="0%" stopColor={B.goldLt} />
          <stop offset="50%" stopColor={B.gold} />
          <stop offset="100%" stopColor="#A07830" />
        </radialGradient>
        <radialGradient id={`ig-${variant}`} cx="50%" cy="20%" r="80%">

```

```

    <stop offset="0%" stopColor={isDark ? "#1a2860" : "#ffffff"} />
    <stop offset="100%" stopColor={bg} />
  </radialGradient>
  <filter id="glow">
    <feGaussianBlur stdDeviation="2" result="blur"/>
    <feMerge><feMergeNode in="blur"/><feMergeNode in="SourceGraphic"/></feMerge>
  </filter>
</defs>

{/* Outer ring glow */}
<circle cx="100" cy="100" r="98" fill="none" stroke={ring} strokeWidth="0.5" />
{/* Main outer ring */}
<circle cx="100" cy="100" r="94" fill="none" stroke={`url(#rg-${variant})`} />
{/* Second ring */}
<circle cx="100" cy="100" r="88" fill="none" stroke={ring} strokeWidth="0.8" />
{/* Third ring */}
<circle cx="100" cy="100" r="82" fill="none" stroke={ring} strokeWidth="0.4" />
{/* Interior fill */}
<circle cx="100" cy="100" r="80" fill={`url(#ig-${variant})`} />
{/* Inner accent ring */}
<circle cx="100" cy="100" r="74" fill="none" stroke={ring} strokeWidth="0.5" />

{/* Cardinal tick marks */}
{[0,90,180,270].map(a => {
  const r1=94, r2=80, rad=a*Math.PI/180;
  return <line key={a}
    x1={100+r1*Math.sin(rad)} y1={100-r1*Math.cos(rad)}
    x2={100+r2*Math.sin(rad)} y2={100-r2*Math.cos(rad)}
    stroke={ring} strokeWidth="3" strokeLinecap="round"/>;
})}

{/* Diagonal tick marks */}
{[45,135,225,315].map(a => {
  const r1=93, r2=84, rad=a*Math.PI/180;
  return <line key={a}
    x1={100+r1*Math.sin(rad)} y1={100-r1*Math.cos(rad)}
    x2={100+r2*Math.sin(rad)} y2={100-r2*Math.cos(rad)}
    stroke={ring} strokeWidth="1.5" strokeLinecap="round" opacity="0.7"/>;
})}

{/* Minor tick marks */}
{[22.5,67.5,112.5,157.5,202.5,247.5,292.5,337.5].map(a => {
  const r1=92, r2=87, rad=a*Math.PI/180;
  return <line key={a}
    x1={100+r1*Math.sin(rad)} y1={100-r1*Math.cos(rad)}
    x2={100+r2*Math.sin(rad)} y2={100-r2*Math.cos(rad)}
    stroke={ring} strokeWidth="1" strokeLinecap="round" opacity="0.4"/>;
})}

```

```

    { /* Diamond accents at top and bottom */ }
    <polygon points="100,3 103.5,8 100,13 96.5,8" fill={ring}/>
    <polygon points="100,187 103.5,192 100,197 96.5,192" fill={ring}/>
    <polygon points="3,100 8,96.5 13,100 8,103.5" fill={ring}/>
    <polygon points="187,100 192,96.5 197,100 192,103.5" fill={ring}/>

    { /* Arc text - top */ }
    <path id="topArcSeal" d="M 24,100 A 76,76 0 0,1 176,100" fill="none"/>
    <text fontSize="9" fill={mark} opacity="0.75" letterSpacing="5" fontFamily=
      <textPath href="#topArcSeal" startOffset="8%">VAUGHNMARTIN · EST. 2023</t
    </text>

    { /* Arc text - bottom */ }
    <path id="botArcSeal" d="M 28,100 A 72,72 0 0,0 172,100" fill="none"/>
    <text fontSize="8" fill={sub} opacity="0.8" letterSpacing="4" fontFamily="
      <textPath href="#botArcSeal" startOffset="12%">COORDINATION INFRASTRUCTUR
    </text>

    { /* VM Monogram */ }
    <text x="100" y="94" textAnchor="middle" fontFamily="Georgia,serif"
      fontSize="34" fontWeight="700" fill={mark} letterSpacing="3" filter="url(
      VM
    </text>

    { /* Horizontal rule */ }
    <line x1="62" y1="100" x2="138" y2="100" stroke={ring} strokeWidth="1" opac

    { /* Readiness OS text */ }
    <text x="100" y="116" textAnchor="middle" fontFamily="'Courier New',monospa
      fontSize="8.5" fill={sub} letterSpacing="5" fontWeight="600">
      READINESS OS
    </text>
  </svg>
);
}

// — Wordmark Component —————
function Wordmark({ size = 1, variant = "dark" }) {
  const isDark = variant === "dark";
  const primary = isDark ? B.ivory : B.navy;
  const accent = isDark ? B.gold : B.gold;
  const sub = isDark ? B.tealLt : B.teal;
  const base = 48 * size;

  return (
    <div style={{ display: "flex", flexDirection: "column", lineHeight: 1 }}>
      <div style={{

```

```

        fontFamily: "Georgia,serif", fontSize: base, fontWeight: 400,
        letterSpacing: "-1px", color: primary,
    }}>
    Vaughn<span style={{ color: accent }}>Martin</span>
</div>
<div style={{
    fontFamily: "'Courier New',monospace", fontSize: base * 0.28,
    letterSpacing: "6px", textTransform: "uppercase",
    color: sub, marginTop: base * 0.06,
}}>
    Readiness OS
</div>
</div>
);
}

// — Full Logo Lockup —————
function LogoLockup({ sealSize = 100, textSize = 1, variant = "dark", gap = 24 })
    return (
        <div style={{ display: "flex", alignItems: "center", gap }}>
            <VMSeal size={sealSize} variant={variant} />
            <Wordmark size={textSize} variant={variant} />
        </div>
    );
}

// — Section Header —————
function SectionHeader({ label, title, dark = false, center = false }) {
    return (
        <div style={{ textAlign: center ? "center" : "left", marginBottom: 48 }}>
            <div style={{ display: "flex", alignItems: "center", gap: 12, justifyConen
                {!center && <div style={{ width: 36, height: 2, background: B.gold }}/>}
                <span style={{ fontFamily: "'Courier New',monospace", fontSize: 10, lette
                    {label}
                </span>
                {center && <div style={{ width: 36, height: 2, background: B.gold }}/>}
            </div>
            <h2 style={{
                fontFamily: "Georgia,serif", fontSize: "clamp(32px,4vw,56px)",
                fontWeight: 400, color: dark ? B.ivory : B.navy,
                letterSpacing: "-1px", lineHeight: 1.1, margin: 0,
            }}>
                {title}
            </h2>
        </div>
    );
}

```

```
// — Main App —————
export default function BrandIdentity() {
  const [activeTab, setActiveTab] = useState("identity");
  const [adSlide, setAdSlide] = useState(0);

  useEffect(() => {
    const t = setInterval(() => setAdSlide(s => (s + 1) % 3), 4000);
    return () => clearInterval(t);
  }, []);

  const tabs = [
    { id: "identity", label: "Brand Identity" },
    { id: "campaigns", label: "Campaign Materials" },
    { id: "digital", label: "Digital Assets" },
    { id: "print", label: "Print & Media" },
  ];

  return (
    <div style={{ background: B.ivory, minHeight: "100vh", fontFamily: "Georgia,s

    <style>{`
      @keyframes sealSpin { from { transform: rotate(0deg); } to { transform: r
      @keyframes fadeUp { from { opacity:0; transform:translateY(20px); } to {
      @keyframes pulse { 0%,100% { opacity:1; } 50% { opacity:0.4; } }
      @keyframes shimmer { 0% { background-position: -200% 0; } 100% { backgrou
      .tab-btn { transition: all 0.2s; cursor: pointer; border: none; }
      .tab-btn:hover { opacity: 0.8; }
      .gold-shimmer {
        background: linear-gradient(90deg, #C9A84C 0%, #DFC178 30%, #C9A84C 60%
        background-size: 200% 100%;
        animation: shimmer 3s linear infinite;
        -webkit-background-clip: text;
        -webkit-text-fill-color: transparent;
      }
    `}</style>

    {/* — NAV — */}
    <nav style={{
      position: "sticky", top: 0, zIndex: 100,
      background: B.navy, borderBottom: `1px solid rgba(201,168,76,0.2)` ,
      display: "flex", alignItems: "center", justifyContent: "space-between",
      padding: "0 40px", height: 64,
    }}>
      <LogoLockup sealSize={40} textSize={0.45} variant="dark" gap={12} />
      <div style={{ display: "flex", gap: 4 }}>
        {tabs.map(t => (
```

```

    <button key={t.id} className="tab-btn" onClick={() => setActiveTab(t.
      style={{
        padding: "8px 20px", borderRadius: 4,
        background: activeTab === t.id ? B.gold : "transparent",
        color: activeTab === t.id ? B.navy : "rgba(248,247,244,0.6)",
        fontFamily: "'Courier New',monospace", fontSize: 11,
        letterSpacing: 3, textTransform: "uppercase", fontWeight: activeT
      }}>
      {t.label}
    </button>
  )})
</div>
</nav>

```

```

{ /* =====
  { /* TAB: BRAND IDENTITY */}
  { /* =====

{activeTab === "identity" && (
  <div>

    { /* Hero */}
    <section style={{
      background: B.navy, position: "relative", overflow: "hidden",
      padding: "120px 40px 100px", textAlign: "center",
    }}>
      <div style={{ position: "absolute", inset: 0, ...grid }}/>
      <div style={{
        position: "absolute", width: 900, height: 800, borderRadius: "50%",
        background: `radial-gradient(ellipse,rgba(201,168,76,0.12) 0%,trans
          top: -300, left: -200, pointerEvents: "none",
        }}/>
      <div style={{
        position: "absolute", width: 700, height: 600, borderRadius: "50%",
        background: `radial-gradient(ellipse,rgba(43,138,110,0.14) 0%,trans
          bottom: -200, right: -150, pointerEvents: "none",
        }}/>

      <div className="relative z-10" style={{ position: "relative", zIndex:
        <div style={{ display: "flex", justifyContent: "center", marginBott
          <VMSeal size={180} variant="dark" />
        </div>

        <div style={{
          fontFamily: "'Courier New',monospace", fontSize: 11,
          letterSpacing: 6, textTransform: "uppercase",
          color: B.gold, marginBottom: 20,
        }}>

```

```

        Brand Identity System
    </div>

    <h1 style={{
        fontFamily: "Georgia, serif", fontSize: "clamp(48px, 6vw, 88px)",
        fontWeight: 400, color: B.ivory, letterSpacing: "-2px",
        lineHeight: 1.0, margin: "0 0 24px",
    }}>
        Vaughn<span className="gold-shimmer">Martin</span>
    </h1>

    <p style={{
        fontFamily: "'Courier New', monospace", fontSize: 14,
        letterSpacing: 6, color: B.tealLt, textTransform: "uppercase",
        marginBottom: 40,
    }}>
        Readiness OS
    </p>

    <p style={{
        fontFamily: "Georgia, serif", fontSize: 22, fontStyle: "italic",
        color: "rgba(248, 247, 244, 0.7)", maxWidth: 600, margin: "0 auto",
        lineHeight: 1.6,
    }}>
        "The response is ready before the trigger fires."
    </p>
</div>
</section>

{/* Logo Variations */}
<section style={{ padding: "80px 40px", background: B.ivory }}>
    <div style={{ maxWidth: 1200, margin: "0 auto" }}>
        <SectionHeader label="The Mark" title="Logo System" />

        <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap:
            {/* Dark lockup */}
        }}>
            <div style={{
                background: B.navy, padding: 60,
                display: "flex", flexDirection: "column", gap: 48,
                position: "relative", overflow: "hidden",
            }}>
                <div style={{ position: "absolute", inset: 0, ...grid, opacity:
                    <div style={{ position: "relative", zIndex: 1 }}>
                        <div style={{ fontFamily: "'Courier New', monospace", fontSize:
                            Primary — Dark
                        </div>
                    <LogoLockup sealSize={90} textSize={0.85} variant="dark" gap=

```

```

    </div>
    <div style={{ position: "relative", zIndex: 1 }}>
      <div style={{ fontFamily: "'Courier New',monospace", fontSize
        Seal Only
      </div>
      <VMSeal size={80} variant="dark" />
    </div>
  </div>

  { /* Light lockup */}
  <div style={{
    background: B.ivory, padding: 60, border: `1px solid ${B.border
    display: "flex", flexDirection: "column", gap: 48,
  }}>
    <div>
      <div style={{ fontFamily: "'Courier New',monospace", fontSize
        Primary - Light
      </div>
      <LogoLockup sealSize={90} textSize={0.85} variant="light" gap
    </div>
    <div>
      <div style={{ fontFamily: "'Courier New',monospace", fontSize
        Seal Only
      </div>
      <VMSeal size={80} variant="light" />
    </div>
  </div>
</div>

{ /* Horizontal lockup variations */}
<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr",
  [[
    { bg: B.gold, variant: "dark", label: "Gold Background" },
    { bg: B.teal, variant: "dark", label: "Teal Background" },
    { bg: B.navyBg, variant: "dark", label: "Navy BG" },
  ]}.map((v, i) => (
    <div key={i} style={{
      background: v.bg, padding: "40px 32px",
      display: "flex", flexDirection: "column", gap: 20,
    }}>
      <div style={{ fontFamily: "'Courier New',monospace", fontSize
        {v.label}
      </div>
      <LogoLockup sealSize={60} textSize={0.55} variant={v.variant}
    </div>
  )))
</div>

```



```

    </div>
</section>

{/* Color System */}
<section style={{ padding: "80px 40px", background: B.navy, position: "
  <div style={{ position: "absolute", inset: 0, ...grid }}/>
  <div style={{ maxWidth: 1200, margin: "0 auto", position: "relative",
    <SectionHeader label="Color System" title="The Locked Palette" dark

    <div style={{ display: "grid", gridTemplateColumns: "repeat(7,1fr)"
      [[
        { name: "Navy",      hex: "#0A0F2E", role: "Primary dark",
        { name: "Navy BG",   hex: "#132558", role: "Dark sections",
        { name: "Navy Mid",  hex: "#141B45", role: "Hover states",
        { name: "Gold",      hex: "#C9A84C", role: "Accent · CTA",
        { name: "Gold Lt",   hex: "#DFC178", role: "Gold on dark",
        { name: "Teal",      hex: "#2B8A6E", role: "Success · Growth",
        { name: "Ivory",     hex: "#F8F7F4", role: "Light backgrounds",
      ].map((c, i) => (
        <div key={i} style={{ overflow: "hidden" }}>
          <div style={{
            background: c.hex, height: 140,
            display: "flex", alignItems: "flex-end",
            padding: "12px 14px",
          }}>
            <span style={{ fontFamily: "Georgia,serif", fontSize: 22, f
              {c.name}
            </span>
          </div>
        </div>
        <div style={{ background: "rgba(255,255,255,0.06)", padding:
          <div style={{ fontFamily: "'Courier New',monospace", fontSi
            {c.hex}
          </div>
          <div style={{ fontFamily: "'Courier New',monospace", fontSi
            {c.role}
          </div>
        </div>
      </div>
    </div>
  )}}
  </div>
</div>
</section>

{/* Typography */}
<section style={{ padding: "80px 40px", background: B.ivory }}>
  <div style={{ maxWidth: 1200, margin: "0 auto" }}>
    <SectionHeader label="Typography" title="Type System" />

```

```

<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap:
  <div style={{ borderLeft: `3px solid ${B.gold}`, paddingLeft: 28
    <div style={{ fontFamily: "'Courier New',monospace", fontSize:
      Display - Georgia
    </div>
  <div style={{ fontFamily: "Georgia,serif", fontSize: 64, fontWe
    Aa
  </div>
  <div style={{ fontFamily: "Georgia,serif", fontSize: 22, color:
    The response is ready before the trigger fires.
  </div>
  <div style={{ fontFamily: "Georgia,serif", fontSize: 16, fontSt
    Used for: Headlines, editorial copy, hero statements, pull qu
  </div>
</div>

<div style={{ borderLeft: `3px solid ${B.teal}`, paddingLeft: 28
  <div style={{ fontFamily: "'Courier New',monospace", fontSize:
    System - Courier New
  </div>
  <div style={{ fontFamily: "'Courier New',monospace", fontSize:
    Aa
  </div>
  <div style={{ fontFamily: "'Courier New',monospace", fontSize:
    COORDINATION INFRASTRUCTURE
  </div>
  <div style={{ fontFamily: "Georgia,serif", fontSize: 16, fontSt
    Used for: Labels, metrics, data, eyebrows, UI elements, monos
  </div>
</div>
</div>

{/* Type scale */}
<div style={{ marginTop: 60, borderTop: `1px solid ${B.border}`, pa
  <div style={{ fontFamily: "'Courier New',monospace", fontSize: 10
    Scale Reference
  </div>
  [[
    { size: 72, label: "Display · 72px", text: "Fearless." },
    { size: 48, label: "Hero · 48px", text: "The response is ready." },
    { size: 32, label: "H1 · 32px", text: "Before the trigger fires" },
    { size: 24, label: "H2 · 24px", text: "170 Readiness Protocols." },
    { size: 18, label: "Body · 18px", text: "Signal monitoring. Exe"
  ]>.map((t, i) => (
    <div key={i} style={{
      display: "flex", alignItems: "baseline", gap: 24,

```

```

padding: "14px 0", borderBottom: `1px solid ${B.border}``,
}}>
<div style={{ fontFamily: "'Courier New',monospace", fontSize
    {t.label}
</div>
<div style={{ fontFamily: "Georgia,serif", fontSize: t.size,
    {t.text}
</div>
</div>
    )}}
</div>
</div>
</section>

```

```

{/* Brand Voice */}
<section style={{ padding: "80px 40px", background: B.navyMid, position
    <div style={{ position: "absolute", inset: 0, ...grid }}/>
    <div style={{ maxWidth: 1200, margin: "0 auto", position: "relative",
        <SectionHeader label="Brand Voice" title="Locked Language" dark cen

    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr",
        {[
            {
                label: "Primary Tagline",
                text: "The response is ready before the trigger fires.",
                note: "Never change. Never paraphrase.",
            },
            {
                label: "Primary Promise",
                text: "We Make Enterprises Fearless.",
                note: "The emotional endpoint of the brand.",
            },
            {
                label: "Secondary Tagline",
                text: "Built on the Belief That Preparation Wins.",
                note: "For investor and board contexts.",
            },
            {
                label: "Category Definition",
                text: "Readiness Infrastructure for Strategic Trigger Respons
                note: "How we define the market we created.",
            },
            {
                label: "Canonical Metric",
                text: "3,600× Execution Head Start. 30 days compressed to 12
                note: "Always both parts together.",
            },
        ]}
    }
}

```

```

        {
            label: "Platform Descriptor",
            text: "VaughnMartin builds Readiness OS – coordination infras
            note: "First sentence in any product description.",
        },
    ].map((v, i) => (
        <div key={i} style={{
            background: "rgba(255,255,255,0.04)",
            border: "1px solid rgba(201,168,76,0.12)",
            padding: "28px 24px",
        }}>
            <div style={{ fontFamily: "'Courier New',monospace", fontSize:
                {v.label}
            }}>
            </div>
            <p style={{ fontFamily: "Georgia,serif", fontSize: 18, color:
                "{v.text}"
            }}>
            </p>
            <p style={{ fontFamily: "'Courier New',monospace", fontSize:
                {v.note}
            }}>
            </p>
        </div>
    )))
</div>
</div>
</section>
</div>
))

{ /* =====
{ /* TAB: CAMPAIGNS */}
{ /* =====

{activeTab === "campaigns" && (
    <div>

        { /* Campaign 1: Both Sides of the Trigger */}
        <section style={{ background: B.navy, position: "relative", overflow: "
            <div style={{ position: "absolute", inset: 0, ...grid }}/>
            <div style={{ maxWidth: 1200, margin: "0 auto", position: "relative",
                <SectionHeader label="Campaign 01" title={`"Both Sides of the Trigg

            <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap:
                { /* Risk side */}
            <div style={{
                background: "rgba(192,57,43,0.08)", border: "1px solid rgba(192
                padding: "40px 36px",
            }}>
            <div style={{

```

```

        display: "flex", alignItems: "center", gap: 10, marginBottom:
    }}>
    <div style={{ width: 8, height: 8, borderRadius: "50%", backg
    <span style={{ fontFamily: "'Courier New',monospace", fontSiz
        3:12 AM – Ransomware Detected
    </span>
</div>
<div>
<h3 style={{ fontFamily: "Georgia,serif", fontSize: 32, color:
    The threat trigger fires.
</h3>
[["0:00 – Signal detected", "0:47 – Protocol matched", "2:00 –
    <div key={i} style={{
        display: "flex", gap: 16, padding: "8px 0",
        borderBottom: "1px solid rgba(255,255,255,0.06)",
    }}>
        <span style={{ fontFamily: "'Courier New',monospace", fontS
        <span style={{ fontFamily: "Georgia,serif", fontSize: 14, c
    </div>
    )})
</div>

{/* Opportunity side */}
<div style={{
    background: "rgba(43,138,110,0.08)", border: "1px solid rgba(43
    padding: "40px 36px",
}}>
    <div style={{ display: "flex", alignItems: "center", gap: 10, m
        <div style={{ width: 8, height: 8, borderRadius: "50%", backg
        <span style={{ fontFamily: "'Courier New',monospace", fontSiz
            9:47 AM – Competitor Launches
        </span>
    </div>
    <h3 style={{ fontFamily: "Georgia,serif", fontSize: 32, color:
        The opportunity trigger fires.
    </h3>
[["0:00 – Signal detected", "0:47 – Protocol matched", "2:00 –
    <div key={i} style={{
        display: "flex", gap: 16, padding: "8px 0",
        borderBottom: "1px solid rgba(255,255,255,0.06)",
    }}>
        <span style={{ fontFamily: "'Courier New',monospace", fontS
        <span style={{ fontFamily: "Georgia,serif", fontSize: 14, c
    </div>
    )})
</div>
</div>

```

```

    { /* Campaign headline */ }
    <div style={{
      background: B.gold, padding: "40px 48px",
      display: "flex", justifyContent: "space-between", alignItems: "ce
    }}>
      <div>
        <div style={{ fontFamily: "Georgia,serif", fontSize: 36, fontWe
          The response is ready.<br/>
          Whether the trigger is a threat or a window.
        </div>
        <div style={{ fontFamily: "'Courier New',monospace", fontSize:
          VaughnMartin · Readiness OS · Apply for Founding Partner Acce
        </div>
      </div>
      <VMSeal size={100} variant="light" />
    </div>
  </div>
</section>

{ /* Campaign 2: Microsoft */ }
<section style={{ background: B.ivory, padding: "80px 40px" }}>
  <div style={{ maxWidth: 1200, margin: "0 auto" }}>
    <SectionHeader label="Campaign 02" title={`"The Operating Model Abo

  <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr",
    [[
      { trigger: "Competitor launches flagship", copilot: "Summarizes
      { trigger: "Ransomware at 3 AM", copilot: "Summarizes faster",
      { trigger: "Market entry window opens", copilot: "Summarizes fa
      { trigger: "Activist investor files 13D", copilot: "Summarizes
      { trigger: "DOJ inquiry received", copilot: "Summarizes faster"
      { trigger: "Supply chain failure", copilot: "Summarizes faster"
    ]}.map((r, i) => (
      <div key={i} style={{
        border: `1px solid ${B.border}`, overflow: "hidden",
      }}>
        <div style={{ padding: "16px 20px", background: B.navyMid, bo
          <span style={{ fontFamily: "Georgia,serif", fontSize: 15, c
            {r.trigger}
          </span>
        </div>
      </div>
      <div style={{ padding: "14px 20px", background: "rgba(10,15,4
        <div style={{ fontFamily: "'Courier New',monospace", fontSi
          Microsoft Copilot Alone
        </div>
        <div style={{ fontFamily: "Georgia,serif", fontSize: 14, co
      </div>

```

```

    <div style={{ padding: "14px 20px", background: "rgba(43,138,
      <div style={{ fontFamily: "'Courier New',monospace", fontSi
        Readiness OS
      </div>
    </div>
    <div style={{ fontFamily: "Georgia,serif", fontSize: 14, co
    </div>
  </div>
  )))
</div>

<div style={{
  background: B.navy, padding: "40px 48px",
  display: "flex", justifyContent: "space-between", alignItems: "ce
  position: "relative", overflow: "hidden",
}}>
  <div style={{ position: "absolute", inset: 0, ...grid, opacity: 0
  <div style={{ position: "relative", zIndex: 1 }}>
    <p style={{ fontFamily: "Georgia,serif", fontSize: 28, color: B
      "Microsoft handles the tools.<br/>
    <span style={{ color: B.gold }}>Readiness OS handles the resp
    </p>
    <div style={{ fontFamily: "'Courier New',monospace", fontSize:
      Every enterprise has the AI stack. None have the operating mo
    </div>
  </div>
  <VMSeal size={80} variant="dark" />
</div>
</div>
</section>

{/* Three Domains */}
<section style={{ background: B.navyBg, position: "relative", overflow:
  <div style={{ position: "absolute", inset: 0, ...grid }}/>
  <div style={{ maxWidth: 1200, margin: "0 auto", position: "relative",
    <SectionHeader label="Campaign 03" title={`"Three Domains. One Oper

  <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr",
    {[
      {
        domain: "RISK & RESILIENCE",
        color: B.red,
        triggers: ["Ransomware confirmed", "Activist stake disclosed"
        outcome: "12 minutes from signal to response. Every time.",
      },
      {
        domain: "GROWTH & POSITIONING",
        color: B.tealLt,

```

```

        triggers: ["M&A opportunity identified", "Competitor move det
outcome: "First mover. Every time the window opens.",
    },
    {
        domain: "TRANSFORMATION",
        color: B.gold,
        triggers: ["Technology disruption signaled", "Talent exodus d
outcome: "Coordination infrastructure that holds under pressu
    },
].map((d, i) => (
    <div key={i} style={{
        background: "rgba(255,255,255,0.04)",
        border: `1px solid rgba(255,255,255,0.08)` ,
        padding: "36px 28px",
    }}>
        <div style={{
            display: "flex", alignItems: "center", gap: 10, marginBotto
paddingBottom: 20, borderBottom: `2px solid ${d.color}` ,
        }}>
            <div style={{ width: 10, height: 10, borderRadius: "50%", b
            <span style={{ fontFamily: "'Courier New',monospace", fontS
                {d.domain}
            </span>
        </div>
        </div>
        {d.triggers.map((t, j) => (
            <div key={j} style={{
                fontFamily: "Georgia,serif", fontSize: 15,
                color: "rgba(248,247,244,0.72)", fontStyle: "italic",
                padding: "8px 0", borderBottom: "1px solid rgba(255,255,2
            }}>
                {t}
            </div>
        )))
        <p style={{
            fontFamily: "Georgia,serif", fontSize: 16, color: d.color,
            lineHeight: 1.5, marginTop: 20, fontStyle: "italic",
        }}>
            {d.outcome}
        </p>
    </div>
    )))
</div>
</div>
</section>
</div>
))

```



```

{ /* =====
{ /* TAB: DIGITAL ASSETS */}
{ /* =====

{activeTab === "digital" && (
  <div>
    <section style={{ background: B.ivory, padding: "80px 40px" }}>
      <div style={{ maxWidth: 1200, margin: "0 auto" }}>
        <SectionHeader label="Digital Assets" title="Social & Digital Templ

{ /* LinkedIn post card */}
<div style={{ marginBottom: 48 }}>
  <div style={{ fontFamily: "'Courier New',monospace", fontSize: 10
    LinkedIn Post Card – 1200×628
  </div>
  <div style={{
    width: "100%", aspectRatio: "1200/628",
    background: B.navyBg, position: "relative", overflow: "hidden",
    border: `1px solid ${B.border}`,
  }}>
    <div style={{ position: "absolute", inset: 0, ...grid }}/>
    <div style={{
      position: "absolute", width: "60%", height: "120%", borderRadius
      background: `radial-gradient(ellipse,rgba(201,168,76,0.12) 0%
      top: "-60%", right: "-20%",
    }}/>
    <div style={{
      position: "absolute", width: "50%", height: "100%", borderRadius
      background: `radial-gradient(ellipse,rgba(43,138,110,0.14) 0%
      bottom: "-40%", left: "-10%",
    }}/>

{ /* Watermark seal */}
<div style={{
  position: "absolute", top: "50%", left: "50%",
  transform: "translate(-50%,-50%)", opacity: 0.07,
}}>
  <VMSeal size={400} variant="dark" />
</div>

<div style={{
  position: "absolute", inset: 0, zIndex: 10,
  display: "flex", alignItems: "center",
  padding: "5%",
}}>
  <div style={{ flex: 1, paddingRight: "5%" }}>
    <div style={{ display: "flex", alignItems: "center", gap: 1
      <VMSeal size={36} variant="dark" />

```

```

        <span style={{ fontFamily: "'Courier New',monospace", fon
        Field Note · The Ownership Gap
    </span>
</div>
<h2 style={{
    fontFamily: "Georgia,serif", fontSize: "4.5vw",
    color: B.ivory, fontWeight: 400, lineHeight: 1.05,
    letterSpacing: "-1.5px", marginBottom: "3%",
}}>
    Whether ownership was{" "}
    <em style={{ color: B.gold }}>real</em>{" "}
    or just{" "}
    <em style={{ color: B.tealLt }}>assigned</em>{" "}
    reveals itself in 30 minutes.
</h2>
<p style={{
    fontFamily: "Georgia,serif", fontSize: "1.4vw",
    color: "rgba(248,247,244,0.6)", fontStyle: "italic", line
}}>
    The architecture that closes this gap is what I built. Be
</p>
</div>
<div style={{ flex: "0 0 42%", paddingLeft: "3%" }}>
    /* Mini product card */
    <div style={{
        background: "rgba(6,10,28,0.85)",
        border: "1px solid rgba(201,168,76,0.2)",
        borderRadius: 8, padding: "4%",
        backdropFilter: "blur(8px)",
    }}>
        <div style={{ display: "flex", alignItems: "center", gap:
            <div style={{ width: 8, height: 8, borderRadius: "50%",
            <span style={{ fontFamily: "'Courier New',monospace", f
            Coordination Infrastructure · Live
            </span>
        </div>
        [{"0:00 Signal detected", "0:47 Protocol matched", "2:00
            <div key={i} style={{
                display: "flex", gap: "5%", padding: "2% 0",
                borderBottom: "1px solid rgba(201,168,76,0.08)",
            }}>
                <span style={{ fontFamily: "'Courier New',monospace",
                    {s.split(" ")[0]}
                </span>
                <span style={{ fontFamily: "Georgia,serif", fontSize:
                    {s.substring(s.indexOf(" ") + 1)}
                </span>

```

```

        </div>
    )))
    <div style={{ display: "grid", gridTemplateColumns: "1fr
        <div>
            <div style={{ fontFamily: "Georgia,serif", fontSize:
                <div style={{ fontFamily: "'Courier New',monospace",
            </div>
        </div>
            <div style={{ fontFamily: "Georgia,serif", fontSize:
                <div style={{ fontFamily: "'Courier New',monospace",
            </div>
        </div>
    </div>
</div>
</div>
</div>

{/* Bottom band */}
<div style={{
    position: "absolute", bottom: 0, left: 0, right: 0,
    height: "8%", background: "rgba(4,7,20,0.95)",
    borderTop: "1px solid rgba(201,168,76,0.2)",
    display: "flex", alignItems: "center", justifyContent: "space
    padding: "0 5%",
}}>
    <span style={{ fontFamily: "'Courier New',monospace", fontSiz
        Readiness OS · Built · In Production · Fortune 1000
    </span>
    <span style={{ fontFamily: "'Courier New',monospace", fontSiz
        vaughnmartin.com
    </span>
</div>
</div>
</div>

{/* Digital banner */}
<div style={{ marginBottom: 48 }}>
    <div style={{ fontFamily: "'Courier New',monospace", fontSize: 10
        Digital Banner — Leaderboard
    </div>
    <div style={{
        width: "100%", height: 90,
        background: B.navy, position: "relative", overflow: "hidden",
        display: "flex", alignItems: "center",
        border: `1px solid rgba(201,168,76,0.2)` ,
    }}>
        <div style={{ position: "absolute", inset: 0, ...grid, opacity:
        <div style={{ display: "flex", alignItems: "center", gap: 24, p

```

```

<VMSeal size={56} variant="dark" />
<div style={{ width: 1, height: 50, background: "rgba(201,168
<div>
  <div style={{ fontFamily: "Georgia,serif", fontSize: 20, co
    30 days compressed to{" "}
    <span style={{ color: B.tealLt, fontWeight: 600 }}>12 min
  </div>
  <div style={{ fontFamily: "'Courier New',monospace", fontSi
    3,600× Execution Head Start · Readiness OS
  </div>
</div>
</div>
<div style={{
  padding: "0 32px", position: "relative", zIndex: 1,
  borderLeft: "1px solid rgba(201,168,76,0.15)",
}}>
  <div style={{
    background: B.gold, color: B.navy,
    fontFamily: "'Courier New',monospace", fontSize: 11,
    letterSpacing: 3, textTransform: "uppercase", fontWeight: 7
    padding: "10px 24px", borderRadius: 3, whiteSpace: "nowrap"
  }}>
    Apply for Access →
  </div>
</div>
</div>
</div>

{/* Email header */}
<div>
  <div style={{ fontFamily: "'Courier New',monospace", fontSize: 10
    Email Header Template
  </div>
  <div style={{
    background: B.navyBg, padding: "32px 40px",
    display: "flex", justifyContent: "space-between", alignItems: "
    borderRadius: "8px 8px 0 0",
    borderBottom: `3px solid ${B.gold}`,
  }}>
    <LogoLockup sealSize={56} textSize={0.6} variant="dark" gap={16
    <div style={{ textAlign: "right" }}>
      <div style={{ fontFamily: "'Courier New',monospace", fontSize
        Founding Partner Program
      </div>
      <div style={{ fontFamily: "'Courier New',monospace", fontSize
        vaughnmartin.com · pilot@vaughnmartin.com
      </div>
    </div>
  </div>

```

```

        </div>
    </div>
    <div style={{
        background: B.ivory, padding: "40px", border: `1px solid ${B.bo
        borderTop: "none", borderRadius: "0 0 8px 8px",
    }}>
        <p style={{ fontFamily: "Georgia,serif", fontSize: 18, color: B
            "The response was staged before the trigger fired. That's not
        </p>
        <div style={{ display: "inline-block", background: B.gold, colo
            See the 12-Minute Execution →
        </div>
    </div>
</div>
</div>
</section>
</div>
))

{ /* =====
{ /* TAB: PRINT & MEDIA */}
{ /* =====

{activeTab === "print" && (
    <div>

        { /* Full page ad */}
        <section style={{ background: "#222", padding: "60px 40px" }}>
            <div style={{ maxWidth: 900, margin: "0 auto" }}>
                <div style={{ fontFamily: "'Courier New',monospace", fontSize: 10,
                    Full Page Print Ad – WSJ / Fortune – 8.5×11
                </div>

                <div style={{
                    background: B.navy, padding: "80px 72px",
                    position: "relative", overflow: "hidden",
                    aspectRatio: "8.5/11",
                    display: "flex", flexDirection: "column", justifyContent: "space-
                }}>
                    <div style={{ position: "absolute", inset: 0, ...grid }}/>
                    <div style={{
                        position: "absolute", width: "80%", height: "80%", borderRadius
                        background: `radial-gradient(ellipse,rgba(201,168,76,0.1) 0%,tr
                        top: "-30%", right: "-20%",
                    }}/>
                    <div style={{
                        position: "absolute", width: "60%", height: "60%", borderRadius
                        background: `radial-gradient(ellipse,rgba(43,138,110,0.12) 0%,t

```

```

        bottom: "-20%", left: "-10%",
    }}/>

    { /* Watermark */ }
    <div style={{ position: "absolute", top: "50%", left: "50%", tran
        <VMSeal size={600} variant="dark" />
    </div>

    <div style={{ position: "relative", zIndex: 1 }}>
        <LogoLockup sealSize={64} textSize={0.6} variant="dark" gap={16
    </div>

    <div style={{ position: "relative", zIndex: 1, flex: 1, display:
        <div style={{ fontFamily: "'Courier New',monospace", fontSize:
            Readiness Infrastructure
        </div>

    <h1 style={{
        fontFamily: "Georgia,serif", fontSize: "clamp(40px,4vw,72px)"
        fontWeight: 400, color: B.ivory, lineHeight: 1.05,
        letterSpacing: "-2px", marginBottom: 32,
    }}>
        The response is ready<br/>
        before the trigger fires.
    </h1>

    <div style={{
        width: 60, height: 2,
        background: `linear-gradient(to right, ${B.gold}, ${B.teal})`
        marginBottom: 32,
    }}/>

    <p style={{
        fontFamily: "Georgia,serif", fontSize: 20, color: "rgba(248,2
        lineHeight: 1.65, fontStyle: "italic", maxWidth: 560, marginB
    }}>
        170 Readiness Protocols. 221 triggers monitored.
        Signal monitoring. Executive authorization.
        Coordinated response in 12 minutes – whether
        the trigger is a threat or a market window.
    </p>

    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1f
        {[
            { n: "12 min", l: "Mobilization", sub: "vs 30 days" },
            { n: "3,600x", l: "Execution Head Start", sub: "Structural
            { n: "170", l: "Readiness Protocols", sub: "Across 9 domain

```

```

].map((s, i) => (
  <div key={i} style={{ borderTop: `2px solid ${B.gold}`, pad
    <div style={{ fontFamily: "Georgia,serif", fontSize: 36,
      {s.n}
    </div>
    <div style={{ fontFamily: "'Courier New',monospace", font
      {s.l}
    </div>
    <div style={{ fontFamily: "'Courier New',monospace", font
      {s.sub}
    </div>
  </div>
    )})
  </div>
</div>

<div style={{
  position: "relative", zIndex: 1,
  display: "flex", justifyContent: "space-between", alignItems: "
  borderTop: "1px solid rgba(201,168,76,0.2)", paddingTop: 24,
}}>
  <div>
    <div style={{ fontFamily: "Georgia,serif", fontSize: 18, colo
      We Make Enterprises Fearless.
    </div>
    <div style={{ fontFamily: "'Courier New',monospace", fontSize
      vaughnmartin.com · Founding Partner Program · 12 spots
    </div>
  </div>
  <div style={{
    background: B.gold, color: B.navy,
    fontFamily: "'Courier New',monospace", fontSize: 11,
    letterSpacing: 3, textTransform: "uppercase", fontWeight: 700
    padding: "14px 28px", borderRadius: 3,
  }}>
    Apply for Access
  </div>
</div>
</div>
</div>
</section>

{/* Founding Partner brief cover */}
<section style={{ background: B.ivory, padding: "60px 40px" }}>
  <div style={{ maxWidth: 900, margin: "0 auto" }}>
    <div style={{ fontFamily: "'Courier New',monospace", fontSize: 10,
      Founding Partner Brief — Cover Page

```

</div>

```
<div style={{
  background: B.ivory, border: `1px solid ${B.border}`,
  aspectRatio: "8.5/11", padding: "72px 64px",
  display: "flex", flexDirection: "column", justifyContent: "space-
position: "relative", overflow: "hidden",
}}>
  { /* Gold accent top */ }
  <div style={{ position: "absolute", top: 0, left: 0, right: 0, he
  <div style={{ position: "absolute", top: 6, left: 0, width: 200,
  <div style={{ position: "absolute", top: 6, left: 200, width: 80,

  <div>
    <LogoLockup sealSize={72} textSize={0.72} variant="light" gap={
  </div>

  <div>
    <div style={{
      fontFamily: "'Courier New',monospace", fontSize: 10, letterSp
      textTransform: "uppercase", color: B.gold, marginBottom: 20,
    }}>
      Confidential · Founding Partner Program
    </div>
    <h1 style={{
      fontFamily: "Georgia,serif", fontSize: 52, fontWeight: 400,
      color: B.navy, lineHeight: 1.05, letterSpacing: "-2px", margi
    }}>
      The 90-Day<br/>
      Validation<br/>
      Partnership.
    </h1>
    <p style={{
      fontFamily: "Georgia,serif", fontSize: 18, color: B.muted,
      lineHeight: 1.7, fontStyle: "italic", maxWidth: 480,
    }}>
      Not a trial. Not a beta. A co-development partnership
      that turns your organization's specific trigger library
      into a fully staged readiness infrastructure —
      in 90 days.
    </p>
  </div>

  <div style={{
    display: "flex", justifyContent: "space-between", alignItems: "
    borderTop: `2px solid ${B.gold}`, paddingTop: 24,
  }}>
```



```

    <div>
      <div style={{ fontFamily: "'Courier New',monospace", fontSize:
        vaughnmartin.com
      </div>
      <div style={{ fontFamily: "'Courier New',monospace", fontSize:
        pilot@vaughnmartin.com · 12 spots · Applications reviewed p
      </div>
    </div>
    <div style={{ fontFamily: "Georgia,serif", fontSize: 18, color:
      We Make Enterprises Fearless.
    </div>
  </div>
</div>
</div>
</div>
</section>
</div>
)}

{/* — FOOTER — */}
<footer style={{
  background: B.navy, borderTop: `3px solid ${B.gold}`,
  padding: "48px 40px",
  display: "flex", justifyContent: "space-between", alignItems: "center",
}}>
  <LogoLockup sealSize={48} textSize={0.5} variant="dark" gap={14} />
  <div style={{ textAlign: "right" }}>
    <div style={{ fontFamily: "Georgia,serif", fontSize: 16, color: "rgba(2
      We Make Enterprises Fearless.
    </div>
    <div style={{ fontFamily: "'Courier New',monospace", fontSize: 10, colo
      VaughnMartin Brand Identity System · May 2026
    </div>
  </div>
</footer>
</div>

);
}

```