

```
import { useState, useEffect, useRef } from "react";
```

```
const B = {  
  navy:    "#0A0F2E",  
  navyBg:  "#0D1535",  
  navyMid: "#132558",  
  gold:    "#C9A84C",  
  goldLt:  "#DFC178",  
  teal:    "#2B8A6E",  
  tealLt:  "#3BAF8A",  
  signal:  "#00E5C4",  
  signalDk: "#00A896",  
  ivory:   "#F8F7F4",  
  data:    "#7FFFEF",  
  warn:    "#C0392B",  
  muted:   "#6B7280",  
};
```

```
// — TECH CREST — the hero piece
```

```
function TechCrest({ size = 440, animated = true }) {  
  const [tick, setTick] = useState(0);  
  const [scanAngle, setScanAngle] = useState(0);  
  const [pulse, setPulse] = useState(0);  
  const [signals, setSignals] = useState([  
    { x: 30, y: 45, active: true, domain: "RISK" },  
    { x: 70, y: 38, active: true, domain: "GROWTH" },  
    { x: 52, y: 62, active: false, domain: "TRANSFORM" },  
    { x: 20, y: 70, active: true, domain: "RISK" },  
    { x: 80, y: 72, active: false, domain: "GROWTH" },  
  ]);
```

```
  useEffect(() => {  
    if (!animated) return;  
    const t = setInterval(() => {  
      setTick(n => n + 1);  
      setScanAngle(a => (a + 2) % 360);  
      setPulse(p => (p + 1) % 100);  
    }, 50);  
    return () => clearInterval(t);  
  }, [animated]);
```

```
  const s = size / 440;  
  const cx = 220, cy = 220;
```

```

// Shield path points
const shieldPath = `M${90*s+cx-cx} ${60*s} L${90*s+cx-cx} ${240*s} C${90*s+cx-c

const scanRad = (scanAngle - 90) * Math.PI / 180;
const scanX2 = cx + Math.cos(scanRad) * 130 * s;
const scanY2 = cy + Math.sin(scanRad) * 130 * s;

const pulseOpacity = 0.4 + 0.6 * Math.sin(pulse * Math.PI / 50);
const pulseScale = 1 + 0.08 * Math.sin(pulse * Math.PI / 50);

return (
  <svg width={size} height={size} viewBox={`0 0 ${440} ${440}`}
    xmlns="http://www.w3.org/2000/svg" style={{ overflow: "visible" }}>
    <defs>
      <radialGradient id="shieldFill" cx="50%" cy="30%" r="70%">
        <stop offset="0%" stopColor="#1a2860"/>
        <stop offset="60%" stopColor="#0D1535"/>
        <stop offset="100%" stopColor="#080C22"/>
      </radialGradient>
      <linearGradient id="goldG" x1="0%" y1="0%" x2="100%" y2="100%">
        <stop offset="0%" stopColor={B.goldLt}/>
        <stop offset="50%" stopColor={B.gold}/>
        <stop offset="100%" stopColor="#8B6212"/>
      </linearGradient>
      <linearGradient id="scanGrad" x1="0%" y1="0%" x2="100%" y2="0%">
        <stop offset="0%" stopColor={B.signal} stopOpacity="0"/>
        <stop offset="60%" stopColor={B.signal} stopOpacity="0.4"/>
        <stop offset="100%" stopColor={B.signal} stopOpacity="0"/>
      </linearGradient>
      <radialGradient id="radarSweep" cx={scanX2/440} cy={scanY2/440} r="40%">
        <stop offset="0%" stopColor={B.signal} stopOpacity="0.2"/>
        <stop offset="100%" stopColor={B.signal} stopOpacity="0"/>
      </radialGradient>
      <filter id="glow1">
        <feGaussianBlur stdDeviation="3" result="blur"/>
        <feMerge><feMergeNode in="blur"/><feMergeNode in="SourceGraphic"/></feM
      </filter>
      <filter id="glow2">
        <feGaussianBlur stdDeviation="6" result="blur"/>
        <feMerge><feMergeNode in="blur"/><feMergeNode in="SourceGraphic"/></feM
      </filter>
      <filter id="signalGlow">
        <feGaussianBlur stdDeviation="2" result="blur"/>
        <feComposite in="SourceGraphic" in2="blur" operator="over"/>
      </filter>
      <clipPath id="shieldClip">
        <path d="M90,60 L90,240 C90,320 220,380 220,380 C220,380 350,320 350,24

```

```

</clipPath>

{/* Hex pattern */}
<pattern id="hexPat" x="0" y="0" width="20" height="23" patternUnits="use
  <polygon points="10,1 19,6 19,16 10,21 1,16 1,6"
    fill="none" stroke={B.signal} strokeWidth="0.4" opacity="0.12"/>
</pattern>

{/* Circuit trace pattern */}
<pattern id="circuitPat" x="0" y="0" width="40" height="40" patternUnits=
  <path d="M0,20 L10,20 L10,10 L20,10 L20,20 L30,20"
    fill="none" stroke={B.gold} strokeWidth="0.5" opacity="0.08"/>
  <circle cx="10" cy="10" r="1.5" fill={B.gold} opacity="0.1"/>
  <circle cx="20" cy="20" r="1.5" fill={B.gold} opacity="0.1"/>
  <path d="M0,30 L15,30 L15,40"
    fill="none" stroke={B.teal} strokeWidth="0.5" opacity="0.06"/>
</pattern>
</defs>

{/* — OUTER HUD RING — */}
{/* Main outer ring */}
<circle cx={cx} cy={cy} r="210" fill="none" stroke={B.gold} strokeWidth="1"
<circle cx={cx} cy={cy} r="207" fill="none" stroke={B.signal} strokeWidth="
<circle cx={cx} cy={cy} r="200" fill="none" stroke={B.gold} strokeWidth="0.

{/* HUD tick marks outer ring */}
(Array.from({length: 72}, (_, i) => {
  const angle = (i * 5 - 90) * Math.PI / 180;
  const r1 = 210, r2 = i % 6 === 0 ? 198 : i % 2 === 0 ? 205 : 208;
  const sw = i % 6 === 0 ? 1.5 : 0.6;
  const op = i % 6 === 0 ? 0.7 : 0.25;
  return <line key={i}
    x1={cx + r1 * Math.cos(angle)} y1={cy + r1 * Math.sin(angle)}
    x2={cx + r2 * Math.cos(angle)} y2={cy + r2 * Math.sin(angle)}
    stroke={i % 6 === 0 ? B.gold : B.signal}
    strokeWidth={sw} opacity={op}/>;
}})

{/* Degree labels at cardinal points */}
([[0,"000°"],[90,"090°"],[180,"180°"],[270,"270°"]].map(([a, label]) => {
  const rad = (a - 90) * Math.PI / 180;
  return <text key={a}
    x={cx + 195 * Math.cos(rad)} y={cy + 195 * Math.sin(rad) + 4}
    textAnchor="middle" fontFamily="'Courier New', monospace"
    fontSize="8" fill={B.signal} opacity="0.5" letterSpacing="1">{label}</t
}})

```

```

{ /* Corner HUD elements */}
{ [[[-1,-1],[1,-1],[-1,1],[1,1]].map(([sx,sy], i) => (
  <g key={i}>
    <line x1={cx+sx*180} y1={cy+sy*180} x2={cx+sx*180} y2={cy+sy*155}
      stroke={B.signal} strokeWidth="1.5" opacity="0.4"/>
    <line x1={cx+sx*180} y1={cy+sy*180} x2={cx+sx*155} y2={cy+sy*180}
      stroke={B.signal} strokeWidth="1.5" opacity="0.4"/>
  </g>
) )}

{ /* — RADAR SWEEP — */}
{ animated && (
  <g opacity="0.6">
    <line x1={cx} y1={cy} x2={scanX2} y2={scanY2}
      stroke={B.signal} strokeWidth="1.5" opacity="0.5" filter="url(#signal"
    /* Sweep trail */
    {[15, 30, 45, 60, 75].map((offset, i) => {
      const trailRad = ((scanAngle - offset - 90) * Math.PI / 180);
      const tx = cx + Math.cos(trailRad) * 130;
      const ty = cy + Math.sin(trailRad) * 130;
      return <line key={i} x1={cx} y1={cy} x2={tx} y2={ty}
        stroke={B.signal} strokeWidth={1 - i * 0.15}
        opacity={(0.3 - i * 0.05)} />;
    })}
  </g>
)}

{ /* Radar circles */}
{ [130, 100, 70, 40].map((r, i) => (
  <circle key={i} cx={cx} cy={cy} r={r}
    fill="none" stroke={B.signal} strokeWidth="0.4"
    opacity={0.1 - i * 0.02} strokeDasharray="4 4"/>
) )}

{ /* — SIGNAL NODES — */}
{ signals.map((sig, i) => {
  const sx = 90 + sig.x * 1.6;
  const sy = 80 + sig.y * 1.6;
  const isActive = sig.active;
  const col = isActive ? B.signal : B.warn;
  return (
    <g key={i}>
      {isActive && animated && (
        <circle cx={sx} cy={sy} r={8 + (tick * 0.3 + i * 15) % 12}
          fill="none" stroke={col} strokeWidth="0.8"
          opacity={0.4 - ((tick * 0.3 + i * 15) % 12) / 30}/>
      )}
    </g>
  )
}
}

```

```

        <circle cx={sx} cy={sy} r="3"
            fill={col} opacity={isActive ? 0.9 : 0.7} filter="url(#glow1)" />
        <text x={sx + 6} y={sy + 4}
            fontFamily="'Courier New', monospace" fontSize="6.5"
            fill={col} opacity="0.7" letterSpacing="0.5">
            {sig.domain}
        </text>
    </g>

    );
}}}

{/* Signal connection lines */}
{signals.slice(0, -1).map((sig, i) => {
    const sx1 = 90 + sig.x * 1.6, sy1 = 80 + sig.y * 1.6;
    const sx2 = 90 + signals[i+1].x * 1.6, sy2 = 80 + signals[i+1].y * 1.6;
    return <line key={i} x1={sx1} y1={sy1} x2={sx2} y2={sy2}
        stroke={B.signal} strokeWidth="0.5" opacity="0.2" strokeDasharray="3 3"
    >
}}})

{/* — SHIELD — */}
{/* Shield shadow/glow */}
<path d="M90,60 L90,240 C90,320 220,380 220,380 C220,380 350,320 350,240 L3
    fill="none" stroke={B.signal} strokeWidth="3" opacity="0.06" filter="url(
    /* Shield gold outer border */}
<path d="M88,58 L88,241 C88,322 220,382 220,382 C220,382 352,322 352,241 L3
    fill="url(#goldG)" filter="url(#glow1)" />
    /* Shield main fill */}
<path d="M92,62 L92,239 C92,318 220,378 220,378 C220,378 348,318 348,239 L3
    fill="url(#shieldFill)" />

    /* Shield interior - hex pattern */}
    <g clipPath="url(#shieldClip)">
        <rect x="90" y="60" width="260" height="320" fill="url(#hexPat)" />
        <rect x="90" y="60" width="260" height="320" fill="url(#circuitPat)" />
    </g>

    /* Shield inner gold accent border */}
    <path d="M100,70 L100,237 C100,312 220,368 220,368 C220,368 340,312 340,237
        fill="none" stroke={B.gold} strokeWidth="0.6" opacity="0.2" />

    /* — TORCH / SIGNAL BEACON — */}
    /* Staff */}
    <rect x="217" y="5" width="6" height="52" fill="url(#goldG)" rx="1.5" />
    <ellipse cx={cx} cy="58" rx="12" ry="5" fill="url(#goldG)" />
    /* Outer glow */}
    <ellipse cx={cx} cy="35" rx={animated ? 18 + pulseOpacity * 4 : 18} ry={ani
        fill={B.signal} opacity={animated ? 0.08 + pulseOpacity * 0.06 : 0.1} fil

```

```

{ /* Flame layers */}
<path d="M220,8 C208,20 204,34 207,44 C210,52 216,56 220,54 C224,56 230,52
  fill={B.gold} opacity="0.4" filter="url(#glow1)"/>
<path d="M220,13 C211,23 208,35 211,44 C213,50 217,53 220,52 C223,53 227,50
  fill={B.goldLt} opacity="0.8"/>
<path d="M220,18 C214,26 212,36 215,44 C217,48 219,50 220,50 C221,50 223,48
  fill={B.signal} opacity={animated ? pulseOpacity * 0.9 : 0.7} filter="url
<path d="M220,24 C216,30 215,38 217,44 C218,47 219,48 220,48 C221,48 222,47
  fill="rgba(255,255,255,0.85)"/>
{ /* Signal pulse rings from torch */}
{animated && [1,2,3].map(i => (
  <circle key={i} cx={cx} cy="35"
    r={(pulse * 0.8 + i * 25) % 80}
    fill="none" stroke={B.signal} strokeWidth="0.6"
    opacity={Math.max(0, 0.3 - ((pulse * 0.8 + i * 25) % 80) / 80 * 0.3)}/>
)})}

{ /* — VM MONOGRAM — */}
<text x={cx} y={cx - 10} textAnchor="middle"
  fontFamily="Georgia, serif" fontSize="88" fontWeight="700"
  fill="url(#goldG)" filter="url(#glow1)" letterSpacing="-3">
  VM
</text>
{ /* Signal trace under VM */}
<text x={cx} y={cx - 10} textAnchor="middle"
  fontFamily="Georgia, serif" fontSize="88" fontWeight="700"
  fill={B.signal} letterSpacing="-3" opacity={animated ? 0.04 + pulseOpacit
  VM
</text>

{ /* Horizontal data line in shield */}
<line x1="105" y1="255" x2="335" y2="255"
  stroke={B.gold} strokeWidth="0.6" opacity="0.25"/>
{ /* Data trace on the line */}
{animated && (
  <line x1={105 + (tick * 3) % 230} y1="255" x2={Math.min(105 + (tick * 3)
    stroke={B.signal} strokeWidth="1" opacity="0.6" filter="url(#glow1)"/>
)})}

{ /* — 9 DOMAIN STARS with network — */}
[...Array(9)].map((_, i) => {
  const a = (i * 40 - 90) * Math.PI / 180;
  const r = 22;
  const sx = cx + r * Math.cos(a), sy = 265 + r * Math.sin(a) * 0.4;
  return (
    <g key={i}>
      {i < 8 && (

```

```

        <line x1={sx} y1={sy}
            x2={cx + r * Math.cos(((i+1)*40-90)*Math.PI/180)}
            y2={265 + r * Math.sin(((i+1)*40-90)*Math.PI/180) * 0.4}
            stroke={B.signal} strokeWidth="0.4" opacity="0.2"/>
    )}
    <circle cx={sx} cy={sy} r="2"
        fill={animated && i === tick % 9 ? B.signal : B.gold}
        opacity={animated && i === tick % 9 ? 1 : 0.5}
        filter={animated && i === tick % 9 ? "url(#glow1)" : "none"}/>
</g>
);
}}}

{/* READINESS OS */}
<text x={cx} y="292" textAnchor="middle"
    fontFamily="'Courier New', monospace" fontSize="10.5"
    fill={B.tealLt} letterSpacing="5" opacity="0.95">
    READINESS OS
</text>

{/* Status indicator */}
<g>
    <circle cx={cx - 48} cy="309" r="3"
        fill={B.signal} opacity={animated ? pulseOpacity : 0.8}
        filter="url(#glow1)"/>
    <text x={cx - 40} y="313" fontFamily="'Courier New', monospace"
        fontSize="8" fill={B.signal} opacity="0.7" letterSpacing="1">
        SIG.MON.ACTIVE
    </text>
</g>

{/* EST */}
<text x={cx} y="335" textAnchor="middle"
    fontFamily="'Courier New', monospace" fontSize="8"
    fill={B.gold} letterSpacing="4" opacity="0.5">
    EST. MMXXIII
</text>

{/* — LAURELS as circuit traces — */}
{/* Left circuit-laurel */}
<path d="M88,80 C72,120 64,175 70,235 C74,275 82,305 88,325"
    fill="none" stroke={B.gold} strokeWidth="1.2" opacity="0.3"/>
{[75,95,115,135,155,175,195,215,235,255,275,295].map((y, i) => {
    const x = 68 + Math.sin(i * 0.8) * 8;
    return (
        <g key={i}>
            <ellipse cx={x} cy={y} rx="8" ry="4"

```

```

        transform={`rotate(${ -60 + i * 2 }, ${x}, ${y})`}
        fill={i % 3 === 0 ? B.signal : B.gold}
        opacity={i % 3 === 0 ? 0.3 : 0.4}/>
      {i % 3 === 0 && (
        <circle cx={x} cy={y} r="1.5"
          fill={B.signal} opacity="0.5" filter="url(#signalGlow)"/>
      )}
    </g>
  );
}}}

{/* Right circuit-laurel */}
<path d="M352,80 C368,120 376,175 370,235 C366,275 358,305 352,325"
  fill="none" stroke={B.gold} strokeWidth="1.2" opacity="0.3"/>
[[75,95,115,135,155,175,195,215,235,255,275,295].map((y, i) => {
  const x = 372 - Math.sin(i * 0.8) * 8;
  return (
    <g key={i}>
      <ellipse cx={x} cy={y} rx="8" ry="4"
        transform={`rotate(${ 60 - i * 2 }, ${x}, ${y})`}
        fill={i % 3 === 0 ? B.signal : B.gold}
        opacity={i % 3 === 0 ? 0.3 : 0.4}/>
      {i % 3 === 0 && (
        <circle cx={x} cy={y} r="1.5"
          fill={B.signal} opacity="0.5" filter="url(#signalGlow)"/>
      )}
    </g>
  );
})}

{/* — MOTTO RIBBON with data overlay — */}
<path d="M60,415 L60,440 L90,436 L90,428 Z" fill="#6B4A0A" opacity="0.85"/>
<path d="M380,415 L380,440 L350,436 L350,428 Z" fill="#6B4A0A" opacity="0.8"
<path d="M86,408 L354,408 L354,440 L86,440 Z" fill="url(#goldG)"/>
<line x1="86" y1="410" x2="354" y2="410" stroke="#8B6212" strokeWidth="0.8"
<line x1="86" y1="438" x2="354" y2="438" stroke="#8B6212" strokeWidth="0.8"
<text x={cx} y="429" textAnchor="middle"
  fontFamily="Georgia, serif" fontSize="13.5" fontWeight="700"
  fill={B.navy} letterSpacing="4.5">
  ANTE IGNE PARATUS
</text>
{/* Data scanline on ribbon */}
{animated && (
  <rect x={86 + (tick * 2) % 268} y="408" width="30" height="32"
    fill={B.signal} opacity="0.06" rx="1"/>
)}
{/* Corner rivets */}

```



```

    [[86,408],[354,408],[86,440],[354,440]].map(([rx,ry],i) => (
      <circle key={i} cx={rx} cy={ry} r="4" fill="url(#goldG)"/>
    )))

    { /* Father's four words */ }
    <text x={cx} y="458" textAnchor="middle"
      fontFamily="'Courier New', monospace" fontSize="7"
      fill={B.signal} opacity="0.45" letterSpacing="2">
      PREPARE · PRACTICE · PERFORM FEARLESS · NEVER GIVE UP
    </text>

    { /* Data readout - bottom metrics */ }
    <text x="100" y="435" fontFamily="'Courier New', monospace"
      fontSize="6" fill={B.signal} opacity="0" letterSpacing="1">
      SIG:248.DP
    </text>
  </svg>
);
}

// — Tech Seal —————
function TechSeal({ size = 120, animated = true }) {
  const [tick, setTick] = useState(0);
  const [scan, setScan] = useState(0);

  useEffect(() => {
    if (!animated) return;
    const t = setInterval(() => {
      setTick(n => n+1);
      setScan(a => (a + 3) % 360);
    }, 50);
    return () => clearInterval(t);
  }, [animated]);

  const cx = size/2, cy = size/2, r = size * 0.46;
  const scanRad = (scan - 90) * Math.PI / 180;
  const pulse = 0.4 + 0.6 * Math.sin(tick * 0.12);

  return (
    <svg width={size} height={size} viewBox={`0 0 ${size} ${size}`} xmlns="http://
    <defs>
      <radialGradient id={`tsg-${size}`} cx="50%" cy="30%" r="70%">
        <stop offset="0%" stopColor="#1a2860"/>
        <stop offset="100%" stopColor={B.navy}/>
      </radialGradient>
      <filter id={`tglow-${size}`}>
        <feGaussianBlur stdDeviation={size * 0.012} result="blur"/>

```

```

    <feMerge><feMergeNode in="blur"/><feMergeNode in="SourceGraphic"/></feM
  </filter>
</defs>

{/* Outer rings */}
<circle cx={cx} cy={cy} r={r+2} fill="none" stroke={B.gold} strokeWidth={si
<circle cx={cx} cy={cy} r={r-2} fill="none" stroke={B.signal} strokeWidth={
<circle cx={cx} cy={cy} r={r-5} fill="none" stroke={B.gold} strokeWidth={si
<circle cx={cx} cy={cy} r={r} fill={`url(#tsg-${size})`} />

{/* Hex fill */}
<circle cx={cx} cy={cy} r={r-4} fill="none" stroke={B.signal}
  strokeWidth={size*0.002} strokeDasharray={` ${size*0.05} ${size*0.15}`} op

{/* Scan line */}
{animated && (
  <line x1={cx} y1={cy}
    x2={cx + Math.cos(scanRad) * r * 0.9}
    y2={cy + Math.sin(scanRad) * r * 0.9}
    stroke={B.signal} strokeWidth={size*0.006} opacity="0.5"
    filter={`url(#tsglow-${size})`} />
)}

{/* Tick marks */}
[Array.from({length: 36}, (_, i) => {
  const a = (i * 10 - 90) * Math.PI / 180;
  const r1 = r+2, r2 = i % 9 === 0 ? r-7 : r-3;
  return <line key={i}
    x1={cx + r1 * Math.cos(a)} y1={cy + r1 * Math.sin(a)}
    x2={cx + r2 * Math.cos(a)} y2={cy + r2 * Math.sin(a)}
    stroke={i % 9 === 0 ? B.gold : B.signal}
    strokeWidth={i % 9 === 0 ? size*0.008 : size*0.003}
    opacity={i % 9 === 0 ? 0.8 : 0.2} />;
})]

{/* Cardinal diamonds */}
[[0,90,180,270].map(a => {
  const rad = (a-90)*Math.PI/180;
  const dx = cx + (r+6)*Math.cos(rad), dy = cy + (r+6)*Math.sin(rad);
  const d = size * 0.025;
  return <polygon key={a}
    points={` ${dx}, ${dy-d} ${dx+d}, ${dy} ${dx}, ${dy+d} ${dx-d}, ${dy}`}
    fill={B.gold} />;
})]

{/* VM */}
<text x={cx} y={cy + size*0.07} textAnchor="middle"

```

```

        fontFamily="Georgia, serif" fontSize={size * 0.26}
        fontWeight="700" fill={B.gold}
        filter={`url(#tglow-${size})`} letterSpacing="-1">VM</text>

    { /* Signal indicator */ }
    <circle cx={cx} cy={cy + size * 0.28} r={size * 0.018}
        fill={B.signal} opacity={animated ? pulse : 0.8}
        filter={`url(#tglow-${size})`} />

    { /* Arc texts */ }
    <path id={`ta-${size}`} d={`M ${cx - r*0.78},${cy} A ${r*0.78},${r*0.78} 0
    <text fontFamily="'Courier New', monospace" fontSize={size*0.065} fill={B.g
        <textPath href={`#ta-${size}`} startOffset="5%">VAUGHNMARTIN · READINESS
    </text>
    <path id={`tb-${size}`} d={`M ${cx - r*0.7},${cy} A ${r*0.7},${r*0.7} 0 0,0
    <text fontFamily="'Courier New', monospace" fontSize={size*0.055} fill={B.t
        <textPath href={`#tb-${size}`} startOffset="12%">ANTE IGNEM PARATUS</text
    </text>
    </svg>
    );
    }

// — HUD Data Panel —————
function DataPanel({ animated = true }) {
    const [vals, setVals] = useState({ sig: 87, arch: 170, dp: 248, time: 12 });
    const [tick, setTick] = useState(0);

    useEffect(() => {
        if (!animated) return;
        const t = setInterval(() => {
            setTick(n => n+1);
            setVals(v => ({ ...v, sig: 72 + Math.floor(Math.sin(Date.now()/3000) * 15 +
            }, 200);
            return () => clearInterval(t);
        }, [animated]);

    const rows = [
        { label: "SIGNAL.CONFIDENCE", val: `${vals.sig}%`, color: vals.sig > 80 ? B.s
        { label: "PROTOCOLS.STAGED", val: "170 / 170", color: B.signal },
        { label: "DATA.POINTS.ACTIVE", val: "248+", color: B.gold },
        { label: "ACTIVATION.TIME", val: "12:00.MIN", color: B.tealLt },
        { label: "DOMAINS.COVERED", val: "9 / 9", color: B.signal },
        { label: "TRIGGERS.MONITORED", val: "221", color: B.gold },
    ];

    return (
        <div style={{

```

```

background: "rgba(6,10,28,0.95)",
border: `1px solid rgba(0,229,196,0.2)`,
borderRadius: 4, padding: "16px 20px", minWidth: 240,
fontFamily: "'Courier New', monospace",
}}>
<div style={{ display: "flex", alignItems: "center", gap: 8, marginBottom:
  <div style={{ width: 7, height: 7, borderRadius: "50%", background: B.sig
    <span style={{ fontSize: 9, color: B.signal, letterSpacing: 3, textTransf
      READINESS OS // SIG.MON.ACTIVE
    </span>
  </div>
  </div>
  {rows.map((r, i) => (
    <div key={i} style={{ display: "flex", justifyContent: "space-between", p
      <span style={{ fontSize: 9, color: "rgba(248,247,244,0.4)", letterSpacing:
      <span style={{ fontSize: 9, color: r.color, letterSpacing: 1, fontWeigh
    </div>
  )))
  <div style={{ marginTop: 12, fontSize: 8, color: "rgba(0,229,196,0.4)", let
    {animated ? `SYS.TICK // ${String(tick).padStart(6, "0")}` : "SYS.STANDBY
  </div>
</div>
);
}

// — Tech Wordmark —————
function TechWordmark({ size = 1, variant = "dark", showMotto = true }) {
  const isDark = variant === "dark";
  const primary = isDark ? B.ivory : B.navy;
  const base = 52 * size;

  return (
    <div style={{ display: "flex", flexDirection: "column", gap: 3 }}>
      <div style={{ fontFamily: "Georgia, serif", fontSize: base, fontWeight: 400
        Vaughn<span style={{ color: B.gold }}>Martin</span>
      </div>
      <div style={{ height: 1, background: `linear-gradient(to right, ${B.gold},
        <div style={{ fontFamily: "'Courier New', monospace", fontSize: base * 0.24
          Readiness OS
        </div>
        {showMotto && (
          <div style={{ fontFamily: "'Courier New', monospace", fontSize: base * 0.
            ANTE IGNE PARATUS
          </div>
        )}
      </div>
    );
  }

```

```
// — Main —————
export default function TechLegacyBrand() {
  const [tab, setTab] = useState("crest");

  const tabs = [
    { id: "crest",    label: "Intelligence Crest" },
    { id: "seals",    label: "Tech Seal" },
    { id: "lockups",  label: "Lockups" },
    { id: "materials",label: "Campaign Materials" },
  ];

  const grid = {
    backgroundImage: "linear-gradient(rgba(0,229,196,0.04) 1px,transparent 1px),1",
    backgroundSize: "48px 48px, 48px 48px, 12px 12px, 12px 12px",
  };

  return (
    <div style={{ background: B.navy, minHeight: "100vh", fontFamily: "Georgia, s
      <style>{`
        @keyframes pulse { 0%,100%{opacity:1;transform:scale(1)} 50%{opacity:0.5;
        @keyframes fadeUp { from{opacity:0;transform:translateY(12px)} to{opacity
        @keyframes scanH { 0%{left:-20%} 100%{left:120%} }
        @keyframes blink { 0%,100%{opacity:1} 50%{opacity:0} }
        .tab { transition:all 0.2s; cursor:pointer; border:none; }
        .fade { animation:fadeUp 0.4s ease forwards; }
      `}</style>

      { /* Nav */}
      <nav style={{
        position: "sticky", top: 0, zIndex: 100,
        background: "rgba(10,15,46,0.97)",
        borderBottom: `1px solid rgba(0,229,196,0.15)` ,
        display: "flex", alignItems: "center", justifyContent: "space-between",
        padding: "0 48px", height: 60,
      }}>
        <div style={{ display: "flex", alignItems: "center", gap: 14 }}>
          <TechSeal size={36} animated={false}/>
          <TechWordmark size={0.36} showMotto={false}/>
        </div>
        <div style={{ display: "flex", gap: 3 }}>
          {tabs.map(t => (
            <button key={t.id} className="tab" onClick={() => setTab(t.id)} style
              padding: "7px 16px", borderRadius: 3,
              background: tab === t.id ? B.signal : "transparent",
              color: tab === t.id ? B.navy : "rgba(0,229,196,0.5)",
              fontFamily: "'Courier New', monospace", fontSize: 10,
```

```

        letterSpacing: 3, textTransform: "uppercase", fontWeight: tab === t
    }}>{t.label}</button>
    )}}
</div>
</nav>

```

```

{ /* — INTELLIGENCE CREST — */
{tab === "crest" && (
    <div className="fade">
        <section style={{ background: B.navy, position: "relative", overflow: "
            <div style={{ position: "absolute", inset: 0, ...grid }}/>
            <div style={{ position: "absolute", width: 800, height: 700, borderRa
            <div style={{ position: "absolute", width: 600, height: 500, borderRa

            <div style={{ position: "relative", zIndex: 1, display: "flex", gap:

                { /* Crest */
                <TechCrest size={420} animated={true}/>

                { /* Right panel */
                <div style={{ maxWidth: 380 }}>
                    <div style={{ fontFamily: "'Courier New', monospace", fontSize: 1
                        The Intelligence Crest
                    </div>
                    <h1 style={{ fontFamily: "Georgia, serif", fontSize: 48, fontWeig
                        Heritage precision.<br/>
                        <span style={{ color: B.gold }}>Signal speed.</span>
                    </h1>
                    <p style={{ fontFamily: "Georgia, serif", fontSize: 16, lineHeigh
                        The heraldic crest built for the intelligence age.
                        Every element of the founding story. Running at
                        the speed of a strategic trigger.
                    </p>

                    <DataPanel animated={true}/>

                    <div style={{ marginTop: 24 }}>
                        {[
                            { icon: "◆", label: "Signal Beacon", note: "Live intelligence
                            { icon: "◊", label: "Hex Architecture", note: "Circuit precis
                            { icon: "●", label: "Radar Sweep", note: "Continuous monitori
                            { icon: "◈", label: "Circuit Laurel", note: "Earned capabilit
                        ].map((el, i) => (
                            <div key={i} style={{ display: "flex", gap: 14, padding: "10p
                                <div style={{ fontFamily: "'Courier New', monospace", fontS
                                <div>
                                    <div style={{ fontFamily: "'Courier New', monospace", fon

```

```

        <div style={{ fontFamily: "Georgia, serif", fontSize: 13,
        </div>
      </div>
    )}}
  </div>
</div>
</div>
</section>
</div>
)}

```

```

{ /* — TECH SEAL — */

```

```

{tab === "seals" && (
  <div className="fade">
    <section style={{ background: B.navy, position: "relative", overflow: "
    <div style={{ position: "absolute", inset: 0, ...grid }}/>
    <div style={{ position: "relative", zIndex: 1, maxWidth: 1100, margin
      <div style={{ fontFamily: "'Courier New', monospace", fontSize: 10,
        The Intelligence Seal · All Scales
      </div>
    <h2 style={{ fontFamily: "Georgia, serif", fontSize: 44, color: B.i
      The mark at every scale.<br/><span style={{ color: B.signal, font
    </h2>

    <div style={{ display: "flex", gap: 48, alignItems: "flex-end", fle
      {[180, 140, 100, 72, 48, 32].map(s => (
        <div key={s} style={{ display: "flex", flexDirection: "column",
          <TechSeal size={s} animated={s > 60}/>
          <div style={{ fontFamily: "'Courier New', monospace", fontSiz
        </div>
      )}}
    </div>

```

```

{ /* Field variations */

```

```

<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr",
  [[
    { bg: B.navyBg, label: "Primary · Dark Navy", border: "rgba(0,2
    { bg: B.gold, label: "Gold Field", border: "rgba(0,0
    { bg: B.ivory, label: "Light · Print", border: "rgba(10,
  ].map((v, i) => (
    <div key={i} style={{
      background: v.bg, padding: "48px 40px",
      display: "flex", flexDirection: "column", alignItems: "center
      border: `1px solid ${v.border}`,
    }}>
    <div style={{ fontFamily: "'Courier New', monospace", fontSiz
      {v.label}

```

```

        </div>
        <TechSeal size={90} animated={true}/>
    </div>
    )))
</div>
</div>
</section>
</div>
))

{/* — LOCKUPS — */}
{tab === "lockups" && (
    <div className="fade">
        <section style={{ background: B.navyBg, position: "relative", overflow:
            <div style={{ position: "absolute", inset: 0, ...grid }}/>
            <div style={{ position: "relative", zIndex: 1, maxWidth: 1100, margin

                {/* Primary horizontal */}
                <div style={{ background: "rgba(6,10,28,0.8)", padding: "48px 56px"
                    <div style={{ fontFamily: "'Courier New', monospace", fontSize: 9
                        Primary Lockup · Horizontal · Technology
                    </div>
                    <div style={{ display: "flex", alignItems: "center", gap: 24 }}>
                        <TechSeal size={96} animated={true}/>
                        <TechWordmark size={0.85} variant="dark"/>
                    </div>
                </div>
            </div>

            {/* With data panel */}
            <div style={{ background: "rgba(6,10,28,0.8)", padding: "48px 56px"
                <div style={{ fontFamily: "'Courier New', monospace", fontSize: 9
                    Extended Lockup · With Intelligence Panel
                </div>
                <div style={{ display: "flex", alignItems: "center", gap: 40 }}>
                    <TechSeal size={80} animated={true}/>
                    <TechWordmark size={0.7} variant="dark"/>
                    <div style={{ marginLeft: "auto" }}>
                        <DataPanel animated={true}/>
                    </div>
                </div>
            </div>
        </div>

        <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr",
            <div style={{ background: B.signal, padding: "40px 32px", display
                <div style={{ fontFamily: "'Courier New', monospace", fontSize:
                    <TechSeal size={72} animated={false}/>
                <div style={{ fontFamily: "Georgia, serif", fontSize: 22, color

```



```

        Vaughn<span style={{ color: B.navyMid }}>Martin</span>
      </div>
    </div>
    <div style={{ background: B.gold, padding: "40px 32px", display:
      <div style={{ fontFamily: "'Courier New', monospace", fontSize:
        <TechSeal size={72} animated={false}/>
        <div style={{ fontFamily: "Georgia, serif", fontSize: 22, color
      </div>
      <div style={{ background: B.navy, padding: "40px 32px", display:
        <div style={{ fontFamily: "'Courier New', monospace", fontSize:
          <TechSeal size={72} animated={true}/>
        </div>
      </div>
    </div>
  </div>
</section>
</div>
))

{/* — CAMPAIGN MATERIALS — */}
{tab === "materials" && (
  <div className="fade">
    <section style={{ background: B.navyBg, position: "relative", overflow:
      <div style={{ position: "absolute", inset: 0, ...grid }}/>
      <div style={{ position: "relative", zIndex: 1, maxWidth: 1200, margin

        {/* LinkedIn card */}
        <div style={{ fontFamily: "'Courier New', monospace", fontSize: 10,
          LinkedIn Campaign Card · 1200×628
        </div>
        <div style={{
          width: "100%", aspectRatio: "1200/628",
          background: B.navy, position: "relative", overflow: "hidden",
          border: `1px solid rgba(0,229,196,0.15)`, marginBottom: 32,
        }}>
          <div style={{ position: "absolute", inset: 0, ...grid }}/>
          <div style={{ position: "absolute", width: "70%", height: "120%",
            <div style={{ position: "absolute", width: "50%", height: "100%",

            {/* Watermark crest */}
            <div style={{ position: "absolute", top: "50%", left: "30%", tran
              <TechCrest size={500} animated={false}/>
            </div>

          <div style={{ position: "absolute", inset: 0, zIndex: 10, display
            <div style={{ flex: 1, paddingRight: "4%" }}>
              <div style={{ display: "flex", alignItems: "center", gap: 10,
                <TechSeal size={40} animated={false}/>

```

```

<div style={{ display: "flex", flex: 1, alignItems: "center"
  <div style={{ width: 6, height: 6, borderRadius: "50%", b
    <span style={{ fontFamily: "'Courier New', monospace", fo
      SIG.MON.ACTIVE · 248 DATA POINTS
    </span>
  </div>
</div>
<div>
<h2 style={{ fontFamily: "Georgia, serif", fontSize: "4vw", c
  I built what<br/>
  <em style={{ color: B.gold }}>you need.</em>
</h2>
<p style={{ fontFamily: "Georgia, serif", fontSize: "1.3vw",
  Not a framework. Not a diagnostic. The preparation infrastr
  that was always needed and never existed. Before the trigge
</p>
<div style={{ fontFamily: "'Courier New', monospace", fontSiz
  ANTE IGNEM PARATUS
</div>
</div>

<div style={{ flex: "0 0 38%", paddingLeft: "2%" }}>
  <div style={{ background: "rgba(6,10,28,0.88)", border: "1px
    <div style={{ display: "flex", alignItems: "center", gap: 7
      <div style={{ width: 6, height: 6, borderRadius: "50%", b
        <span style={{ fontFamily: "'Courier New', monospace", fo
          READINESS OS · LIVE
        </span>
      </div>
    </div>
    [{"0:00 Signal detected","0:47 Protocol matched","2:00 Exec
      <div key={i} style={{ display: "flex", gap: "5%", padding
        <span style={{ fontFamily: "'Courier New', monospace",
          <span style={{ fontFamily: "Georgia, serif", fontSize:
        </div>
      )})
    <div style={{ display: "grid", gridTemplateColumns: "1fr 1f
      <div>
        <div style={{ fontFamily: "Georgia, serif", fontSize: "
          <div style={{ fontFamily: "'Courier New', monospace", f
        </div>
        <div>
          <div style={{ fontFamily: "Georgia, serif", fontSize: "
            <div style={{ fontFamily: "'Courier New', monospace", f
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
</div>

```

```

    { /* Bottom band */ }
    <div style={{ position: "absolute", bottom: 0, left: 0, right: 0,
      <span style={{ fontFamily: "'Courier New', monospace", fontSize
        Readiness Infrastructure · Built · In Production · Fortune 10
      </span>
      <span style={{ fontFamily: "'Courier New', monospace", fontSize
        ANTE IGNEM PARATUS
      </span>
    </div>
  </div>

  { /* Tagline treatment */ }
  <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap:
    [
      { tag: "The response is ready before the trigger fires.", role:
      { tag: "We Make Enterprises Fearless.", role: "Primary Brand Pr
      { tag: "Built on the Belief That Preparation Wins.", role: "Fou
      { tag: "Ante Ignem Paratus.", role: "Latin Motto · Heritage · T
    ].map((t, i) => (
      <div key={i} style={{ background: "rgba(6,10,28,0.7)", border:
        <div style={{ fontFamily: "'Courier New', monospace", fontSiz
        <div style={{ fontFamily: "Georgia, serif", fontSize: 24, col
          </div>
        </div>
      </div>
    </div>
  </section>
</div>
))

{ /* Footer */ }
<footer style={{ background: "rgba(6,10,28,0.98)", borderTop: `1px solid rg
  <div style={{ display: "flex", alignItems: "center", gap: 14 }}>
    <TechSeal size={40} animated={true}/>
    <TechWordmark size={0.38} showMotto={true}/>
  </div>
  <div style={{ textAlign: "right" }}>
    <div style={{ fontFamily: "'Courier New', monospace", fontSize: 10, col
      SIG.MON.ACTIVE // ANTE.IGNEM.PARATUS
    </div>
    <div style={{ fontFamily: "'Courier New', monospace", fontSize: 9, colo
      VaughnMartin Intelligence Brand System · May 2026
    </div>
  </div>
</footer>
</div>

```

