FIA National Scale Volume and Biomass (NSVB) Sampled Trees Data Dictionary

Table 1: NSVB_TREE
Table 2: NSVB_LOCS
Table 3: NSVB_STEM

Table NSVB_TREE

No.	Column Name	Descriptive Name
Observed variables		
1	AUTHOR	Study author
2	LOC	Study location
3	SPCD	FIA species code
4	TREENO	Tree number (unique within AUTHOR x LOC x SPCD)
5	DO_BH	Diameter at breast height (in)
6	HT_TOT	Total height (ft)
7	REGION	FIA Region (GTR-NRS-88 Fig 1)
8	TR_ORIGIN	Tree origin: 1=natural; 2=planted; 3=direct seeded
9	CR_WID	Crown width
10	BRL_HT_BLC	Stem height at the lowest live branch
11	ST_BLC_D	Diameter at base of live crown/lowest live limb
12	CCLCD	Crown class code: 1=suppressed; 2=intermediate; 3= codominant; 4=dominant; 5=open grown
13	ST_HT_SAW	Stem height to sawlog merchantable top, in feet
14	ST_HT_MER	Stem height to 4” merchantable top (feet)
15	ST_WD_CV_MER	Merchantable stem wood cubic foot volume, 1' stump to 4" top
16	ST_BK_CV_MER	Merchantable stem bark cubic foot volume, 1' stump to 4" top
17	ST_WDBK_CV_MER	Merchantable stem wood and bark cubic foot volume, 1' stump to 4" top
18	ST_WD_DW_MER	Merchantable stem (from a 1' stump to a 4" top outside bark) wood dry weight
19	ST_BK_DW_MER	Merchantable stem (from a 1' stump to a 4" top outside bark) bark dry weight
20	ST_WDBK_DW_MER	Merchantable stem (from a 1' stump to a 4" top outside bark) wood and bark dry weight
21	ST_WD_CV_TOT	Total stem wood cubic foot volume, groundline to tip
22	ST_BK_CV_TOT	Total stem bark cubic foot volume, groundline to tip
23	ST_WD_CV_SAW	Sawtimber stem wood cubic foot volume (from a 1' stump to a sawlog merchantable height)
24	ST_WDBK_CV_SAW	Sawtimber stem wood and bark cubic foot volume (from a 1' stump to a sawlog merchantable height)

25	ST_BK_CV_SAW	Sawtimber stem bark cubic foot volume (from a 1' stump to a sawlog merchantable height)
26	ST_WDBK_CV_TOT	Total stem wood and bark cubic foot volume, groundline to tip
27	ST_WD_DW_TOT	Total stem (from ground line to tree tip) wood dry weight
28	ST_BK_DW_TOT	Total stem (from ground line to tree tip) bark dry weight
29	ST_WDBK_DW_TOT	Total stem (from ground line to tree tip) wood and bark dry weight
30	SP_WD_CV	Stump (groundline to 1') wood cubic volume
31	SP_BK_CV	Stump (groundline to 1') bark cubic volume
32	SP_WDBK_CV	Stump (groundline to 1') wood and bark cubic volume
33	SP_WD_DW	Stump (groundline to 1') wood dry weight
34	SP_BK_DW	Stump (groundline to 1') bark dry weight
35	SP_WDBK_DW	Stump (groundline to 1') wood and bark dry weight
36	BRT_WDBK_DW_MER	Live and dead branches -- including the stem tip above the 4" top -- wood and bark dry weight, excluding foliage
37	BRT_WDBK_DW_TOT	Live and dead branches -- excluding any part of the stem -- wood and bark dry weight
38	FOL_DW	Foliage dry weight
39	TT_WDBK_DW_ADJ	Aboveground wood and bark dry weight, total stem and branches excluding foliage*
40	TT_DW_ADJ	Aboveground wood, bark, and foliage dry weight†
41	FOL_IND	Foliage indicator: not weighed=0; weighed=1
CRM-derived variables		
42	ST_WD_CV_CRM	Stem wood cubic foot volume, 1' stump to 4" top, predicted from FIA regional volume equations
43	ST_BK_CV_CRM	Stem bark cubic foot volume, 1' stump to 4" top‡
44	ST_WDBK_CV_CRM	Stem wood and bark cubic foot volume, 1' stump to 4" top§
45	ST_WD_DW_CRM	CRM-derived merchantable stem wood dry weight
46	ST_BK_DW_CRM	CRM-derived merchantable stem bark dry weight
47	ST_WDBK_DW_CRM	CRM-derived merchantable stem wood and bark dry weight
48	SP_WD_CV_CRM	CRM-derived stump wood cubic volume
49	SP_BK_CV_CRM	CRM-derived stump bark cubic volume
50	SP_WDBK_CV_CRM	CRM-derived stump wood and bark cubic volume
51	SP_WD_DW_CRM	CRM-derived stump wood dry weight
52	SP_BK_DW_CRM	CRM-derived stump bark dry weight
53	SP_WDBK_DW_CRM	CRM-derived stump wood and bark dry weight
54	BRT_WDBK_DW_CRM	CRM-derived live and dead branches -- including the stem tip above the 4" top -- wood and bark dry weight, excluding foliage
55	FOL_DW_CRM	CRM-derived foliage dry weight

56	TT_WDBK_DW_CRM	CRM-derived aboveground wood and bark dry weight, total stem and branches excluding foliage
57	TT_DW_CRM	CRM-derived aboveground wood, bark, and foliage dry weight
Empirically-derived variables		
58	ST_WD_SG	Stem wood specific gravity, cross-sectional-area-weighted average of sample disks
59	ST_BK_SG	Stem bark specific gravity, cross-sectional-area-weighted average of sample disks**
60	ST_BK_RAT_MER	Stem bark-to-wood ratio, derived from merchantable stem volume observations (1' stump to 4" top)
61	ST_BK_RAT_TOT	Stem bark-to-wood ratio, derived from total stem volume observations (groundline to tip)

Table NSVB_LOCS

No.	Column Name	Descriptive Name
1	AUTHOR	Study author
2	LOC	Study location
3	LAT	Latitude
4	LON	Longitude
5	PREC	Coordinate precision
6	LAT_LON_DER	Latitude and longitude derivation
7	LOC_DESC	Location description
8	STATE	State or province
9	COUNTRY	Country
10	COUNTY_NAME	US county name
11	COUNTY_CODE	US county code
12	NATIONAL_FOREST	National forest name
13	NATIONAL_FOREST_ID	National forest code number
14	RANGER_DISTRICT	National forest ranger district name
15	DISTRICTNU	National forest ranger district number

Table NSVB_STEM

No.	Column Name	Descriptive Name
1	AUTHOR	Study author
2	LOC	Study location
3	SPCD	FIA species code
4	TREENO	Tree number (unique within AUTHOR x LOC x SPCD)
5	ST_HT	Height above ground
6	ST_OB_D	Diameter outside bark
7	ST_IB_D	Diameter inside bark
8	PT	Stem measurement point number
9	MEAS_TYPE	Measurement/interpolation type[a]
10	METHOD	Measurement method
11	ST_WDBK_CV_CUM	Stem wood and bark (cumulative) cubic foot volume, groundline to measured height (ST_HT)
12	ST_WD_CV_CUM	Stem wood (cumulative) cubic foot volume, groundline to measured height (ST_HT)

[a]
1. Both/any measured (no interpolation or prediction)
2. DIB interpolated from adjacent points
3. DIB predicted using tree-level bark-thickness model
4. DOB interpolated from adjacent points (no DIB)
5. Both DOB and DIB interpolated from adjacent
6. DOB is interpolated and DIB interpolation is based on predicted bark-thickness

Abbreviations used in variable names

BRT = branches, total (live plus dead), excluding foliage
FOL = foliage
SP = stump, groundline to 1'
ST = stem
TT = total tree (above groundline)

BK = bark
WD = wood
WDBK = wood plus bark

CV = cubic foot volume
DW = dry weight (lb)

CRM = component ratio method
GL = groundline
OB = outside bark
MER = merchantable, 1' stump to 4" top
TOT = total, groundline to tip

Variable definition notes:

---

* May be calculated in trees with all components as: SP_WDBK_DW + ST_WDBK_DW_MER + BRT_WDBK_DW_MER. Also: ST_WDBK_DW_TOT + BRT_WDBK_DW_TOT

† May be calculated in trees with all components as: TT_WDBK_DW_ADJ + FOL_DW

‡ Calculated from ST_WD_CV_CRM and bark volume fraction from Miles and Smith

§ Calculated as ST_WD_CV_CRM + ST_BK_CV_CRM

** SG dry weight, green volume basis. Bark volume from dimensional measurements to include air voids