



AMTEC

AGRICULTURAL MACHINERY TESTING AND EVALUATION CENTER



Test Report No. 2019-0003



Agricultural Machinery – Fogging Machine **BEST FOGGER BF150 AUTOMATIC**

Test Report Number	2019 – 0003
Date of Issuance	January 30, 2019
Valid Until	January 30, 2024
Agricultural Machinery	Fogging Machine
Type	Portable, thermal aerosol fog
Brand	BEST FOGGER
Model	BF150 AUTOMATIC
Test Requested by	KYUNGMIN CORPORATION 443 J. De Leon Bldg., Talipapa, Quirino Highway, Novaliches, Quezon City

SUMMARY

Performance Criteria	Manufacturer's Specifications	AMTEC Test
Discharge Rate, L/h	ND	13.5
Fuel Consumption, L/h	ND	1.25
Noise Level, db(A)	ND	95.5
Temperature at Fogger Outlet, °C	ND	87.5
Percent Residue, %	ND	21.9
Power at Combustion Chamber, kW	ND	10.8

Note: ND – No Data

OBSERVATION/S

1. Operator's Manual	Provided
a. Language Used	English
b. Safety Measures	Yes
c. Description and Application	Yes
d. Operation	Yes
e. Maintenance	Yes
f. Storage	Yes
g. Specifications	Yes
h. Parts List	Yes
i. Warranty	No
2. Previous Valid Test Reports of Similar Brand and Model	None
3. Prime Mover	Gasoline Engine
4. Battery Used	12V DC rechargeable battery*
5. Number of Operator/s	1
6. Manufacturer	SAMJUNG CORPORATION 17 Sinyong Rd 21 Aeon-gil, Eumsong-eup, Eumsong-gun, Chungcheongbuk-do, Korea
7. Other Remarks	No breakdown occurred during the test.

*Based on Operator's Manual

PURPOSE AND SCOPE OF TEST

Purpose	Performance Testing / Commercial
Date/s of Test	January 19, 2019
Location of Test	AMTEC, UPLB, College, Laguna
Items Tested	Operator's Manual, Discharge Rate, Fuel Consumption, Temperature at Fogger Outlet, Noise Level, Percent Residue, Power at Combustion Chamber, and Number of Operator

METHODS OF TEST

The machine was tested based on AMTEC Methods of Test.

DESCRIPTION OF THE MACHINE




Figure 1. Parts of the BEST FOGGER BF150 Automatic Fogging Machine: (a) Chemical nozzle, (b) Chemical control valve, (c) Fogger outlet, (d) Fogger outlet safety cover, (e) Chemical tank, (f) Fuel tank, (g) Start button, and (h) Spark plug.

MACHINE SPECIFICATIONS

ITEMS	Manufacturer's Specification ¹	Verification by AMTEC
A.1 Main structure		
A.1.1 Overall dimensions, mm		
A.1.1.1 Length	1350	1354
A.1.1.2 Width	230	212
A.1.1.3 Height	340	345
A.1.2 Weight with empty chemical and fuel tank, kg	9.0	9.1
A.2 Chemical tank		
A.2.1 Capacity, L	8.0	8.26
A.2.2 Material	Stainless steel	Stainless steel
A.2.3 Chemical output, L/h	40	13.53 ²
A.3 Fuel tank		
A.3.1 Capacity, L	1.80	2.66
A.3.2 Material	ND	Stainless steel
A.3.3 Gasoline consumption, L/h	1.5	1.25 ²
A.4 Fogger outlet		
A.4.1 Diameter, mm	ND	41
A.4.2 Thickness, mm	ND	0.45
A.5 Power supply		
A.5.1 Power supply	12V DC rechargeable battery	ND
A.5.2 Starting system	Push button start	Push button start
A.6 Serial number	ND	175196
A.7 Prime mover (Engine)		
A.7.1 Brand and Model	ND	ND
A.7.2 Type	Gasoline engine	Gasoline engine

ND – No Data

¹Based on submitted operator's manual²Based on actual test data

RESULTS

Test Condition:

Ambient Temperature, °C : 28.13
 Relative Humidity, % : 64.13

ITEMS		DATA
A.1 Chemical		
A.1.1	Chemical used	Zeross Human Insect Repellent
A.1.2	Chemical - Water ratio	0.6:0.4, 1:1, 1:1
A.2 Performance Test		
A.2.1 Discharge Computation		
A.2.1.1	Discharge, L	3.23
A.2.1.2	Total operation time, h	0.226
A.2.1.3	Discharge rate, L/h	13.5
A.2.2 Fuel consumption computation		
A.2.2.1	Fuel consumed, L	0.298
A.2.2.2	Total time, h	0.238
A.2.2.3	Fuel consumption, L/h	1.25
A.2.3	Noise Level, db(A)	95.5
A.2.4	Temperature at fogger outlet, °C	87.5
A.2.5	Power at combustion chamber, kW	10.8
A.2.6 Residue computation		
A.2.6.1	Total residue, L	0.77
A.2.6.2	Percent residue, %	21.9

OBSERVATIONS



Figure 2. Actual Laboratory Test of BEST FOGGER BF150 Automatic:
(a) Strap is provided for easier handling of the portable fogging machine;
(b) The portable fogging machine is operated by only one person.

Prepared by:



FATIMA JOY J. RAYTANA

Test Engineer


KAREN CYBILL D. FRANCO


Test Engineer

Verified by:


ROMULO E. EUSEBIO

Test Engineer

Approved for Release:


ARTHUR L. FAJARDO

AMTEC Director

JAN 30 2019

Date

REMINDER

This test report should not be used for advertisement or for promotion of the product but only for evaluation and verification purposes and should not be reproduced in whole or in part without the permission of AMTEC.

For inquiries regarding the test report, you can visit us at our office, contact us at 09772047236 or 09214007137, send us a message at amtec.uplb@up.edu.ph or visit our official website at amtec.uplb.edu.ph.