

SOLUTION BRIEFING

# Rebranding & Editing Tutorial

How to turn the example web deck into your company's briefing —  
step by step, slide by slide, with the exact code to change and  
where to find it.

For the `solution-briefing/` web deck · No coding experience assumed

# 0. Before you start — the 3 files that matter

The whole deck is just three text files plus a folder of images. You can edit all of them in any plain-text editor — **VS Code** (free) is ideal, but even Notepad/TextEdit works. Open the `solution-briefing` folder and you'll see:

| File                    | What lives here                                                                      | How often you'll touch it |
|-------------------------|--------------------------------------------------------------------------------------|---------------------------|
| <code>index.html</code> | All slide <b>text and content</b> — one <code>&lt;section&gt;</code> block per slide | Every content change      |
| <code>styles.css</code> | All <b>colors, fonts, and sizes</b> — the brand config is at the very top            | Once, to set your brand   |
| <code>deck.js</code>    | The navigation engine (arrow keys)                                                   | Never — leave it alone    |
| <code>assets/</code>    | Your <b>logo, images, and videos</b>                                                 | When swapping pictures    |

## HOW TO PREVIEW YOUR CHANGES

Double-click `index.html` to open the deck in your browser. After each edit, **save the file and press the browser's Refresh (F5)** to see it. Keep the editor and browser side by side — edit, save, refresh, repeat.

## The golden rule for text edits

In `index.html`, your text sits *between* tags like `<h1>` and `</h1>`. To change wording, edit only the words between the tags — never delete the `<...>` tags themselves.

```
<!-- change the words, keep the tags -->
<h1 class="cover-title">AEGIS-1</h1>
    ↑ edit this part only
```

# 1. The 15-minute global rebrand

Do these four things once and 80% of the deck is already "yours." All four are find-and-replace or single-value edits.

## 1.1 — Your company name and product name

The example uses **NORTHWIND DEFENSE** (company) and **AEGIS-1** (product). Use your editor's **Find & Replace** (Ctrl/Cmd + H) on `index.html`:

- 1 Replace `NORTHWIND DEFENSE` → `YOUR COMPANY` (Replace All)
- 2 Replace `AEGIS-1` → `Your Product` (Replace All)
- 3 Replace `northwind.example` → `yourcompany.com` (Replace All)

### TIP

That single Find & Replace updates the browser tab title, the cover, the closing slide, and every other mention at once.

## 1.2 — Your brand colors

Open `styles.css`. The very first block is `:root { ... }` — the **BRAND CONFIG**. Every color in the deck comes from these seven values. Change the hex codes to your brand's:

```
:root {  
  /* --- COLORS --- */  
  --brand-primary: #0b1e2d; /* main background */  
  --brand-surface: #12293b; /* card / panel background */  
  --brand-accent: #35e0c8; /* highlight (buttons, bars, numbers) */  
  --brand-accent-2: #4f9cff; /* secondary highlight */  
  --brand-text: #eaf2f7; /* main text color */  
  --brand-muted: #8fa8ba; /* dimmed caption text */  
  --brand-line: #244056; /* borders and dividers */  
}
```

A hex color is `#` followed by six characters. Your marketing team has your brand hex codes; paste them in. Keep `--brand-text` light if `--brand-primary` is dark (and vice-versa) so text stays readable.

### WATCH OUT

Keep the `#`, the semicolon `;`, and the two dashes `--`. Only change the six-character color code.

## 1.3 — Your fonts

In the same `:root` block, a little further down:

```
--font-heading: "Segoe UI", "Helvetica Neue", Arial, sans-serif;
```

```
--font-body: "Segoe UI", "Helvetica Neue", Arial, sans-serif;
```

To use a font already on the presenting computer, just type its name first, e.g. `--font-heading: "Arial Black", sans-serif;`. To ship a **custom brand font** so it works on any computer (and offline), drop the font file into `assets/` and un-comment the `@font-face` example that sits right below the config block — then set the name:

```
@font-face {  
  font-family: "MyBrandFont";  
  src: url("assets/MyBrandFont.woff2") format("woff2");  
}  
/* then: */ --font-heading: "MyBrandFont", sans-serif;
```

## 1.4 — Your logo

Replace the file `assets/logo.svg` with your own logo, keeping the same name ( `logo.svg` ). It appears on the cover and closing slides automatically.

- If your logo is a `.png` or `.jpg` instead, put it in `assets/` and change `src="assets/logo.svg"` to your filename in `index.html` (it appears twice — cover and close).
- An **SVG** logo stays crisp at any size — ask your designer for the SVG if you have it.

## 2. Slide by slide

Each slide is one `<section class="slide ...">` block in `index.html`, marked with a big comment banner you can search for, e.g. `SLIDE 3 – SOLUTION OVERVIEW`. Below, each slide lists **what's on it**, **what to search for**, and **what to change**.

### Slide 1 — Cover

Search for: `SLIDE 1 – COVER`

| To change...                      | Edit this line                                                                             |
|-----------------------------------|--------------------------------------------------------------------------------------------|
| Company name (small label on top) | <code>&lt;p class="cover-kicker"&gt;NORTHWIND DEFENSE&lt;/p&gt;</code>                     |
| Big product / deck title          | <code>&lt;h1 class="cover-title"&gt;AEGIS-1&lt;span...&gt;.&lt;/span&gt;&lt;/h1&gt;</code> |
| Tagline sentence                  | <code>&lt;p class="cover-tagline"&gt;...&lt;/p&gt;</code>                                  |
| Presenter name                    | <code>&lt;p class="cover-presenter"&gt;... [Presenter Name]&lt;/p&gt;</code>               |
| Background video                  | See Part 3 — drop a file at <code>assets/cover-bg.mp4</code>                               |

### Slide 2 — The Problem

Search for: `SLIDE 2 – THE PROBLEM`

- **Section label:** the `<p class="eyebrow">The Problem</p>` line.
- **Headline:** the `<h2 class="statement-headline">` text. Words wrapped in `<span class="accent">...</span>` show in your accent color.
- **The three stats:** each is one `<li class="stat ...">`. Change the big number in `<span class="stat-value">` and the caption in `<span class="stat-label">`. Delete an `<li>...</li>` to drop a stat, or copy one to add a fourth.

### Slide 3 — Solution Overview (three cards)

Search for: `SLIDE 3 – SOLUTION OVERVIEW`

Three `<article class="card ...">` blocks. For each card, edit the icon ( `<div class="card-icon">` — any emoji or symbol), the `<h3 class="card-title">`, and the `<p class="card-text">`.

#### ADD OR REMOVE A CARD

Copy a whole `<article class="card fragment">...</article>` block to add a fourth card, or delete one to have two. The row re-centers automatically.

### Slide 4 — How It Works (flow diagram)

Search for: `SLIDE 4 – HOW IT WORKS`

Three `<div class="flow-node">` boxes joined by arrows. In each box edit the step number ( `<span class="flow-num">01</span>` ), the `<h3>` title, and the `<p>` description. To add a step, copy a `flow-arrow` + `flow-node` pair.

## Slide 5 — The Proof (KPIs + bar chart)

Search for: `SLIDE 5 — PROOF`

- **KPI numbers:** three `<div class="kpi">` blocks — edit `<span class="kpi-value">` and `<span class="kpi-label">`.
- **Bar chart:** three `<div class="bar ...">` blocks. The bar's *height* is set by `style="--h: 58%"` — change the percentage. Edit the number shown on top in `<span class="bar-cap">` and the name in `<span class="bar-label">`. The tallest bar carries the extra class `bar--accent` to color it — move that class to whichever bar is "yours."

## Slide 6 — Comparison (table)

Search for: `SLIDE 6 — COMPARISON`

A standard table. The header row is the `<thead>` ; each comparison row is a `<tr>` with three `<td>` cells (capability, "legacy", "yours"). Edit the text in each `<td>` . The `col-accent` class colors your column. Copy a `<tr>...</tr>` to add a row.

## Slide 7 — Use Cases (tile grid)

Search for: `SLIDE 7 — USE CASES`

Four `<div class="tile">` boxes; each has an `<h3>` and a `<p>` . Add or delete tiles freely — they reflow into the grid.

## Slide 8 — Close (call to action + contact)

Search for: `SLIDE 8 — CLOSE`

Edit the `<h2 class="close-title">` (the big line), the `<p class="close-sub">` , and the contact details in `<p class="close-contact">` (name, email, phone).

## Adding, deleting, and reordering slides

- **Add:** copy an entire `<section class="slide ..."> ... </section>` block, paste it where you want it, and edit the text. Increase the total in the counter is automatic.
- **Delete:** remove a whole `<section>...</section>` block.
- **Reorder:** cut and paste a whole `<section>` block to a new spot.

### ALWAYS MOVE WHOLE BLOCKS

A slide starts at `<section ...>` and ends at the matching `</section>` . Select from one to the other so you never split a slide.

---

### 3. Background video & animation

The cover slide is already wired for a background video. To use it:

- 1 Put your clip in the assets folder, named `assets/cover-bg.mp4` (MP4, H.264 — export "web/1080p" from any editor). Keep it short and looping.
- 2 Optional: add a still frame `assets/cover-poster.jpg` that shows before the video loads (and in the PDF export).
- 3 That's it — it autoplays, muted, looping, behind the text.

To put a background video on **another** slide, copy these two lines from Slide 1 to just inside that slide's `<section>`, and point to your file:

```
<video class="slide-bg-video" autoplay muted loop playsinline poster="assets/my-poster.jpg">
  <source src="assets/my-clip.mp4" type="video/mp4" />
</video>
<div class="slide-bg-scrim"></div>  <!-- darkens the video so text stays readable -->
```

#### OFFLINE & AUTOPLAY NOTES

Videos **must be muted** to autoplay. Bundle the actual video file in `assets/` (never link a YouTube/CDN URL) so the deck works with no internet. If a video won't play from a double-clicked file, serve the folder locally — see the deck's `README`.

The moving grid "sensor sweep" behind every slide is pure animation (no file) and already on. It's defined by the `.slide::before` rule in `styles.css` if you ever want to tune or remove it.

---

## 4. Exporting a static copy (PDF & PowerPoint)

### PDF — easy and faithful (recommended)

- 1 Open the deck in **Google Chrome** or Edge.
- 2 Press **Ctrl/Cmd + P**.
- 3 Destination → **Save as PDF**. Set **Margins: None** and tick **Background graphics**.
- 4 Save. You get one clean slide per page — perfect as a leave-behind or email attachment.

The deck already has a print stylesheet that lays out exactly one slide per page and reveals all animated elements. Video backgrounds can't appear in a PDF, so the poster image / dark background shows instead — that's why a `cover-poster.jpg` is worth adding.

### PowerPoint (.pptx) — the honest caveat

#### READ THIS BEFORE PROMISING A .PPTX

A rich, animated web deck **cannot** be converted into an equally-rich, editable PowerPoint. Videos, animations, and custom layouts do not round-trip into editable PowerPoint shapes. There is no lossless "Save as PPTX."

Your two realistic options:

- **Best for handouts:** use the **PDF** above. It opens everywhere, looks identical, and needs no PowerPoint.
- **If you truly need a .pptx** (e.g. to paste slides into a corporate template): export the PDF, then in PowerPoint use *Insert* → *move each PDF page in as a picture*, or open the PDF in a converter. You'll get one *image* per slide — not editable text, but it drops into any template. This is a fallback, not a primary workflow.

The recommendation for your BD leads: **present from the live web deck** (that's where the videos and animation shine), and **hand out the PDF**.



---

## 5. Putting it in front of customers

### On a company website (for easy access)

Upload the whole `solution-briefing/` folder to any static web host — your company web server, an S3 bucket, SharePoint, Netlify, or GitHub Pages. There's no server-side code, so "hosting" is just copying files. Share the link; it opens in any browser.

### On a laptop with no internet (trade-show floor)

Copy the same `solution-briefing/` folder onto the laptop (or a USB stick). Double-click `index.html`. Because every font, image, and video is bundled in the folder, it runs fully offline — identical to the hosted version.

#### ONE DECK, BOTH MODES

The hosted copy and the offline copy are the *same files*. Keep one master folder, and whenever you update it, re-upload it to the website and re-copy it to the presenting laptops.

# ★ One-Page Cheat Sheet — common edits

Everything a non-coder needs for day-to-day tweaks. `index.html` = words & pictures. `styles.css` = colors, fonts, sizes.

## Change wording on a slide

In `index.html`, edit the text *between* the tags. Keep the tags.

```
<h3>Your new title</h3>
```

## Change a color (whole deck)

In `styles.css`, top `:root` block. Change the 6-char hex.

```
--brand-accent: #e2231a;  
--brand-primary: #101820;
```

## Font color of one piece of text

Wrap it and add an inline color (in `index.html`):

```
<span style="color:#e2231a">text</span>
```

Or use the built-in accent: `<span class="accent">text</span>`

## Background color of a slide

Whole deck: change `--brand-primary`. One slide only — add to that `<section>`:

```
<section class="slide" style="background:#101820">
```

## Bigger / smaller font

One item — add an inline size (in `index.html`):

```
<h2 style="font-size:3rem">...</h2>
```

A whole class of text: change its size variable in `styles.css`, e.g. `--size-section-title`.

## Bold / italic / underline

```
<strong>bold</strong>  
<em>italic</em>  
<u>underlined</u>
```

Wrap the words you want to style. They can nest: `<strong><em>both</em></strong>`.

## Change a picture / logo

Drop the new file in `assets/`, then point to it in `index.html`:

```

```

Or just overwrite `assets/logo.svg` with a file of the same name.

## Change the font

In `styles.css` `:root` block:

```
--font-heading: "Arial Black", sans-serif;  
--font-body: "Georgia", serif;
```

## Add / delete / move a slide

Copy, delete, or move a whole block from `<section>` to `</section>`.

## Change a bar-chart bar

Height = the `--h` percentage (Slide 5, `index.html`):

```
<section class="slide">
  ... slide content ...
</section>
```

```
<div class="bar" style="--h: 72%">
```

Highlight a word in accent color

```
<span class="accent">wins</span>
```

Uses your `--brand-accent` color automatically.

Export to PDF

Open in Chrome → **Ctrl/Cmd+P** → **Save as PDF** →  
Margins **None**, tick **Background graphics**.

Presenting — keyboard shortcuts

| Key       | Action         | Key        | Action             |
|-----------|----------------|------------|--------------------|
| → / Space | Next slide     | F          | Fullscreen         |
| ←         | Previous slide | Home / End | First / last slide |

SAFETY NET

Before editing, copy the whole `solution-briefing` folder somewhere safe. If an edit breaks the look, you can always start again from the copy. Small edits, save, refresh — that rhythm keeps you out of trouble.