

TABLE 3. Morphological character analysis.

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Genus	species	proc	clav	omo	ster	call type	finger: toe width	pec lig	rel toe len	toe web	tymp: eye diam	reference
<i>Oreophryne</i>												
	<i>anamiatoi</i>	CR	CR	–	cart	chuckle or cackle	1.2	cart	5>3	–	1/4	Kraus Allison 2009
	<i>anulata</i> ¹	CR	CR	–	cart		slightly larger		5>3	–	1/2	Stejneger 1908
	<i>aurora</i>	CR	CR	–	cart	harsh croaks		lig	5>3	webbed	1/4	Kraus 2016
	<i>biroi</i>	CR	CR	–	cart	rattle	1.1	lig	5=3	webbed	1/4	Zweifel 2003
	<i>brachypus</i>	CR	CR	–	cart	long squeak	1.1	lig	5>3	webbed	1/4	Zweifel 2003
	<i>cameroni</i>	CR	CR	–	cart	peep		cart	5>3	basal	1/4	Kraus 2013
	<i>frontifasciata</i> ¹	CR	CR	–	cart		slightly larger	cart	5>3	basal	1/2	Horst 1883, Brongersma 1948
	<i>geislerorum</i>	CR	CR	–	cart	rattle		lig	5>3	webbed	1/3	Zweifel 2003
	<i>graminis</i> ¹	CR	CR	–	cart	peep	approx equal	cart	5>3	–	1/3	Gunther Richards 2012

	<i>inornata</i>	CR	CR	–	cart	honk	1.0	lig	5>3	basal	1/4	Kraus 2016
	<i>lemur</i>	CR	CR	–	cart	honk		lig	5>3	basal	1/4	Kraus 2016
	<i>loriae</i>	CR	CR	–	cart	honk		lig	5>3	webbed	1/3	Kraus 2016
	<i>nana</i> ¹	CR	CR	–	cart		approx equal	cart	5<3	–	1/2	Brown Alcala, 1967
	<i>notata</i>	CR	CR	–	cart	peep		cart	5>3	–	1/4	Zweifel 2003
	<i>parkeri</i>	CR	CR	–	cart	peep		lig	5>3	webbed	1/3	Kraus 2013, Zweifel 2003
	<i>parkopanorum</i>	CR	CR	–	cart			cart	5<3	–	1/4	Kraus 2013
	<i>philosylleptoris</i>	CR	CR	–	cart	honk	1.0	lig	5>3	webbed	1/3	Kraus 2016
	<i>senckenbergiana</i> ¹	CR	CR	–	cart		slightly larger		5=3	basal	1/3	Boettger 1895, Parker 1934
<i>Auparoparo</i> ²	<i>brunnea</i> ¹	CR	CR	–	cart	rattle	larger	lig	5=3	basal	1/3	Kraus 2017
	<i>equus</i>	CR	CR	–	cart	whinny	1.3	lig	5=3	basal	1/4	Kraus 2016
	<i>ezra</i>	CR	CR	–	cart	chatter		lig	5>3	basal	1/4	Kraus Allison 2009
	<i>insulana</i>	CR	CR	–	cart	whinny		lig	5>3	basal	1/4	Kraus 2016, Zweifel 1956
	<i>matawan</i>	CR	CR	–	cart	rattle		lig	5≥3	–	1/4	Kraus 2016
	<i>meliades</i>	CR	CR	–	cart	whinny	1.2	lig	5=3	basal	1/3	Kraus 2016
	<i>penelopeia</i>	CR	CR	–	cart	whinny	1.3	lig	5>3	basal	1/4	Kraus 2016

<i>phoebe</i>	CR	CR	–	cart	whinny	1.2	cart	5>3	webbed	1/4	Kraus 2017
<i>picticus</i>	CR	CR	–	cart	whinny	1.3	lig	5>3	basal	1/3	Kraus 2016
<i>variabilis</i> ¹	CR	CR	–	cart		much larger	cart		–	>2/3	Boulenger 1896

¹Character states obtained from the literature, specimens not available for examination in this study.

²Hill et al. 2022 places *Aphantophryne pansa* within *Auparoparo*, but the status of *Aphantophryne* requires further study with samples from additional species and localities.

*External characters were examined from specimens, internal characters and pupil shape taken from the literature.

Columns: (1) Procoracoids and (2) Clavicles CR= curved reduced, (3) Omasternum , (4) Sternum, (5) Call Type, (6) Finger to Toe Ratio, (7)

Pectoral Connector Type, (8) Relative Toe Length of the fifth to third toe, (9) Toe Webbing, (10) Typanum to Eye Diameter Ratio, (11)

Reference. See Table 2 for character states.