

Pot-Luck.co

Generated by Doxygen 1.8.20

1 Namespace Index	1
1.1 Packages	1
2 Hierarchical Index	3
2.1 Class Hierarchy	3
3 Class Index	7
3.1 Class List	7
4 File Index	11
4.1 File List	11
5 Namespace Documentation	17
5.1 AspNetCore Namespace Reference	17
5.2 Potluck Namespace Reference	18
5.3 Potluck.Web Namespace Reference	18
5.4 Potluck.Web.Controllers Namespace Reference	19
5.5 Potluck.Web.Infrastructure Namespace Reference	19
5.6 Potluck.Web.Middleware Namespace Reference	19
5.7 Potluck.Web.Models Namespace Reference	20
6 Class Documentation	23
6.1 Potluck.Web.Models.AddressComponent Class Reference	23
6.1.1 Detailed Description	23
6.1.2 Property Documentation	23
6.1.2.1 long_name	23
6.1.2.2 short_name	23
6.1.2.3 types	23
6.2 Potluck.Web.Models.AddressDTO Class Reference	24
6.2.1 Detailed Description	24
6.2.2 Property Documentation	24
6.2.2.1 addressId	24
6.2.2.2 addressLine1	24
6.2.2.3 addressLine2	24
6.2.2.4 addressName	25
6.2.2.5 city	25
6.2.2.6 latitude	25
6.2.2.7 longitude	25
6.2.2.8 mainAddress	25
6.2.2.9 postalCode	25
6.2.2.10 stateCountry	25
6.3 Potluck.Web.Models.AddressVO Class Reference	26
6.3.1 Detailed Description	26
6.3.2 Constructor & Destructor Documentation	26

6.3.2.1 AddressVO() [1/2]	26
6.3.2.2 AddressVO() [2/2]	26
6.3.3 Property Documentation	27
6.3.3.1 addressId	27
6.3.3.2 addressLine1	27
6.3.3.3 addressLine2	27
6.3.3.4 addressName	27
6.3.3.5 city	27
6.3.3.6 latitude	27
6.3.3.7 longitude	28
6.3.3.8 mainAddress	28
6.3.3.9 postalCode	28
6.3.3.10 stateCountryId	28
6.4 Potluck.Web.ControllersAdminController Class Reference	28
6.4.1 Detailed Description	29
6.4.2 Member Function Documentation	30
6.4.2.1 CreateCategory()	30
6.4.2.2 CreateRegion()	30
6.4.2.3 DeleteCategory()	31
6.4.2.4 DeleteRegion()	31
6.4.2.5 GetTokenFromSessionUser()	32
6.4.2.6 OnActionExecuting()	32
6.4.2.7 PreLoadViewBag()	33
6.4.2.8 ShowCategoryConfig()	33
6.4.2.9 ShowCountryConfig()	34
6.4.2.10 ShowRegionConfig()	34
6.4.2.11 ShowRegionCreate()	35
6.4.2.12 ShowRegionDetails()	35
6.4.2.13 ShowRegionUpdate()	35
6.4.2.14 UpdateCategory()	36
6.4.2.15 UpdateRegion()	37
6.5 Potluck.Web.ControllersAPIController Class Reference	37
6.5.1 Detailed Description	40
6.5.2 Constructor & Destructor Documentation	40
6.5.2.1 APIController() [1/2]	40
6.5.2.2 APIController() [2/2]	41
6.5.3 Member Function Documentation	41
6.5.3.1 AddAddress()	41
6.5.3.2 AddCustomToltem()	41
6.5.3.3 AddFavorite()	42
6.5.3.4 AddItemToCustom()	43
6.5.3.5 AddOrderItemToOrder()	44

6.5.3.6 ChangeOrderStatus()	44
6.5.3.7 CreateCategory()	45
6.5.3.8 CreateCustom()	46
6.5.3.9 CreateDelivery()	47
6.5.3.10 CreateItem()	48
6.5.3.11 CreateOrder()	48
6.5.3.12 CreateReview()	49
6.5.3.13 CreateSchedule()	50
6.5.3.14 CreateStateCountry()	50
6.5.3.15 DeleteCategory()	51
6.5.3.16 DeleteCustom()	51
6.5.3.17 DeleteDelivery()	52
6.5.3.18 DeleteItem()	53
6.5.3.19 DeleteOrder()	53
6.5.3.20 DeleteReview()	54
6.5.3.21 DeleteSchedule()	54
6.5.3.22 DeleteStateCountry()	55
6.5.3.23 EditUser()	55
6.5.3.24 FindRegionsByCountry()	56
6.5.3.25 ForgotPassword()	57
6.5.3.26 GetAllCategories()	57
6.5.3.27 GetAllCountries()	57
6.5.3.28 GetAllCustoms()	58
6.5.3.29 GetAllDeliveriesByEmail()	59
6.5.3.30 GetAllReviewsByEmail()	59
6.5.3.31 GetAllSchedulesByEmail()	60
6.5.3.32 GetCategoryById()	61
6.5.3.33 GetCoords()	62
6.5.3.34 GetCurrentUser()	62
6.5.3.35 GetCustomById()	64
6.5.3.36 GetDeliveryById()	64
6.5.3.37 GetFavoritesByEmail()	65
6.5.3.38 GetGeoFence()	65
6.5.3.39 GetItemById()	66
6.5.3.40 GetMenuBySearch()	67
6.5.3.41 GetMenuByUserId()	68
6.5.3.42 GetOrderById()	69
6.5.3.43 GetOrdersOfBuyer()	70
6.5.3.44 GetOrdersOfSeller()	71
6.5.3.45 GetReviewById()	72
6.5.3.46 GetScheduleById()	73
6.5.3.47 GetStateCountryById()	73

6.5.3.48 GetUserByEmail()	74
6.5.3.49 ItemEnableSwitch()	75
6.5.3.50 LoginUser()	75
6.5.3.51 RemoveAddress()	76
6.5.3.52 RemoveCustomFromItem()	77
6.5.3.53 RemoveFavorite()	77
6.5.3.54 RemoveItemFromCustom()	78
6.5.3.55 RemoveItemFromOrder()	79
6.5.3.56 RemoveOrderItemFromOrder()	79
6.5.3.57 SignUpUser()	80
6.5.3.58 UpdateAddress()	80
6.5.3.59 UpdateCategory()	81
6.5.3.60 UpdateCustom()	82
6.5.3.61 UpdateDelivery()	82
6.5.3.62 UpdateItem()	83
6.5.3.63 UpdateOrder()	83
6.5.3.64 UpdateReview()	84
6.5.3.65 UpdateSchedule()	84
6.5.3.66 UpdateStateCountry()	85
6.5.4 Member Data Documentation	86
6.5.4.1 googleApiKey	86
6.5.5 Property Documentation	86
6.5.5.1 Token	86
6.6 AspNetCore.Areas_Identity__Pages__ViewStart Class Reference	87
6.6.1 Member Function Documentation	88
6.6.1.1 ExecuteAsync()	88
6.6.2 Property Documentation	88
6.6.2.1 Component	88
6.6.2.2 Html	88
6.6.2.3 Json	88
6.6.2.4 ModelExpressionProvider	88
6.6.2.5 Url	89
6.7 Potluck.Web.Controllers.BuyerItemController Class Reference	89
6.7.1 Detailed Description	90
6.7.2 Member Function Documentation	90
6.7.2.1 GetTokenFromSessionUser()	90
6.7.2.2 Index()	90
6.7.2.3 OnActionExecuting()	91
6.7.2.4 PreLoad ViewBag()	91
6.7.2.5 ShowItemDetails()	91
6.7.2.6 ShowMenu()	92
6.7.2.7 ShowMenuPageByNumber()	93

6.7.2.8 ShowSearch()	93
6.7.2.9 ShowSearchPageByNumber()	94
6.8 Potluck.Web.Controllers.BuyerOrderController Class Reference	95
6.8.1 Detailed Description	96
6.8.2 Member Function Documentation	96
6.8.2.1 AddItemToOrder()	96
6.8.2.2 CancelOrder()	97
6.8.2.3 CreateOrder()	98
6.8.2.4 CreateSessionOrder()	98
6.8.2.5 GetCancelledOrders()	99
6.8.2.6 GetClosedOrders()	99
6.8.2.7 GetMostRecentOpenOrder()	100
6.8.2.8 GetPageOfOrders()	100
6.8.2.9 GetSessionOrder()	101
6.8.2.10 GetTokenFromSessionUser()	101
6.8.2.11 Index()	102
6.8.2.12 NewOrder()	102
6.8.2.13 OnActionExecuting()	102
6.8.2.14 PreLoadViewBag()	103
6.8.2.15 RemoveItemFromOrder()	103
6.8.2.16 ShowCheckout()	104
6.8.2.17 ShowOrder()	105
6.8.2.18 UpdateOrder()	105
6.9 Potluck.Web.Models.Category Class Reference	106
6.9.1 Detailed Description	106
6.9.2 Constructor & Destructor Documentation	106
6.9.2.1 Category() [1/2]	106
6.9.2.2 Category() [2/2]	106
6.9.3 Property Documentation	107
6.9.3.1 id	107
6.9.3.2 name	107
6.10 Potluck.Web.Controllers.ChatController Class Reference	107
6.10.1 Member Function Documentation	108
6.10.1.1 Index() [1/2]	108
6.10.1.2 Index() [2/2]	108
6.11 Potluck.Web.Middleware.ChatWebSocketMiddleware Class Reference	108
6.11.1 Constructor & Destructor Documentation	109
6.11.1.1 ChatWebSocketMiddleware()	109
6.11.2 Member Function Documentation	109
6.11.2.1 Invoke()	109
6.12 Potluck.Web.Models.CustomDTO Class Reference	109
6.12.1 Detailed Description	109

6.12.2 Constructor & Destructor Documentation	110
6.12.2.1 CustomDTO() [1/2]	110
6.12.2.2 CustomDTO() [2/2]	110
6.12.3 Property Documentation	110
6.12.3.1 customId	110
6.12.3.2 customTitle	110
6.12.3.3 customType	110
6.12.3.4 dateCreated	111
6.12.3.5 dateModified	111
6.12.3.6 subItems	111
6.13 Potluck.Web.Models.CustomVO Class Reference	111
6.13.1 Detailed Description	111
6.13.2 Constructor & Destructor Documentation	111
6.13.2.1 CustomVO() [1/2]	111
6.13.2.2 CustomVO() [2/2]	111
6.13.3 Property Documentation	112
6.13.3.1 customId	112
6.13.3.2 customTitle	112
6.13.3.3 customType	112
6.13.3.4 dateCreated	112
6.13.3.5 dateModified	112
6.13.3.6 subItems	112
6.14 Potluck.Web.Models.DeliveryDTO Class Reference	113
6.14.1 Detailed Description	113
6.14.2 Property Documentation	113
6.14.2.1 coverageKmRadius	113
6.14.2.2 dateCreated	113
6.14.2.3 dateModified	113
6.14.2.4 deliveryId	113
6.14.2.5 feePercentage	114
6.14.2.6 name	114
6.14.2.7 user	114
6.15 Potluck.Web.Models.DeliveryVO Class Reference	114
6.15.1 Detailed Description	114
6.15.2 Constructor & Destructor Documentation	114
6.15.2.1 DeliveryVO()	114
6.15.3 Property Documentation	115
6.15.3.1 coverageKmRadius	115
6.15.3.2 deliveryId	115
6.15.3.3 feePercentage	115
6.15.3.4 name	115
6.16 Potluck.Web.Models.ErrorViewModel Class Reference	115

6.16.1 Member Data Documentation	116
6.16.1.1 ShowRequestId	116
6.16.2 Property Documentation	116
6.16.2.1 RequestId	116
6.17 Potluck.Web.Models.Geometry Class Reference	116
6.17.1 Detailed Description	116
6.17.2 Property Documentation	116
6.17.2.1 location	116
6.17.2.2 location_type	117
6.17.2.3 viewport	117
6.18 Potluck.Web.Models.GoogleGeo Class Reference	117
6.18.1 Detailed Description	117
6.18.2 Property Documentation	117
6.18.2.1 results	117
6.18.2.2 status	117
6.19 Potluck.Web.Controllers.HomeController Class Reference	118
6.19.1 Detailed Description	119
6.19.2 Member Function Documentation	119
6.19.2.1 Index()	119
6.19.2.2 Login()	119
6.19.2.3 LoginUser()	120
6.19.2.4 Oauth2()	121
6.19.2.5 OnActionExecuting()	122
6.19.2.6 PreLoadViewBag()	122
6.19.2.7 SelectRole()	123
6.19.2.8 ShowPrivacyPolicy()	123
6.19.2.9 ShowSignUp()	123
6.19.2.10 ShowTermsOfService()	123
6.19.2.11 SignUpUser()	123
6.20 Potluck.Web.Models.ItemDTO Class Reference	124
6.20.1 Detailed Description	124
6.20.2 Property Documentation	125
6.20.2.1 calories	125
6.20.2.2 category	125
6.20.2.3 customs	125
6.20.2.4 dateCreated	125
6.20.2.5 dateModified	125
6.20.2.6 description	125
6.20.2.7 enable	125
6.20.2.8 imageUrl	126
6.20.2.9 itemId	126
6.20.2.10 name	126

6.20.2.11 price	126
6.20.2.12 soldAlone	126
6.20.2.13 user	126
6.21 Potluck.Web.Models.ItemVO Class Reference	126
6.21.1 Detailed Description	127
6.21.2 Constructor & Destructor Documentation	127
6.21.2.1 ItemVO() [1/2]	127
6.21.2.2 ItemVO() [2/2]	127
6.21.3 Property Documentation	128
6.21.3.1 calories	128
6.21.3.2 categoryId	128
6.21.3.3 dateCreated	128
6.21.3.4 dateModified	128
6.21.3.5 description	128
6.21.3.6 enable	128
6.21.3.7 itemId	128
6.21.3.8 name	129
6.21.3.9 picture	129
6.21.3.10 price	129
6.21.3.11 soldAlone	129
6.22 Potluck.Web.Models.Location Class Reference	129
6.22.1 Detailed Description	129
6.22.2 Property Documentation	129
6.22.2.1 lat	129
6.22.2.2 lng	130
6.23 Potluck.Web.Models.LoginRequest Class Reference	130
6.23.1 Detailed Description	130
6.23.2 Property Documentation	130
6.23.2.1 email	130
6.23.2.2 password	130
6.24 Potluck.Web.Models.Northeast Class Reference	130
6.24.1 Detailed Description	131
6.24.2 Property Documentation	131
6.24.2.1 lat	131
6.24.2.2 lng	131
6.25 Potluck.Web.Models.OrderDTO Class Reference	131
6.25.1 Detailed Description	132
6.25.2 Constructor & Destructor Documentation	132
6.25.2.1 OrderDTO()	132
6.25.3 Property Documentation	132
6.25.3.1 buyer	132
6.25.3.2 dateCreated	132

6.25.3.3 dateModified	132
6.25.3.4 deliveryType	132
6.25.3.5 orderId	133
6.25.3.6 ordersItems	133
6.25.3.7 orderStatus	133
6.25.3.8 seller	133
6.25.3.9 serviceFee	133
6.25.3.10 subTotal	133
6.25.3.11 tax	133
6.25.3.12 total	134
6.26 Potluck.Web.Models.OrdersItemDTO Class Reference	134
6.26.1 Detailed Description	134
6.26.2 Property Documentation	134
6.26.2.1 item	134
6.26.2.2 ordersItemsCustoms	134
6.26.2.3 ordersItemsId	134
6.26.2.4 price	135
6.26.2.5 quantity	135
6.27 Potluck.Web.Models.OrdersItemsCustomDTO Class Reference	135
6.27.1 Detailed Description	135
6.27.2 Property Documentation	135
6.27.2.1 ordersItemsCustomId	135
6.27.2.2 subitems	135
6.28 Potluck.Web.Models.OrdersItemsCustomVO Class Reference	136
6.28.1 Detailed Description	136
6.28.2 Property Documentation	136
6.28.2.1 customId	136
6.28.2.2 ordersItemsCustomId	136
6.28.2.3 subitems	136
6.29 Potluck.Web.Models.OrdersItemVO Class Reference	136
6.29.1 Detailed Description	137
6.29.2 Constructor & Destructor Documentation	137
6.29.2.1 OrdersItemVO() [1/3]	137
6.29.2.2 OrdersItemVO() [2/3]	137
6.29.2.3 OrdersItemVO() [3/3]	137
6.29.3 Property Documentation	138
6.29.3.1 itemId	138
6.29.3.2 ordersItemsCustoms	138
6.29.3.3 ordersItemsId	138
6.29.3.4 quantity	138
6.30 Potluck.Web.Models.OrderSubItemDTO Class Reference	138
6.30.1 Detailed Description	139

6.30.2 Property Documentation	139
6.30.2.1 calories	139
6.30.2.2 category	139
6.30.2.3 enable	139
6.30.2.4 itemId	139
6.30.2.5 name	139
6.30.2.6 price	140
6.31 Potluck.Web.Models.OrderSubItemVO Class Reference	140
6.31.1 Detailed Description	140
6.31.2 Property Documentation	140
6.31.2.1 itemId	140
6.32 Potluck.Web.Models.OrderVO Class Reference	140
6.32.1 Detailed Description	141
6.32.2 Property Documentation	141
6.32.2.1 dateCreated	141
6.32.2.2 dateModified	141
6.32.2.3 deliveryType	141
6.32.2.4 orderId	141
6.32.2.5 ordersItems	141
6.33 Potluck.Web.Models.Pageable Class Reference	141
6.33.1 Detailed Description	142
6.33.2 Property Documentation	142
6.33.2.1 offset	142
6.33.2.2 paged	142
6.33.2.3 pageNumber	142
6.33.2.4 pageSize	142
6.33.2.5 sort	142
6.33.2.6 unpaged	143
6.34 Potluck.Web.Models.PageOfCustoms Class Reference	143
6.34.1 Detailed Description	143
6.34.2 Constructor & Destructor Documentation	143
6.34.2.1 PageOfCustoms()	143
6.34.3 Property Documentation	143
6.34.3.1 content	144
6.34.3.2 first	144
6.34.3.3 last	144
6.34.3.4 pageable	144
6.34.3.5 totalElements	144
6.34.3.6 totalPages	144
6.35 Potluck.Web.Models.PageOfDeliveries Class Reference	144
6.35.1 Detailed Description	145
6.35.2 Property Documentation	145

6.35.2.1 content	145
6.35.2.2 empty	145
6.35.2.3 first	145
6.35.2.4 last	145
6.35.2.5 pageable	145
6.35.2.6 totalElements	146
6.35.2.7 totalPages	146
6.36 Potluck.Web.Models.PageOfItems Class Reference	146
6.36.1 Detailed Description	146
6.36.2 Constructor & Destructor Documentation	146
6.36.2.1 PageOfItems()	146
6.36.3 Property Documentation	147
6.36.3.1 content	147
6.36.3.2 empty	147
6.36.3.3 first	147
6.36.3.4 last	147
6.36.3.5 pageable	147
6.36.3.6 totalElements	147
6.36.3.7 totalPages	147
6.37 Potluck.Web.Models.PageOfOrders Class Reference	148
6.37.1 Detailed Description	148
6.37.2 Property Documentation	148
6.37.2.1 content	148
6.37.2.2 empty	148
6.37.2.3 first	148
6.37.2.4 last	148
6.37.2.5 pageable	149
6.37.2.6 totalElements	149
6.37.2.7 totalPages	149
6.38 Potluck.Web.Models.PageOfReviews Class Reference	149
6.38.1 Detailed Description	149
6.38.2 Property Documentation	149
6.38.2.1 content	150
6.38.2.2 empty	150
6.38.2.3 first	150
6.38.2.4 last	150
6.38.2.5 pageable	150
6.38.2.6 totalElements	150
6.38.2.7 totalPages	150
6.39 Potluck.Web.Models.PageOfSchedules Class Reference	151
6.39.1 Detailed Description	151
6.39.2 Property Documentation	151

6.39.2.1 content	151
6.39.2.2 empty	151
6.39.2.3 first	151
6.39.2.4 last	151
6.39.2.5 pageable	152
6.39.2.6 totalElements	152
6.39.2.7 totalPages	152
6.40 Potluck.Web.Models.PlusCode Class Reference	152
6.40.1 Detailed Description	152
6.40.2 Property Documentation	152
6.40.2.1 compound_code	152
6.40.2.2 global_code	152
6.41 Potluck.Web.Controllers.ProfileController Class Reference	153
6.41.1 Detailed Description	154
6.41.2 Constructor & Destructor Documentation	154
6.41.2.1 ProfileController()	154
6.41.3 Member Function Documentation	154
6.41.3.1 AddAddress()	154
6.41.3.2 AddFavorite()	155
6.41.3.3 EditUser()	156
6.41.3.4 GetTokenFromSessionUser()	157
6.41.3.5 Index()	157
6.41.3.6 LogOutUser()	157
6.41.3.7 OnActionExecuting()	158
6.41.3.8 PreLoadViewBag()	158
6.41.3.9 ProfileEdit()	158
6.41.3.10 RemoveAddress()	159
6.41.3.11 RemoveFavorite()	160
6.41.3.12 ShowAddAddress()	160
6.41.3.13 ShowAddressManager()	161
6.41.3.14 ShowDiscover()	161
6.41.3.15 ShowFavorites()	162
6.41.3.16 ShowUpdateAddress()	163
6.41.3.17 UpdateAddress()	163
6.42 Potluck.Web.Program Class Reference	164
6.42.1 Member Function Documentation	164
6.42.1.1 CreateWebHostBuilder()	164
6.42.1.2 Main()	165
6.43 Potluck.Web.Models.Result Class Reference	165
6.43.1 Detailed Description	165
6.43.2 Property Documentation	165
6.43.2.1 address_components	165

6.43.2.2 formatted_address	165
6.43.2.3 geometry	166
6.43.2.4 place_id	166
6.43.2.5 plus_code	166
6.43.2.6 types	166
6.44 Potluck.Web.Controllers.ReviewController Class Reference	166
6.44.1 Member Function Documentation	167
6.44.1.1 CreateReview()	167
6.44.1.2 GetTokenFromSessionUser()	168
6.44.1.3 OnActionExecuting()	168
6.44.1.4 PreLoadViewBag()	169
6.44.1.5 ShowReviewCreate()	169
6.44.1.6 ShowSellerReviews()	169
6.45 Potluck.Web.Models.ReviewDTO Class Reference	170
6.45.1 Detailed Description	170
6.45.2 Property Documentation	170
6.45.2.1 buyer	171
6.45.2.2 dateCreated	171
6.45.2.3 dateModified	171
6.45.2.4 message	171
6.45.2.5 reviewId	171
6.45.2.6 seller	171
6.45.2.7 stars	171
6.45.2.8 subject	172
6.46 Potluck.Web.Models.ReviewVO Class Reference	172
6.46.1 Detailed Description	172
6.46.2 Property Documentation	172
6.46.2.1 message	172
6.46.2.2 reviewId	172
6.46.2.3 sellerEmail	172
6.46.2.4 stars	173
6.46.2.5 subject	173
6.47 Potluck.Web.Models.Role Class Reference	173
6.47.1 Detailed Description	173
6.47.2 Constructor & Destructor Documentation	173
6.47.2.1 Role()	173
6.47.3 Property Documentation	174
6.47.3.1 authority	174
6.47.3.2 id	174
6.48 Potluck.Web.Models.ScheduleCreate Class Reference	174
6.48.1 Detailed Description	174
6.48.2 Constructor & Destructor Documentation	174

6.48.2.1 ScheduleCreate()	175
6.48.3 Property Documentation	175
6.48.3.1 dayOfWeek	175
6.48.3.2 itemId	175
6.48.3.3 scheduleId	175
6.48.3.4 timeFrom	175
6.48.3.5 timeTo	175
6.49 Potluck.Web.Models.ScheduleDTO Class Reference	175
6.49.1 Detailed Description	176
6.49.2 Constructor & Destructor Documentation	176
6.49.2.1 ScheduleDTO()	176
6.49.3 Property Documentation	176
6.49.3.1 dayOfWeek	176
6.49.3.2 itemList	176
6.49.3.3 scheduleId	177
6.49.3.4 timeFrom	177
6.49.3.5 timeTo	177
6.49.3.6 user	177
6.50 Potluck.Web.Models.ScheduleVO Class Reference	177
6.50.1 Detailed Description	178
6.50.2 Constructor & Destructor Documentation	178
6.50.2.1 ScheduleVO() [1/3]	178
6.50.2.2 ScheduleVO() [2/3]	178
6.50.2.3 ScheduleVO() [3/3]	178
6.50.3 Property Documentation	178
6.50.3.1 dayOfWeek	178
6.50.3.2 itemList	179
6.50.3.3 scheduleId	179
6.50.3.4 timeFrom	179
6.50.3.5 timeTo	179
6.51 Potluck.Web.Controllers.SellerCustomController Class Reference	179
6.51.1 Detailed Description	180
6.51.2 Member Function Documentation	180
6.51.2.1 AddItemToCustom()	180
6.51.2.2 CreateCustom()	181
6.51.2.3 DeleteCustom()	182
6.51.2.4 GetTokenFromSessionUser()	183
6.51.2.5 OnActionExecuting()	183
6.51.2.6 PreLoadViewBag()	183
6.51.2.7 RemoveItemFromCustom()	184
6.51.2.8 ShowAllCustoms()	184
6.51.2.9 ShowCustomCreate()	185

6.51.2.10 ShowCustomDetails()	185
6.51.2.11 ShowCustomPageByNumber()	186
6.52 Potluck.Web.Controllers.SellerDeliveryController Class Reference	187
6.52.1 Detailed Description	188
6.52.2 Member Function Documentation	188
6.52.2.1 CreateDelivery()	188
6.52.2.2 DeleteDelivery()	188
6.52.2.3 EditDelivery()	189
6.52.2.4 GetTokenFromSessionUser()	190
6.52.2.5 Index()	190
6.52.2.6 OnActionExecuting()	191
6.52.2.7 PreLoadViewBag()	191
6.53 Potluck.Web.Controllers.SellerItemController Class Reference	192
6.53.1 Detailed Description	193
6.53.2 Member Function Documentation	193
6.53.2.1 AddCustomToItem()	193
6.53.2.2 CreateItem()	194
6.53.2.3 DeleteItem()	195
6.53.2.4 GetTokenFromSessionUser()	195
6.53.2.5 Index()	195
6.53.2.6 OnActionExecuting()	196
6.53.2.7 PreLoadViewBag()	196
6.53.2.8 RemoveCustomFromItem()	196
6.53.2.9 ShowItemCreate()	197
6.53.2.10 ShowItemDelete()	197
6.53.2.11 ShowItemDetails()	198
6.53.2.12 ShowItemUpdate()	199
6.53.2.13 ShowMenu()	200
6.53.2.14 ShowMenuPageByNumber()	200
6.53.2.15 ToggleEnable()	201
6.53.2.16 UpdateItem()	202
6.54 Potluck.Web.Controllers.SellerOrderController Class Reference	202
6.54.1 Detailed Description	203
6.54.2 Member Function Documentation	203
6.54.2.1 DeleteOrder()	203
6.54.2.2 GetCancelledOrders()	204
6.54.2.3 GetClosedOrders()	205
6.54.2.4 GetMostRecentOpenOrder()	205
6.54.2.5 GetTokenFromSessionUser()	206
6.54.2.6 Index()	206
6.54.2.7 LongerThanADay()	206
6.54.2.8 OnActionExecuting()	206

6.54.2.9 PreLoadViewBag()	207
6.54.2.10 RemoveItemFromOrder()	207
6.54.2.11 ShowAllOrders()	208
6.54.2.12 ShowAllOrdersOfStatus()	209
6.54.2.13 ShowOrder()	209
6.54.2.14 UpdateOrder()	210
6.55 Potluck.Web.Controllers.SellerScheduleController Class Reference	211
6.55.1 Detailed Description	212
6.55.2 Member Function Documentation	212
6.55.2.1 AddItemToSchedule()	212
6.55.2.2 CreateSchedule()	212
6.55.2.3 DeleteSchedule()	213
6.55.2.4 GetTokenFromSessionUser()	213
6.55.2.5 Index()	214
6.55.2.6 OnActionExecuting()	214
6.55.2.7 PreLoadViewBag()	215
6.55.2.8 RemoveItemFromSchedule()	215
6.55.2.9 ShowScheduleCreate()	216
6.55.2.10 ShowScheduleDetails()	216
6.55.2.11 UpdateDateTime()	217
6.56 Potluck.Web.Models.SignUpRequest Class Reference	218
6.56.1 Detailed Description	218
6.56.2 Property Documentation	218
6.56.2.1 email	218
6.56.2.2 name	218
6.56.2.3 password	219
6.57 Potluck.Web.Models.Southwest Class Reference	219
6.57.1 Detailed Description	219
6.57.2 Property Documentation	219
6.57.2.1 lat	219
6.57.2.2 lng	219
6.58 Potluck.Web.Startup Class Reference	219
6.58.1 Constructor & Destructor Documentation	220
6.58.1.1 Startup()	220
6.58.2 Member Function Documentation	220
6.58.2.1 Configure()	220
6.58.2.2 ConfigureServices()	220
6.58.3 Property Documentation	220
6.58.3.1 Configuration	220
6.59 Potluck.Web.Models.StateCountry Class Reference	221
6.59.1 Detailed Description	221
6.59.2 Property Documentation	221

6.59.2.1 country	221
6.59.2.2 deliveryFee	221
6.59.2.3 serviceFee	221
6.59.2.4 stateCountryId	221
6.59.2.5 stateProvince	221
6.59.2.6 tax	222
6.60 Potluck.Web.Models.SubItemDTO Class Reference	222
6.60.1 Detailed Description	222
6.60.2 Property Documentation	222
6.60.2.1 calories	222
6.60.2.2 category	222
6.60.2.3 enable	223
6.60.2.4 itemId	223
6.60.2.5 name	223
6.60.2.6 price	223
6.61 Potluck.Web.Models.SubItemVO Class Reference	223
6.61.1 Detailed Description	223
6.61.2 Constructor & Destructor Documentation	224
6.61.2.1 SubItemVO() [1/3]	224
6.61.2.2 SubItemVO() [2/3]	224
6.61.2.3 SubItemVO() [3/3]	224
6.61.3 Property Documentation	224
6.61.3.1 itemId	224
6.62 Potluck.Web.Models.TimeVO Class Reference	225
6.62.1 Detailed Description	225
6.62.2 Constructor & Destructor Documentation	225
6.62.2.1 TimeVO()	225
6.62.3 Property Documentation	225
6.62.3.1 hours	225
6.62.3.2 minutes	226
6.63 Potluck.Web.Models.UserDTO Class Reference	226
6.63.1 Detailed Description	226
6.63.2 Property Documentation	226
6.63.2.1 addresses	226
6.63.2.2 amountStars	227
6.63.2.3 coverageKmRadius	227
6.63.2.4 email	227
6.63.2.5 emailVerified	227
6.63.2.6 favorites	227
6.63.2.7 imageUrl	227
6.63.2.8 name	227
6.63.2.9 provider	227

6.63.2.10 reviews	228
6.63.2.11 roles	228
6.63.2.12 telephone	228
6.63.2.13 token	228
6.63.2.14 userId	228
6.64 Potluck.Web.Models.UserVO Class Reference	228
6.64.1 Detailed Description	229
6.64.2 Constructor & Destructor Documentation	229
6.64.2.1 UserVO() [1/2]	229
6.64.2.2 UserVO() [2/2]	229
6.64.3 Property Documentation	229
6.64.3.1 amountStars	229
6.64.3.2 coverageKmRadius	229
6.64.3.3 email	230
6.64.3.4 name	230
6.64.3.5 picture	230
6.64.3.6 reviews	230
6.64.3.7 telephone	230
6.64.3.8 userId	230
6.65 Potluck.Web.Models.Viewport Class Reference	230
6.65.1 Detailed Description	231
6.65.2 Property Documentation	231
6.65.2.1 northeast	231
6.65.2.2 southwest	231
6.66 AspNetCore.Views__ViewImports Class Reference	231
6.66.1 Member Function Documentation	232
6.66.1.1 ExecuteAsync()	232
6.66.2 Property Documentation	232
6.66.2.1 Component	232
6.66.2.2 Html	233
6.66.2.3 Json	233
6.66.2.4 ModelExpressionProvider	233
6.66.2.5 Url	233
6.67 AspNetCore.Views__ViewStart Class Reference	233
6.67.1 Member Function Documentation	234
6.67.1.1 ExecuteAsync()	234
6.67.2 Property Documentation	234
6.67.2.1 Component	234
6.67.2.2 Html	235
6.67.2.3 Json	235
6.67.2.4 ModelExpressionProvider	235
6.67.2.5 Url	235

6.68 AspNetCore.Views_Admin_CategoryConfig Class Reference	235
6.68.1 Member Function Documentation	236
6.68.1.1 ExecuteAsync()	236
6.68.2 Property Documentation	236
6.68.2.1 Component	236
6.68.2.2 Html	236
6.68.2.3 Json	236
6.68.2.4 ModelExpressionProvider	237
6.68.2.5 Url	237
6.69 AspNetCore.Views_Admin_CountryConfig Class Reference	237
6.69.1 Member Function Documentation	238
6.69.1.1 ExecuteAsync()	238
6.69.2 Property Documentation	238
6.69.2.1 Component	238
6.69.2.2 Html	238
6.69.2.3 Json	238
6.69.2.4 ModelExpressionProvider	239
6.69.2.5 Url	239
6.70 AspNetCore.Views_Admin_RegionConfig Class Reference	239
6.70.1 Member Function Documentation	240
6.70.1.1 ExecuteAsync()	240
6.70.2 Property Documentation	240
6.70.2.1 Component	240
6.70.2.2 Html	240
6.70.2.3 Json	240
6.70.2.4 ModelExpressionProvider	241
6.70.2.5 Url	241
6.71 AspNetCore.Views_Admin_RegionCreate Class Reference	241
6.71.1 Member Function Documentation	242
6.71.1.1 ExecuteAsync()	242
6.71.2 Property Documentation	242
6.71.2.1 Component	242
6.71.2.2 Html	242
6.71.2.3 Json	242
6.71.2.4 ModelExpressionProvider	243
6.71.2.5 Url	243
6.72 AspNetCore.Views_Admin_RegionDetails Class Reference	243
6.72.1 Member Function Documentation	244
6.72.1.1 ExecuteAsync()	244
6.72.2 Property Documentation	244
6.72.2.1 Component	244
6.72.2.2 Html	244

6.72.2.3 Json	244
6.72.2.4 ModelExpressionProvider	245
6.72.2.5 Url	245
6.73 AspNetCore.Views_Admin_RegionUpdate Class Reference	245
6.73.1 Member Function Documentation	246
6.73.1.1 ExecuteAsync()	246
6.73.2 Property Documentation	246
6.73.2.1 Component	246
6.73.2.2 Html	246
6.73.2.3 Json	246
6.73.2.4 ModelExpressionProvider	247
6.73.2.5 Url	247
6.74 AspNetCore.Views_BuyerItem_ItemDetails Class Reference	247
6.74.1 Member Function Documentation	248
6.74.1.1 ExecuteAsync()	248
6.74.2 Property Documentation	248
6.74.2.1 Component	249
6.74.2.2 Html	249
6.74.2.3 Json	249
6.74.2.4 ModelExpressionProvider	249
6.74.2.5 Url	249
6.75 AspNetCore.Views_BuyerItem_Menu Class Reference	250
6.75.1 Member Function Documentation	250
6.75.1.1 ExecuteAsync()	250
6.75.2 Property Documentation	251
6.75.2.1 Component	251
6.75.2.2 Html	251
6.75.2.3 Json	251
6.75.2.4 ModelExpressionProvider	251
6.75.2.5 Url	252
6.76 AspNetCore.Views_BuyerItem_Search Class Reference	252
6.76.1 Member Function Documentation	253
6.76.1.1 ExecuteAsync()	253
6.76.2 Property Documentation	253
6.76.2.1 Component	253
6.76.2.2 Html	253
6.76.2.3 Json	253
6.76.2.4 ModelExpressionProvider	253
6.76.2.5 Url	254
6.77 AspNetCore.Views_BuyerOrder_Checkout Class Reference	254
6.77.1 Member Function Documentation	255
6.77.1.1 ExecuteAsync()	255

6.77.2 Property Documentation	255
6.77.2.1 Component	255
6.77.2.2 Html	255
6.77.2.3 Json	255
6.77.2.4 ModelExpressionProvider	255
6.77.2.5 Url	256
6.78 AspNetCore.Views_BuyerOrder_CheckoutLocation Class Reference	256
6.78.1 Member Function Documentation	257
6.78.1.1 ExecuteAsync()	257
6.78.2 Property Documentation	257
6.78.2.1 Component	257
6.78.2.2 Html	257
6.78.2.3 Json	257
6.78.2.4 ModelExpressionProvider	258
6.78.2.5 Url	258
6.79 AspNetCore.Views_BuyerOrder_CheckoutPayPal Class Reference	258
6.79.1 Member Function Documentation	259
6.79.1.1 ExecuteAsync()	259
6.79.2 Property Documentation	259
6.79.2.1 Component	259
6.79.2.2 Html	259
6.79.2.3 Json	259
6.79.2.4 ModelExpressionProvider	260
6.79.2.5 Url	260
6.80 AspNetCore.Views_BuyerOrder_CheckoutReceipt Class Reference	260
6.80.1 Member Function Documentation	261
6.80.1.1 ExecuteAsync()	261
6.80.2 Property Documentation	261
6.80.2.1 Component	261
6.80.2.2 Html	261
6.80.2.3 Json	261
6.80.2.4 ModelExpressionProvider	262
6.80.2.5 Url	262
6.81 AspNetCore.Views_BuyerOrder_Index Class Reference	262
6.81.1 Member Function Documentation	263
6.81.1.1 ExecuteAsync()	263
6.81.2 Property Documentation	263
6.81.2.1 Component	263
6.81.2.2 Html	263
6.81.2.3 Json	263
6.81.2.4 ModelExpressionProvider	264
6.81.2.5 Url	264

6.82 AspNetCore.Views_BuyerOrder_OrderDetails Class Reference	264
6.82.1 Member Function Documentation	265
6.82.1.1 ExecuteAsync()	265
6.82.2 Property Documentation	265
6.82.2.1 Component	265
6.82.2.2 Html	265
6.82.2.3 Json	265
6.82.2.4 ModelExpressionProvider	266
6.82.2.5 Url	266
6.83 AspNetCore.Views_Home_Index Class Reference	266
6.83.1 Member Function Documentation	267
6.83.1.1 ExecuteAsync()	267
6.83.2 Property Documentation	267
6.83.2.1 Component	267
6.83.2.2 Html	267
6.83.2.3 Json	267
6.83.2.4 ModelExpressionProvider	268
6.83.2.5 Url	268
6.84 AspNetCore.Views_Home_Login Class Reference	268
6.84.1 Member Function Documentation	269
6.84.1.1 ExecuteAsync()	269
6.84.2 Property Documentation	269
6.84.2.1 Component	269
6.84.2.2 Html	269
6.84.2.3 Json	269
6.84.2.4 ModelExpressionProvider	269
6.84.2.5 Url	270
6.85 AspNetCore.Views_Home_LoginRoleSelect Class Reference	270
6.85.1 Member Function Documentation	271
6.85.1.1 ExecuteAsync()	271
6.85.2 Property Documentation	271
6.85.2.1 Component	271
6.85.2.2 Html	271
6.85.2.3 Json	271
6.85.2.4 ModelExpressionProvider	271
6.85.2.5 Url	272
6.86 AspNetCore.Views_Home_Privacy Class Reference	272
6.86.1 Member Function Documentation	273
6.86.1.1 ExecuteAsync()	273
6.86.2 Property Documentation	273
6.86.2.1 Component	273
6.86.2.2 Html	273

6.86.2.3 Json	273
6.86.2.4 ModelExpressionProvider	273
6.86.2.5 Url	274
6.87 AspNetCore.Views_Home_SignUp Class Reference	274
6.87.1 Member Function Documentation	275
6.87.1.1 ExecuteAsync()	275
6.87.2 Property Documentation	275
6.87.2.1 Component	275
6.87.2.2 Html	275
6.87.2.3 Json	275
6.87.2.4 ModelExpressionProvider	275
6.87.2.5 Url	276
6.88 AspNetCore.Views_Home_TOS Class Reference	276
6.88.1 Member Function Documentation	277
6.88.1.1 ExecuteAsync()	277
6.88.2 Property Documentation	277
6.88.2.1 Component	277
6.88.2.2 Html	277
6.88.2.3 Json	277
6.88.2.4 ModelExpressionProvider	277
6.88.2.5 Url	278
6.89 AspNetCore.Views_Profile_Discover Class Reference	278
6.89.1 Member Function Documentation	279
6.89.1.1 ExecuteAsync()	279
6.89.2 Property Documentation	279
6.89.2.1 Component	279
6.89.2.2 Html	279
6.89.2.3 Json	279
6.89.2.4 ModelExpressionProvider	279
6.89.2.5 Url	280
6.90 AspNetCore.Views_Profile_Favorites Class Reference	280
6.90.1 Member Function Documentation	281
6.90.1.1 ExecuteAsync()	281
6.90.2 Property Documentation	281
6.90.2.1 Component	281
6.90.2.2 Html	281
6.90.2.3 Json	281
6.90.2.4 ModelExpressionProvider	282
6.90.2.5 Url	282
6.91 AspNetCore.Views_Profile_Index Class Reference	283
6.91.1 Member Function Documentation	284
6.91.1.1 ExecuteAsync()	284

6.91.2 Property Documentation	284
6.91.2.1 Component	284
6.91.2.2 Html	284
6.91.2.3 Json	284
6.91.2.4 ModelExpressionProvider	284
6.91.2.5 Url	285
6.92 AspNetCore.Views_Profile_MiniProfile Class Reference	285
6.92.1 Member Function Documentation	286
6.92.1.1 ExecuteAsync()	286
6.92.2 Property Documentation	286
6.92.2.1 Component	286
6.92.2.2 Html	286
6.92.2.3 Json	286
6.92.2.4 ModelExpressionProvider	287
6.92.2.5 Url	287
6.93 AspNetCore.Views_Profile_ProfileAddAddress Class Reference	287
6.93.1 Member Function Documentation	288
6.93.1.1 ExecuteAsync()	288
6.93.2 Property Documentation	288
6.93.2.1 Component	288
6.93.2.2 Html	288
6.93.2.3 Json	288
6.93.2.4 ModelExpressionProvider	289
6.93.2.5 Url	289
6.94 AspNetCore.Views_Profile_ProfileAddress Class Reference	289
6.94.1 Member Function Documentation	290
6.94.1.1 ExecuteAsync()	290
6.94.2 Property Documentation	290
6.94.2.1 Component	291
6.94.2.2 Html	291
6.94.2.3 Json	291
6.94.2.4 ModelExpressionProvider	291
6.94.2.5 Url	291
6.95 AspNetCore.Views_Profile_ProfileDelete Class Reference	292
6.95.1 Member Function Documentation	293
6.95.1.1 ExecuteAsync()	293
6.95.2 Property Documentation	293
6.95.2.1 Component	293
6.95.2.2 Html	293
6.95.2.3 Json	293
6.95.2.4 ModelExpressionProvider	293
6.95.2.5 Url	294

6.96 AspNetCore.Views_Profile_ProfileEdit Class Reference	294
6.96.1 Member Function Documentation	295
6.96.1.1 ExecuteAsync()	295
6.96.2 Property Documentation	295
6.96.2.1 Component	295
6.96.2.2 Html	295
6.96.2.3 Json	295
6.96.2.4 ModelExpressionProvider	296
6.96.2.5 Url	296
6.97 AspNetCore.Views_Profile_ProfileImage Class Reference	296
6.97.1 Member Function Documentation	297
6.97.1.1 ExecuteAsync()	297
6.97.2 Property Documentation	297
6.97.2.1 Component	298
6.97.2.2 Html	298
6.97.2.3 Json	298
6.97.2.4 ModelExpressionProvider	298
6.97.2.5 Url	298
6.98 AspNetCore.Views_Profile_ProfileNav Class Reference	299
6.98.1 Member Function Documentation	300
6.98.1.1 ExecuteAsync()	300
6.98.2 Property Documentation	300
6.98.2.1 Component	300
6.98.2.2 Html	300
6.98.2.3 Json	300
6.98.2.4 ModelExpressionProvider	300
6.98.2.5 Url	301
6.99 AspNetCore.Views_Profile_ProfileUpdateAddress Class Reference	301
6.99.1 Member Function Documentation	302
6.99.1.1 ExecuteAsync()	302
6.99.2 Property Documentation	302
6.99.2.1 Component	302
6.99.2.2 Html	302
6.99.2.3 Json	302
6.99.2.4 ModelExpressionProvider	302
6.99.2.5 Url	303
6.100 AspNetCore.Views_Review_Index Class Reference	303
6.100.1 Member Function Documentation	304
6.100.1.1 ExecuteAsync()	304
6.100.2 Property Documentation	304
6.100.2.1 Component	304
6.100.2.2 Html	304

6.100.2.3 Json	304
6.100.2.4 ModelExpressionProvider	304
6.100.2.5 Url	304
6.101 AspNetCore.Views_Review_ReviewCreate Class Reference	305
6.101.1 Member Function Documentation	305
6.101.1.1 ExecuteAsync()	305
6.101.2 Property Documentation	306
6.101.2.1 Component	306
6.101.2.2 Html	306
6.101.2.3 Json	306
6.101.2.4 ModelExpressionProvider	306
6.101.2.5 Url	306
6.102 AspNetCore.Views_SellerCustom_CustomCreate Class Reference	307
6.102.1 Member Function Documentation	307
6.102.1.1 ExecuteAsync()	307
6.102.2 Property Documentation	308
6.102.2.1 Component	308
6.102.2.2 Html	308
6.102.2.3 Json	308
6.102.2.4 ModelExpressionProvider	308
6.102.2.5 Url	309
6.103 AspNetCore.Views_SellerCustom_CustomDelete Class Reference	309
6.103.1 Member Function Documentation	310
6.103.1.1 ExecuteAsync()	310
6.103.2 Property Documentation	310
6.103.2.1 Component	310
6.103.2.2 Html	310
6.103.2.3 Json	310
6.103.2.4 ModelExpressionProvider	310
6.103.2.5 Url	311
6.104 AspNetCore.Views_SellerCustom_CustomDetails Class Reference	311
6.104.1 Member Function Documentation	312
6.104.1.1 ExecuteAsync()	312
6.104.2 Property Documentation	312
6.104.2.1 Component	312
6.104.2.2 Html	312
6.104.2.3 Json	312
6.104.2.4 ModelExpressionProvider	312
6.104.2.5 Url	313
6.105 AspNetCore.Views_SellerCustom_Index Class Reference	313
6.105.1 Member Function Documentation	314
6.105.1.1 ExecuteAsync()	314

6.105.2 Property Documentation	314
6.105.2.1 Component	314
6.105.2.2 Html	314
6.105.2.3 Json	314
6.105.2.4 ModelExpressionProvider	314
6.105.2.5 Url	315
6.106 AspNetCore.Views_SellerDelivery_Index Class Reference	315
6.106.1 Member Function Documentation	316
6.106.1.1 ExecuteAsync()	316
6.106.2 Property Documentation	316
6.106.2.1 Component	316
6.106.2.2 Html	316
6.106.2.3 Json	316
6.106.2.4 ModelExpressionProvider	316
6.106.2.5 Url	317
6.107 AspNetCore.Views_SellerItem_ItemCreate Class Reference	317
6.107.1 Member Function Documentation	318
6.107.1.1 ExecuteAsync()	318
6.107.2 Property Documentation	318
6.107.2.1 Component	318
6.107.2.2 Html	318
6.107.2.3 Json	318
6.107.2.4 ModelExpressionProvider	319
6.107.2.5 Url	319
6.108 AspNetCore.Views_SellerItem_ItemDelete Class Reference	319
6.108.1 Member Function Documentation	320
6.108.1.1 ExecuteAsync()	320
6.108.2 Property Documentation	320
6.108.2.1 Component	320
6.108.2.2 Html	320
6.108.2.3 Json	320
6.108.2.4 ModelExpressionProvider	321
6.108.2.5 Url	321
6.109 AspNetCore.Views_SellerItem_ItemDetails Class Reference	321
6.109.1 Member Function Documentation	322
6.109.1.1 ExecuteAsync()	322
6.109.2 Property Documentation	322
6.109.2.1 Component	323
6.109.2.2 Html	323
6.109.2.3 Json	323
6.109.2.4 ModelExpressionProvider	323
6.109.2.5 Url	323

6.110 AspNetCore.Views_SellerItem_ItemUpdate Class Reference	324
6.110.1 Member Function Documentation	325
6.110.1.1 ExecuteAsync()	325
6.110.2 Property Documentation	325
6.110.2.1 Component	325
6.110.2.2 Html	325
6.110.2.3 Json	325
6.110.2.4 ModelExpressionProvider	325
6.110.2.5 Url	326
6.111 AspNetCore.Views_SellerItem_Menu Class Reference	326
6.111.1 Member Function Documentation	327
6.111.1.1 ExecuteAsync()	327
6.111.2 Property Documentation	327
6.111.2.1 Component	327
6.111.2.2 Html	327
6.111.2.3 Json	327
6.111.2.4 ModelExpressionProvider	327
6.111.2.5 Url	328
6.112 AspNetCore.Views_SellerOrder_Index Class Reference	328
6.112.1 Member Function Documentation	329
6.112.1.1 ExecuteAsync()	329
6.112.2 Property Documentation	329
6.112.2.1 Component	329
6.112.2.2 Html	329
6.112.2.3 Json	329
6.112.2.4 ModelExpressionProvider	329
6.112.2.5 Url	330
6.113 AspNetCore.Views_SellerOrder_OrderDetails Class Reference	330
6.113.1 Member Function Documentation	331
6.113.1.1 ExecuteAsync()	331
6.113.2 Property Documentation	331
6.113.2.1 Component	331
6.113.2.2 Html	331
6.113.2.3 Json	331
6.113.2.4 ModelExpressionProvider	331
6.113.2.5 Url	332
6.114 AspNetCore.Views_SellerSchedule_Index Class Reference	332
6.114.1 Member Function Documentation	332
6.114.1.1 ExecuteAsync()	333
6.114.2 Property Documentation	333
6.114.2.1 Component	333
6.114.2.2 Html	333

6.114.2.3 Json	333
6.114.2.4 ModelExpressionProvider	333
6.114.2.5 Url	333
6.115 AspNetCore.Views_SellerSchedule_ScheduleCreate Class Reference	334
6.115.1 Member Function Documentation	334
6.115.1.1 ExecuteAsync()	334
6.115.2 Property Documentation	335
6.115.2.1 Component	335
6.115.2.2 Html	335
6.115.2.3 Json	335
6.115.2.4 ModelExpressionProvider	335
6.115.2.5 Url	335
6.116 AspNetCore.Views_SellerSchedule_ScheduleDetails Class Reference	336
6.116.1 Member Function Documentation	336
6.116.1.1 ExecuteAsync()	336
6.116.2 Property Documentation	337
6.116.2.1 Component	337
6.116.2.2 Html	337
6.116.2.3 Json	337
6.116.2.4 ModelExpressionProvider	337
6.116.2.5 Url	337
6.117 AspNetCore.Views_Shared__CookieConsentPartial Class Reference	338
6.117.1 Member Function Documentation	339
6.117.1.1 ExecuteAsync()	339
6.117.2 Property Documentation	339
6.117.2.1 Component	339
6.117.2.2 Html	339
6.117.2.3 Json	339
6.117.2.4 ModelExpressionProvider	340
6.117.2.5 Url	340
6.118 AspNetCore.Views_Shared__Layout Class Reference	341
6.118.1 Member Function Documentation	342
6.118.1.1 ExecuteAsync()	342
6.118.2 Property Documentation	342
6.118.2.1 Component	342
6.118.2.2 Html	342
6.118.2.3 Json	342
6.118.2.4 ModelExpressionProvider	342
6.118.2.5 Url	343
6.119 AspNetCore.Views_Shared__LoginPartial Class Reference	343
6.119.1 Member Function Documentation	344
6.119.1.1 ExecuteAsync()	344

6.119.2 Property Documentation	344
6.119.2.1 Component	344
6.119.2.2 Html	344
6.119.2.3 Json	344
6.119.2.4 ModelExpressionProvider	345
6.119.2.5 SignInManager	345
6.119.2.6 Url	345
6.119.2.7 UserManager	345
6.120 AspNetCore.Views_Shared__ValidationScriptsPartial Class Reference	345
6.120.1 Member Function Documentation	346
6.120.1.1 ExecuteAsync()	346
6.120.2 Property Documentation	346
6.120.2.1 Component	347
6.120.2.2 Html	347
6.120.2.3 Json	347
6.120.2.4 ModelExpressionProvider	347
6.120.2.5 Url	347
6.121 AspNetCore.Views_Shared_Error Class Reference	348
6.121.1 Member Function Documentation	349
6.121.1.1 ExecuteAsync()	349
6.121.2 Property Documentation	349
6.121.2.1 Component	349
6.121.2.2 Html	349
6.121.2.3 Json	349
6.121.2.4 ModelExpressionProvider	349
6.121.2.5 Url	350
6.122 AspNetCore.Views_Shared_Footer Class Reference	350
6.122.1 Member Function Documentation	351
6.122.1.1 ExecuteAsync()	351
6.122.2 Property Documentation	351
6.122.2.1 Component	351
6.122.2.2 Html	351
6.122.2.3 Json	351
6.122.2.4 ModelExpressionProvider	352
6.122.2.5 Url	352
6.123 AspNetCore.Views_Shared_FootLinks Class Reference	352
6.123.1 Member Function Documentation	353
6.123.1.1 ExecuteAsync()	353
6.123.2 Property Documentation	353
6.123.2.1 Component	354
6.123.2.2 Html	354
6.123.2.3 Json	354

6.123.2.4 ModelExpressionProvider	354
6.123.2.5 Url	354
6.124 AspNetCore.Views_Shared_NavBar Class Reference	355
6.124.1 Member Function Documentation	356
6.124.1.1 ExecuteAsync()	356
6.124.2 Property Documentation	356
6.124.2.1 Component	356
6.124.2.2 Html	356
6.124.2.3 Json	356
6.124.2.4 ModelExpressionProvider	356
6.124.2.5 Url	356
7 File Documentation	357
7.1 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Admin←Controller.cs File Reference	357
7.2 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/API←Controller.cs File Reference	357
7.3 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Buyer←ItemController.cs File Reference	358
7.4 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Buyer←OrderController.cs File Reference	358
7.5 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Chat←Controller.cs File Reference	358
7.6 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Home←Controller.cs File Reference	359
7.7 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Profile←Controller.cs File Reference	359
7.8 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Review←Controller.cs File Reference	359
7.9 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Seller←CustomController.cs File Reference	360
7.10 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Seller←DeliveryController.cs File Reference	360
7.11 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Seller←ItemController.cs File Reference	360
7.12 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Seller←OrderController.cs File Reference	361
7.13 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/Seller←ScheduleController.cs File Reference	361
7.14 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Infrastructure/←SessionExtensions.cs File Reference	361
7.15 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Middleware/Chat←WebSocketMiddleware.cs File Reference	362
7.16 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Custom/←CustomDTO.cs File Reference	362
7.17 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Custom/←CustomVO.cs File Reference	362

7.18	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Custom/← PageOfCustoms.cs File Reference	363
7.19	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Delivery/← DeliveryDTO.cs File Reference	363
7.20	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Delivery/← DeliveryVO.cs File Reference	363
7.21	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Delivery/← PageOfDeliveries.cs File Reference	364
7.22	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/← Category.cs File Reference	364
7.23	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/ItemD← TO.cs File Reference	364
7.24	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/Item← VO.cs File Reference	365
7.25	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/Page← OfItems.cs File Reference	365
7.26	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/Sub← ItemDTO.cs File Reference	365
7.27	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/Sub← ItemVO.cs File Reference	366
7.28	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/← OrderDTO.cs File Reference	366
7.29	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/← OrdersItemDTO.cs File Reference	366
7.30	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/← OrdersItemsCustomDTO.cs File Reference	367
7.31	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/← OrdersItemsCustomVO.cs File Reference	367
7.32	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/← OrdersItemVO.cs File Reference	367
7.33	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/← OrderSubItemDTO.cs File Reference	368
7.34	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/← OrderSubItemVO.cs File Reference	368
7.35	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/← OrderVO.cs File Reference	368
7.36	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/Page← OfOrders.cs File Reference	369
7.37	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Other/Error← ViewModel.cs File Reference	369
7.38	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Paging/← Pageable.cs File Reference	369
7.39	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Review/← PageOfReviews.cs File Reference	370
7.40	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Review/← ReviewDTO.cs File Reference	370
7.41	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Review/← ReviewVO.cs File Reference	370

7.42 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/← PageOfSchedules.cs File Reference	371
7.43 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/← ScheduleCreate.cs File Reference	371
7.44 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/← ScheduleDTO.cs File Reference	371
7.45 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/← ScheduleVO.cs File Reference	372
7.46 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/← TimeVO.cs File Reference	372
7.47 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/← AddressDTO.cs File Reference	372
7.48 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/← AddressVO.cs File Reference	373
7.49 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/← GoogleGeo.cs File Reference	373
7.50 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/Login← Request.cs File Reference	373
7.51 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/Role.cs File Reference	374
7.52 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/Sign← UpRequest.cs File Reference	374
7.53 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/State← Country.cs File Reference	374
7.54 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/UserD← TO.cs File Reference	375
7.55 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/User← VO.cs File Reference	375
7.56 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/.N← ETCoreApp.Version=v2.1.AssemblyAttributes.cs File Reference	376
7.57 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Potluck.Web.AssemblyInfo.cs File Reference	376
7.58 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Potluck.Web.csproj.FileListAbsolute.txt File Reference	376
7.59 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Potluck.Web.RazorAssemblyInfo.cs File Reference	376
7.60 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Potluck.Web.RazorTargetAssemblyInfo.cs File Reference	376
7.61 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Areas/Identity/Pages/_ViewStart.cshtml.g.cs File Reference	376
7.62 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/_ViewStart.cshtml.g.cs File Reference	376
7.63 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/_ViewImports.cshtml.g.cs File Reference	377
7.64 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Admin/CategoryConfig.cshtml.g.cs File Reference	377
7.65 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Admin/CountryConfig.cshtml.g.cs File Reference	377

7.66 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Admin/RegionConfig.cshtml.g.cs File Reference	378
7.67 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Admin/RegionCreate.cshtml.g.cs File Reference	378
7.68 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Admin/RegionDetails.cshtml.g.cs File Reference	378
7.69 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Admin/RegionUpdate.cshtml.g.cs File Reference	378
7.70 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/BuyerItem/ItemDetails.cshtml.g.cs File Reference	379
7.71 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerItem/ItemDetails.cshtml.g.cs File Reference	379
7.72 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/BuyerItem/Menu.cshtml.g.cs File Reference	379
7.73 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerItem/Menu.cshtml.g.cs File Reference	380
7.74 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/BuyerItem/Search.cshtml.g.cs File Reference	380
7.75 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/BuyerOrder/Checkout.cshtml.g.cs File Reference	380
7.76 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/BuyerOrder/CheckoutLocation.cshtml.g.cs File Reference	380
7.77 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/BuyerOrder/CheckoutPayPal.cshtml.g.cs File Reference	381
7.78 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/BuyerOrder/CheckoutReceipt.cshtml.g.cs File Reference	381
7.79 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/BuyerOrder/Index.cshtml.g.cs File Reference	381
7.80 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Home/Index.cshtml.g.cs File Reference	382
7.81 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Profile/Index.cshtml.g.cs File Reference	382
7.82 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Review/Index.cshtml.g.cs File Reference	382
7.83 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerCustom/Index.cshtml.g.cs File Reference	382
7.84 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerDelivery/Index.cshtml.g.cs File Reference	383
7.85 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerOrder/Index.cshtml.g.cs File Reference	383
7.86 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerSchedule/Index.cshtml.g.cs File Reference	383
7.87 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/BuyerOrder/OrderDetails.cshtml.g.cs File Reference	384
7.88 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerOrder/OrderDetails.cshtml.g.cs File Reference	384
7.89 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Home/Login.cshtml.g.cs File Reference	384

7.90 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Home/LoginRoleSelect.cshtml.g.cs File Reference	384
7.91 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Home/Privacy.cshtml.g.cs File Reference	385
7.92 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Home/SignUp.cshtml.g.cs File Reference	385
7.93 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Home/TOS.cshtml.g.cs File Reference	385
7.94 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Profile/Discover.cshtml.g.cs File Reference	386
7.95 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Profile/Favorites.cshtml.g.cs File Reference	386
7.96 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Profile/MiniProfile.cshtml.g.cs File Reference	386
7.97 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Profile/ProfileAddAddress.cshtml.g.cs File Reference	386
7.98 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Profile/ProfileAddress.cshtml.g.cs File Reference	387
7.99 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Profile/ProfileDelete.cshtml.g.cs File Reference	387
7.100 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Profile/ProfileEdit.cshtml.g.cs File Reference	387
7.101 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Profile/ProfileImage.cshtml.g.cs File Reference	388
7.102 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Profile/ProfileNav.cshtml.g.cs File Reference	388
7.103 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Profile/ProfileUpdateAddress.cshtml.g.cs File Reference	388
7.104 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Review/ReviewCreate.cshtml.g.cs File Reference	388
7.105 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerCustom/CustomCreate.cshtml.g.cs File Reference	389
7.106 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerCustom/CustomDelete.cshtml.g.cs File Reference	389
7.107 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerCustom/CustomDetails.cshtml.g.cs File Reference	389
7.108 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerItem/ItemCreate.cshtml.g.cs File Reference	390
7.109 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerItem/ItemDelete.cshtml.g.cs File Reference	390
7.110 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerItem/ItemUpdate.cshtml.g.cs File Reference	390
7.111 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerSchedule/ScheduleCreate.cshtml.g.cs File Reference	390
7.112 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/SellerSchedule/ScheduleDetails.cshtml.g.cs File Reference	391
7.113 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Shared/_CookieConsentPartial.cshtml.g.cs File Reference	391

7.114 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Shared/_Layout.cshtml.g.cs File Reference	391
7.115 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Shared/_LoginPartial.cshtml.g.cs File Reference	392
7.116 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Shared/_ValidationScriptsPartial.cshtml.g.cs File Reference	392
7.117 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Shared/Error.cshtml.g.cs File Reference	392
7.118 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Shared/Footer.cshtml.g.cs File Reference	392
7.119 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Shared/FootLinks.cshtml.g.cs File Reference	393
7.120 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← Razor/Views/Shared/NavBar.cshtml.g.cs File Reference	393
7.121 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/← UserSecretsAssemblyInfo.cs File Reference	393
7.122 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Program.cs File Ref- erence	393
7.123 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Startup.cs File Refer- ence	394
Index	395

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

AspNetCore	17
Potluck	18
Potluck.Web	18
Potluck.Web.Controllers	19
Potluck.Web.Infrastructure	19
Potluck.Web.Middleware	19
Potluck.Web.Models	20

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Potluck.Web.Models.AddressComponent	23
Potluck.Web.Models.AddressDTO	24
Potluck.Web.Models.AddressVO	26
Potluck.Web.Controllers.APIController	37
Potluck.Web.Models.Category	106
Potluck.Web.Middleware.ChatWebSocketMiddleware	108
Controller	
Potluck.Web.Controllers.AdminController	28
Potluck.Web.Controllers.BuyerItemController	89
Potluck.Web.Controllers.BuyerOrderController	95
Potluck.Web.Controllers.ChatController	107
Potluck.Web.Controllers.HomeController	118
Potluck.Web.Controllers.ProfileController	153
Potluck.Web.Controllers.ReviewController	166
Potluck.Web.Controllers.SellerCustomController	179
Potluck.Web.Controllers.SellerDeliveryController	187
Potluck.Web.Controllers.SellerItemController	192
Potluck.Web.Controllers.SellerOrderController	202
Potluck.Web.Controllers.SellerScheduleController	211
Potluck.Web.Models.CustomDTO	109
Potluck.Web.Models.CustomVO	111
Potluck.Web.Models.DeliveryDTO	113
Potluck.Web.Models.DeliveryVO	114
Potluck.Web.Models.ErrorViewModel	115
Potluck.Web.Models.Geometry	116
Potluck.Web.Models.GoogleGeo	117
Potluck.Web.Models.ItemDTO	124
Potluck.Web.Models.ItemVO	126
Potluck.Web.Models.Location	129
Potluck.Web.Models.LoginRequest	130
Potluck.Web.Models.Northeast	130
Potluck.Web.Models.OrderDTO	131
Potluck.Web.Models.OrdersItemDTO	134
Potluck.Web.Models.OrdersItemsCustomDTO	135
Potluck.Web.Models.OrdersItemsCustomVO	136

Potluck.Web.Models.OrdersItemVO	136
Potluck.Web.Models.OrderSubItemDTO	138
Potluck.Web.Models.OrderSubItemVO	140
Potluck.Web.Models.OrderVO	140
Potluck.Web.Models.Pageable	141
Potluck.Web.Models.PageOfCustoms	143
Potluck.Web.Models.PageOfDeliveries	144
Potluck.Web.Models.PageOfItems	146
Potluck.Web.Models.PageOfOrders	148
Potluck.Web.Models.PageOfReviews	149
Potluck.Web.Models.PageOfSchedules	151
Potluck.Web.Models.PlusCode	152
Potluck.Web.Program	164
RazorPage	
AspNetCore.Areas_Identity_Pages__ViewStart	87
AspNetCore.Views__ViewImports	231
AspNetCore.Views__ViewStart	233
AspNetCore.Views_Admin_RegionCreate	241
AspNetCore.Views_Admin_RegionDetails	243
AspNetCore.Views_Admin_RegionUpdate	245
AspNetCore.Views_BuyerItem_ItemDetails	247
AspNetCore.Views_BuyerItem_Menu	250
AspNetCore.Views_BuyerItem_Search	252
AspNetCore.Views_BuyerOrder_Checkout	254
AspNetCore.Views_BuyerOrder_CheckoutLocation	256
AspNetCore.Views_BuyerOrder_CheckoutPayPal	258
AspNetCore.Views_BuyerOrder_Index	262
AspNetCore.Views_BuyerOrder_OrderDetails	264
AspNetCore.Views_Home_Index	266
AspNetCore.Views_Home_Login	268
AspNetCore.Views_Home_Privacy	272
AspNetCore.Views_Home_SignUp	274
AspNetCore.Views_Home_TOS	276
AspNetCore.Views_Profile_Favorites	280
AspNetCore.Views_Profile_Index	283
AspNetCore.Views_Profile_MiniProfile	285
AspNetCore.Views_Profile_ProfileAddAddress	287
AspNetCore.Views_Profile_ProfileAddress	289
AspNetCore.Views_Profile_ProfileDelete	292
AspNetCore.Views_Profile_ProfileEdit	294
AspNetCore.Views_Profile_ProfileImage	296
AspNetCore.Views_Profile_ProfileNav	299
AspNetCore.Views_Profile_ProfileUpdateAddress	301
AspNetCore.Views_Review_Index	303
AspNetCore.Views_Review_ReviewCreate	305
AspNetCore.Views_SellerCustom_CustomCreate	307
AspNetCore.Views_SellerCustom_CustomDelete	309
AspNetCore.Views_SellerCustom_CustomDetails	311
AspNetCore.Views_SellerCustom_Index	313
AspNetCore.Views_SellerDelivery_Index	315
AspNetCore.Views_SellerItem_ItemCreate	317
AspNetCore.Views_SellerItem_ItemDelete	319
AspNetCore.Views_SellerItem_ItemDetails	321
AspNetCore.Views_SellerItem_ItemUpdate	324
AspNetCore.Views_SellerItem_Menu	326
AspNetCore.Views_SellerOrder_Index	328
AspNetCore.Views_SellerOrder_OrderDetails	330
AspNetCore.Views_SellerSchedule_Index	332

AspNetCore.Views_SellerSchedule_ScheduleCreate	334
AspNetCore.Views_SellerSchedule_ScheduleDetails	336
AspNetCore.Views_Shared__CookieConsentPartial	338
AspNetCore.Views_Shared__Layout	341
AspNetCore.Views_Shared__LoginPartial	343
AspNetCore.Views_Shared__ValidationScriptsPartial	345
AspNetCore.Views_Shared__Error	348
AspNetCore.Views_Shared_Footer	350
AspNetCore.Views_Shared_FootLinks	352
AspNetCore.Views_Shared_NavBar	355
RazorPage< IEnumerable< Potluck.Web.Models.OrdersItemDTO >>	
AspNetCore.Views_BuyerOrder_CheckoutReceipt	260
RazorPage< IEnumerable< Potluck.Web.Models.Role >>	
AspNetCore.Views_Home_LoginRoleSelect	270
RazorPage< IEnumerable< Potluck.Web.Models.StateCountry >>	
AspNetCore.Views_Admin_RegionConfig	239
RazorPage< List< Potluck.Web.Models.Category >>	
AspNetCore.Views_Admin_CategoryConfig	235
RazorPage< List< Potluck.Web.Models.UserDTO >>	
AspNetCore.Views_Profile_Discover	278
RazorPage< List< string >>	
AspNetCore.Views_Admin_CountryConfig	237
Potluck.Web.Models.Result	165
Potluck.Web.Models.ReviewDTO	170
Potluck.Web.Models.ReviewVO	172
Potluck.Web.Models.Role	173
Potluck.Web.Models.ScheduleCreate	174
Potluck.Web.Models.ScheduleDTO	175
Potluck.Web.Models.ScheduleVO	177
Potluck.Web.Models.SignUpRequest	218
Potluck.Web.Models.Southwest	219
Potluck.Web.Startup	219
Potluck.Web.Models.StateCountry	221
Potluck.Web.Models.SubItemDTO	222
Potluck.Web.Models.SubItemVO	223
Potluck.Web.Models.TimeVO	225
Potluck.Web.Models.UserDTO	226
Potluck.Web.Models.UserVO	228
Potluck.Web.Models.Viewport	230

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Potluck.Web.Models.AddressComponent	23	
Potluck.Web.Models.AddressDTO	Address Data Transfer Object	24
Potluck.Web.Models.AddressVO	Address Values Object	26
Potluck.Web.Controllers.AdminController	AdminController contains high level administration actions	28
Potluck.Web.Controllers.APIController	The APIController class contains all the methods for interfacing with the back end api	37
AspNetCore.Areas_Identity_Pages_ViewStart		87
Potluck.Web.Controllers.BuyerItemController	BuyerItemController Contains all the methods for buyers to browse and search for items	89
Potluck.Web.Controllers.BuyerOrderController	BuyerOrderController handles orders from the buyers perspective	95
Potluck.Web.Models.Category	106	
Potluck.Web.Controllers.ChatController		107
Potluck.Web.Middleware.ChatWebSocketMiddleware		108
Potluck.Web.Models.CustomDTO	Custom Data Transfer Object	109
Potluck.Web.Models.CustomVO	111	
Potluck.Web.Models.DeliveryDTO	Delivery Data Transfer Object	113
Potluck.Web.Models.DeliveryVO	Delivery Values Object	114
Potluck.Web.Models.ErrorViewModel		115
Potluck.Web.Models.Geometry	116	
Potluck.Web.Models.GoogleGeo	117	
Potluck.Web.Controllers.HomeController	HomeController handles any publicly accessible views such as the home page and login	118
Potluck.Web.Models.ItemDTO	Item Data Transfer Object	124

Potluck.Web.Models.ItemVO	126
Item Values Object	
Potluck.Web.Models.Location	129
Potluck.Web.Models.LoginRequest	130
Potluck.Web.Models.Northeast	130
Potluck.Web.Models.OrderDTO	131
Order Data Transfer Object	
Potluck.Web.Models.OrdersItemDTO	134
Order Item Data Transfer Object	
Potluck.Web.Models.OrdersItemsCustomDTO	135
Orer Item Csutom Data Transfer Object	
Potluck.Web.Models.OrdersItemsCustomVO	135
OrderItemsCustom Values Object	
Potluck.Web.Models.OrdersItemVO	136
OrderItem Values Object	
Potluck.Web.Models.OrderSubItemDTO	138
Order Subitem Data Transfer Object	
Potluck.Web.Models.OrderSubItemVO	140
OrderSubItem Values Object	
Potluck.Web.Models.OrderVO	140
Order Values Object	
Potluck.Web.Models.Pageable	141
Paging object Attached to "Pages" of objects specifies details about the page requested	
Potluck.Web.Models.PageOfCustoms	143
Page of Customs	
Potluck.Web.Models.PageOfDeliveries	144
Page of Deliveries	
Potluck.Web.Models.PageOfItems	146
Page of Items	
Potluck.Web.Models.PageOfOrders	148
Page of Orders	
Potluck.Web.Models.PageOfReviews	149
Pagge of Reviews	
Potluck.Web.Models.PageOfSchedules	151
Page of Schedules	
Potluck.Web.Models.PlusCode	152
152	
Potluck.Web.Controllers.ProfileController	153
Handles profile actions	
Potluck.Web.Program	164
Potluck.Web.Models.Result	165
165	
Potluck.Web.Controllers.ReviewController	166
Potluck.Web.Models.ReviewDTO	170
Review Data Transfer Object	
Potluck.Web.Models.ReviewVO	172
Review Values Object	
Potluck.Web.Models.Role	173
Object that represent the role a user possesses	
Potluck.Web.Models.ScheduleCreate	174
174	
Potluck.Web.Models.ScheduleDTO	175
Schedule Data Transfer Object	
Potluck.Web.Models.ScheduleVO	177
Schedule Values Object	

Potluck.Web.Controllers.SellerCustomController	SellerCustomController handles actions for custom collections	179
Potluck.Web.Controllers.SellerDeliveryController	SellerDeliveryController contains actions for creating and modifying seller delivery settings	187
Potluck.Web.Controllers.SellerItemController	SellerItemController contains action for sellers to manage their items	192
Potluck.Web.Controllers.SellerOrderController	Contains action for seller to manage orders	202
Potluck.Web.Controllers.SellerScheduleController	Contains actions for managing a sellers schedule	211
Potluck.Web.Models.SignUpRequest		218
Potluck.Web.Models.Southwest		219
Potluck.Web.Startup		219
Potluck.Web.Models.StateCountry		221
Potluck.Web.Models.SubItemDTO	SubItem Data Transfer Object	222
Potluck.Web.Models.SubItemVO	SubItem Values Object	223
Potluck.Web.Models.TimeVO	Time Values Object	225
Potluck.Web.Models.UserDTO	User Data Transfer Object	226
Potluck.Web.Models.UserVO	User Values Object	228
Potluck.Web.Models.Viewport		230
AspNetCore.Views__ViewImports		231
AspNetCore.Views__ViewStart		233
AspNetCore.Views_Admin_CategoryConfig		235
AspNetCore.Views_Admin_CountryConfig		237
AspNetCore.Views_Admin_RegionConfig		239
AspNetCore.Views_Admin_RegionCreate		241
AspNetCore.Views_Admin_RegionDetails		243
AspNetCore.Views_Admin_RegionUpdate		245
AspNetCore.Views_BuyerItem_ItemDetails		247
AspNetCore.Views_BuyerItem_Menu		250
AspNetCore.Views_BuyerItem_Search		252
AspNetCore.Views_BuyerOrder_Checkout		254
AspNetCore.Views_BuyerOrder_CheckoutLocation		256
AspNetCore.Views_BuyerOrder_CheckoutPayPal		258
AspNetCore.Views_BuyerOrder_CheckoutReceipt		260
AspNetCore.Views_BuyerOrder_Index		262
AspNetCore.Views_BuyerOrder_OrderDetails		264
AspNetCore.Views_Home_Index		266
AspNetCore.Views_Home_Login		268
AspNetCore.Views_Home_LoginRoleSelect		270
AspNetCore.Views_Home_Privacy		272
AspNetCore.Views_Home_SignUp		274
AspNetCore.Views_Home_TOS		276
AspNetCore.Views_Profile_Discover		278
AspNetCore.Views_Profile_Favorites		280
AspNetCore.Views_Profile_Index		283
AspNetCore.Views_Profile_MiniProfile		285
AspNetCore.Views_Profile_ProfileAddAddress		287
AspNetCore.Views_Profile_ProfileAddress		289

AspNetCore.Views_Profile_ProfileDelete	292
AspNetCore.Views_Profile_ProfileEdit	294
AspNetCore.Views_Profile_ProfileImage	296
AspNetCore.Views_Profile_ProfileNav	299
AspNetCore.Views_Profile_ProfileUpdateAddress	301
AspNetCore.Views_Review_Index	303
AspNetCore.Views_Review_ReviewCreate	305
AspNetCore.Views_SellerCustom_CustomCreate	307
AspNetCore.Views_SellerCustom_CustomDelete	309
AspNetCore.Views_SellerCustom_CustomDetails	311
AspNetCore.Views_SellerCustom_Index	313
AspNetCore.Views_SellerDelivery_Index	315
AspNetCore.Views_SellerItem_ItemCreate	317
AspNetCore.Views_SellerItem_ItemDelete	319
AspNetCore.Views_SellerItem_ItemDetails	321
AspNetCore.Views_SellerItem_ItemUpdate	324
AspNetCore.Views_SellerItem_Menu	326
AspNetCore.Views_SellerOrder_Index	328
AspNetCore.Views_SellerOrder_OrderDetails	330
AspNetCore.Views_SellerSchedule_Index	332
AspNetCore.Views_SellerSchedule_ScheduleCreate	334
AspNetCore.Views_SellerSchedule_ScheduleDetails	336
AspNetCore.Views_Shared_CookieConsentPartial	338
AspNetCore.Views_Shared_Layout	341
AspNetCore.Views_Shared_LoginPartial	343
AspNetCore.Views_Shared_ValidationScriptsPartial	345
AspNetCore.Views_Shared_Error	348
AspNetCore.Views_Shared_Footer	350
AspNetCore.Views_Shared_FootLinks	352
AspNetCore.Views_Shared_NavBar	355

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Program.cs 393
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Startup.cs 394
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/AdminController.cs
357
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/APIController.cs
357
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/BuyerItemController.cs
358
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/BuyerOrderController.cs
358
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/ChatController.cs
358
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/HomeController.cs
359
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/ProfileController.cs
359
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/ReviewController.cs
359
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerCustomController.cs
360
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerDeliveryController.cs
360
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerItemController.cs
360
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerOrderController.cs
361
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerScheduleController.cs
361
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Infrastructure/SessionExtensions.cs
361
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Middleware/ChatWebSocketMiddleware.cs
362
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Custom/CustomDTO.cs
362
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Custom/CustomVO.cs
362

C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Custom/[PageOfCustoms.cs](#) 363
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Delivery/[DeliveryDTO.cs](#) 363
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Delivery/[DeliveryVO.cs](#) 363
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Delivery/[PageOfDeliveries.cs](#) 364
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/[Category.cs](#) . 364
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/[ItemDTO.cs](#) . 364
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/[ItemVO.cs](#) . 365
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/[PageOfItems.cs](#) 365
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/[SubItemDTO.cs](#) 365
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/[SubItemVO.cs](#) 366
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/[OrderDTO.cs](#) 366
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/[OrdersItemDTO.cs](#) 366
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/[OrdersItemsCustomDTO.cs](#) 367
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/[OrdersItemsCustomVO.cs](#) 367
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/[OrdersItemVO.cs](#) 367
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/[OrderSubItemDTO.cs](#) 368
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/[OrderSubItemVO.cs](#) 368
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/[OrderVO.cs](#) 368
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/[PageOfOrders.cs](#) 369
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Other/[ErrorViewModel.cs](#) 369
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Paging/[Pageable.cs](#) 369
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Review/[PageOfReviews.cs](#) 370
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Review/[ReviewDTO.cs](#) 370
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Review/[ReviewVO.cs](#) 370
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/[PageOfSchedules.cs](#) 371
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/[ScheduleCreate.cs](#) 371
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/[ScheduleDTO.cs](#) 371
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/[ScheduleVO.cs](#) 372
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/[TimeVO.cs](#) 372
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[AddressDTO.cs](#) 372
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[AddressVO.cs](#) 373

C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/ GoogleGeo.cs	
373	
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/ LoginRequest.cs	
373	
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/ Role.cs	374
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/ SignUpRequest.cs	374
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/ StateCountry.cs	374
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/ UserDTO.cs	375
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/ UserVO.cs	375
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/.NETCoreApp,Version=v2.1.AssemblyAttributes.cs	376
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/ Potluck.Web.AssemblyInfo.cs	376
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/ Potluck.Web.RazorAssemblyInfo.cs	376
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/ Potluck.Web.RazorTargetAssemblyInfo.cs	376
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/ UserSecretsAssemblyInfo.cs	393
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Areas/Identity/Pages/_ ViewStart.cshtml.g.cs	376
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/_ ViewImports.cshtml.g.cs	377
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/_ ViewStart.cshtml.g.cs	376
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/Admin/ CategoryConfig.cshtml.g.cs	377
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/Admin/ CountryConfig.cshtml.g.cs	377
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/Admin/ RegionConfig.cshtml.g.cs	378
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/Admin/ RegionCreate.cshtml.g.cs	378
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/Admin/ RegionDetails.cshtml.g.cs	378
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/Admin/ RegionUpdate.cshtml.g.cs	378
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/BuyerItem/ ItemDetails.cshtml.g.cs	379
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/BuyerItem/ Menu.cshtml.g.cs	379
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/BuyerItem/ Search.cshtml.g.cs	380
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/BuyerOrder/ Checkout.cshtml.g.cs	380
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/BuyerOrder/ CheckoutLocation.cshtml.g.cs	380
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/BuyerOrder/ CheckoutPayPal.cshtml.g.cs	381
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/BuyerOrder/ CheckoutReceipt.cshtml.g.cs	381
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/BuyerOrder/ Index.cshtml.g.cs	381
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.← 1/Razor/Views/BuyerOrder/ OrderDetails.cshtml.g.cs	384

C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Home/Index.cshtml.g.cs	382
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Home/Login.cshtml.g.cs	384
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Home/LoginRoleSelect.cshtml.g.cs	384
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Home/Privacy.cshtml.g.cs	385
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Home/SignUp.cshtml.g.cs	385
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Home/TOS.cshtml.g.cs	385
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Profile/Discover.cshtml.g.cs	386
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Profile/Favorites.cshtml.g.cs	386
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Profile/Index.cshtml.g.cs	382
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Profile/MiniProfile.cshtml.g.cs	386
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Profile/ProfileAddAddress.cshtml.g.cs	386
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Profile/ProfileAddress.cshtml.g.cs	387
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Profile/ProfileDelete.cshtml.g.cs	387
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Profile/ProfileEdit.cshtml.g.cs	387
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Profile/ProfileImage.cshtml.g.cs	388
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Profile/ProfileNav.cshtml.g.cs	388
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Profile/ProfileUpdateAddress.cshtml.g.cs	388
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Review/Index.cshtml.g.cs	382
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/Review/ReviewCreate.cshtml.g.cs	388
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/SellerCustom/CustomCreate.cshtml.g.cs	389
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/SellerCustom/CustomDelete.cshtml.g.cs	389
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/SellerCustom/CustomDetails.cshtml.g.cs	389
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/SellerCustom/Index.cshtml.g.cs	382
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/SellerDelivery/Index.cshtml.g.cs	383
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/SellerItem/ItemCreate.cshtml.g.cs	390
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/SellerItem/ItemDelete.cshtml.g.cs	390
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/SellerItem/ItemDetails.cshtml.g.cs	379
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/SellerItem/ItemUpdate.cshtml.g.cs	390
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2/	←	
1/Razor/Views/SellerItem/Menu.cshtml.g.cs	380

C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/SellerOrder/ Index.cshtml.g.cs	383
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/SellerOrder/ OrderDetails.cshtml.g.cs	384
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/SellerSchedule/ Index.cshtml.g.cs	383
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/SellerSchedule/ ScheduleCreate.cshtml.g.cs	390
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/SellerSchedule/ ScheduleDetails.cshtml.g.cs	391
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/Shared/_ CookieConsentPartial.cshtml.g.cs	391
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/Shared/_ Layout.cshtml.g.cs	391
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/Shared/_ LoginPartial.cshtml.g.cs	392
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/Shared/_ ValidationScriptsPartial.cshtml.g.cs	392
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/Shared/ Error.cshtml.g.cs	392
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/Shared/ Footer.cshtml.g.cs	392
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/Shared/ FootLinks.cshtml.g.cs	393
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.←	
1/Razor/Views/Shared/ NavBar.cshtml.g.cs	393

Chapter 5

Namespace Documentation

5.1 AspNetCore Namespace Reference

Classes

- class `Areas_Identity_Pages__ViewStart`
- class `Views__ViewImports`
- class `Views__ViewStart`
- class `Views_Admin_CategoryConfig`
- class `Views_Admin_CountryConfig`
- class `Views_Admin_RegionConfig`
- class `Views_Admin_RegionCreate`
- class `Views_Admin_RegionDetails`
- class `Views_Admin_RegionUpdate`
- class `Views_BuyerItem_ItemDetails`
- class `Views_BuyerItem_Menu`
- class `Views_BuyerItem_Search`
- class `Views_BuyerOrder_Checkout`
- class `Views_BuyerOrder_CheckoutLocation`
- class `Views_BuyerOrder_CheckoutPayPal`
- class `Views_BuyerOrder_CheckoutReceipt`
- class `Views_BuyerOrder_Index`
- class `Views_BuyerOrder_OrderDetails`
- class `Views_Home_Index`
- class `Views_Home_Login`
- class `Views_Home_LoginRoleSelect`
- class `Views_Home_Privacy`
- class `Views_Home_SignUp`
- class `Views_Home_TOS`
- class `Views_Profile_Discover`
- class `Views_Profile_Favorites`
- class `Views_Profile_Index`
- class `Views_Profile_MiniProfile`
- class `Views_Profile_ProfileAddAddress`
- class `Views_Profile_ProfileAddress`
- class `Views_Profile_ProfileDelete`
- class `Views_Profile_ProfileEdit`
- class `Views_Profile_ProfileImage`

- class [Views_Profile_ProfileName](#)
- class [Views_Profile_ProfileUpdateAddress](#)
- class [Views_Review_Index](#)
- class [Views_Review_ReviewCreate](#)
- class [Views_SellerCustom_CustomCreate](#)
- class [Views_SellerCustom_CustomDelete](#)
- class [Views_SellerCustom_CustomDetails](#)
- class [Views_SellerCustom_Index](#)
- class [Views_SellerDelivery_Index](#)
- class [Views_SellerItem_ItemCreate](#)
- class [Views_SellerItem_ItemDelete](#)
- class [Views_SellerItem_ItemDetails](#)
- class [Views_SellerItem_ItemUpdate](#)
- class [Views_SellerItem_Menu](#)
- class [Views_SellerOrder_Index](#)
- class [Views_SellerOrder_OrderDetails](#)
- class [Views_SellerSchedule_Index](#)
- class [Views_SellerSchedule_ScheduleCreate](#)
- class [Views_SellerSchedule_ScheduleDetails](#)
- class [Views_Shared__CookieConsentPartial](#)
- class [Views_Shared__Layout](#)
- class [Views_Shared__LoginPartial](#)
- class [Views_Shared__ValidationScriptsPartial](#)
- class [Views_Shared_Error](#)
- class [Views_Shared_Footer](#)
- class [Views_Shared_FootLinks](#)
- class [Views_Shared_NavBar](#)

5.2 Potluck Namespace Reference

Namespaces

- namespace [Web](#)

5.3 Potluck.Web Namespace Reference

Namespaces

- namespace [Controllers](#)
- namespace [Infrastructure](#)
- namespace [Middleware](#)
- namespace [Models](#)

Classes

- class [Program](#)
- class [Startup](#)

5.4 Potluck.Web.Controllers Namespace Reference

Classes

- class [AdminController](#)
AdminController contains high level administration actions
- class [APIController](#)
The APIController class contains all the methods for interfacing with the back end api.
- class [BuyerItemController](#)
BuyerItemController Contains all the methods for buyers to browse and search for items
- class [BuyerOrderController](#)
BuyerOrderController handles orders from the buyers perspective
- class [ChatController](#)
- class [HomeController](#)
HomeController handles any publicly accessible views such as the home page and login
- class [ProfileController](#)
Handles profile actions
- class [ReviewController](#)
- class [SellerCustomController](#)
SellerCustomController handles actions for custom collections
- class [SellerDeliveryController](#)
SellerDeliveryController contins actions for creating and modifying seller delivery settings
- class [SellerItemController](#)
SellerItemController contains action for sellers to manage their items
- class [SellerOrderController](#)
Contains action for seller to manage orders
- class [SellerScheduleController](#)
Contains actions for managing a sellers schedule

5.5 Potluck.Web.Infrastructure Namespace Reference

Classes

- class [SessionExtensions](#)
Helper class for the session Saves data as json in session

5.6 Potluck.Web.Middleware Namespace Reference

Classes

- class [ChatWebSocketMiddleware](#)

5.7 Potluck.Web.Models Namespace Reference

Classes

- class [AddressComponent](#)
 - class [AddressDTO](#)
 - Address Data Transfer Object*
 - class [AddressVO](#)
 - Address Values Object*
- class [Category](#)
- class [CustomDTO](#)
 - Custom Data Transfer Object*
- class [CustomVO](#)
- class [DeliveryDTO](#)
 - Delivery Data Transfer Object*
- class [DeliveryVO](#)
 - Delivery Values Object*
- class [ErrorViewModel](#)
- class [Geometry](#)
- class [GoogleGeo](#)
- class [ItemDTO](#)
 - Item Data Transfer Object*
- class [ItemVO](#)
 - Item Values Object*
- class [Location](#)
- class [LoginRequest](#)
- class [Northeast](#)
- class [OrderDTO](#)
 - Order Data Transfer Object*
- class [OrdersItemDTO](#)
 - Order Item Data Transfer Object*
- class [OrdersItemsCustomDTO](#)
 - Orer Item Csutom Data Transfer Object*
- class [OrdersItemsCustomVO](#)
 - OrderItemsCustom Values Object*
- class [OrdersItemVO](#)
 - OrderItem Values Object*
- class [OrderSubItemDTO](#)
 - Order Subitem Data Transfer Object*
- class [OrderSubItemVO](#)
 - OrderSubItem Values Object*
- class [OrderVO](#)
 - Order Values Object*
- class [Pageable](#)
 - Paging object Attached to "Pages" of objects specifies details about the page requested*
- class [PageOfCustoms](#)
 - Page of Customs*
- class [PageOfDeliveries](#)
 - Page of Deliveries*
- class [PageOfItems](#)
 - Page of Items*

- class [PageOfOrders](#)
Page of Orders
- class [PageOfReviews](#)
Page of Reviews
- class [PageOfSchedules](#)
Page of Schedules
- class [PlusCode](#)
- class [Result](#)
- class [ReviewDTO](#)
Review Data Transfer Object
- class [ReviewVO](#)
Review Values Object
- class [Role](#)
Object that represent the role a user possesses
- class [ScheduleCreate](#)
- class [ScheduleDTO](#)
Schedule Data Transfer Object
- class [ScheduleVO](#)
Schedule Values Object
- class [SignUpRequest](#)
- class [Southwest](#)
- class [StateCountry](#)
- class [SubItemDTO](#)
SubItem Data Transfer Object
- class [SubItemVO](#)
SubItem Values Object
- class [TimeVO](#)
Time Values Object
- class [UserDTO](#)
User Data Transfer Object
- class [UserVO](#)
User Values Object
- class [Viewport](#)

Chapter 6

Class Documentation

6.1 Potluck.Web.Models.AddressComponent Class Reference

Properties

- string `long_name` [get, set]
- string `short_name` [get, set]
- List< string > `types` [get, set]

6.1.1 Detailed Description

6.1.2 Property Documentation

6.1.2.1 `long_name`

```
string Potluck.Web.Models.AddressComponent.long_name [get], [set]
```

6.1.2.2 `short_name`

```
string Potluck.Web.Models.AddressComponent.short_name [get], [set]
```

6.1.2.3 `types`

```
List<string> Potluck.Web.Models.AddressComponent.types [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[GoogleGeo.cs](#)

6.2 Potluck.Web.Models.AddressDTO Class Reference

Address Data Transfer Object

Properties

- string `addressId` [get, set]
- string `addressLine1` [get, set]
- string `addressLine2` [get, set]
- string `addressName` [get, set]
- string `city` [get, set]
- double `latitude` [get, set]
- double `longitude` [get, set]
- bool `mainAddress` [get, set]
- string `postalCode` [get, set]
- `StateCountry stateCountry` [get, set]

6.2.1 Detailed Description

Address Data Transfer Object

6.2.2 Property Documentation

6.2.2.1 `addressId`

```
string Potluck.Web.Models.AddressDTO.addressId [get], [set]
```

6.2.2.2 `addressLine1`

```
string Potluck.Web.Models.AddressDTO.addressLine1 [get], [set]
```

6.2.2.3 `addressLine2`

```
string Potluck.Web.Models.AddressDTO.addressLine2 [get], [set]
```

6.2.2.4 addressName

```
string Potluck.Web.Models.AddressDTO.addressName [get], [set]
```

6.2.2.5 city

```
string Potluck.Web.Models.AddressDTO.city [get], [set]
```

6.2.2.6 latitude

```
double Potluck.Web.Models.AddressDTO.latitude [get], [set]
```

6.2.2.7 longitude

```
double Potluck.Web.Models.AddressDTO.longitude [get], [set]
```

6.2.2.8 mainAddress

```
bool Potluck.Web.Models.AddressDTO.mainAddress [get], [set]
```

6.2.2.9 postalCode

```
string Potluck.Web.Models.AddressDTO.postalCode [get], [set]
```

6.2.2.10 stateCountry

```
StateCountry Potluck.Web.Models.AddressDTO.stateCountry [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/AddressDTO.cs

6.3 Potluck.Web.Models.AddressVO Class Reference

Address Values Object

Public Member Functions

- [AddressVO \(\)](#)
Default constructor
- [AddressVO \(AddressDTO address\)](#)

Properties

- string `addressId` [get, set]
- string `addressLine1` [get, set]
- string `addressLine2` [get, set]
- string `addressName` [get, set]
- string `city` [get, set]
- double `latitude` [get, set]
- double `longitude` [get, set]
- string `postalCode` [get, set]
- string `stateCountryId` [get, set]
- bool `mainAddress` [get, set]

6.3.1 Detailed Description

Address Values Object

6.3.2 Constructor & Destructor Documentation

6.3.2.1 AddressVO() [1/2]

Potluck.Web.Models.AddressVO.AddressVO ()

Default constructor

6.3.2.2 AddressVO() [2/2]

Potluck.Web.Models.AddressVO.AddressVO (
 [AddressDTO address](#))

Parameters

<code>address</code>	<code>AddressDTO</code>
----------------------	-------------------------

6.3.3 Property Documentation

6.3.3.1 `addressId`

```
string Potluck.Web.Models.AddressVO.addressId [get], [set]
```

6.3.3.2 `addressLine1`

```
string Potluck.Web.Models.AddressVO.addressLine1 [get], [set]
```

6.3.3.3 `addressLine2`

```
string Potluck.Web.Models.AddressVO.addressLine2 [get], [set]
```

6.3.3.4 `addressName`

```
string Potluck.Web.Models.AddressVO.addressName [get], [set]
```

6.3.3.5 `city`

```
string Potluck.Web.Models.AddressVO.city [get], [set]
```

6.3.3.6 `latitude`

```
double Potluck.Web.Models.AddressVO.latitude [get], [set]
```

6.3.3.7 longitude

```
double Potluck.Web.Models.AddressVO.longitude [get], [set]
```

6.3.3.8 mainAddress

```
bool Potluck.Web.Models.AddressVO.mainAddress [get], [set]
```

6.3.3.9 postalCode

```
string Potluck.Web.Models.AddressVO.postalCode [get], [set]
```

6.3.3.10 stateCountryId

```
string Potluck.Web.Models.AddressVO.stateCountryId [get], [set]
```


The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[AddressVO.cs](#)


6.4 Potluck.Web.ControllersAdminController Class Reference

[AdminController](#) contains high level administration actions

Inheritance diagram for Potluck.Web.ControllersAdminController:



Collaboration diagram for Potluck.Web.ControllersAdminController:



Public Member Functions

- override void [OnActionExecuting](#) (ActionExecutingContext filterContext)
- void [GetTokenFromSessionUser](#) ()
- async Task [PreLoadViewBag](#) ()
- async Task< IActionResult > [ShowCategoryConfig](#) ()
Opens the category config view
- async Task< IActionResult > [CreateCategory](#) (string name)
Creates a new category
- async Task< IActionResult > [UpdateCategory](#) (string categoryId, string name)
Updates a category
- async Task< IActionResult > [DeleteCategory](#) (string categoryId)
Deletes a category
- async Task< IActionResult > [ShowCountryConfig](#) ()
Opens the country config view
- async Task< IActionResult > [ShowRegionConfig](#) (string country)
Opens the regional config view based on country
- IActionResult [ShowRegionCreate](#) (string country)
Opens the regional create view based on country
- async Task< IActionResult > [CreateRegion](#) (StateCountry region)
Creates a region
- async Task< IActionResult > [DeleteRegion](#) (string regionId)
Deletes a region based on id
- async Task< IActionResult > [ShowRegionUpdate](#) (string regionId)
Opens the regional update view based on id
- async Task< IActionResult > [UpdateRegion](#) (StateCountry region)
Updates a region
- async Task< IActionResult > [ShowRegionDetails](#) (string regionId)
Opens the regional details view based on id

6.4.1 Detailed Description

[AdminController](#) contains high level administration actions

6.4.2 Member Function Documentation

6.4.2.1 CreateCategory()

```
async Task<IActionResult> Potluck.Web.ControllersAdminController.CreateCategory ( string name )
```

Creates a new category


Parameters

<i>name</i>	String
-------------	--------

Returns

```
RedirectToAction("ShowCategoryConfig")
```

Here is the call graph for this function:



6.4.2.2 CreateRegion()

```
async Task<IActionResult> Potluck.Web.ControllersAdminController.CreateRegion ( StateCountry region )
```

Creates a region


Parameters

<i>region</i>	StateCountry
---------------	--------------

Returns

```
RedirectToAction("ShowRegionConfig", new { country = region.country })
```

Here is the call graph for this function:



6.4.2.3 DeleteCategory()

```
async Task<IActionResult> Potluck.Web.ControllersAdminController.DeleteCategory ( string categoryId )
```

Deletes a category


Parameters

<i>category</i>	←	String
<i>Id</i>		

Returns

```
RedirectToAction("ShowCategoryConfig")
```

Here is the call graph for this function:



6.4.2.4 DeleteRegion()

```
async Task<IActionResult> Potluck.Web.ControllersAdminController.DeleteRegion ( string regionId )
```

Deletes a region based on id


Parameters

<i>region</i> ↪	String
<i>Id</i>	

Returns

```
RedirectToAction("ShowRegionConfig")
```


Here is the call graph for this function:



6.4.2.5 GetTokenFromSessionUser()

```
void Potluck.Web.ControllersAdminController.GetTokenFromSessionUser ( )
```


Here is the caller graph for this function:



6.4.2.6 OnActionExecuting()

```
override void Potluck.Web.ControllersAdminController.OnActionExecuting (
    ActionExecutingContext filterContext )
```

Here is the call graph for this function:




6.4.2.7 PreLoadViewBag()

```
async Task Potluck.Web.ControllersAdminController.PreLoadViewBag ( )
```

Here is the call graph for this function:



Here is the caller graph for this function:



6.4.2.8 ShowCategoryConfig()


```
async Task<IActionResult> Potluck.Web.ControllersAdminController.ShowCategoryConfig ( )
```

Opens the category config view

Returns

```
View("CategoryConfig", categories)
```

Here is the call graph for this function:



6.4.2.9 ShowCountryConfig()

```
async Task<IActionResult> Potluck.Web.ControllersAdminController.ShowCountryConfig ( )
```

Opens the country config view

Returns

```
View("CountryConfig", countries)
```

Here is the call graph for this function:



6.4.2.10 ShowRegionConfig()

```
async Task<IActionResult> Potluck.Web.ControllersAdminController.ShowRegionConfig ( string country )
```

Opens the regional config view based on country


Parameters

country	String
---------	--------

Returns

```
View("RegionConfig", regions)
```

Here is the call graph for this function:



6.4.2.11 ShowRegionCreate()

```
IActionResult Potluck.Web.ControllersAdminController.ShowRegionCreate (
    string country )
```

Opens the regional create view based on country

Parameters

country	String
---------	--------

Returns

```
View("RegionCreate", newRegion)
```

6.4.2.12 ShowRegionDetails()

```
async Task<IActionResult> Potluck.Web.ControllersAdminController.ShowRegionDetails (
    string regionId )
```

Opens the regional details view based on id


Parameters

region← Id	String
---------------	--------

Returns

```
View("RegionDetails", region)
```

Here is the call graph for this function:



6.4.2.13 ShowRegionUpdate()

```
async Task<IActionResult> Potluck.Web.ControllersAdminController.ShowRegionUpdate (
    string regionId )
```

Opens the regional update view based on id


Parameters

<i>regionId</i>	String
-----------------	--------

Returns

```
View("RegionUpdate", region)
```

Here is the call graph for this function:

**6.4.2.14 UpdateCategory()**

```
async Task<IActionResult> Potluck.Web.Controllers.AdminController.UpdateCategory (
    string categoryId,
    string name )
```

Updates a category


Parameters

<i>categoryId</i>	String
<i>name</i>	String

Returns

```
RedirectToAction("ShowCategoryConfig")
```

Here is the call graph for this function:



6.4.2.15 UpdateRegion()

```
async Task<IActionResult> Potluck.Web.ControllersAdminController.UpdateRegion (
    StateCountry region )
```

Updates a region


Parameters

<i>region</i>	StateCountry
---------------	--------------

Returns

```
RedirectToAction("ShowRegionDetails", new { regionId = region.stateCountryId })
```

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/AdminController.cs

6.5 Potluck.Web.Controllers.APIController Class Reference

The [APIController](#) class contains all the methods for interfacing with the back end api.

Public Member Functions

- [APIController \(\)](#)
- [APIController \(string token\)](#)
- [async Task< GoogleGeo > GetCoords \(string address\)](#)

Returns a google geocode object Used for the conversion of addresses to gps co-ordinates
- [async Task< bool > ForgotPassword \(string email\)](#)
- [async Task< bool > SignUpUser \(SignUpRequest signUp\)](#)

Sends traditional signup data to back end
- [async Task< string > LoginUser \(LoginRequest login\)](#)

Sends login details to back end for traditional login
- [async Task< Category > GetCategoryByld \(string categoryld\)](#)

Returns a category object when passed a categoryId string
- [async Task< bool > DeleteCategory \(string categoryld\)](#)

- Delete a category in the back end*
- `async Task< bool > CreateCategory (Category category)`
Passes CategoryVO object to back end for creation
 - `async Task< bool > UpdateCategory (Category category)`
Passes a CategoryVO to back end for update
 - `async Task< bool > DeleteStateCountry (string stateCountryId)`
Deletes a StateCountry from back end
 - `async Task< StateCountry > GetStateCountryById (string stateCountryId)`
Retrieves StateCountry object from back end by passing id string
 - `async Task< bool > CreateStateCountry (StateCountry stateCountry)`
Passes StateCountry object to back end for creation
 - `async Task< bool > UpdateStateCountry (StateCountry stateCountry)`
Updates StateCountry by passing StateCountry to back end
 - `async Task< string > CreateCustom (CustomVO custom)`
Creates a new custom by passing a CustomVO to backend, returns a string id to new custom
 - `async Task< CustomDTO > GetCustomById (string customId)`
Returns CustomDTO from backend when provided with a string id
 - `async Task< PageOfCustoms > GetAllCustoms (long pageNumber=0, long size=8)`
Returns all of a users customs as a page from the back end
 - `async Task< bool > AddItemToCustom (string customId, string itemId)`
Adds an item to the specified custom
 - `async Task< bool > RemoveItemFromCustom (string customId, string itemId)`
Removes and item from the specified custom
 - `async Task< bool > DeleteCustom (string customId)`
Deletes a custom from the back end by id
 - `async Task< bool > UpdateCustom (CustomVO custom)`
Passes CustomVO to be updated to back end
 - `async Task< bool > DeleteDelivery (string deliveryId)`
Delete delivery object from back end by id
 - `async Task< DeliveryDTO > GetDeliveryById (string deliveryId)`
Returns Delivery object from back end by id
 - `async Task< string > CreateDelivery (DeliveryVO delivery)`
Creates delivery object in back end by passing DeliveryVO
 - `async Task< PageOfDeliveries > GetAllDeliveriesByEmail (string email)`
Returns a page of delivery objects based on the user email
 - `async Task< bool > UpdateDelivery (DeliveryVO delivery)`
Updates delivery object by passing DeliveryVO
 - `async Task< string > CreateItem (ItemVO item)`
Creates item object in back end by passing ItemVO
 - `async Task< ItemDTO > GetItemById (string itemId)`
Returns ItemDTO object from back end by passing id
 - `async Task< PageOfItems > GetMenuByUserId (string userId, long pageNumber=0, long size=8)`
Returns all of a users items as a page by passing userID
 - `async Task< PageOfItems > GetMenuBySearch (string search, double latitude, double longitude, long pageNumber=0, string time="00:00")`
Returns search results based on search term, location, and local time
 - `async Task< List< Category > > GetAllCategories ()`
Returns all Categories
 - `async Task< string > UpdateItem (ItemVO item)`
Updates an item by passing an ItemVO
 - `async Task< bool > DeleteItem (string itemId)`

- `async Task< bool > AddCustomToltem (string itemId, string customId)`
Adds a custom object to an item object by passing item id and custom id
- `async Task< bool > RemoveCustomFromItem (string itemId, string customId)`
Removes a custom object from an item object by passing item id and custom id
- `async Task< bool > ItemEnableSwitch (string itemId)`
Allows a seller to toggle the availability of an item by passing the item id
- `async Task< OrderDTO > GetOrderById (string orderId)`
Returns an item by passing item id
- `async Task< PageOfOrders > GetOrdersOfBuyer (string status="OPENED", long pageNumber=0, long pageSize=8)`
Returns a page of orders from the buyers perspective
- `async Task< PageOfOrders > GetOrdersOfSeller (string status="OPENED", long pageNumber=0, long pageSize=8)`
Returns a page of orders from the sellers perspective
- `async Task< string > CreateOrder (OrderVO order)`
Creates an order by passing OrderVO
- `async Task< bool > AddOrderItemToOrder (string orderId, OrdersItemVO ordersItem)`
Adds an item to an order by passing an orderid and an OrdersItemVO
- `async Task< bool > RemoveOrderItemFromOrder (string orderId, string orderItemId)`
Removes an item from an order by passing the order id and orderitem id
- `async Task< bool > RemoveItemFromOrder (string orderId, string itemId)`
- `async Task< string > UpdateOrder (OrderVO order)`
Updates an order by passing OrderVO
- `async Task< bool > ChangeOrderStatus (string orderId, string newStatus)`
Changes order status by passing order id and status
- `async Task< bool > DeleteOrder (string orderId)`
Deletes an order by passing order id
- `async Task< bool > DeleteReview (string reviewId)`
Deletes a review by passing review id
- `async Task< ReviewDTO > GetReviewById (string reviewId)`
Returns a ReviewDTO by passing review id
- `async Task< bool > CreateReview (ReviewVO review)`
Creates a review by passing ReviewVO
- `async Task< PageOfReviews > GetAllReviewsByEmail (string email)`
Returns reviews by passing an email
- `async Task< bool > UpdateReview (ReviewVO review)`
Updates review by passing ReviewVO
- `async Task< bool > DeleteSchedule (string scheduleId)`
Deletes a schedule by passing schedule id
- `async Task< ScheduleDTO > GetScheduleById (string scheduleId)`
Returns a schedule by passing schedule id
- `async Task< string > CreateSchedule (ScheduleVO schedule)`
Creates a sechedule by passing a ScheduleVO
- `async Task< PageOfSchedules > GetAllSchedulesByEmail (string email)`
Returns all of a sellers schedules as a page by passing an email
- `async Task< bool > UpdateSchedule (ScheduleVO schedule)`
Updates a schedule by passing a ScheduleVO
- `async Task< List< UserDTO > > GetGeoFence (string addressId, string maxKmDistance)`
Returns a list of users based on a location and maximum distance radius
- `async Task< UserDTO > GetCurrentUser ()`

- `async Task< UserDTO > GetUserByEmail (string email)`
Returns the current user, the back end determines this through the token
- `async Task< bool > EditUser (UserVO user)`
Edits a user by passing a user object
- `async Task< bool > AddAddress (string email, AddressVO address)`
Adds an address to a user by passing an AddressVO object and an email
- `async Task< bool > UpdateAddress (string email, AddressVO address)`
Updates an address to a user by passing an AddressVO object and an email
- `async Task< bool > RemoveAddress (string email, string addressId)`
Removes an address to a user by passing an Address id object and an email
- `async Task< PageOfItems > GetFavoritesByEmail (string email, long pageNumber=0, long size=9)`
Returns a page of items by passing an email, this page of items represents the users favorites
- `async Task< bool > AddFavorite (string email, string itemId)`
Adds an item to a users favorites by passing an email and item id
- `async Task< bool > RemoveFavorite (string email, string itemId)`
Removes an item to a users favorites by passing an email and item id
- `async Task< List< string > > GetAllCountries ()`
Returns a list of strings, each string should be a country
- `async Task< List< StateCountry > > FindRegionsByCountry (string country)`
Returns a list of StateCountry object based on country

Public Attributes

- `string googleApiKey = "AlzaSyBXhC0GFJXFH9KATR8cNMGp9kqYohryOEU"`

Properties

- `string Token [get, set]`

6.5.1 Detailed Description

The `APIController` class contains all the methods for interfacing with the back end api.

6.5.2 Constructor & Destructor Documentation

6.5.2.1 APIController() [1/2]

```
Potluck.Web.Controllers.APIController.APIController ( )
```

6.5.2.2 ApiController() [2/2]

```
Potluck.Web.Controllers.APIControllerApiController (
    string token )
```

6.5.3 Member Function Documentation

6.5.3.1 AddAddress()

```
async Task<bool> Potluck.Web.Controllers.APIController.AddAddress (
    string email,
    AddressVO address )
```

Adds an address to a user by passing an AddressVO object and an email


Parameters

<i>email</i>	String
<i>address</i>	AddressVO

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.2 AddCustomToItem()

```
async Task<bool> Potluck.Web.Controllers.APIController.AddCustomToItem (
    string itemId,
    string customId )
```

Adds a custom object to an item object by passing item id and custom id


Parameters

<i>itemId</i>	String
<i>customId</i>	String

Returns

Bool indicating success or failure

Here is the caller graph for this function:

**6.5.3.3 AddFavorite()**

```
async Task<bool> Potluck.Web.Controllers.APIController.AddFavorite (
    string email,
    string itemId )
```

Adds an item to a users favorites by passing an email and item id


Parameters

<i>email</i>	String
<i>itemId</i>	String

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.4 AddItemToCustom()

```
async Task<bool> Potluck.Web.Controllers.APIController.AddItemToCustom (
    string customId,
    string itemId )
```

Adds an item to the specified custom


Parameters

<i>customId</i>	String
<i>itemId</i>	String

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.5 AddOrderItemToOrder()

```
async Task<bool> Potluck.Web.Controllers.APIController.AddOrderItemToOrder (
    string orderId,
    OrdersItemVO ordersItem )
```

Adds an item to an order by passing an orderid and an OrdersItemVO


Parameters

<i>orderId</i>	String
<i>ordersItem</i>	OrdersItemVO

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.6 ChangeOrderStatus()

```
async Task<bool> Potluck.Web.Controllers.APIController.ChangeOrderStatus (
    string orderId,
    string newStatus )
```

Changes order status by passing order id and status


Parameters

<i>orderId</i>	String
<i>newStatus</i>	String

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.7 CreateCategory()

```
async Task<bool> Potluck.Web.Controllers.APIController.CreateCategory ( Category category )
```

Passes CategoryVO object to back end for creation


Parameters

<i>category</i>	Category
-----------------	----------

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.8 CreateCustom()

```
async Task<string> Potluck.Web.Controllers.APIController.CreateCustom (   
    CustomVO custom )
```

Creates a new custom by passing a CustomVO to backend, returns a string id to new custom


Parameters

<i>custom</i>	CustomVO
---------------	----------

Returns

String

Here is the caller graph for this function:



6.5.3.9 CreateDelivery()

```
async Task<string> Potluck.Web.Controllers.APIController.CreateDelivery ( DeliveryVO delivery )
```

Creates delivery object in back end by passing DeliveryVO


Parameters

<i>delivery</i>	DeliveryVO
-----------------	------------

Returns

String

Here is the caller graph for this function:



6.5.3.10 CreateItem()

```
async Task<string> Potluck.Web.Controllers.APIController.CreateItem (
    ItemVO item )
```

Creates item object in back end by passing ItemVO

Parameters

<i>item</i>	ItemVO
-------------	--------

Returns

String

Here is the caller graph for this function:



6.5.3.11 CreateOrder()

```
async Task<string> Potluck.Web.Controllers.APIController.CreateOrder (
    OrderVO order )
```

Creates an order by passing OrderVO


Parameters

<i>order</i>	OrderVO
--------------	---------

Returns

String

Here is the caller graph for this function:



6.5.3.12 CreateReview()

```
async Task<bool> Potluck.Web.Controllers.APIController.CreateReview ( ReviewVO review )
```

Creates a review by passing ReviewVO

Parameters

review	ReviewVO
--------	----------

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.13 CreateSchedule()

```
async Task<string> Potluck.Web.Controllers.APIController.CreateSchedule (   
    ScheduleVO schedule )
```

Creates a sechedule by passing a ScheduleVO


Parameters

<i>schedule</i>	ScheduleVO
-----------------	------------

Returns

String

Here is the caller graph for this function:



6.5.3.14 CreateStateCountry()

```
async Task<bool> Potluck.Web.Controllers.APIController.CreateStateCountry (   
    StateCountry stateCountry )
```

Passes StateCountry object to back end for creation


Parameters

<i>stateCountry</i>	StateCountry
---------------------	--------------

Returns

Bool indicating success or failure

Here is the caller graph for this function:

**6.5.3.15 DeleteCategory()**

```
async Task<bool> Potluck.Web.Controllers.APIController.DeleteCategory (\n    string categoryId )
```

Delete a category in the back end


Parameters

<i>category</i>	←	String
<i>Id</i>		

Returns

Bool indicating success or failure

Here is the caller graph for this function:

**6.5.3.16 DeleteCustom()**

```
async Task<bool> Potluck.Web.Controllers.APIController.DeleteCustom (\n    string customId )
```

Deletes a custom from the back end by id


Parameters

<i>custom</i> ← <i>Id</i>	String
------------------------------	--------

Returns

Bool indicating success or failure

Here is the caller graph for this function:

**6.5.3.17 DeleteDelivery()**

```
async Task<bool> Potluck.Web.Controllers.APIController.DeleteDelivery ( string deliveryId )
```

Delete delivery object from back end by id


Parameters

<i>delivery</i> ← <i>Id</i>	String
--------------------------------	--------

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.18 DeleteItem()

```
async Task<bool> Potluck.Web.Controllers.APIController.DeleteItem (
    string itemId )
```

Deletes item by passing item id

Parameters

<i>item</i> ↪	String
<i>Id</i>	

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.19 DeleteOrder()

```
async Task<bool> Potluck.Web.Controllers.APIController.DeleteOrder (
    string orderId )
```

Deletes an order by passing order id

Parameters

<i>order</i> ↪	String
<i>Id</i>	

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.20 DeleteReview()

```
async Task<bool> Potluck.Web.Controllers.APIController.DeleteReview (
    string reviewId )
```

Deletes a review by passing review id

Parameters

<i>review</i> Id	String
---------------------	--------

Returns

Bool indicating success or failure

6.5.3.21 DeleteSchedule()

```
async Task<bool> Potluck.Web.Controllers.APIController.DeleteSchedule (
    string scheduleId )
```

Deletes a schedule by passing schedule id


Parameters

<i>schedule</i> Id	String
-----------------------	--------

Returns

Bool indicating success or failure

Here is the caller graph for this function:

**6.5.3.22 DeleteStateCountry()**

```
async Task<bool> Potluck.Web.Controllers.APIController.DeleteStateCountry ( string stateCountryId )
```

Deletes a StateCountry from back end


Parameters

state← CountryId	String
---------------------	--------

Returns

Bool indicating success or failure

Here is the caller graph for this function:

**6.5.3.23 EditUser()**

```
async Task<bool> Potluck.Web.Controllers.APIController.EditUser ( UserVO user )
```

Edits a user by passing a user object


Parameters

<i>user</i>	UserDTO
-------------	---------

Returns

Bool indicating success or failure

Here is the caller graph for this function:

**6.5.3.24 FindRegionsByCountry()**

```
async Task<List<StateCountry>> Potluck.Web.Controllers.APIController.FindRegionsByCountry (\n    string country )
```

Returns a list of StateCountry object based on country

Parameters

<i>country</i>	String
----------------	--------

Returns

List<StateCountry>

Here is the caller graph for this function:



6.5.3.25 ForgotPassword()

```
async Task<bool> Potluck.Web.Controllers.APIController.ForgotPassword (
    string email )
```

6.5.3.26 GetAllCategories()


```
async Task<List<Category>> Potluck.Web.Controllers.APIController.GetAllCategories ( )
```

Returns all Categories

Returns

List<Category>

Here is the caller graph for this function:



6.5.3.27 GetAllCountries()


```
async Task<List<string>> Potluck.Web.Controllers.APIController.GetAllCountries ( )
```

Returns a list of strings, each string should be a country

Returns

```
List<string>
```

Here is the caller graph for this function:

**6.5.3.28 GetAllCustoms()**

```
async Task<PageOfCustoms> Potluck.Web.Controllers.APIController.GetAllCustoms (
    long pageNumber = 0,
    long size = 8 )
```

Returns all of a users customs as a page from the back end


Parameters

<i>pageNumber</i>	Long
<i>size</i>	Long

Returns

```
PageOfCustoms
```

Here is the caller graph for this function:



6.5.3.29 GetAllDeliveriesByEmail()

```
async Task<PageOfDeliveries> Potluck.Web.Controllers.APIController.GetAllDeliveriesByEmail ( string email )
```

Returns a page of delivery objects based on the user email


Parameters

<i>email</i>	String
--------------	--------

Returns

PageOfDeliveries

Here is the caller graph for this function:



6.5.3.30 GetAllReviewsByEmail()

```
async Task<PageOfReviews> Potluck.Web.Controllers.APIController.GetAllReviewsByEmail ( string email )
```

Returns reviews by passing an email


Parameters

<i>email</i>	String
--------------	--------

Returns

PageOfReviews

Here is the caller graph for this function:



6.5.3.31 GetAllSchedulesByEmail()

```
async Task<PageOfSchedules> Potluck.Web.Controllers.APIController.GetAllSchedulesByEmail ( string email )
```

Returns all of a sellers schedules as a page by passing an email


Parameters

<i>email</i>	String
--------------	--------

Returns

PageOfSchedules

Here is the caller graph for this function:



6.5.3.32 GetCategoryById()

```
async Task<Category> Potluck.Web.Controllers.APIController.GetCategoryById (   
    string categoryId )
```

Returns a category object when passed a categoryId string

Parameters

<i>category</i> ↪	String
<i>Id</i>	

Returns

Returns a category object

6.5.3.33 GetCoords()

```
async Task<GoogleGeo> Potluck.Web.Controllers.APIController.GetCoords (
    string address )
```

Returns a google geocode object Used for the conversion of addresses to gps co-ordinates


Parameters

<i>address</i>	String
----------------	--------

Returns

GoogleGeo Object

Here is the caller graph for this function:

**6.5.3.34 GetCurrentUser()**


```
async Task<UserDTO> Potluck.Web.Controllers.APIController.GetCurrentUser ( )
```

Returns the current user, the back end determines this through the token

Returns

UserDTO

Here is the caller graph for this function:



6.5.3.35 GetCustomById()

```
async Task<CustomDTO> Potluck.Web.Controllers.APIController.GetCustomById (
    string customId )
```

Returns CustomDTO from backend when provided with a string id


Parameters

<i>customId</i>	String
-----------------	--------

Returns

CustomDTO

Here is the caller graph for this function:



6.5.3.36 GetDeliveryById()

```
async Task<DeliveryDTO> Potluck.Web.Controllers.APIController.GetDeliveryById (
    string deliveryId )
```

Returns Delivery object from back end by id

Parameters

<i>deliveryId</i>	String
-------------------	--------

Returns

DeliveryDTO

6.5.3.37 GetFavoritesByEmail()

```
async Task<PageOfItems> Potluck.Web.Controllers.APIController.GetFavoritesByEmail (
    string email,
    long pageNumber = 0,
    long size = 9 )
```

Returns a page of items by passing an email, this page of items represents the users favorites


Parameters

<i>email</i>	String
<i>pageNumber</i>	Long
<i>size</i>	Long

Returns

PageOfItems

Here is the caller graph for this function:

**6.5.3.38 GetGeoFence()**

```
async Task<List<UserDTO>> Potluck.Web.Controllers.APIController.GetGeoFence (
    string addressId,
    string maxKmDistance )
```


Returns a list of users based on a location and maximum distance radius

Parameters

<i>addressId</i>	String
<i>maxKmDistance</i>	String

Returns`List<UserDTO>`

Here is the caller graph for this function:

**6.5.3.39 GetItemById()**

```
async Task<ItemDTO> Potluck.Web.Controllers.APIController.GetItemById (
    string itemId )
```

Returns ItemDTO object from back end by passing id


Parameters

<i>item← Id</i>	String
---------------------	--------

Returns

ItemDTO

Here is the caller graph for this function:

**6.5.3.40 GetMenuBySearch()**

```

async Task<PageOfItems> Potluck.Web.Controllers.APIController.GetMenuBySearch (
    string search,
    double latitude,
    double longitude,
    long pageNumber = 0,
    string time = "00:00" )
  
```

Returns search results based on search term, location, and local time


Parameters

<i>search</i>	String
<i>latitude</i>	String
<i>longitude</i>	String
<i>pageNumber</i>	Long
<i>time</i>	String

Returns

PageOfItems

Here is the caller graph for this function:



6.5.3.41 GetMenuByUserId()

```
async Task<PageOfItems> Potluck.Web.Controllers.APIController.GetMenuByUserId (
    string userId,
    long pageNumber = 0,
    long size = 8 )
```

Returns all of a users items as a page by passing userID


Parameters

<code>userId</code>	String
<code>pageNumber</code>	Long
<code>size</code>	Long

Returns

```
PageOfItems
```

Here is the caller graph for this function:

**6.5.3.42 GetOrderById()**

```
async Task<OrderDTO> Potluck.Web.Controllers.APIController.GetOrderById (
    string orderId )
```

Returns an item by passing item id


Parameters

<i>order</i> <i>Id</i>	String
---------------------------	--------

Returns

OrderDTO

Here is the caller graph for this function:

**6.5.3.43 GetOrdersOfBuyer()**

```

async Task<PageOfOrders> Potluck.Web.Controllers.APIController.GetOrdersOfBuyer (
    string status = "OPENED",
    long pageNumber = 0,
    long pageSize = 8 )
  
```


Returns a page of orders from the buyers perspective

Parameters

<i>status</i>	String
<i>pageNumber</i>	Long
<i>pageSize</i>	Long

Returns`PageOfOrders`

Here is the caller graph for this function:



6.5.3.44 GetOrdersOfSeller()

```
async Task<PageOfOrders> Potluck.Web.Controllers.APIController.GetOrdersOfSeller ( string status = "OPENED", long pageNumber = 0, long pageSize = 8 )
```

Returns a page of orders from the sellers perspective


Parameters

<code>status</code>	String
<code>pageNumber</code>	Long
<code>pageSize</code>	Long

Returns

PageOfOrders

Here is the caller graph for this function:

**6.5.3.45 GetReviewById()**

```
async Task<ReviewDTO> Potluck.Web.Controllers.APIController.GetReviewById (
    string reviewId )
```

Returns a ReviewDTO by passing review id

Parameters

<i>reviewId</i>	String
<i>Id</i>	

Returns

ReviewDTO

6.5.3.46 GetScheduleById()

```
async Task<ScheduleDTO> Potluck.Web.Controllers.APIController.GetScheduleById (
    string scheduleId )
```

Returns a schedule by passing schedule id


Parameters

<i>schedule←</i>	String
<i>Id</i>	

Returns

ScheduleDTO

Here is the caller graph for this function:



6.5.3.47 GetStateCountryById()

```
async Task<StateCountry> Potluck.Web.Controllers.APIController.GetStateCountryById (
    string stateCountryId )
```

Retrieves StateCountry object from back end by passing id string


Parameters

<i>state←</i>	String
<i>CountryId</i>	

Returns

StateCountry object

Here is the caller graph for this function:



6.5.3.48 GetUserByEmail()

```
async Task<UserDTO> Potluck.Web.Controllers.APIController.GetUserByEmail (\n    string email )
```

Returns the user passing an email


Parameters

<i>email</i>	String
--------------	--------

Returns

UserDTO

Here is the caller graph for this function:



6.5.3.49 ItemEnableSwitch()

```
async Task<bool> Potluck.Web.Controllers.APIController.ItemEnableSwitch (
    string itemId )
```

Allows a seller to toggle the availability of an item by passing the item id


Parameters

<i>item</i> ↵	String
<i>Id</i>	

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.50 LoginUser()

```
async Task<string> Potluck.Web.Controllers.APIController.LoginUser (
    LoginRequest login )
```

Sends login details to back end for traditional login


Parameters

<i>login</i>	LoginRequest
--------------	--------------

Returns

Auth token string

Here is the caller graph for this function:



6.5.3.51 RemoveAddress()

```
async Task<bool> Potluck.Web.Controllers.APIController.RemoveAddress (
    string email,
    string addressId )
```

Removes an address to a user by passing an Address id object and an email


Parameters

<i>email</i>	String
<i>addressId</i>	String

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.52 RemoveCustomFromItem()

```
async Task<bool> Potluck.Web.Controllers.APIController.RemoveCustomFromItem (
    string itemId,
    string customId )
```

Removes a custom object from an item object by passing item id and custom id


Parameters

<i>itemId</i>	String
<i>customId</i>	String

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.53 RemoveFavorite()

```
async Task<bool> Potluck.Web.Controllers.APIController.RemoveFavorite (
    string email,
    string itemId )
```

Removes an item to a users favorites by passing an email and item id


Parameters

<i>email</i>	String
<i>itemId</i>	String

Returns

Bool indicating success or failure

Here is the caller graph for this function:

**6.5.3.54 RemoveItemFromCustom()**

```
async Task<bool> Potluck.Web.Controllers.APIController.RemoveItemFromCustom (\n    string customId,\n    string itemId )
```

Removes an item from the specified custom


Parameters

<i>customId</i>	
<i>Id</i>	
<i>itemId</i>	

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.55 RemoveItemFromOrder()

```
async Task<bool> Potluck.Web.Controllers.APIController.RemoveItemFromOrder (
    string orderId,
    string itemId )
```


Parameters

<i>orderId</i>	String
<i>itemId</i>	String

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.56 RemoveOrderItemFromOrder()

```
async Task<bool> Potluck.Web.Controllers.APIController.RemoveOrderItemFromOrder (
    string orderId,
    string orderItemId )
```

Removes an item from an order by passing the order id and orderitem id


Parameters

<i>orderId</i>	String
<i>orderItemId</i>	String

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.57 SignUpUser()

```
async Task<bool> Potluck.Web.Controllers.APIController.SignUpUser (
    SignUpRequest signUp )
```

Sends traditional signup data to back end


Parameters

signUp	SignUpRequest
--------	---------------

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.58 UpdateAddress()

```
async Task<bool> Potluck.Web.Controllers.APIController.UpdateAddress (
    string email,
    AddressVO address )
```

Updates an address to a user by passing an AddressVO object and an email


Parameters

<i>email</i>	String
<i>address</i>	AddressVO

Returns

Bool indicating success or failure

Here is the caller graph for this function:

**6.5.3.59 UpdateCategory()**

```
async Task<bool> Potluck.Web.Controllers.APIController.UpdateCategory (\n    Category category )
```

Passes a CategoryVO to back end for update


Parameters

<i>category</i>	Category
-----------------	----------

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.60 UpdateCustom()

```
async Task<bool> Potluck.Web.Controllers.APIController.UpdateCustom (
    CustomVO custom )
```

Passes CustomVO to be updated to back end


Parameters

<i>custom</i>	CustomVO
---------------	----------

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.61 UpdateDelivery()

```
async Task<bool> Potluck.Web.Controllers.APIController.UpdateDelivery (
    DeliveryVO delivery )
```

Updates delivery object by passing DeliveryVO


Parameters

<i>delivery</i>	DeliveryVO
-----------------	------------

Returns

Bool indicating success or failure

Here is the caller graph for this function:

**6.5.3.62 UpdateItem()**

```
async Task<string> Potluck.Web.Controllers.APIController.UpdateItem ( ItemVO item )
```

Updates an item by passing an ItemVO


Parameters

<i>item</i>	ItemVO
-------------	--------

Returns

String

Here is the caller graph for this function:

**6.5.3.63 UpdateOrder()**

```
async Task<string> Potluck.Web.Controllers.APIController.UpdateOrder ( OrderVO order )
```

Updates an order by passing OrderVO


Parameters

<code>order</code>	OrderVO
--------------------	---------

Returns

String

Here is the caller graph for this function:

**6.5.3.64 UpdateReview()**

```
async Task<bool> Potluck.Web.Controllers.APIController.UpdateReview (
    ReviewVO review )
```

Updates review by passing ReviewVO

Parameters

<code>review</code>	ReviewVO
---------------------	----------

Returns

Bool indicating success or failure

6.5.3.65 UpdateSchedule()

```
async Task<bool> Potluck.Web.Controllers.APIController.UpdateSchedule (
    ScheduleVO schedule )
```

Updates a schedule by passing a ScheduleVO


Parameters

<i>schedule</i>	ScheduleVO
-----------------	------------

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.3.66 UpdateStateCountry()

```
async Task<bool> Potluck.Web.Controllers.APIController.UpdateStateCountry ( StateCountry stateCountry )
```

Updates StateCountry by passing StateCountry to back end


Parameters

<i>stateCountry</i>	StateCountry
---------------------	--------------

Returns

Bool indicating success or failure

Here is the caller graph for this function:



6.5.4 Member Data Documentation

6.5.4.1 googleApiKey

```
string Potluck.Web.Controllers.APIController.googleApiKey = "AIzaSyBXhC0GFJXFH9KATR8cNMGp9kq←\nYohryOEU"
```

6.5.5 Property Documentation

6.5.5.1 Token


```
string Potluck.Web.Controllers.APIController.Token [get], [set]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/APIController.cs

6.6 AspNetCore.Areas_Identity_Pages__ViewStart Class Reference

Inheritance diagram for AspNetCore.Areas_Identity_Pages__ViewStart:



Collaboration diagram for AspNetCore.Areas_Identity_Pages__ViewStart:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- | | |
|---|--------------------------------------|
| • <code>global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider</code> | <code>ModelExpressionProvider</code> |
| <code>[get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.IUrlHelper</code> | <code>Url</code> |
| <code>[get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.IViewComponentHelper</code> | <code>Component</code> |
| <code>[get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper</code> | <code>Json</code> |
| <code>[get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic></code> | <code>Html</code> |
| <code>[get]</code> | |

6.6.1 Member Function Documentation

6.6.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Areas_Identity_Pages__ViewStart.ExecuteAsync ( )
```

6.6.2 Property Documentation

6.6.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Areas_Identity_Pages__ViewStart.Component [get]
```

6.6.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Areas_Identity_Pages__ViewStart.Html [get]
```

6.6.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Areas_Identity_Pages__ViewStart.Json [get]
```

6.6.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Areas_Identity_Pages__ViewStart.ModelExpressionProvider [get]
```

6.6.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Areas_Identity_Pages__ViewStart.Url  
[get]
```


The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Areas/Identity/Pages/_ViewStart.cshtml.g.cs


6.7 Potluck.Web.Controllers.BuyerItemController Class Reference

[BuyerItemController](#) Contains all the methods for buyers to browse and search for items

Inheritance diagram for Potluck.Web.Controllers.BuyerItemController:



Collaboration diagram for Potluck.Web.Controllers.BuyerItemController:



Public Member Functions

- override void [OnActionExecuting](#) (ActionExecutingContext filterContext)
- void [GetTokenFromSessionUser](#) ()
- async Task [PreLoadViewBag](#) ()
- IActionResult [Index](#) ()
- async Task< IActionResult > [ShowSearch](#) (string searchVal, string time="00:00")
Returns the search view with results after a search action is performed
- async Task< IActionResult > [ShowSearchPageByNumber](#) (string searchVal, long pageNumber)
Will adjust view to the selected page of the current search
- async Task< IActionResult > [ShowMenu](#) (string userId)
Returns a seller menu view based on user id
- async Task< IActionResult > [ShowMenuPageByNumber](#) (string userId, long pageNumber)
Will adjust view to the selected page of the current seller menu
- async Task< IActionResult > [ShowItemDetails](#) (string itemId)
Will return view with item details

6.7.1 Detailed Description


[BuyerItemController](#) Contains all the methods for buyers to browse and search for items

6.7.2 Member Function Documentation

6.7.2.1 [GetTokenFromSessionUser\(\)](#)

```
void Potluck.Web.Controllers.BuyerItemController.GetTokenFromSessionUser ( )
```

Here is the caller graph for this function:




6.7.2.2 [Index\(\)](#)

```
IActionResult Potluck.Web.Controllers.BuyerItemController.Index ( )
```

6.7.2.3 OnActionExecuting()

```
override void Potluck.Web.Controllers.BuyerItemController.OnActionExecuting (
    ActionExecutingContext filterContext )
```

Here is the call graph for this function:




6.7.2.4 PreLoadViewBag()

```
async Task Potluck.Web.Controllers.BuyerItemController.PreLoadViewBag ()
```

Here is the call graph for this function:



Here is the caller graph for this function:



6.7.2.5 ShowItemDetails()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerItemController.ShowItemDetails (
    string itemId )
```

Will return view with item details


Parameters

<i>item</i> ↪	String
<i>Id</i>	

Returns

```
View("ItemDetails", itemResponse)
```

Here is the call graph for this function:

**6.7.2.6 ShowMenu()**

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerItemController.ShowMenu (
    string userId )
```

Returns a seller menu view based on user id


Parameters

<i>user</i> ↪	String
<i>Id</i>	

Returns

```
View("Menu", pageOfItems)
```

Here is the call graph for this function:



6.7.2.7 ShowMenuPageByNumber()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerItemController.ShowMenuPageByNumber (
    string userId,
    long pageNumber )
```

Will adjust view to the selected page of the current seller menu


Parameters

<i>userId</i>	String
<i>pageNumber</i>	Long

Returns

View("Menu", pageOfItems)

Here is the call graph for this function:



6.7.2.8 ShowSearch()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerItemController.ShowSearch (
    string searchVal,
    string time = "00:00" )
```

Returns the search view with results after a search action is performed


Parameters

<i>searchVal</i>	String
<i>time</i>	String

Returns

```
View("Search", pageOfItems)
```

Here is the call graph for this function:

**6.7.2.9 ShowSearchPageByNumber()**

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerItemController.ShowSearchPageByNumber (
    string searchVal,
    long pageNumber )
```

Will adjust view to the selected page of the current search


Parameters

<i>searchVal</i>	String
<i>pageNumber</i>	Long

Returns

```
View("Search", pageOfItems)
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/[BuyerItemController.cs](#)


6.8 Potluck.Web.Controllers.BuyerOrderController Class Reference

[BuyerOrderController](#) handles orders from the buyers perspective

Inheritance diagram for Potluck.Web.Controllers.BuyerOrderController:



Collaboration diagram for Potluck.Web.Controllers.BuyerOrderController:



Public Member Functions

- override void [OnActionExecuting](#) (ActionExecutingContext filterContext)
- void [GetTokenFromSessionUser](#) ()
- void [PreLoadViewBag](#) ()
- [OrderVO GetSessionOrder](#) ()
- void [CreateSessionOrder](#) ()
- async Task< IActionResult > [AddItemToOrder](#) (string json)
Adds an item to an order
- async Task< IActionResult > [NewOrder](#) (string itemId)
Creates a new order
- IActionResult [Index](#) ()
Returns a view with all orders
- async Task< string > [CreateOrder](#) (OrderVO order=null)

- Creates a new order*
- `async Task< IActionResult > GetPageOfOrders (string status="OPENED", long page=0, long size=9)`
Returns a view that displays a page of orders
 - `async Task< IActionResult > ShowOrder (string orderId, string status)`
Returns a view displaying an order
 - `async Task< IActionResult > GetMostRecentOpenOrder ()`
Returns the most recent order
 - `async Task< IActionResult > GetClosedOrders ()`
Returns a view with closed orders
 - `async Task< IActionResult > GetCancelledOrders ()`
Returns a view with cancelled orders
 - `async Task< IActionResult > ShowCheckout (string orderId)`
Returns a view where the buyers can checkout
 - `async Task< IActionResult > RemoveItemFromOrder (string orderId, string ordersItemId)`
Removes an item from an order
 - `async Task< IActionResult > CancelOrder (string orderId)`
Cancels an order
 - `async Task< OrderDTO > UpdateOrder (OrderVO order)`
Updates an order

6.8.1 Detailed Description

[BuyerOrderController](#) handles orders from the buyers perspective

6.8.2 Member Function Documentation

6.8.2.1 AddItemToOrder()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerOrderController.AddItemToOrder (
    string json )
```


Adds an item to an order

Parameters

<code>json</code>	String
-------------------	--------

Returns

Here is the call graph for this function:



6.8.2.2 CancelOrder()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerOrderController.CancelOrder (
    string orderId )
```

Cancels an order


Parameters

<i>orderId</i>	String
----------------	--------

Returns

```
RedirectToAction("GetPageOfOrders")
```

Here is the call graph for this function:



6.8.2.3 CreateOrder()

```
async Task<string> Potluck.Web.Controllers.BuyerOrderController.CreateOrder ( OrderVO order = null )
```

Creates a new order


Parameters

order	OrderVO
-------	---------

Returns

String

Here is the call graph for this function:



6.8.2.4 CreateSessionOrder()

```
void Potluck.Web.Controllers.BuyerOrderController.CreateSessionOrder ( )
```

Here is the caller graph for this function:




6.8.2.5 GetCancelledOrders()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerOrderController.GetCancelledOrders ( )
```

returns a view with cancelled orders

Returns

Here is the call graph for this function:




6.8.2.6 GetClosedOrders()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerOrderController.GetClosedOrders ( )
```

Returns a view with closed orders

Returns

Here is the call graph for this function:




6.8.2.7 GetMostRecentOpenOrder()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerOrderController.GetMostRecentOpenOrder()
()
```

Returns the most recent order

Returns

Here is the call graph for this function:



6.8.2.8 GetPageOfOrders()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerOrderController.GetPageOfOrders (
    string status = "OPENED",
    long page = 0,
    long size = 9 )
```


Returns a view that displays a page of orders

Parameters

<i>status</i>	String
<i>page</i>	Long
<i>size</i>	Long


Returns

Here is the call graph for this function:

**6.8.2.9 GetSessionOrder()**


```
OrderVO Potluck.Web.Controllers.BuyerOrderController.GetSessionOrder ()
```

Here is the call graph for this function:

**6.8.2.10 GetTokenFromSessionUser()**

```
void Potluck.Web.Controllers.BuyerOrderController.GetTokenFromSessionUser ()
```

Here is the caller graph for this function:



6.8.2.11 Index()

```
IActionResult Potluck.Web.Controllers.BuyerOrderController.Index ( )
```

Returns a view with all orders

Returns

6.8.2.12 NewOrder()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerOrderController.NewOrder ( string itemId )
```

Creates a new order

Parameters

<i>item</i> ↞	String
<i>Id</i>	

Returns


Here is the call graph for this function:



6.8.2.13 OnActionExecuting()

```
override void Potluck.Web.Controllers.BuyerOrderController.OnActionExecuting ( ActionExecutingContext filterContext )
```


Here is the call graph for this function:



6.8.2.14 PreLoadViewBag()

```
void Potluck.Web.Controllers.BuyerOrderController.PreLoadViewBag ( )
```

Here is the caller graph for this function:



6.8.2.15 RemoveItemFromOrder()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerOrderController.RemoveItemFromOrder (
    string orderId,
    string ordersItemsId )
```

REmoves an item from an order


Parameters

<i>orderId</i>	String
<i>ordersItemsId</i>	String

Returns

```
View("OrderDetails", orderResponse)
```

Here is the call graph for this function:

**6.8.2.16 ShowCheckout()**

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerOrderController.ShowCheckout (
    string orderId )
```

Returns a view where the buyers can checkout

Parameters

<i>order</i> ↱	String
<i>Id</i>	

Returns

```
View("Checkout", orderResponse)
```

Here is the call graph for this function:



6.8.2.17 ShowOrder()

```
async Task<IActionResult> Potluck.Web.Controllers.BuyerOrderController.ShowOrder (
    string orderId,
    string status )
```


Returns a view displaying an order

Parameters

<i>order</i> ↪	String
<i>Id</i>	
<i>status</i>	String

Returns

Here is the call graph for this function:



6.8.2.18 UpdateOrder()

```
async Task<OrderDTO> Potluck.Web.Controllers.BuyerOrderController.UpdateOrder (
    OrderVO order )
```

Updates an order


Parameters

<i>order</i>	OrderVO
--------------	---------

Returns

OrderDTO

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/[BuyerOrderController.cs](#)

6.9 Potluck.Web.Models.Category Class Reference

Public Member Functions

- [Category \(\)](#)
Default constructor
- [Category \(string id, string name\)](#)

Properties

- string [id](#) [get, set]
- string [name](#) [get, set]

6.9.1 Detailed Description

6.9.2 Constructor & Destructor Documentation

6.9.2.1 Category() [1/2]

Potluck.Web.Models.Category.Category ()

Default constructor

6.9.2.2 Category() [2/2]

```
Potluck.Web.Models.Category.Category (
    string id,
    string name )
```

Parameters

<i>id</i>	String
<i>name</i>	String

6.9.3 Property Documentation

6.9.3.1 **id**

```
string Potluck.Web.Models.Category.id [get], [set]
```

6.9.3.2 **name**


```
string Potluck.Web.Models.Category.name [get], [set]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/[Category.cs](#)

6.10 Potluck.Web.Controllers.ChatController Class Reference

Inheritance diagram for Potluck.Web.Controllers.ChatController:



Collaboration diagram for Potluck.Web.Controllers.ChatController:



Public Member Functions

- IActionResult [Index \(\)](#)
- IActionResult [Index \(string username\)](#)

6.10.1 Member Function Documentation

6.10.1.1 [Index\(\) \[1/2\]](#)

```
IActionResult Potluck.Web.Controllers.ChatController.Index ( )
```

6.10.1.2 [Index\(\) \[2/2\]](#)

```
IActionResult Potluck.Web.Controllers.ChatController.Index ( string username )
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/[ChatController.cs](#)

6.11 Potluck.Web.Middleware.ChatWebSocketMiddleware Class Reference

Public Member Functions

- [ChatWebSocketMiddleware \(RequestDelegate next\)](#)
- async Task [Invoke \(HttpContext context\)](#)

6.11.1 Constructor & Destructor Documentation

6.11.1.1 ChatWebSocketMiddleware()

```
Potluck.Web.Middleware.ChatWebSocketMiddleware.ChatWebSocketMiddleware (   
    RequestDelegate next )
```

6.11.2 Member Function Documentation

6.11.2.1 Invoke()

```
async Task Potluck.Web.Middleware.ChatWebSocketMiddleware.Invoke (   
    HttpContext context )
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Middleware/[ChatWebSocketMiddleware.cs](#)

6.12 Potluck.Web.Models.CustomDTO Class Reference

Custom Data Transfer Object

Public Member Functions

- [CustomDTO \(\)](#)
Default constructor
- [CustomDTO \(CustomDTO custom\)](#)

Properties

- string [customId](#) [get, set]
- string [customTitle](#) [get, set]
- string [customType](#) [get, set]
- string [dateTimeCreated](#) [get, set]
- string [dateTimeModified](#) [get, set]
- List<[SubItemDTO](#)> [subItems](#) [get, set]

6.12.1 Detailed Description

Custom Data Transfer Object

6.12.2 Constructor & Destructor Documentation

6.12.2.1 CustomDTO() [1/2]

```
Potluck.Web.Models.CustomDTO.CustomDTO ( )
```

Default constructor

6.12.2.2 CustomDTO() [2/2]

```
Potluck.Web.Models.CustomDTO.CustomDTO (
    CustomDTO custom )
```

Parameters

<i>custom</i>	CustomDTO
---------------	-----------

6.12.3 Property Documentation

6.12.3.1 customId

```
string Potluck.Web.Models.CustomDTO.customId [get], [set]
```

6.12.3.2 customTitle

```
string Potluck.Web.Models.CustomDTO.customTitle [get], [set]
```

6.12.3.3 customType

```
string Potluck.Web.Models.CustomDTO.customType [get], [set]
```

6.12.3.4 `dateTimeCreated`

```
string Potluck.Web.Models.CustomDTO.dateTimeCreated [get], [set]
```

6.12.3.5 `dateTimeModified`

```
string Potluck.Web.Models.CustomDTO.dateTimeModified [get], [set]
```

6.12.3.6 `subItems`

```
List<SubItemDTO> Potluck.Web.Models.CustomDTO.subItems [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Custom/CustomDTO.cs

6.13 Potluck.Web.Models.CustomVO Class Reference

Public Member Functions

- `CustomVO ()`
Default constructor
- `CustomVO (CustomDTO custom)`

Properties

- string `customId` [get, set]
- string `customTitle` [get, set]
- string `customType` [get, set]
- string `dateTimeCreated` [get, set]
- string `dateTimeModified` [get, set]
- List< string > `subItems` [get, set]

6.13.1 Detailed Description

6.13.2 Constructor & Destructor Documentation

6.13.2.1 `CustomVO()` [1/2]

```
Potluck.Web.Models.CustomVO.CustomVO ( )
```

Default constructor

6.13.2.2 `CustomVO()` [2/2]

```
Potluck.Web.Models.CustomVO.CustomVO (   
    CustomDTO custom )
```

Parameters

<code>custom</code>	<code>CustomDTO</code>
---------------------	------------------------

6.13.3 Property Documentation

6.13.3.1 customId

```
string Potluck.Web.Models.CustomVO.customId [get], [set]
```

6.13.3.2 customTitle

```
string Potluck.Web.Models.CustomVO.customTitle [get], [set]
```

6.13.3.3 customType

```
string Potluck.Web.Models.CustomVO.customType [get], [set]
```

6.13.3.4 dateTimeCreated

```
string Potluck.Web.Models.CustomVO.dateTimeCreated [get], [set]
```

6.13.3.5 dateTimeModified

```
string Potluck.Web.Models.CustomVO.dateTimeModified [get], [set]
```

6.13.3.6 subItems

```
List<string> Potluck.Web.Models.CustomVO.subItems [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Custom/CustomVO.cs

6.14 Potluck.Web.Models.DeliveryDTO Class Reference

Delivery Data Transfer Object

Properties

- string `coverageKmRadius` [get, set]
- string `dateTimeCreated` [get, set]
- string `dateTimeModified` [get, set]
- string `deliveryId` [get, set]
- string `feePercentage` [get, set]
- string `name` [get, set]
- `UserDTO user` [get, set]

6.14.1 Detailed Description

Delivery Data Transfer Object

6.14.2 Property Documentation

6.14.2.1 `coverageKmRadius`

```
string Potluck.Web.Models.DeliveryDTO.coverageKmRadius [get], [set]
```

6.14.2.2 `dateTimeCreated`

```
string Potluck.Web.Models.DeliveryDTO.dateTimeCreated [get], [set]
```

6.14.2.3 `dateTimeModified`

```
string Potluck.Web.Models.DeliveryDTO.dateTimeModified [get], [set]
```

6.14.2.4 `deliveryId`

```
string Potluck.Web.Models.DeliveryDTO.deliveryId [get], [set]
```

6.14.2.5 feePercentage

```
string Potluck.Web.Models.DeliveryDTO.feePercentage [get], [set]
```

6.14.2.6 name

```
string Potluck.Web.Models.DeliveryDTO.name [get], [set]
```

6.14.2.7 user

```
UserDTO Potluck.Web.Models.DeliveryDTO.user [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Delivery/[DeliveryDTO.cs](#)

6.15 Potluck.Web.Models.DeliveryVO Class Reference

Delivery Values Object

Public Member Functions

- [DeliveryVO](#) (string [name](#), string [deliveryId](#), string [feePercentage](#), string [coverageRadius](#))

Properties

- string [coverageKmRadius](#) [get, set]
- string [deliveryId](#) [get, set]
- string [feePercentage](#) [get, set]
- string [name](#) [get, set]

6.15.1 Detailed Description

Delivery Values Object

6.15.2 Constructor & Destructor Documentation

6.15.2.1 DeliveryVO()

```
Potluck.Web.Models.DeliveryVO.DeliveryVO (
    string name,
    string deliveryId,
    string feePercentage,
    string coverageRadius )
```

Parameters

<i>name</i>	String
<i>deliveryId</i>	String
<i>feePercentage</i>	String
<i>coverageRadius</i>	String

6.15.3 Property Documentation

6.15.3.1 coverageKmRadius

```
string Potluck.Web.Models.DeliveryVO.coverageKmRadius [get], [set]
```

6.15.3.2 deliveryId

```
string Potluck.Web.Models.DeliveryVO.deliveryId [get], [set]
```

6.15.3.3 feePercentage

```
string Potluck.Web.Models.DeliveryVO.feePercentage [get], [set]
```

6.15.3.4 name

```
string Potluck.Web.Models.DeliveryVO.name [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Delivery/[DeliveryVO.cs](#)

6.16 Potluck.Web.Models.ErrorViewModel Class Reference

Public Attributes

- bool [ShowRequestId](#) => !string.IsNullOrEmpty([RequestId](#))

Properties

- string `RequestId` [get, set]

6.16.1 Member Data Documentation

6.16.1.1 ShowRequestId

```
bool Potluck.Web.Models.ErrorViewModel.ShowRequestId => !string.IsNullOrEmpty(RequestId)
```

6.16.2 Property Documentation

6.16.2.1 RequestId

```
string Potluck.Web.Models.ErrorViewModel.RequestId [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Other/ErrorViewModel.cs

6.17 Potluck.Web.Models.Geometry Class Reference

Properties

- `Location location` [get, set]
- string `location_type` [get, set]
- `Viewport viewport` [get, set]

6.17.1 Detailed Description

6.17.2 Property Documentation

6.17.2.1 location

```
Location Potluck.Web.Models.Geometry.location [get], [set]
```

6.17.2.2 location_type

```
string Potluck.Web.Models.Geometry.location_type [get], [set]
```

6.17.2.3 viewport

```
Viewport Potluck.Web.Models.Geometry.viewport [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[GoogleGeo.cs](#)

6.18 Potluck.Web.Models.GoogleGeo Class Reference

Properties

- List<[Result](#)> **results** [get, set]
- string **status** [get, set]

6.18.1 Detailed Description

6.18.2 Property Documentation

6.18.2.1 results

```
List<Result> Potluck.Web.Models.GoogleGeo.results [get], [set]
```

6.18.2.2 status

```
string Potluck.Web.Models.GoogleGeo.status [get], [set]
```


The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[GoogleGeo.cs](#)


6.19 Potluck.Web.Controllers.HomeController Class Reference

[HomeController](#) handles any publicly accessible views such as the home page and login

Inheritance diagram for Potluck.Web.Controllers.HomeController:



Collaboration diagram for Potluck.Web.Controllers.HomeController:



Public Member Functions

- override void [OnActionExecuting](#) (ActionExecutingContext filterContext)
- void [PreLoadViewBag](#) ()
- IActionResult [Index](#) ()

Returns the landing page for the app
- IActionResult [ShowSignUp](#) ()

Returns the sign up view
- async Task< IActionResult > [SignUpUser](#) (SignUpRequest signUp)

Handles a sign up request and redirects to appropriate page
- async Task< IActionResult > [Login](#) ()

Handles the navigation flow when the profile icon is clicked If the user has an existing session they redirected to their profile if not they are redirected to the login screen
- async Task< IActionResult > [LoginUser](#) (LoginRequest login)

- Handles a login request and redirect to appropriate view*
- `async Task< IActionResult > Oauth2 (string token, string error)`
Very similar to LoginUser with the exception that google or facebook handles the authentication
 - `IActionResult SelectRole (string authority)`
Selects a role, if the user has more than one, that they wish to log in as
 - `IActionResult ShowTermsOfService ()`
 - `IActionResult ShowPrivacyPolicy ()`

6.19.1 Detailed Description

`HomeController` handles any publicly accessible views such as the home page and login

6.19.2 Member Function Documentation

6.19.2.1 Index()

```
IActionResult Potluck.Web.Controllers.HomeController.Index ()
```

Returns the landing page for the app

Returns


6.19.2.2 Login()

```
async Task<IActionResult> Potluck.Web.Controllers.HomeController.Login ()
```

Handles the navigation flow when the profile icon is clicked If the user has an existing session they redirected to their profile if not they are redirected to the login screen

Returns

Here is the call graph for this function:



6.19.2.3 LoginUser()

```
async Task<IActionResult> Potluck.Web.Controllers.HomeController.LoginUser (   
    LoginRequest login )
```


Handles a login request and redirect to appropriate view

Parameters

<i>login</i>	
--------------	--

Returns

Here is the call graph for this function:

**6.19.2.4 Oauth2()**

```
async Task<IActionResult> Potluck.Web.Controllers.HomeController.Oauth2 (
    string token,
    string error )
```


Very similar to `LoginUser` with the exception that google or facebook handles the authentication

Parameters

<i>token</i>	string
<i>error</i>	string

Returns

Here is the call graph for this function:

**6.19.2.5 OnActionExecuting()**


```
override void Potluck.Web.Controllers.HomeController.OnActionExecuting (
    ActionExecutingContext filterContext )
```

Here is the call graph for this function:

**6.19.2.6 PreLoadViewBag()**

```
void Potluck.Web.Controllers.HomeController.PreLoadViewBag ( )
```

Here is the caller graph for this function:



6.19.2.7 SelectRole()

```
IActionResult Potluck.Web.Controllers.HomeController.SelectRole (
    string authority )
```

Selects a role, if the user has more than one, that they wish to log in as

Parameters

<i>authority</i>	String
------------------	--------

Returns

```
RedirectToAction("Index", "Profile")
```

6.19.2.8 ShowPrivacyPolicy()

```
IActionResult Potluck.Web.Controllers.HomeController.ShowPrivacyPolicy ( )
```

6.19.2.9 ShowSignUp()

```
IActionResult Potluck.Web.Controllers.HomeController.ShowSignUp ( )
```

Returns the sign up view

Returns

6.19.2.10 ShowTermsOfService()

```
IActionResult Potluck.Web.Controllers.HomeController.ShowTermsOfService ( )
```

6.19.2.11 SignUpUser()

```
async Task<IActionResult> Potluck.Web.Controllers.HomeController.SignUpUser (
    SignUpRequest signUp )
```

Handles a sign up request and redirects to appropriate page

Parameters

<code>signUp</code>	SignUpRequest
---------------------	---------------

Returns

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/[HomeController.cs](#)

6.20 Potluck.Web.Models.ItemDTO Class Reference

Item Data Transfer Object

Properties

- string `itemId` [get, set]
- string `name` [get, set]
- string `description` [get, set]
- string `imageUrl` [get, set]
- string `calories` [get, set]
- bool `soldAlone` [get, set]
- decimal `price` [get, set]
- string `dateTimeCreated` [get, set]
- string `dateTimeModified` [get, set]
- bool `enable` [get, set]
- [UserDTO](#) `user` [get, set]
- [Category](#) `category` [get, set]
- List<[CustomDTO](#)> `customs` [get, set]

6.20.1 Detailed Description

Item Data Transfer Object

6.20.2 Property Documentation

6.20.2.1 calories

```
string Potluck.Web.Models.ItemDTO.calories [get], [set]
```

6.20.2.2 category

Category Potluck.Web.Models.ItemDTO.category [get], [set]

6.20.2.3 customs

```
List<CustomDTO> Potluck.Web.Models.ItemDTO.customs [get], [set]
```

6.20.2.4 dateTimeCreated

```
string Potluck.Web.Models.ItemDTO.dateTimeCreated [get], [set]
```

6.20.2.5 dateTimeModified

```
string Potluck.Web.Models.ItemDTO.dateTimeModified [get], [set]
```

6.20.2.6 description

```
string Potluck.Web.Models.ItemDTO.description [get], [set]
```

6.20.2.7 enable

```
bool Potluck.Web.Models.ItemDTO.enable [get], [set]
```

6.20.2.8 imageUrl

```
string Potluck.Web.Models.ItemDTO.imageUrl [get], [set]
```

6.20.2.9 itemId

```
string Potluck.Web.Models.ItemDTO.itemId [get], [set]
```

6.20.2.10 name

```
string Potluck.Web.Models.ItemDTO.name [get], [set]
```

6.20.2.11 price

```
decimal Potluck.Web.Models.ItemDTO.price [get], [set]
```

6.20.2.12 soldAlone

```
bool Potluck.Web.Models.ItemDTO.soldAlone [get], [set]
```

6.20.2.13 user

```
UserDTO Potluck.Web.Models.ItemDTO.user [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/ItemDTO.cs

6.21 Potluck.Web.Models.ItemVO Class Reference

Item Values Object

Public Member Functions

- `ItemVO()`
Default constructor
- `ItemVO(ItemDTO itemResponse)`

Properties

- string `itemId` [get, set]
- string `name` [get, set]
- string `description` [get, set]
- string `picture` [get, set]
- string `calories` [get, set]
- bool `soldAlone` [get, set]
- decimal `price` [get, set]
- string `dateTimeCreated` [get, set]
- string `dateTimeModified` [get, set]
- bool `enable` [get, set]
- string `categoryId` [get, set]

6.21.1 Detailed Description

Item Values Object

6.21.2 Constructor & Destructor Documentation

6.21.2.1 ItemVO() [1/2]

Potluck.Web.Models.ItemVO.ItemVO()

Default constructor

6.21.2.2 ItemVO() [2/2]

Potluck.Web.Models.ItemVO.ItemVO(
 ItemDTO itemResponse)

Parameters

<code>itemResponse</code>	<code>ItemDTO</code>
---------------------------	----------------------

6.21.3 Property Documentation

6.21.3.1 calories

```
string Potluck.Web.Models.ItemVO.calories [get], [set]
```

6.21.3.2 categoryId

```
string Potluck.Web.Models.ItemVO.categoryId [get], [set]
```

6.21.3.3 dateTimeCreated

```
string Potluck.Web.Models.ItemVO.dateTimeCreated [get], [set]
```

6.21.3.4 dateTimeModified

```
string Potluck.Web.Models.ItemVO.dateTimeModified [get], [set]
```

6.21.3.5 description

```
string Potluck.Web.Models.ItemVO.description [get], [set]
```

6.21.3.6 enable

```
bool Potluck.Web.Models.ItemVO.enable [get], [set]
```

6.21.3.7 itemId

```
string Potluck.Web.Models.ItemVO.itemId [get], [set]
```

6.21.3.8 name

```
string Potluck.Web.Models.ItemVO.name [get], [set]
```

6.21.3.9 picture

```
string Potluck.Web.Models.ItemVO.picture [get], [set]
```

6.21.3.10 price

```
decimal Potluck.Web.Models.ItemVO.price [get], [set]
```

6.21.3.11 soldAlone

```
bool Potluck.Web.Models.ItemVO.soldAlone [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/ItemVO.cs

6.22 Potluck.Web.Models.Location Class Reference

Properties

- double `lat` [get, set]
- double `lng` [get, set]

6.22.1 Detailed Description

6.22.2 Property Documentation

6.22.2.1 lat

```
double Potluck.Web.Models.Location.lat [get], [set]
```

6.22.2.2 `lng`

```
double Potluck.Web.Models.Location.lng [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[GoogleGeo.cs](#)

6.23 **Potluck.Web.Models.LoginRequest Class Reference**

Properties

- string `email` [get, set]
- string `password` [get, set]

6.23.1 Detailed Description

6.23.2 Property Documentation

6.23.2.1 `email`

```
string Potluck.Web.Models.LoginRequest.email [get], [set]
```

6.23.2.2 `password`

```
string Potluck.Web.Models.LoginRequest.password [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[LoginRequest.cs](#)

6.24 **Potluck.Web.Models.Northeast Class Reference**

Properties

- double `lat` [get, set]
- double `lng` [get, set]

6.24.1 Detailed Description

6.24.2 Property Documentation

6.24.2.1 lat

```
double Potluck.Web.Models.Northeast.lat [get], [set]
```

6.24.2.2 lng

```
double Potluck.Web.Models.Northeast.lng [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/GoogleGeo.cs

6.25 Potluck.Web.Models.OrderDTO Class Reference

Order Data Transfer Object

Public Member Functions

- [OrderDTO \(\)](#)
Default constructor

Properties

- [UserDTO buyer \[get, set\]](#)
- string [dateTimeCreated \[get, set\]](#)
- string [dateTimeModified \[get, set\]](#)
- string [deliveryType \[get, set\]](#)
- string [orderId \[get, set\]](#)
- string [orderStatus \[get, set\]](#)
- IList<OrdersItemDTO> [ordersItems \[get, set\]](#)
- [UserDTO seller \[get, set\]](#)
- decimal [serviceFee \[get, set\]](#)
- decimal [subTotal \[get, set\]](#)
- decimal [tax \[get, set\]](#)
- decimal [total \[get, set\]](#)

6.25.1 Detailed Description

Order Data Transfer Object

6.25.2 Constructor & Destructor Documentation

6.25.2.1 OrderDTO()

```
Potluck.Web.Models.OrderDTO.OrderDTO ( )
```

Default constructor

6.25.3 Property Documentation

6.25.3.1 buyer

```
UserDTO Potluck.Web.Models.OrderDTO.buyer [get], [set]
```

6.25.3.2 dateTimeCreated

```
string Potluck.Web.Models.OrderDTO.dateTimeCreated [get], [set]
```

6.25.3.3 dateTimeModified

```
string Potluck.Web.Models.OrderDTO.dateTimeModified [get], [set]
```

6.25.3.4 deliveryType

```
string Potluck.Web.Models.OrderDTO.deliveryType [get], [set]
```

6.25.3.5 orderId

```
string Potluck.Web.Models.OrderDTO.orderId [get], [set]
```

6.25.3.6 ordersItems

```
IList<OrdersItemDTO> Potluck.Web.Models.OrderDTO.ordersItems [get], [set]
```

6.25.3.7 orderStatus

```
string Potluck.Web.Models.OrderDTO.orderStatus [get], [set]
```

6.25.3.8 seller

```
UserDTO Potluck.Web.Models.OrderDTO.seller [get], [set]
```

6.25.3.9 serviceFee

```
decimal Potluck.Web.Models.OrderDTO.serviceFee [get], [set]
```

6.25.3.10 subTotal

```
decimal Potluck.Web.Models.OrderDTO.subTotal [get], [set]
```

6.25.3.11 tax

```
decimal Potluck.Web.Models.OrderDTO.tax [get], [set]
```

6.25.3.12 total

```
decimal Potluck.Web.Models.OrderDTO.total [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/OrderDTO.cs

6.26 Potluck.Web.Models.OrdersItemDTO Class Reference

Order Item Data Transfer Object

Properties

- `ItemVO item [get, set]`
- `IList<OrdersItemsCustomDTO> ordersItemsCustoms [get, set]`
- `string ordersItemId [get, set]`
- `decimal price [get, set]`
- `int quantity [get, set]`

6.26.1 Detailed Description

Order Item Data Transfer Object

6.26.2 Property Documentation

6.26.2.1 item

```
ItemVO Potluck.Web.Models.OrdersItemDTO.item [get], [set]
```

6.26.2.2 ordersItemsCustoms

```
IList<OrdersItemsCustomDTO> Potluck.Web.Models.OrdersItemDTO.ordersItemsCustoms [get], [set]
```

6.26.2.3 ordersItemId

```
string Potluck.Web.Models.OrdersItemDTO.ordersItemId [get], [set]
```

6.26.2.4 price

```
decimal Potluck.Web.Models.OrdersItemDTO.price [get], [set]
```

6.26.2.5 quantity

```
int Potluck.Web.Models.OrdersItemDTO.quantity [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/OrdersItemDTO.cs

6.27 Potluck.Web.Models.OrdersItemsCustomDTO Class Reference

Orer Item Csutom Data Transfer Object

Properties

- string `ordersItemsCustomId` [get, set]
- `IList< OrderSubItemDTO > subitems` [get, set]

6.27.1 Detailed Description

Orer Item Csutom Data Transfer Object

6.27.2 Property Documentation

6.27.2.1 ordersItemsCustomId

```
string Potluck.Web.Models.OrdersItemsCustomDTO.ordersItemsCustomId [get], [set]
```

6.27.2.2 subitems

```
IList<OrderSubItemDTO> Potluck.Web.Models.OrdersItemsCustomDTO.subitems [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/OrdersItemsCustomDTO.cs

6.28 Potluck.Web.Models.OrdersItemsCustomVO Class Reference

OrderItemsCustom Values Object

Properties

- string `customId` [get, set]
- string `ordersItemsCustomId` [get, set]
- IList<`OrderSubItemVO`> `subitems` [get, set]

6.28.1 Detailed Description

OrderItemsCustom Values Object

6.28.2 Property Documentation

6.28.2.1 `customId`

```
string Potluck.Web.Models.OrdersItemsCustomVO.customId [get], [set]
```

6.28.2.2 `ordersItemsCustomId`

```
string Potluck.Web.Models.OrdersItemsCustomVO.ordersItemsCustomId [get], [set]
```

6.28.2.3 `subitems`

```
IList<OrderSubItemVO> Potluck.Web.Models.OrdersItemsCustomVO.subitems [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/[OrdersItemsCustomVO.cs](#)

6.29 Potluck.Web.Models.OrdersItemVO Class Reference

OrderItem Values Object

Public Member Functions

- `OrdersItemVO ()`
Default constructor
- `OrdersItemVO (ItemDTO itemResponse, int quantity)`
- `OrdersItemVO (SubItemDTO subItem, int quantity)`

Properties

- string `itemId` [get, set]
- int `quantity` [get, set]
- IList< `OrdersItemsCustomVO` > `ordersItemsCustoms` [get, set]
- string `ordersItemId` [get, set]

6.29.1 Detailed Description

OrderItem Values Object

6.29.2 Constructor & Destructor Documentation

6.29.2.1 OrdersItemVO() [1/3]

```
Potluck.Web.Models.OrdersItemVO.OrdersItemVO ( )
```

Default constructor

6.29.2.2 OrdersItemVO() [2/3]

```
Potluck.Web.Models.OrdersItemVO.OrdersItemVO (
    ItemDTO itemResponse,
    int quantity )
```

Parameters

<code>itemResponse</code>	<code>ItemDTO</code>
<code>quantity</code>	int

6.29.2.3 OrdersItemVO() [3/3]

```
Potluck.Web.Models.OrdersItemVO.OrdersItemVO (
```

```
SubItemDTO subItem,
int quantity )
```

Parameters

<code>subItem</code>	SubItemDTO
<code>quantity</code>	int

6.29.3 Property Documentation

6.29.3.1 itemId

```
string Potluck.Web.Models.OrdersItemVO.itemId [get], [set]
```

6.29.3.2 ordersItemsCustoms

```
IList<OrdersItemsCustomVO> Potluck.Web.Models.OrdersItemVO.ordersItemsCustoms [get], [set]
```

6.29.3.3 ordersItemId

```
string Potluck.Web.Models.OrdersItemVO.ordersItemId [get], [set]
```

6.29.3.4 quantity

```
int Potluck.Web.Models.OrdersItemVO.quantity [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/OrdersItemVO.cs

6.30 Potluck.Web.Models.OrderSubItemDTO Class Reference

Order Subitem Data Transfer Object

Properties

- string `calories` [get, set]
- `Category category` [get, set]
- bool `enable` [get, set]
- string `itemId` [get, set]
- string `name` [get, set]
- decimal `price` [get, set]

6.30.1 Detailed Description

Order Subitem Data Transfer Object

6.30.2 Property Documentation

6.30.2.1 `calories`

```
string Potluck.Web.Models.OrderSubItemDTO.calories [get], [set]
```

6.30.2.2 `category`

```
Category Potluck.Web.Models.OrderSubItemDTO.category [get], [set]
```

6.30.2.3 `enable`

```
bool Potluck.Web.Models.OrderSubItemDTO.enable [get], [set]
```

6.30.2.4 `itemId`

```
string Potluck.Web.Models.OrderSubItemDTO.itemId [get], [set]
```

6.30.2.5 `name`

```
string Potluck.Web.Models.OrderSubItemDTO.name [get], [set]
```

6.30.2.6 price

```
decimal Potluck.Web.Models.OrderSubItemDTO.price [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/OrderSubItemDTO.cs

6.31 Potluck.Web.Models.OrderSubItemVO Class Reference

OrderSubItem Values Object

Properties

- string `itemId` [get, set]

6.31.1 Detailed Description

OrderSubItem Values Object

6.31.2 Property Documentation

6.31.2.1 itemId

```
string Potluck.Web.Models.OrderSubItemVO.itemId [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/OrderSubItemVO.cs

6.32 Potluck.Web.Models.OrderVO Class Reference

Order Values Object

Properties

- string `dateTimeCreated` [get, set]
- string `dateTimeModified` [get, set]
- string `deliveryType` [get, set]
- string `orderId` [get, set]
- List<[OrdersItemVO](#) > `ordersItems` [get, set]

6.32.1 Detailed Description

Order Values Object

6.32.2 Property Documentation

6.32.2.1 dateTimeCreated

```
string Potluck.Web.Models.OrderVO.dateTimeCreated [get], [set]
```

6.32.2.2 dateTimeModified

```
string Potluck.Web.Models.OrderVO.dateTimeModified [get], [set]
```

6.32.2.3 deliveryType

```
string Potluck.Web.Models.OrderVO.deliveryType [get], [set]
```

6.32.2.4 orderId

```
string Potluck.Web.Models.OrderVO.orderId [get], [set]
```

6.32.2.5 ordersItems

```
List<OrdersItemVO> Potluck.Web.Models.OrderVO.ordersItems [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/OrderVO.cs

6.33 Potluck.Web.Models.Pageable Class Reference

Paging object Attached to "Pages" of objects specifies details about the page requested

Properties

- Dictionary< string, bool > `sort` [get, set]
- long `pageNumber` [get, set]
- long `pageSize` [get, set]
- long `offset` [get, set]
- bool `unpaged` [get, set]
- bool `paged` [get, set]

6.33.1 Detailed Description

Paging object Attached to "Pages" of objects specifies details about the page requested

6.33.2 Property Documentation

6.33.2.1 offset

```
long Potluck.Web.Models.Pageable.offset [get], [set]
```

6.33.2.2 paged

```
bool Potluck.Web.Models.Pageable.paged [get], [set]
```

6.33.2.3 pageNumber

```
long Potluck.Web.Models.Pageable.pageNumber [get], [set]
```

6.33.2.4 pageSize

```
long Potluck.Web.Models.Pageable.pageSize [get], [set]
```

6.33.2.5 sort

```
Dictionary<string,bool> Potluck.Web.Models.Pageable.sort [get], [set]
```

6.33.2.6 unpaged

```
bool Potluck.Web.Models.Pageable.unpaged [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Paging/Pageable.cs

6.34 Potluck.Web.Models.PageOfCustoms Class Reference

Page of Customs

Public Member Functions

- [PageOfCustoms \(\)](#)

Properties

- List< CustomDTO > [content](#) [get, set]
- [Pageable pageable](#) [get, set]
- long [totalPages](#) [get, set]
- long [totalElements](#) [get, set]
- bool [first](#) [get, set]
- bool [last](#) [get, set]

6.34.1 Detailed Description

Page of Customs

6.34.2 Constructor & Destructor Documentation

6.34.2.1 PageOfCustoms()

```
Potluck.Web.Models.PageOfCustoms.PageOfCustoms ( )
```

6.34.3 Property Documentation

6.34.3.1 content

```
List<CustomDTO> Potluck.Web.Models.PageOfCustoms.content [get], [set]
```

6.34.3.2 first

```
bool Potluck.Web.Models.PageOfCustoms.first [get], [set]
```

6.34.3.3 last

```
bool Potluck.Web.Models.PageOfCustoms.last [get], [set]
```

6.34.3.4 pageable

```
Pageable Potluck.Web.Models.PageOfCustoms.pageable [get], [set]
```

6.34.3.5 totalElements

```
long Potluck.Web.Models.PageOfCustoms.totalElements [get], [set]
```

6.34.3.6 totalPages

```
long Potluck.Web.Models.PageOfCustoms.totalPages [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Custom/PageOfCustoms.cs

6.35 Potluck.Web.Models.PageOfDeliveries Class Reference

Properties

- List<[DeliveryDTO](#)> **content** [get, set]
- [Pageable pageable](#) [get, set]
- long **totalPages** [get, set]
- long **totalElements** [get, set]
- bool **empty** [get, set]
- bool **first** [get, set]
- bool **last** [get, set]

6.35.1 Detailed Description

Page of Deliveries

6.35.2 Property Documentation

6.35.2.1 content

```
List<DeliveryDTO> Potluck.Web.Models.PageOfDeliveries.content [get], [set]
```

6.35.2.2 empty

```
bool Potluck.Web.Models.PageOfDeliveries.empty [get], [set]
```

6.35.2.3 first

```
bool Potluck.Web.Models.PageOfDeliveries.first [get], [set]
```

6.35.2.4 last

```
bool Potluck.Web.Models.PageOfDeliveries.last [get], [set]
```

6.35.2.5 pageable

```
Pageable Potluck.Web.Models.PageOfDeliveries.pageable [get], [set]
```

6.35.2.6 totalElements

```
long Potluck.Web.Models.PageOfDeliveries.totalElements [get], [set]
```

6.35.2.7 totalPages

```
long Potluck.Web.Models.PageOfDeliveries.totalPages [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Delivery/[PageOfDeliveries.cs](#)

6.36 Potluck.Web.Models.PageOfItems Class Reference

Page of Items

Public Member Functions

- [PageOfItems \(\)](#)

Properties

- `IList< ItemDTO > content [get, set]`
- `Pageable pageable [get, set]`
- `long totalPages [get, set]`
- `long totalElements [get, set]`
- `bool empty [get, set]`
- `bool first [get, set]`
- `bool last [get, set]`

6.36.1 Detailed Description

Page of Items

6.36.2 Constructor & Destructor Documentation

6.36.2.1 PageOfItems()

```
Potluck.Web.Models.PageOfItems.PageOfItems ( )
```

6.36.3 Property Documentation

6.36.3.1 content

```
IList<ItemDTO> Potluck.Web.Models.PageOfItems.content [get], [set]
```

6.36.3.2 empty

```
bool Potluck.Web.Models.PageOfItems.empty [get], [set]
```

6.36.3.3 first

```
bool Potluck.Web.Models.PageOfItems.first [get], [set]
```

6.36.3.4 last

```
bool Potluck.Web.Models.PageOfItems.last [get], [set]
```

6.36.3.5 pageable

```
Pageable Potluck.Web.Models.PageOfItems.pageable [get], [set]
```

6.36.3.6 totalElements

```
long Potluck.Web.Models.PageOfItems.totalElements [get], [set]
```

6.36.3.7 totalPages

```
long Potluck.Web.Models.PageOfItems.totalPages [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/PageOfItems.cs

6.37 Potluck.Web.Models.PageOfOrders Class Reference

Page of Orders

Properties

- List<[OrderDTO](#)> **content** [get, set]
- [Pageable pageable](#) [get, set]
- long **totalPages** [get, set]
- long **totalElements** [get, set]
- bool **empty** [get, set]
- bool **first** [get, set]
- bool **last** [get, set]

6.37.1 Detailed Description

Page of Orders

6.37.2 Property Documentation

6.37.2.1 **content**

```
List<OrderDTO> Potluck.Web.Models.PageOfOrders.content [get], [set]
```

6.37.2.2 **empty**

```
bool Potluck.Web.Models.PageOfOrders.empty [get], [set]
```

6.37.2.3 **first**

```
bool Potluck.Web.Models.PageOfOrders.first [get], [set]
```

6.37.2.4 **last**

```
bool Potluck.Web.Models.PageOfOrders.last [get], [set]
```

6.37.2.5 pageable

```
Pageable Potluck.Web.Models.PageOfOrders.pageable [get], [set]
```

6.37.2.6 totalElements

```
long Potluck.Web.Models.PageOfOrders.totalElements [get], [set]
```

6.37.2.7 totalPages

```
long Potluck.Web.Models.PageOfOrders.totalPages [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/PageOfOrders.cs

6.38 Potluck.Web.Models.PageOfReviews Class Reference

Pagge of Reviews

Properties

- IList<ReviewDTO> **content** [get, set]
- **Pageable pageable** [get, set]
- long **totalPages** [get, set]
- long **totalElements** [get, set]
- bool **empty** [get, set]
- bool **first** [get, set]
- bool **last** [get, set]

6.38.1 Detailed Description

Pagge of Reviews

6.38.2 Property Documentation

6.38.2.1 content

```
IList<ReviewDTO> Potluck.Web.Models.PageOfReviews.content [get], [set]
```

6.38.2.2 empty

```
bool Potluck.Web.Models.PageOfReviews.empty [get], [set]
```

6.38.2.3 first

```
bool Potluck.Web.Models.PageOfReviews.first [get], [set]
```

6.38.2.4 last

```
bool Potluck.Web.Models.PageOfReviews.last [get], [set]
```

6.38.2.5 pageable

```
Pageable Potluck.Web.Models.PageOfReviews.pageable [get], [set]
```

6.38.2.6 totalElements

```
long Potluck.Web.Models.PageOfReviews.totalElements [get], [set]
```

6.38.2.7 totalPages

```
long Potluck.Web.Models.PageOfReviews.totalPages [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Review/[PageOfReviews.cs](#)

6.39 Potluck.Web.Models.PageOfSchedules Class Reference

Page of Schedules

Properties

- `IList<ScheduleDTO> content [get, set]`
- `Pageable pageable [get, set]`
- `long totalPages [get, set]`
- `long totalElements [get, set]`
- `bool empty [get, set]`
- `bool first [get, set]`
- `bool last [get, set]`

6.39.1 Detailed Description

Page of Schedules

6.39.2 Property Documentation

6.39.2.1 content

```
IList<ScheduleDTO> Potluck.Web.Models.PageOfSchedules.content [get], [set]
```

6.39.2.2 empty

```
bool Potluck.Web.Models.PageOfSchedules.empty [get], [set]
```

6.39.2.3 first

```
bool Potluck.Web.Models.PageOfSchedules.first [get], [set]
```

6.39.2.4 last

```
bool Potluck.Web.Models.PageOfSchedules.last [get], [set]
```

6.39.2.5 pageable

```
Pageable Potluck.Web.Models.PageOfSchedules.pageable [get], [set]
```

6.39.2.6 totalElements

```
long Potluck.Web.Models.PageOfSchedules.totalElements [get], [set]
```

6.39.2.7 totalPages

```
long Potluck.Web.Models.PageOfSchedules.totalPages [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/[PageOfSchedules.cs](#)

6.40 Potluck.Web.Models.PlusCode Class Reference

Properties

- string [compound_code](#) [get, set]
- string [global_code](#) [get, set]

6.40.1 Detailed Description

6.40.2 Property Documentation

6.40.2.1 compound_code

```
string Potluck.Web.Models.PlusCode.compound_code [get], [set]
```

6.40.2.2 global_code

```
string Potluck.Web.Models.PlusCode.global_code [get], [set]
```


The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[GoogleGeo.cs](#)


6.41 Potluck.Web.Controllers.ProfileController Class Reference

Handles profile actions

Inheritance diagram for Potluck.Web.Controllers.ProfileController:



Collaboration diagram for Potluck.Web.Controllers.ProfileController:



Public Member Functions

- `ProfileController ()`
- `override void OnActionExecuting (ActionExecutingContext filterContext)`
- `void GetTokenFromSessionUser ()`
- `void PreLoadViewBag ()`
- `async Task< IActionResult > Index ()`
Shows the main profile index
- `async Task< IActionResult > ProfileEdit ()`
Displays the profile edit view
- `async Task< IActionResult > EditUser (UserDTO user)`
Edits a users profile details
- `async Task< IActionResult > ShowAddressManager ()`
Returns the address manager view

- `async Task< IActionResult > ShowAddAddress ()`
Returns the address management view
- `async Task< IActionResult > AddAddress (AddressVO address)`
Adds an address to a user account
- `async Task< IActionResult > ShowUpdateAddress (string addressId)`
Return the view for updating an address
- `async Task< IActionResult > UpdateAddress (AddressDTO address)`
Updates an address
- `async Task< IActionResult > RemoveAddress (string addressId)`
Removes an address from a user account
- `async Task< IActionResult > ShowDiscover (string maxRange="1")`
Returns the discover view, will return a map of sellers within the range
- `async Task< IActionResult > AddFavorite (string itemId)`
Adds a favorite to a users favorites collection
- `async Task< IActionResult > RemoveFavorite (string itemId)`
Deletes a favorite from a users favorites collection
- `async Task< IActionResult > ShowFavorites (long page=0, long size=9)`
Returns view displaying a page of favorites
- `IActionResult LogOutUser ()`
Logs the user out, this will null any session variables to ensure a proper log out

6.41.1 Detailed Description

Handles profile actions

6.41.2 Constructor & Destructor Documentation

6.41.2.1 ProfileController()

```
Potluck.Web.Controllers.ProfileController.ProfileController ( )
```

6.41.3 Member Function Documentation

6.41.3.1 AddAddress()

```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.AddAddress (
    AddressVO address )
```

Adds an address to a user account


Parameters

address	AddressVO
---------	-----------

Returns

```
View("ProfileAddress", user)
```

Here is the call graph for this function:



6.41.3.2 AddFavorite()

```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.AddFavorite (
    string itemId )
```


Adds a favorite to a users favorites collection

Parameters

item← Id	String
-------------	--------

Returns

Here is the call graph for this function:



6.41.3.3 EditUser()

```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.EditUser ( UserDTO user )
```

Edits a users profile details


Parameters

user	<input type="text"/>
------	----------------------

Returns

```
RedirectToAction("Index")
```


Here is the call graph for this function:



6.41.3.4 GetTokenFromSessionUser()

```
void Potluck.Web.Controllers.ProfileController.GetTokenFromSessionUser ( )
```

Here is the caller graph for this function:



6.41.3.5 Index()


```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.Index ( )
```

Shows the main profile index

Returns

```
View("Index", user)
```

Here is the call graph for this function:



6.41.3.6 LogOutUser()

```
IActionResult Potluck.Web.Controllers.ProfileController.LogOutUser ( )
```

Logs the user out, this will null any session variables to ensure a proper log out


Returns

```
RedirectToAction("Index", "Home")
```

6.41.3.7 OnActionExecuting()

```
override void Potluck.Web.Controllers.ProfileController.OnActionExecuting (
    ActionExecutingContext filterContext )
```

Here is the call graph for this function:



6.41.3.8 PreLoadViewBag()

```
void Potluck.Web.Controllers.ProfileController.PreLoadViewBag ( )
```

Here is the caller graph for this function:



6.41.3.9 ProfileEdit()


```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.ProfileEdit ( )
```

Displays the profile edit view

Returns

```
View("Index", user)
```

Here is the call graph for this function:



6.41.3.10 RemoveAddress()

```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.RemoveAddress ( string addressId )
```

REmoves an address from a user account


Parameters

address ↵	string
<i>Id</i>	

Returns

```
View("ProfileAddress", user)
```

Here is the call graph for this function:



6.41.3.11 RemoveFavorite()

```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.RemoveFavorite (
    string itemId )
```

Adds a favorite to a users favorites collection


Parameters

<i>item</i> ← <i>Id</i>	String
----------------------------	--------

Returns

View("Favorites", pageOfItems)

Here is the call graph for this function:



6.41.3.12 ShowAddAddress()

```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.ShowAddAddress ( )
```

Returns the address management view

Returns

View("ProfileAddAddress")

Here is the call graph for this function:



6.41.3.13 ShowAddressManager()


```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.ShowAddressManager ( )
```

Returns the address manager view

Returns

```
View("ProfileAddress", user)
```

Here is the call graph for this function:



6.41.3.14 ShowDiscover()

```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.ShowDiscover ( string maxRange = "1" )
```

Returns the discover view, will return a map of sellers within the range


Parameters

<i>maxRange</i>	string
-----------------	--------

Returns

```
View("Discover", users)
```

Here is the call graph for this function:

**6.41.3.15 ShowFavorites()**

```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.ShowFavorites (
    long page = 0,
    long size = 9 )
```

Returns view displaying a page of favorites


Parameters

<i>page</i>	Long
<i>size</i>	Long

Returns

```
View("Favorites", pageOfItems)
```

Here is the call graph for this function:



6.41.3.16 ShowUpdateAddress()

```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.ShowUpdateAddress (
    string addressId )
```


Return the view for updating an address

Parameters

address	String
Id	

Returns

Here is the call graph for this function:



6.41.3.17 UpdateAddress()

```
async Task<IActionResult> Potluck.Web.Controllers.ProfileController.UpdateAddress (
    AddressDTO address )
```

Updates an address


Parameters

address	AddressDTO
---------	------------

Returns

```
View("ProfileAddress", user)
```

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/[ProfileController.cs](#)

6.42 Potluck.Web.Program Class Reference

Static Public Member Functions

- static void [Main](#) (string[] args)
- static IWebHostBuilder [CreateWebHostBuilder](#) (string[] args)

6.42.1 Member Function Documentation

6.42.1.1 [CreateWebHostBuilder\(\)](#)

```
static IWebHostBuilder Potluck.Web.Program.CreateWebHostBuilder (
    string[] args ) [static]
```


Here is the caller graph for this function:



6.42.1.2 Main()

```
static void Potluck.Web.Program.Main (
    string[] args ) [static]
```

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Program.cs

6.43 Potluck.Web.Models.Result Class Reference

Properties

- List<[AddressComponent](#)> **address_components** [get, set]
- string **formatted_address** [get, set]
- [Geometry](#) **geometry** [get, set]
- string **place_id** [get, set]
- [PlusCode](#) **plus_code** [get, set]
- List<string> **types** [get, set]

6.43.1 Detailed Description

6.43.2 Property Documentation

6.43.2.1 address_components

```
List<AddressComponent> Potluck.Web.Models.Result.address_components [get], [set]
```

6.43.2.2 formatted_address

```
string Potluck.Web.Models.Result.formatted_address [get], [set]
```

6.43.2.3 geometry

```
Geometry Potluck.Web.Models.Result.geometry [get], [set]
```

6.43.2.4 place_id

```
string Potluck.Web.Models.Result.place_id [get], [set]
```

6.43.2.5 plus_code

```
PlusCode Potluck.Web.Models.Result.plus_code [get], [set]
```

6.43.2.6 types


```
List<string> Potluck.Web.Models.Result.types [get], [set]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[GoogleGeo.cs](#)

6.44 Potluck.Web.Controllers.ReviewController Class Reference

Inheritance diagram for Potluck.Web.Controllers.ReviewController:



Collaboration diagram for Potluck.Web.Controllers.ReviewController:



Public Member Functions

- override void [OnActionExecuting](#) (ActionExecutingContext filterContext)
- void [GetTokenFromSessionUser](#) ()
- void [PreLoadViewBag](#) ()
- async Task< IActionResult > [ShowSellerReviews](#) (string email)
Returns a view with a page of reviews displaying the sellers reviews.
- async Task< IActionResult > [ShowReviewCreate](#) (string email)
Returns a view for creating new reviews The view will prefill certain fields based on seller data
- async Task< IActionResult > [CreateReview](#) ([ReviewVO](#) review)
Creates a review by passing a review vo to the back end then loads the sellers page of reviews.

6.44.1 Member Function Documentation

6.44.1.1 CreateReview()

```
async Task<IActionResult> Potluck.Web.Controllers.ReviewController.CreateReview ( ReviewVO review )
```


Creates a review by passing a review vo to the back end then loads the sellers page of reviews.

Parameters

<code>review</code>	<code>ReviewVO</code>
---------------------	-----------------------


Returns

Here is the call graph for this function:

**6.44.1.2 GetTokenFromSessionUser()**


```
void Potluck.Web.Controllers.ReviewController.GetTokenFromSessionUser ( )
```

Here is the caller graph for this function:

**6.44.1.3 OnActionExecuting()**

```
override void Potluck.Web.Controllers.ReviewController.OnActionExecuting ( ActionExecutingContext filterContext )
```

Here is the call graph for this function:



6.44.1.4 PreLoadViewBag()

```
void Potluck.Web.Controllers.ReviewController.PreLoadViewBag ( )
```

Here is the caller graph for this function:



6.44.1.5 ShowReviewCreate()

```
async Task<IActionResult> Potluck.Web.Controllers.ReviewController.ShowReviewCreate ( string email )
```

Returns a view for creating new reviews. The view will prefill certain fields based on seller data.

Parameters

<i>email</i>	String
--------------	--------

Returns

```
View("ReviewCreate", newReview)
```

Here is the call graph for this function:



6.44.1.6 ShowSellerReviews()

```
async Task<IActionResult> Potluck.Web.Controllers.ReviewController.ShowSellerReviews ( string email )
```

Returns a view with a page of reviews displaying the sellers reviews.


Parameters

<code>email</code>	String
--------------------	--------

Returns

```
View("Index", pageOfReviews)
```

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/[ReviewController.cs](#)

6.45 Potluck.Web.Models.ReviewDTO Class Reference

Review Data Transfer Object

Properties

- `UserDTO buyer [get, set]`
- `int dateTimeCreated [get, set]`
- `int dateTimeModified [get, set]`
- `string message [get, set]`
- `string reviewId [get, set]`
- `UserDTO seller [get, set]`
- `int stars [get, set]`
- `string subject [get, set]`

6.45.1 Detailed Description

Review Data Transfer Object

6.45.2 Property Documentation

6.45.2.1 buyer

```
UserDTO Potluck.Web.Models.ReviewDTO.buyer [get], [set]
```

6.45.2.2 dateTimeCreated

```
int Potluck.Web.Models.ReviewDTO.dateTimeCreated [get], [set]
```

6.45.2.3 dateTimeModified

```
int Potluck.Web.Models.ReviewDTO.dateTimeModified [get], [set]
```

6.45.2.4 message

```
string Potluck.Web.Models.ReviewDTO.message [get], [set]
```

6.45.2.5 reviewId

```
string Potluck.Web.Models.ReviewDTO.reviewId [get], [set]
```

6.45.2.6 seller

```
UserDTO Potluck.Web.Models.ReviewDTO.seller [get], [set]
```

6.45.2.7 stars

```
int Potluck.Web.Models.ReviewDTO.stars [get], [set]
```

6.45.2.8 subject

```
string Potluck.Web.Models.ReviewDTO.subject [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Review/ReviewDTO.cs

6.46 Potluck.Web.Models.ReviewVO Class Reference

Review Values Object

Properties

- string `message` [get, set]
- string `reviewId` [get, set]
- string `sellerEmail` [get, set]
- int `stars` [get, set]
- string `subject` [get, set]

6.46.1 Detailed Description

Review Values Object

6.46.2 Property Documentation

6.46.2.1 message

```
string Potluck.Web.Models.ReviewVO.message [get], [set]
```

6.46.2.2 reviewId

```
string Potluck.Web.Models.ReviewVO.reviewId [get], [set]
```

6.46.2.3 sellerEmail

```
string Potluck.Web.Models.ReviewVO.sellerEmail [get], [set]
```

6.46.2.4 stars

```
int Potluck.Web.Models.ReviewVO.stars [get], [set]
```

6.46.2.5 subject

```
string Potluck.Web.Models.ReviewVO.subject [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Review/[ReviewVO.cs](#)

6.47 Potluck.Web.Models.Role Class Reference

Object that represent the role a user possesses

Public Member Functions

- [Role](#) (int [id](#), string [authority](#))
Constructs [Role](#) object from input parameters

Properties

- string [authority](#) [get, set]
- long [id](#) [get, set]

6.47.1 Detailed Description

Object that represent the role a user possesses

6.47.2 Constructor & Destructor Documentation

6.47.2.1 [Role\(\)](#)

```
Potluck.Web.Models.Role.Role (
    int id,
    string authority )
```

Constructs [Role](#) object from input parameters

Parameters

<i>id</i>	int
<i>authority</i>	String

6.47.3 Property Documentation

6.47.3.1 authority

```
string Potluck.Web.Models.Role.authority [get], [set]
```

6.47.3.2 id

```
long Potluck.Web.Models.Role.id [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[Role.cs](#)

6.48 Potluck.Web.Models.ScheduleCreate Class Reference

Public Member Functions

- [ScheduleCreate \(\)](#)

Default constructor

Properties

- string [dayOfWeek](#) [get, set]
- string [itemId](#) [get, set]
- string [scheduleId](#) [get, set]
- string [timeFrom](#) [get, set]
- string [timeTo](#) [get, set]

6.48.1 Detailed Description

6.48.2 Constructor & Destructor Documentation

6.48.2.1 ScheduleCreate()

```
Potluck.Web.Models.ScheduleCreate.ScheduleCreate ( )
```

Default constructor

6.48.3 Property Documentation

6.48.3.1 dayOfWeek

```
string Potluck.Web.Models.ScheduleCreate.dayOfWeek [get], [set]
```

6.48.3.2 itemId

```
string Potluck.Web.Models.ScheduleCreate.itemId [get], [set]
```

6.48.3.3 scheduleId

```
string Potluck.Web.Models.ScheduleCreate.scheduleId [get], [set]
```

6.48.3.4 timeFrom

```
string Potluck.Web.Models.ScheduleCreate.timeFrom [get], [set]
```

6.48.3.5 timeTo

```
string Potluck.Web.Models.ScheduleCreate.timeTo [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/ScheduleCreate.cs

6.49 Potluck.Web.Models.ScheduleDTO Class Reference

Schedule Data Transfer Object

Public Member Functions

- `ScheduleDTO ()`

Default constructor

Properties

- string `dayOfWeek [get, set]`
- `IList<ItemDTO> itemList [get, set]`
- string `scheduleId [get, set]`
- string `timeFrom [get, set]`
- string `timeTo [get, set]`
- `UserDTO user [get, set]`

6.49.1 Detailed Description

Schedule Data Transfer Object

6.49.2 Constructor & Destructor Documentation

6.49.2.1 ScheduleDTO()

```
Potluck.Web.Models.ScheduleDTO.ScheduleDTO ( )
```

Default constructor

6.49.3 Property Documentation

6.49.3.1 dayOfWeek

```
string Potluck.Web.Models.ScheduleDTO.dayOfWeek [get], [set]
```

6.49.3.2 itemList

```
IList<ItemDTO> Potluck.Web.Models.ScheduleDTO.itemList [get], [set]
```

6.49.3.3 scheduleId

```
string Potluck.Web.Models.ScheduleDTO.scheduleId [get], [set]
```

6.49.3.4 timeFrom

```
string Potluck.Web.Models.ScheduleDTO.timeFrom [get], [set]
```

6.49.3.5 timeTo

```
string Potluck.Web.Models.ScheduleDTO.timeTo [get], [set]
```

6.49.3.6 user

[UserDTO](#) Potluck.Web.Models.ScheduleDTO.user [get], [set]

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/[ScheduleDTO.cs](#)

6.50 Potluck.Web.Models.ScheduleVO Class Reference

Schedule Values Object

Public Member Functions

- [ScheduleVO \(\)](#)
Default constructor
- [ScheduleVO \(ScheduleCreate schedule\)](#)
- [ScheduleVO \(ScheduleDTO schedule\)](#)

Properties

- string [dayOfWeek](#) [get, set]
- List< [SubItemVO](#) > [itemList](#) [get, set]
- string [scheduleId](#) [get, set]
- [TimeVO](#) [timeFrom](#) [get, set]
- [TimeVO](#) [timeTo](#) [get, set]

6.50.1 Detailed Description

Schedule Values Object

6.50.2 Constructor & Destructor Documentation

6.50.2.1 ScheduleVO() [1/3]

```
Potluck.Web.Models.ScheduleVO.ScheduleVO ( )
```

Default constructor

6.50.2.2 ScheduleVO() [2/3]

```
Potluck.Web.Models.ScheduleVO.ScheduleVO (
    ScheduleCreate schedule )
```

Parameters

<code>schedule</code>	<code>ScheduleCreate</code>
-----------------------	-----------------------------

6.50.2.3 ScheduleVO() [3/3]

```
Potluck.Web.Models.ScheduleVO.ScheduleVO (
    ScheduleDTO schedule )
```

6.50.3 Property Documentation

6.50.3.1 dayOfWeek

```
string Potluck.Web.Models.ScheduleVO.dayOfWeek [get], [set]
```

6.50.3.2 itemList

```
List<SubItemVO> Potluck.Web.Models.ScheduleVO.itemList [get], [set]
```

6.50.3.3 scheduleId

```
string Potluck.Web.Models.ScheduleVO.scheduleId [get], [set]
```

6.50.3.4 timeFrom

```
TimeVO Potluck.Web.Models.ScheduleVO.timeFrom [get], [set]
```

6.50.3.5 timeTo

```
TimeVO Potluck.Web.Models.ScheduleVO.timeTo [get], [set]
```


The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/[ScheduleVO.cs](#)


6.51 Potluck.Web.Controllers.SellerCustomController Class Reference

[SellerCustomController](#) handles actions for custom collections

Inheritance diagram for Potluck.Web.Controllers.SellerCustomController:



Collaboration diagram for Potluck.Web.Controllers.SellerCustomController:



Public Member Functions

- override void [OnActionExecuting](#) (ActionExecutingContext filterContext)
- void [GetTokenFromSessionUser](#) ()
- void [PreLoadViewBag](#) ()
- IActionResult [ShowCustomCreate](#) ()

Return the custom create view
- async Task< IActionResult > [CreateCustom](#) (CustomVO custom)

Creates a custom
- async Task< IActionResult > [DeleteCustom](#) (string customId)

Deletes a custom
- async Task< IActionResult > [AddItemToCustom](#) (string customId, string itemId)

Adds an item to a custom
- async Task< IActionResult > [RemoveItemFromCustom](#) (string customId, string itemId)

Removes an item to a custom
- async Task< IActionResult > [ShowAllCustoms](#) ()

Returns a page with seller customs
- async Task< IActionResult > [ShowCustomPageByNumber](#) (long pageNumber)

Returns a page with seller customs based on page number
- async Task< IActionResult > [ShowCustomDetails](#) (string customId)

Shows the details of a custom

6.51.1 Detailed Description

[SellerCustomController](#) handles actions for custom collections

6.51.2 Member Function Documentation

6.51.2.1 AddItemToCustom()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerCustomController.AddItemToCustom (
    string customId,
    string itemId )
```

Adds an item to a custom


Parameters

<i>customId</i>	String
<i>itemId</i>	String

Returns

```
RedirectToAction("ShowCustomDetails", new { customId = customId })
```

Here is the call graph for this function:



6.51.2.2 CreateCustom()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerCustomController.CreateCustom ( CustomVO custom )
```

Creates a custom


Parameters

<i>custom</i>	CustomVO
---------------	----------

Returns

```
RedirectToAction("ShowCustomDetails", new { customId = customId })
```

Here is the call graph for this function:



6.51.2.3 DeleteCustom()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerCustomController.DeleteCustom ( string customId )
```


Deletes a custom

Parameters

custom	←	
Id		

Returns


Here is the call graph for this function:



6.51.2.4 GetTokenFromSessionUser()

```
void Potluck.Web.Controllers.SellerCustomController.GetTokenFromSessionUser ( )
```


Here is the caller graph for this function:



6.51.2.5 OnActionExecuting()

```
override void Potluck.Web.Controllers.SellerCustomController.OnActionExecuting ( ActionExecutingContext filterContext )
```


Here is the call graph for this function:



6.51.2.6 PreLoadViewBag()

```
void Potluck.Web.Controllers.SellerCustomController.PreLoadViewBag ( )
```

Here is the caller graph for this function:



6.51.2.7 RemoveItemFromCustom()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerCustomController.RemoveItemFromCustom(
    string customId,
    string itemId )
```

Removes an item to a custom


Parameters

<i>customId</i>	String
<i>itemId</i>	String

Returns

```
RedirectToAction("ShowCustomDetails", new { customId = customId })
```

Here is the call graph for this function:



6.51.2.8 ShowAllCustoms()


```
async Task<IActionResult> Potluck.Web.Controllers.SellerCustomController.ShowAllCustoms( )
```

Returns a page with seller customs

Returns

```
View("Index", pageOfCustoms)
```

Here is the call graph for this function:



6.51.2.9 ShowCustomCreate()

```
IActionResult Potluck.Web.Controllers.SellerCustomController.ShowCustomCreate ( )
```

Return the custom create view

Returns

```
View("CustomCreate", custom)
```

6.51.2.10 ShowCustomDetails()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerCustomController.ShowCustomDetails ( string customId )
```

Shows the details of a custom


Parameters

<i>custom</i> ↪	String
<i>Id</i>	

Returns

```
View("CustomDetails", customResponse)
```

Here is the call graph for this function:

**6.51.2.11 ShowCustomPageByNumber()**

```
async Task<IActionResult> Potluck.Web.Controllers.SellerCustomController.ShowCustomPageBy←  
Number (←  
    long pageNumber )
```

Returns a page with seller customs based on page number


Parameters

<i>pageNumber</i>	Long
-------------------	------

Returns

```
View("Index", pageOfCustoms)
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerCustomController.cs


6.52 Potluck.Web.Controllers.SellerDeliveryController Class Reference

[SellerDeliveryController](#) contains actions for creating and modifying seller delivery settings

Inheritance diagram for Potluck.Web.Controllers.SellerDeliveryController:



Collaboration diagram for Potluck.Web.Controllers.SellerDeliveryController:



Public Member Functions

- override void [OnActionExecuting](#) (ActionExecutingContext filterContext)
- void [GetTokenFromSessionUser](#) ()
- void [PreLoadViewBag](#) ()
- async Task< IActionResult > [Index](#) ()
 Returns the delivery options view
- async Task< IActionResult > [CreateDelivery](#) (string name, string coverageRadius, string feePercentage)
 Creates a deliveryVO object
- async Task< IActionResult > [EditDelivery](#) (string deliveryId, string name, string coverageRadius, string feePercentage)
 Edits the details of an existing delivery object
- async Task< IActionResult > [DeleteDelivery](#) (string deliveryId)
 Deletes a delivery object

6.52.1 Detailed Description

SellerDeliveryController contains actions for creating and modifying seller delivery settings

6.52.2 Member Function Documentation

6.52.2.1 CreateDelivery()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerDeliveryController.CreateDelivery ( 
    string name,
    string coverageRadius,
    string feePercentage )
```

Creates a deliveryVO object


Parameters

<i>name</i>	String
<i>coverageRadius</i>	String
<i>feePercentage</i>	String

Returns

RedirectToAction("Index")

Here is the call graph for this function:



6.52.2.2 DeleteDelivery()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerDeliveryController.DeleteDelivery ( 
    string deliveryId )
```

Deletes a delivery object


Parameters

<i>deliveryId</i>	string
<i>Id</i>	

Returns

```
RedirectToAction("Index")
```

Here is the call graph for this function:



6.52.2.3 EditDelivery()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerDeliveryController.EditDelivery (
    string deliveryId,
    string name,
    string coverageRadius,
    string feePercentage )
```

Edits the details of an existing delivery object


Parameters

<i>deliveryId</i>	String
<i>name</i>	String
<i>coverageRadius</i>	String
<i>feePercentage</i>	String

Returns


```
RedirectToAction("Index")
```

Here is the call graph for this function:

**6.52.2.4 GetTokenFromSessionUser()**

```
void Potluck.Web.Controllers.SellerDeliveryController.GetTokenFromSessionUser( )
```

Here is the caller graph for this function:


**6.52.2.5 Index()**

```
async Task<IActionResult> Potluck.Web.Controllers.SellerDeliveryController.Index( )
```

Returns the delivery options view


Returns

Here is the call graph for this function:

**6.52.2.6 OnActionExecuting()**


```
override void Potluck.Web.Controllers.SellerDeliveryController.OnActionExecuting ( ActionExecutingContext filterContext )
```

Here is the call graph for this function:

**6.52.2.7 PreLoadViewBag()**

```
void Potluck.Web.Controllers.SellerDeliveryController.PreLoadViewBag ( )
```

Here is the caller graph for this function:




The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerDeliveryController.cs


6.53 Potluck.Web.Controllers.SellerItemController Class Reference

[SellerItemController](#) contains action for sellers to manage their items

Inheritance diagram for Potluck.Web.Controllers.SellerItemController:



Collaboration diagram for Potluck.Web.Controllers.SellerItemController:



Public Member Functions

- override void [OnActionExecuting](#) (ActionExecutingContext filterContext)
- void [GetTokenFromSessionUser](#) ()
- void [PreLoadViewBag](#) ()
- IActionResult [Index](#) ()
- async Task< IActionResult > [ShowMenu](#) ()
Returns the seller menu view
- async Task< IActionResult > [ShowMenuPageByNumber](#) (long pageNumber)
Returns the seller menu view by page
- async Task< IActionResult > [ShowItemDetails](#) (string itemId)
Return a view with item details
- async Task< IActionResult > [ShowItemCreate](#) ()
returns the item creation view
- async Task< IActionResult > [CreateItem](#) (ItemVO item)
Creates an item to be add to the seller item collection
- async Task< IActionResult > [ShowItemUpdate](#) (string itemId)
Return the Item update view
- async Task< IActionResult > [UpdateItem](#) (ItemDTO item)
Updates an item
- async Task [ToggleEnable](#) (string itemId, bool enabled)
Async task for enabling and disabling item availability
- async Task< IActionResult > [AddCustomToItem](#) (string itemId, string customId)
Adds a custom collection to an item
- async Task< IActionResult > [RemoveCustomFromItem](#) (string itemId, string customId)
Removes a custom collection to an item
- async Task< IActionResult > [ShowItemDelete](#) (string itemId)
Return the item delete confirmation view
- async Task< IActionResult > [DeleteItem](#) (string itemId)
Deletes and item from a users item collecton

6.53.1 Detailed Description

[SellerItemController](#) contains action for sellers to manage their items

6.53.2 Member Function Documentation

6.53.2.1 AddCustomToItem()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerItemController.AddCustomToItem (
    string itemId,
    string customId )
```

Adds a custom collection to an item


Parameters

<i>itemId</i>	String
<i>customId</i>	String

Returns

```
RedirectToAction("ShowItemDetails", new { itemId=itemId })
```

Here is the call graph for this function:

**6.53.2.2 CreateItem()**

```
async Task<IActionResult> Potluck.Web.Controllers.SellerItemController.CreateItem (
    ItemVO item )
```

Creates an item to be add to the seller item collection

Parameters

<i>item</i>	ItemVO
-------------	--------

Returns

```
RedirectToAction("ShowItemDetails", new { itemId = itemId })
```

Here is the call graph for this function:



6.53.2.3 DeleteItem()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerItemController.DeleteItem ( string itemId )
```


Deletes and item from a users item collecton

Parameters

<i>item</i> ↵ <i>Id</i>	String
----------------------------	--------

Returns


Here is the call graph for this function:



6.53.2.4 GetTokenFromSessionUser()

```
void Potluck.Web.Controllers.SellerItemController.GetTokenFromSessionUser ( )
```

Here is the caller graph for this function:




6.53.2.5 Index()

```
IActionResult Potluck.Web.Controllers.SellerItemController.Index ( )
```

6.53.2.6 OnActionExecuting()

```
override void Potluck.Web.Controllers.SellerItemController.OnActionExecuting (
    ActionExecutingContext filterContext )
```


Here is the call graph for this function:



6.53.2.7 PreLoadViewBag()

```
void Potluck.Web.Controllers.SellerItemController.PreLoadViewBag ( )
```

Here is the caller graph for this function:



6.53.2.8 RemoveCustomFromItem()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerItemController.RemoveCustomFromItem (
    string itemId,
    string customId )
```

Removes a custom collection to an item


Parameters

<i>itemId</i>	String
<i>customId</i>	String

Returns

```
RedirectToAction("ShowItemDetails", new { itemId = itemId })
```

Here is the call graph for this function:

**6.53.2.9 ShowItemCreate()**


```
async Task<IActionResult> Potluck.Web.Controllers.SellerItemController.ShowItemCreate()
```

returns the item creation view

Returns

```
View("ItemCreate", item)
```

Here is the call graph for this function:

**6.53.2.10 ShowItemDelete()**

```
async Task<IActionResult> Potluck.Web.Controllers.SellerItemController.ShowItemDelete(
    string itemId)
```

Return the item delete confirmation view


Parameters

<i>item←</i>	String
<i>Id</i>	

Returns

```
View("ItemDelete", itemResponse)
```

Here is the call graph for this function:

**6.53.2.11 ShowItemDetails()**

```
async Task<IActionResult> Potluck.Web.Controllers.SellerItemController.ShowItemDetails ( string itemId )
```

Return a view with item details


Parameters

<i>item←</i>	String
<i>Id</i>	

Returns

```
View("ItemDetails", itemResponse)
```

Here is the call graph for this function:



6.53.2.12 ShowItemUpdate()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerItemController.ShowItemUpdate ( string itemId )
```

Return the Item update view


Parameters

<i>item</i> ↳	String
<i>Id</i>	

Returns

```
View("ItemUpdate", item)
```

Here is the call graph for this function:



6.53.2.13 ShowMenu()


```
async Task<IActionResult> Potluck.Web.Controllers.SellerItemController.ShowMenu ( )
```

Returns the seller menu view

Returns

```
View("Menu", pageOfItems)
```

Here is the call graph for this function:



6.53.2.14 ShowMenuPageByNumber()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerItemController.ShowMenuPageByNumber ( long pageNumber )
```

Returns the seller menu view by page


Parameters

<code>pageNumber</code>	Long
-------------------------	------

Returns

```
View("Menu", pageOfItems)
```

Here is the call graph for this function:



6.53.2.15 ToggleEnable()

```
async Task Potluck.Web.Controllers.SellerItemController.ToggleEnable ( string itemId, bool enabled )
```


Async task for enabling and disabling item availability

Parameters

<i>itemId</i>	String
<i>enabled</i>	Bool

Returns

Here is the call graph for this function:



6.53.2.16 UpdateItem()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerItemController.UpdateItem (
    ItemDTO item )
```

Updates an item


Parameters

<i>item</i>	ItemDTO
-------------	---------

Returns

```
RedirectToAction("ShowItemDetails", new { itemId = itemId })
```

Here is the call graph for this function:




The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerItemController.cs


6.54 Potluck.Web.Controllers.SellerOrderController Class Reference

Contains action for seller to manage orders

Inheritance diagram for Potluck.Web.Controllers.SellerOrderController:



Collaboration diagram for Potluck.Web.Controllers.SellerOrderController:



Public Member Functions

- override void [OnActionExecuting](#) (ActionExecutingContext filterContext)
- void [GetTokenFromSessionUser](#) ()
- void [PreLoadViewBag](#) ()
- IActionResult [Index](#) ()
- async Task< IActionResult > [ShowAllOrders](#) (string status="OPENED", long page=0, long size=9)
- async Task< IActionResult > [ShowAllOrdersOfStatus](#) (string status="OPENED", long page=0, long size=9)
- async Task< IActionResult > [ShowOrder](#) (string orderId, string status="OPENED")
- async Task< IActionResult > [GetMostRecentOpenOrder](#) ()
- async Task< IActionResult > [GetClosedOrders](#) ()
- async Task< IActionResult > [GetCancelledOrders](#) ()
- async Task< IActionResult > [RemoveItemFromOrder](#) (string orderId, string itemId)
- async Task< IActionResult > [DeleteOrder](#) (string orderId)
- async Task< OrderDTO > [UpdateOrder](#) (OrderVO order)
- bool [LongerThanADay](#) (long timeInSeconds)

6.54.1 Detailed Description

Contains action for seller to manage orders

6.54.2 Member Function Documentation

6.54.2.1 DeleteOrder()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerOrderController.DeleteOrder (
    string orderId )
```


Parameters

<i>order</i> ↪	String
<i>Id</i>	

Returns

```
RedirectToAction("ShowAllOrders")
```


Here is the call graph for this function:

**6.54.2.2 GetCancelledOrders()**

```
async Task<IActionResult> Potluck.Web.Controllers.SellerOrderController.GetCancelledOrders( )
```

Returns

Here is the call graph for this function:




6.54.2.3 GetClosedOrders()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerOrderController.GetClosedOrders( )
```

Returns

Here is the call graph for this function:




6.54.2.4 GetMostRecentOpenOrder()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerOrderController.GetMostRecentOpenOrder( )
```

Returns


Here is the call graph for this function:



6.54.2.5 GetTokenFromSessionUser()

```
void Potluck.Web.Controllers.SellerOrderController.GetTokenFromSessionUser ( )
```

Here is the caller graph for this function:



6.54.2.6 Index()

```
IActionResult Potluck.Web.Controllers.SellerOrderController.Index ( )
```

6.54.2.7 LongerThanADay()

```
bool Potluck.Web.Controllers.SellerOrderController.LongerThanADay ( long timeInSeconds )
```

Parameters

<i>timeInSeconds</i>	Long
----------------------	------


Returns

Bool

6.54.2.8 OnActionExecuting()

```
override void Potluck.Web.Controllers.SellerOrderController.OnActionExecuting ( ActionExecutingContext filterContext )
```


Here is the call graph for this function:



6.54.2.9 PreLoadViewBag()

```
void Potluck.Web.Controllers.SellerOrderController.PreLoadViewBag ( )
```

Here is the caller graph for this function:



6.54.2.10 RemoveItemFromOrder()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerOrderController.RemoveItemFromOrder ( string orderId, string itemId )
```


Parameters

<i>orderId</i> ↵ Id	String
<i>itemId</i>	String

Returns

```
RedirectToAction("ShowOrder", orderId)
```

Here is the call graph for this function:

**6.54.2.11 ShowAllOrders()**

```
async Task<IActionResult> Potluck.Web.Controllers.SellerOrderController.ShowAllOrders (
    string status = "OPENED",
    long page = 0,
    long size = 9 )
```


Parameters

<i>status</i>	String
<i>page</i>	Long
<i>size</i>	Long

Returns

```
View("Index", pageOfOpenedOrders)
```

Here is the call graph for this function:



6.54.2.12 ShowAllOrdersOfStatus()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerOrderController.ShowAllOrdersOfStatus  
(  
    string status = "OPENED",  
    long page = 0,  
    long size = 9 )
```


Parameters

<i>status</i>	String
<i>page</i>	Long
<i>size</i>	Long

Returns

```
View("Index", pageOfOpenedOrders)
```

Here is the call graph for this function:



6.54.2.13 ShowOrder()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerOrderController.ShowOrder (  
    string orderId,  
    string status = "OPENED" )
```


Parameters

<i>orderId</i>	String
<i>status</i>	String

Returns

```
return View("OrderDetails", orderResponse)
```

Here is the call graph for this function:

**6.54.2.14 UpdateOrder()**

```
async Task<OrderDTO> Potluck.Web.Controllers.SellerOrderController.UpdateOrder ( OrderVO order )
```


Parameters

order	OrderVO
-------	---------

Returns

OrderDTO

Here is the call graph for this function:




The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerOrderController.cs


6.55 Potluck.Web.Controllers.SellerScheduleController Class Reference

Contains actions for managing a sellers schedule

Inheritance diagram for Potluck.Web.Controllers.SellerScheduleController:



Collaboration diagram for Potluck.Web.Controllers.SellerScheduleController:



Public Member Functions

- override void [OnActionExecuting](#) (ActionExecutingContext filterContext)
- void [GetTokenFromSessionUser](#) ()
- void [PreLoadViewBag](#) ()
- async Task< IActionResult > [Index](#) ()
- async Task< IActionResult > [ShowScheduleDetails](#) (string scheduleId)
- async Task< IActionResult > [ShowScheduleCreate](#) ()
- async Task< IActionResult > [CreateSchedule](#) ([ScheduleCreate](#) schedule)
- async Task< IActionResult > [DeleteSchedule](#) (string scheduleId)
- async Task< IActionResult > [UpdateDateTime](#) ([ScheduleDTO](#) schedule)
- async Task< IActionResult > [AddItemToSchedule](#) (string scheduleId, string itemId)
- async Task< IActionResult > [RemoveItemFromSchedule](#) (string scheduleId, string itemId)

6.55.1 Detailed Description

Contains actions for managing a sellers schedule

6.55.2 Member Function Documentation

6.55.2.1 AddItemToSchedule()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerScheduleController.AddItemToSchedule (
    string scheduleId,
    string itemId )
```


Parameters

<i>scheduleId</i>	String
<i>itemId</i>	String

Returns

```
RedirectToAction("ShowScheduleDetails", new { scheduleId = scheduleId })
```

Here is the call graph for this function:



6.55.2.2 CreateSchedule()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerScheduleController.CreateSchedule (
    ScheduleCreate schedule )
```


Parameters

<i>schedule</i>	ScheduleCreate
-----------------	----------------

Returns

```
RedirectToAction("ShowScheduleDetails", new { scheduleId = scheduleId })
```

Here is the call graph for this function:

**6.55.2.3 DeleteSchedule()**

```
async Task<IActionResult> Potluck.Web.Controllers.SellerScheduleController.DeleteSchedule ( string scheduleId )
```


Parameters

<i>schedule</i> <i>Id</i>	String
------------------------------	--------

Returns


```
RedirectToAction("Index")
```

Here is the call graph for this function:

**6.55.2.4 GetTokenFromSessionUser()**

```
void Potluck.Web.Controllers.SellerScheduleController.GetTokenFromSessionUser ( )
```

Here is the caller graph for this function:




6.55.2.5 Index()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerScheduleController.Index()
```

Returns

```
View("Index", pageOfSchedules)
```


Here is the call graph for this function:



6.55.2.6 OnActionExecuting()

```
override void Potluck.Web.Controllers.SellerScheduleController.OnActionExecuting(
    ActionExecutingContext filterContext)
```


Here is the call graph for this function:



6.55.2.7 PreLoadViewBag()

```
void Potluck.Web.Controllers.SellerScheduleController.PreLoadViewBag ( )
```

Here is the caller graph for this function:



6.55.2.8 RemoveItemFromSchedule()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerScheduleController.RemoveItemFromSchedule (
    string scheduleId,
    string itemId )
```


Parameters

<i>scheduleId</i>	String
<i>itemId</i>	String

Returns

```
RedirectToAction("ShowScheduleDetails", new { scheduleId = scheduleId })
```

Here is the call graph for this function:


**6.55.2.9 ShowScheduleCreate()**

```
async Task<IActionResult> Potluck.Web.Controllers.SellerScheduleController.ShowScheduleCreate()
()
```

Returns

```
View("ScheduleCreate", schedule)
```

Here is the call graph for this function:

**6.55.2.10 ShowScheduleDetails()**

```
async Task<IActionResult> Potluck.Web.Controllers.SellerScheduleController.ShowScheduleDetails()
(
    string scheduleId )
```


Parameters

<i>schedule</i>	← String
<i>Id</i>	

Returns

```
View("ScheduleDetails", schedule)
```

Here is the call graph for this function:



6.55.2.11 UpdateDateTime()

```
async Task<IActionResult> Potluck.Web.Controllers.SellerScheduleController.UpdateDateTime ( ScheduleDTO schedule )
```


Parameters

<i>schedule</i>	ScheduleDTO
-----------------	-------------

Returns

```
RedirectToAction("ShowScheduleDetails", new { scheduleId = schedule.scheduleId })
```

Here is the call graph for this function:



The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerScheduleController.cs

6.56 Potluck.Web.Models.SignUpRequest Class Reference

Properties

- string `email` [get, set]
- string `name` [get, set]
- string `password` [get, set]

6.56.1 Detailed Description

6.56.2 Property Documentation

6.56.2.1 `email`

```
string Potluck.Web.Models.SignUpRequest.email [get], [set]
```

6.56.2.2 `name`

```
string Potluck.Web.Models.SignUpRequest.name [get], [set]
```

6.56.2.3 password

```
string Potluck.Web.Models.SignUpRequest.password [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[SignUpRequest.cs](#)

6.57 Potluck.Web.Models.Southwest Class Reference

Properties

- double [lat](#) [get, set]
- double [lng](#) [get, set]

6.57.1 Detailed Description

6.57.2 Property Documentation

6.57.2.1 lat

```
double Potluck.Web.Models.Southwest.lat [get], [set]
```

6.57.2.2 lng

```
double Potluck.Web.Models.Southwest.lng [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[GoogleGeo.cs](#)

6.58 Potluck.Web.Startup Class Reference

Public Member Functions

- [Startup](#) (IConfiguration configuration)
- void [ConfigureServices](#) (IServiceCollection services)
- void [Configure](#) (IApplicationBuilder app, IHostingEnvironment env)

Properties

- IConfiguration [Configuration](#) [get]

6.58.1 Constructor & Destructor Documentation

6.58.1.1 Startup()

```
Potluck.Web.Startup.Startup (
    IConfiguration configuration )
```

6.58.2 Member Function Documentation

6.58.2.1 Configure()

```
void Potluck.Web.Startup.Configure (
    IApplicationBuilder app,
    IHostingEnvironment env )
```

6.58.2.2 ConfigureServices()

```
void Potluck.Web.Startup.ConfigureServices (
    IServiceCollection services )
```

6.58.3 Property Documentation

6.58.3.1 Configuration

```
IConfiguration Potluck.Web.Startup.Configuration [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/[Startup.cs](#)

6.59 Potluck.Web.Models.StateCountry Class Reference

Properties

- string `country` [get, set]
- decimal `deliveryFee` [get, set]
- decimal `serviceFee` [get, set]
- string `stateCountryId` [get, set]
- string `stateProvince` [get, set]
- decimal `tax` [get, set]

6.59.1 Detailed Description

6.59.2 Property Documentation

6.59.2.1 `country`

```
string Potluck.Web.Models.StateCountry.country [get], [set]
```

6.59.2.2 `deliveryFee`

```
decimal Potluck.Web.Models.StateCountry.deliveryFee [get], [set]
```

6.59.2.3 `serviceFee`

```
decimal Potluck.Web.Models.StateCountry.serviceFee [get], [set]
```

6.59.2.4 `stateCountryId`

```
string Potluck.Web.Models.StateCountry.stateCountryId [get], [set]
```

6.59.2.5 `stateProvince`

```
string Potluck.Web.Models.StateCountry.stateProvince [get], [set]
```

6.59.2.6 tax

```
decimal Potluck.Web.Models.StateCountry.tax [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[StateCountry.cs](#)

6.60 Potluck.Web.Models.SubItemDTO Class Reference

SubItem Data Transfer Object

Properties

- string `calories` [get, set]
- `Category category` [get, set]
- bool `enable` [get, set]
- string `itemId` [get, set]
- string `name` [get, set]
- decimal `price` [get, set]

6.60.1 Detailed Description

SubItem Data Transfer Object

6.60.2 Property Documentation

6.60.2.1 calories

```
string Potluck.Web.Models.SubItemDTO.calories [get], [set]
```

6.60.2.2 category

```
Category Potluck.Web.Models.SubItemDTO.category [get], [set]
```

6.60.2.3 enable

```
bool Potluck.Web.Models.SubItemDTO.enable [get], [set]
```

6.60.2.4 itemId

```
string Potluck.Web.Models.SubItemDTO.itemId [get], [set]
```

6.60.2.5 name

```
string Potluck.Web.Models.SubItemDTO.name [get], [set]
```

6.60.2.6 price

```
decimal Potluck.Web.Models.SubItemDTO.price [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/SubItemDTO.cs

6.61 Potluck.Web.Models.SubItemVO Class Reference

SubItem Values Object

Public Member Functions

- [SubItemVO \(\)](#)
Default constructor
- [SubItemVO \(SubItemDTO subItem\)](#)
- [SubItemVO \(string itemId\)](#)

Properties

- string [itemId](#) [get, set]

6.61.1 Detailed Description

SubItem Values Object

6.61.2 Constructor & Destructor Documentation

6.61.2.1 SubItemVO() [1/3]

```
Potluck.Web.Models.SubItemVO.SubItemVO ( )
```

Default constructor

6.61.2.2 SubItemVO() [2/3]

```
Potluck.Web.Models.SubItemVO.SubItemVO (  
    SubItemDTO subItem )
```

Parameters

<i>subItem</i>	String
----------------	--------

6.61.2.3 SubItemVO() [3/3]

```
Potluck.Web.Models.SubItemVO.SubItemVO (  
    string itemId )
```

Parameters

<i>item</i> ← <i>Id</i>	String
----------------------------	--------

6.61.3 Property Documentation

6.61.3.1 itemId

```
string Potluck.Web.Models.SubItemVO.itemId [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Item/SubItemVO.cs

6.62 Potluck.Web.Models.TimeVO Class Reference

Time Values Object

Public Member Functions

- [TimeVO \(string time\)](#)

Properties

- string [hours](#) [get, set]
- string [minutes](#) [get, set]

6.62.1 Detailed Description

Time Values Object

6.62.2 Constructor & Destructor Documentation

6.62.2.1 TimeVO()

```
Potluck.Web.Models.TimeVO.TimeVO (
    string time )
```

Parameters

<i>time</i>	String
-------------	--------

6.62.3 Property Documentation

6.62.3.1 hours

```
string Potluck.Web.Models.TimeVO.hours [get], [set]
```

6.62.3.2 minutes

```
string Potluck.Web.Models.TimeVO.minutes [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Schedule/[TimeVO.cs](#)

6.63 Potluck.Web.Models.UserDTO Class Reference

User Data Transfer Object

Properties

- string `token` [get, set]
- IList<[AddressDTO](#)> `addresses` [get, set]
- int `amountStars` [get, set]
- int `coverageKmRadius` [get, set]
- string `email` [get, set]
- bool `emailVerified` [get, set]
- List<[SubItemDTO](#)> `favorites` [get, set]
- string `imageUrl` [get, set]
- string `name` [get, set]
- string `provider` [get, set]
- int `reviews` [get, set]
- IList<[Role](#)> `roles` [get, set]
- string `telephone` [get, set]
- string `userId` [get, set]

6.63.1 Detailed Description

User Data Transfer Object

6.63.2 Property Documentation

6.63.2.1 addresses

```
IList<AddressDTO> Potluck.Web.Models.UserDTO.addresses [get], [set]
```

6.63.2.2 amountStars

```
int Potluck.Web.Models.UserDTO.amountStars [get], [set]
```

6.63.2.3 coverageKmRadius

```
int Potluck.Web.Models.UserDTO.coverageKmRadius [get], [set]
```

6.63.2.4 email

```
string Potluck.Web.Models.UserDTO.email [get], [set]
```

6.63.2.5 emailVerified

```
bool Potluck.Web.Models.UserDTO.emailVerified [get], [set]
```

6.63.2.6 favorites

```
List<SubItemDTO> Potluck.Web.Models.UserDTO.favorites [get], [set]
```

6.63.2.7 imageUrl

```
string Potluck.Web.Models.UserDTO.imageUrl [get], [set]
```

6.63.2.8 name

```
string Potluck.Web.Models.UserDTO.name [get], [set]
```

6.63.2.9 provider

```
string Potluck.Web.Models.UserDTO.provider [get], [set]
```

6.63.2.10 reviews

```
int Potluck.Web.Models.UserDTO.reviews [get], [set]
```

6.63.2.11 roles

```
IList<Role> Potluck.Web.Models.UserDTO.roles [get], [set]
```

6.63.2.12 telephone

```
string Potluck.Web.Models.UserDTO.telephone [get], [set]
```

6.63.2.13 token

```
string Potluck.Web.Models.UserDTO.token [get], [set]
```

6.63.2.14 userId

```
string Potluck.Web.Models.UserDTO.userId [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/UserDTO.cs

6.64 Potluck.Web.Models.UserVO Class Reference

User Values Object

Public Member Functions

- [UserVO \(\)](#)
- [UserVO \(UserDTO user\)](#)

Properties

- string `picture` [get, set]
- string `name` [get, set]
- string `email` [get, set]
- string `telephone` [get, set]
- int `coverageKmRadius` [get, set]
- int `amountStars` [get, set]
- int `reviews` [get, set]
- string `userId` [get, set]

6.64.1 Detailed Description

User Values Object

6.64.2 Constructor & Destructor Documentation

6.64.2.1 UserVO() [1/2]

```
Potluck.Web.Models.UserVO.UserVO ( )
```

6.64.2.2 UserVO() [2/2]

```
Potluck.Web.Models.UserVO.UserVO (
    UserDTO user )
```

6.64.3 Property Documentation

6.64.3.1 amountStars

```
int Potluck.Web.Models.UserVO.amountStars [get], [set]
```

6.64.3.2 coverageKmRadius

```
int Potluck.Web.Models.UserVO.coverageKmRadius [get], [set]
```

6.64.3.3 email

```
string Potluck.Web.Models.UserVO.email [get], [set]
```

6.64.3.4 name

```
string Potluck.Web.Models.UserVO.name [get], [set]
```

6.64.3.5 picture

```
string Potluck.Web.Models.UserVO.picture [get], [set]
```

6.64.3.6 reviews

```
int Potluck.Web.Models.UserVO.reviews [get], [set]
```

6.64.3.7 telephone

```
string Potluck.Web.Models.UserVO.telephone [get], [set]
```

6.64.3.8 userId

```
string Potluck.Web.Models.UserVO.userId [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[UserVO.cs](#)

6.65 Potluck.Web.Models.Viewport Class Reference

Properties

- [Northeast northeast](#) [get, set]
- [Southwest southwest](#) [get, set]

6.65.1 Detailed Description

6.65.2 Property Documentation

6.65.2.1 northeast

```
Northeast Potluck.Web.Models.Viewport.northeast [get], [set]
```

6.65.2.2 southwest


```
Southwest Potluck.Web.Models.Viewport.southwest [get], [set]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/User/[GoogleGeo.cs](#)

6.66 AspNetCore.Views__ViewImports Class Reference

Inheritance diagram for AspNetCore.Views__ViewImports:



Collaboration diagram for AspNetCore.Views__ViewImports:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- | | |
|---|---|
| • <code>global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]</code> | ModelExpressionProvider |
| • <code>global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< dynamic > Html [get]</code> | |

6.66.1 Member Function Documentation

6.66.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views__ViewImports.ExecuteAsync (
)
```

6.66.2 Property Documentation

6.66.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views__ViewImports.Component
[get]
```

6.66.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views__ViewImports.←  
Html [get]
```

6.66.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views__ViewImports.Json [get]
```

6.66.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views__ViewImports.←  
ModelExpressionProvider [get]
```

6.66.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views__ViewImports.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/_ViewImports.cshtml.g.cs

6.67 AspNetCore.Views__ViewStart Class Reference

Inheritance diagram for AspNetCore.Views__ViewStart:



Collaboration diagram for AspNetCore.Views__ViewStart:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- | | |
|---|---|
| • <code>global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]</code> | ModelExpressionProvider |
| • <code>global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> Html [get]</code> | |

6.67.1 Member Function Documentation

6.67.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views__ViewStart.ExecuteAsync ( )
```

6.67.2 Property Documentation

6.67.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views__ViewStart.Component
[get]
```

6.67.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views__ViewStart.<→
Html [get]
```

6.67.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views__ViewStart.Json [get]
```

6.67.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views__View←
Start.ModelExpressionProvider [get]
```

6.67.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views__ViewStart.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
 Razor/Views/_ViewStart.cshtml.g.cs

6.68 AspNetCore.Views_Admin_CategoryConfig Class Reference

Inheritance diagram for AspNetCore.Views_Admin_CategoryConfig:



Collaboration diagram for AspNetCore.Views_Admin_CategoryConfig:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< List<[Potluck.Web.Models.Category](#) > > [Html](#) [get]

6.68.1 Member Function Documentation

6.68.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Admin_CategoryConfig.←
ExecuteAsync ( )
```

6.68.2 Property Documentation

6.68.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Admin_CategoryConfig.←
Component [get]
```

6.68.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<List<Potluck.Web.Models.Category> >
AspNetCore.Views_Admin_CategoryConfig.Html [get]
```

6.68.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Admin_CategoryConfig.←
Json [get]
```

6.68.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Admin←  
_CategoryConfig.ModelExpressionProvider [get]
```

6.68.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Admin_CategoryConfig.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Admin/CategoryConfig.cshtml.g.cs

6.69 AspNetCore.Views_Admin_CountryConfig Class Reference

Inheritance diagram for AspNetCore.Views_Admin_CountryConfig:



Collaboration diagram for AspNetCore.Views_Admin_CountryConfig:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider ModelExpressionProvider [get]`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< List< string > > Html [get]`

6.69.1 Member Function Documentation

6.69.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Admin_CountryConfig.←
ExecuteAsync ( )
```

6.69.2 Property Documentation

6.69.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Admin_CountryConfig.←
Component [get]
```

6.69.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< List< string > > AspNetCore.Views_Admin←
_CountryConfig.Html [get]
```

6.69.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Admin_CountryConfig.←
Json [get]
```

6.69.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Admin_RegionConfig.ModelExpressionProvider [get]
```

6.69.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Admin_CountryConfig.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Admin/CountryConfig.cshtml.g.cs

6.70 AspNetCore.Views_Admin_RegionConfig Class Reference

Inheritance diagram for AspNetCore.Views_Admin_RegionConfig:



Collaboration diagram for AspNetCore.Views_Admin_RegionConfig:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< IEnumerable< [Potluck.Web.Models.StateCountry](#) > > [Html](#) [get]

6.70.1 Member Function Documentation

6.70.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Admin_RegionConfig.Execute←
Async ( )
```

6.70.2 Property Documentation

6.70.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Admin_RegionConfig.←
Component [get]
```

6.70.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< IEnumerable< Potluck.Web.Models.StateCountry > > AspNetCore.Views_Admin_RegionConfig.Html [get]
```

6.70.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Admin_RegionConfig.Json
[get]
```

6.70.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Admin_RegionConfig.ModelExpressionProvider [get]
```

Initial value:

```
</tbody>
</table>
</div>
<script>
    function DeleteRegion(regionId) {
        //var form = document.getElementById("newCategory");
        //var newCategory = form.getElementsByTagName("input")[0].value;
        //window.alert(newCategory.value);
        window.location.href = "/Admin/DeleteRegion?regionId=" + regionId;
    }
</script>"
```

6.70.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Admin_RegionConfig.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Admin/RegionConfig.cshtml.g.cs

6.71 AspNetCore.Views_Admin_RegionCreate Class Reference

Inheritance diagram for AspNetCore.Views_Admin_RegionCreate:



Collaboration diagram for AspNetCore.Views_Admin_RegionCreate:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< [Potluck.Web.Models.StateCountry](#) > [Html](#) [get]

6.71.1 Member Function Documentation

6.71.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Admin_RegionCreate.Execute←
Async ( )
```

6.71.2 Property Documentation

6.71.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Admin_RegionCreate.←
Component [get]
```

6.71.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.StateCountry> Asp←
NetCore.Views_Admin_RegionCreate.Html [get]
```

6.71.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Admin_RegionCreate.Json
[get]
```

6.71.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Admin←
_RegionCreate.ModelExpressionProvider [get]
```

Initial value:

```
<style>
    .container {
        width: 80vw;
        margin: 1vh auto;
        border: 3px solid #F42E56;
    }
    .btn-primary {
        margin: 1vh 1vw;
    }
</style>
<h2 class=""Radical-Red-Text center"">Region Create</h2>
<div class=""container card-panel"">
    <div class=""col-md-4"">
        "
```

6.71.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Admin_RegionCreate.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
 Razor/Views/Admin/RegionCreate.cshtml.g.cs

6.72 AspNetCore.Views_Admin_RegionDetails Class Reference

Inheritance diagram for AspNetCore.Views_Admin_RegionDetails:



Collaboration diagram for AspNetCore.Views_Admin_RegionDetails:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.StateCountry > Html [get]`

6.72.1 Member Function Documentation

6.72.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Admin_RegionDetails.←  
ExecuteAsync ( )
```

6.72.2 Property Documentation

6.72.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Admin_RegionDetails.←  
Component [get]
```

6.72.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.StateCountry> AspNetCore.←  
Views_Admin_RegionDetails.Html [get]
```

6.72.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Admin_RegionDetails.←  
Json [get]
```

6.72.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Admin_RegionDetails.ModelExpressionProvider [get]
```

Initial value:

```
<style>
    .card-panel {
        border: 2px solid #F42E56;
    }
    .btn-primary{
        margin:1vh 1vw;
    }
</style>
<div class=""container">
    <h2 class=""center Radical-Red-Text"">Region Details</h2>
    <div>
        <table class=""card-panel"">
            <tr>
                <th class=""Radical-Red-Text""> "
```

6.72.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Admin_RegionDetails.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Admin/RegionDetails.cshtml.g.cs

6.73 AspNetCore.Views_Admin_RegionUpdate Class Reference

Inheritance diagram for AspNetCore.Views_Admin_RegionUpdate:



Collaboration diagram for AspNetCore.Views_Admin_RegionUpdate:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< [Potluck.Web.Models.StateCountry](#) > [Html](#) [get]

6.73.1 Member Function Documentation

6.73.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Admin_RegionUpdate.Execute←
Async ( )
```

6.73.2 Property Documentation

6.73.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Admin_RegionUpdate.←
Component [get]
```

6.73.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.StateCountry> Asp←
NetCore.Views_Admin_RegionUpdate.Html [get]
```

6.73.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Admin_RegionUpdate.Json
[get]
```

6.73.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Admin->
_RegionUpdate.ModelExpressionProvider [get]
```

Initial value:

```
<style>
    .container {
        width: 80vw;
        margin: 1vh auto;
        border: 3px solid #F42E56;
    }
    .btn-primary {
        margin: 1vh 1vw;
    }
</style>
<h2 class=""Radical-Red-Text center"">Region Update</h2>
<div class=""container card-panel"">
    <div class=""col-md-4"">
        "
```

6.73.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Admin_RegionUpdate.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←Razor/Views/Admin/RegionUpdate.cshtml.g.cs

6.74 AspNetCore.Views_BuyerItem_ItemDetails Class Reference

Inheritance diagram for AspNetCore.Views_BuyerItem_ItemDetails:



Collaboration diagram for AspNetCore.Views_BuyerItem_ItemDetails:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` [ModelExpressionProvider](#)
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.ItemDTO > Html [get]`

6.74.1 Member Function Documentation

6.74.1.1 ExecuteAsync()

```
async override global::System.Threading.Tasks.Task AspNetCore.Views_BuyerItem_ItemDetails.←
ExecuteAsync ( )
```

6.74.2 Property Documentation

6.74.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_BuyerItem_ItemDetails.←  
Component [get]
```

6.74.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.ItemDTO> AspNet←  
Core.Views_BuyerItem_ItemDetails.Html [get]
```

6.74.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_BuyerItem_ItemDetails.←  
Json [get]
```

6.74.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Buyer←  
Item_ItemDetails.ModelExpressionProvider [get]
```

6.74.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_BuyerItem_ItemDetails.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/BuyerItem/[ItemDetails.cshtml.g.cs](#)

6.75 AspNetCore.Views_BuyerItem_Menu Class Reference

Inheritance diagram for AspNetCore.Views_BuyerItem_Menu:



Collaboration diagram for AspNetCore.Views_BuyerItem_Menu:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider ModelExpressionProvider [get]`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.PageOfItems > Html [get]`

6.75.1 Member Function Documentation

6.75.1.1 ExecuteAsync()

```
async override global::System.Threading.Tasks.Task AspNetCore.Views_BuyerItem_Menu.ExecuteAsync()
()
```

6.75.2 Property Documentation

6.75.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_BuyerItem_Menu.Component  
[get]
```

6.75.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.PageOfItems> AspNetCore.Views_BuyerItem_Menu.Html [get]
```

6.75.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_BuyerItem_Menu.Json  
[get]
```

6.75.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_BuyerItem_Menu.ModelExpressionProvider [get]
```

Initial value:

```
<style>  
    .hoverable {  
        margin: 3vh 3vw;  
        min-height: 60vh;  
    }  
    .deets {  
        min-height: 31vh;  
        max-height: 31vh;  
        padding-top:3vh;  
    }  
    .pix {  
        min-height: 31vh;  
        max-height: 31vh;  
    }  
    .pagination {  
        margin: 5vh 3vw;  
    }  
</style>  
<h3 class=""center-align Radical-Red-Text"" style=""font-size:3rem;font-family:Arial, Helvetica,  
    sans-serif;font-weight:bold;font-size:2.85rem;margin:70px 0 50px 0;padding-left:3vw;"">  
    </div>  
    <div class=""row deets"">  
        <div class=""col s12"">  
            <div class=""row"" style=""color:black;padding-left:7px;"">  
                <!--Name-->  
                <h5 class=""center grey-text""  
                    style=""font-weight:500;font-size:x-large;margin-top:3vh""><u class=""Radical-Red-Text"">
```

6.75.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_BuyerItem_Menu.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/BuyerItem/Menu.cshtml.g.cs

6.76 AspNetCore.Views_BuyerItem_Search Class Reference

Inheritance diagram for AspNetCore.Views_BuyerItem_Search:



Collaboration diagram for AspNetCore.Views_BuyerItem_Search:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- | | |
|--|---|
| • global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider
[get] | ModelExpressionProvider |
| • global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get] | |
| • global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.PageOfItems > Html
[get] | |

6.76.1 Member Function Documentation

6.76.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_BuyerItem_Search.ExecuteAsync ()
```

6.76.2 Property Documentation

6.76.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_BuyerItem_Search.Component [get]
```

6.76.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.PageOfItems> AspNetCore.Views_BuyerItem_Search.Html [get]
```

6.76.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_BuyerItem_Search.Json [get]
```

6.76.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_BuyerItem_Search.ModelExpressionProvider [get]
```

Initial value:

```
<style>
    .hoverable {
        margin: 3vh 3vw;
        min-height: 60vh;
    }
    .deets {
        min-height: 30vh;
        max-height: 30vh;
    }
    .pix {
        min-height: 30vh;
        max-height: 30vh;
    }
    .pagination {
        margin: 5vh 3vw;
    }
</style>
<h3 class="center-align" style="font-size:3rem;font-family:Arial, Helvetica, sans-serif;font-weight:bold;font-size:2.85rem;margin:70px 0 50px 0;padding-left:3vw;">Results for <!--Name-->
</div>
<div class="row deets">
    <div class="col s9 push-s1">
        <div class="row" style="color:black;padding-left:7px;">
            <h6 style="font-weight:500;font-size:large;margin-top:0;">
```

6.76.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_BuyerItem_Search.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/↔ Razor/Views/BuyerItem/Search.cshtml.g.cs

6.77 AspNetCore.Views_BuyerOrder_Checkout Class Reference

Inheritance diagram for AspNetCore.Views_BuyerOrder_Checkout:



Collaboration diagram for AspNetCore.Views_BuyerOrder_Checkout:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- | | |
|---|---|
| • global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider
[get] | ModelExpressionProvider |
| • global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get] | |
| • global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.OrderDTO > Html
[get] | |

6.77.1 Member Function Documentation

6.77.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_BuyerOrder_Checkout.←  
ExecuteAsync ( )
```

6.77.2 Property Documentation

6.77.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_BuyerOrder_Checkout.←  
Component [get]
```

6.77.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.OrderDTO> AspNet←  
Core.Views_BuyerOrder_Checkout.Html [get]
```

6.77.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_BuyerOrder_Checkout.←  
Json [get]
```

6.77.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Buyer←  
Order_Checkout.ModelExpressionProvider [get]
```

6.77.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_BuyerOrder_Checkout.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/BuyerOrder/[Checkout.cshtml.g.cs](#)

6.78 AspNetCore.Views_BuyerOrder_CheckoutLocation Class Reference

Inheritance diagram for AspNetCore.Views_BuyerOrder_CheckoutLocation:



Collaboration diagram for AspNetCore.Views_BuyerOrder_CheckoutLocation:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider ModelExpressionProvider [get]`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< dynamic > Html [get]`

6.78.1 Member Function Documentation

6.78.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_BuyerOrder_CheckoutLocation.ExecuteAsync ( )
```

6.78.2 Property Documentation

6.78.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_BuyerOrder_CheckoutLocation.Component [get]
```

6.78.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_BuyerOrder_CheckoutLocation.Html [get]
```

6.78.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_BuyerOrder_CheckoutLocation.Json [get]
```

6.78.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_BuyerOrder_CheckoutLocation.ModelExpressionProvider [get]
```

Initial value:

```
<script>
  src="https://maps.googleapis.com/maps/api/js?key=AIzaSyBXhC0GFJXFH9KATR8cNMGp9kqYohryOE&callback=initMap&libraries=&
  async defer></script>
<style>
  #map {
    height: 100%;
  }
</style>
<script>
  function initMap() {
    // The location of Uluru
    var toronto = { lat: 43.729, lng: -79.448 };
    // The map, centered at Uluru
    var map = new google.maps.Map(
      document.getElementById('map'), { zoom: 4, center: toronto });
    // The marker, positioned at Uluru
    var marker = new google.maps.Marker({ position: toronto, map: map });
  }
</script>
"
```

6.78.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_BuyerOrder_CheckoutLocation.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerOrder/CheckoutLocation.cshtml.g.cs

6.79 AspNetCore.Views_BuyerOrder_CheckoutPayPal Class Reference

Inheritance diagram for AspNetCore.Views_BuyerOrder_CheckoutPayPal:



Collaboration diagram for AspNetCore.Views_BuyerOrder_CheckoutPayPal:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` `ModelExpressionProvider`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.OrderDTO > Html [get]`

6.79.1 Member Function Documentation

6.79.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_BuyerOrder_CheckoutPayPal.ExecuteAsync ( )
```

6.79.2 Property Documentation

6.79.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_BuyerOrder_CheckoutPayPal.Component [get]
```

6.79.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.OrderDTO> AspNetCore.Views_BuyerOrder_CheckoutPayPal.Html [get]
```

6.79.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_BuyerOrder_CheckoutPayPal.Json [get]
```

6.79.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_BuyerOrder_CheckoutPayPal.ModelExpressionProvider [get]
```

6.79.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_BuyerOrder_CheckoutPayPal.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerOrder/[CheckoutPayPal.cshtml.g.cs](#)

6.80 AspNetCore.Views_BuyerOrder_CheckoutReceipt Class Reference

Inheritance diagram for AspNetCore.Views_BuyerOrder_CheckoutReceipt:



Collaboration diagram for AspNetCore.Views_BuyerOrder_CheckoutReceipt:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< IEnumerable< [Potluck.Web.Models.OrdersItemDTO](#) > > [Html](#) [get]

6.80.1 Member Function Documentation

6.80.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_BuyerOrder_CheckoutReceipt.←  
ExecuteAsync ( )
```

6.80.2 Property Documentation

6.80.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_BuyerOrder_Checkout←  
Receipt.Component [get]
```

6.80.2.2 Html

```
global.Microsoft.AspNetCore.Rendering.IHtmlHelper< IEnumerable< Potluck.Web.Models.OrdersItemDTO > >  
> AspNetCore.Views_BuyerOrder_CheckoutReceipt.Html [get]
```

6.80.2.3 Json

```
global.Microsoft.AspNetCore.Rendering.IJsonHelper AspNetCore.Views_BuyerOrder_Checkout←  
Receipt.Json [get]
```

6.80.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_BuyerOrder_CheckoutReceipt.ModelExpressionProvider [get]

Initial value:
<style>
.z-depth-1 {
  margin: 0;
  padding: 0;
  margin-bottom: 7vh;
}
th, td {
  border-radius: 0;
  margin: 0;
  padding: 0;
  padding: .33vh .1vw;
  border: none;
}
</style>
<div class=""card-panel z-depth-1 row"">
  <table class=""col s12"">
    <tr class=""Radical-Red white-text"" style=""padding:1vh 0;"">
      <th colspan=""4"" style=""padding:0;margin:0;padding-left:1vw;"">Name</th>
      <th colspan=""2"" style=""padding:0;margin:0;"">Price</th>
      <th class=""right-align"" style=""padding:0;margin:0;"">Qty</th>
    </tr>
  </table>
</div>
```

6.80.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_BuyerOrder_CheckoutReceipt.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerOrder/CheckoutReceipt.cshtml.g.cs

6.81 AspNetCore.Views_BuyerOrder_Index Class Reference

Inheritance diagram for AspNetCore.Views_BuyerOrder_Index:



Collaboration diagram for AspNetCore.Views_BuyerOrder_Index:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` `ModelExpressionProvider`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.PageOfOrders > Html [get]`

6.81.1 Member Function Documentation

6.81.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_BuyerOrder_Index.Execute←  
Async ( )
```

6.81.2 Property Documentation

6.81.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_BuyerOrder_Index.←  
Component [get]
```

6.81.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.PageOfOrders> Asp←  
NetCore.Views_BuyerOrder_Index.Html [get]
```

6.81.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_BuyerOrder_Index.Json  
[get]
```

6.81.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_BuyerOrder_Index.ModelExpressionProvider [get]
```

6.81.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_BuyerOrder_Index.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerOrder/Index.cshtml.g.cs

6.82 AspNetCore.Views_BuyerOrder_OrderDetails Class Reference

Inheritance diagram for AspNetCore.Views_BuyerOrder_OrderDetails:



Collaboration diagram for AspNetCore.Views_BuyerOrder_OrderDetails:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< [Potluck.Web.Models.OrderDTO](#) > [Html](#) [get]

6.82.1 Member Function Documentation

6.82.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_BuyerOrder_OrderDetails.←  
ExecuteAsync ( )
```

6.82.2 Property Documentation

6.82.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_BuyerOrder_OrderDetails.←  
Component [get]
```

6.82.2.2 Html

```
global.Microsoft.AspNetCore.Rendering.IHtmlHelper<Potluck.Web.Models.OrderDTO> AspNetCore.←  
Views_BuyerOrder_OrderDetails.Html [get]
```

6.82.2.3 Json

```
global.Microsoft.AspNetCore.Rendering.IJsonHelper AspNetCore.Views_BuyerOrder_OrderDetails.Json [get]
```

6.82.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_BuyerOrder_OrderDetails.ModelExpressionProvider [get]
```

6.82.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_BuyerOrder_OrderDetails.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerOrder/OrderDetails.cshtml.g.cs

6.83 AspNetCore.Views_Home_Index Class Reference

Inheritance diagram for AspNetCore.Views_Home_Index:



Collaboration diagram for AspNetCore.Views_Home_Index:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider ModelExpressionProvider [get]`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< dynamic > Html [get]`

6.83.1 Member Function Documentation

6.83.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Home_Index.ExecuteAsync ( )
```

6.83.2 Property Documentation

6.83.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Home_Index.Component  
[get]
```

6.83.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_Home_Index.<-  
Html [get]
```

6.83.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Home_Index.Json [get]
```

6.83.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Home_Index.ModelExpressionProvider [get]
```

6.83.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Home_Index.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Home/Index.cshtml.g.cs

6.84 AspNetCore.Views_Home_Login Class Reference

Inheritance diagram for AspNetCore.Views_Home_Login:



Collaboration diagram for AspNetCore.Views_Home_Login:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< [Potluck.Web.Models.LoginRequest](#) > [Html](#) [get]

6.84.1 Member Function Documentation

6.84.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Home_Login.ExecuteAsync ( )
```

6.84.2 Property Documentation

6.84.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Home_Login.Component  
[get]
```

6.84.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.LoginRequest> AspNetCore.Views_Home_Login.Html  
[get]
```

6.84.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Home_Login.Json  
[get]
```

6.84.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Home_Login.ModelExpressionProvider  
[get]
```

6.84.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Home_Login.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Home/Login.cshtml.g.cs

6.85 AspNetCore.Views_Home_LoginRoleSelect Class Reference

Inheritance diagram for AspNetCore.Views_Home_LoginRoleSelect:



Collaboration diagram for AspNetCore.Views_Home_LoginRoleSelect:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- | | |
|--|---|
| • global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider
[get] | ModelExpressionProvider |
| • global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get] | |
| • global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< IEnumerable< Potluck.Web.Models.Role > >
Html [get] | |

6.85.1 Member Function Documentation

6.85.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Home_LoginRoleSelect.←  
ExecuteAsync ( )
```

6.85.2 Property Documentation

6.85.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Home_LoginRoleSelect.←  
Component [get]
```

6.85.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<IEnumerable<Potluck.Web.Models.Role> >  
AspNetCore.Views_Home_LoginRoleSelect.Html [get]
```

6.85.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Home_LoginRoleSelect.←  
Json [get]
```

6.85.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Home_←  
LoginRoleSelect.ModelExpressionProvider [get]
```

Initial value:

```
</div>  
<div class=""col s1""></div>  
<div class=""col s4"">  
    <div class=""row center"">  
        <h1 class=""Radical-Red-Text"">Sign In to continue</h1>  
    </div>  
    <div class=""row"">  
        <h5 class=""center"">Select Account Type</h5>  
    </div>  
    <div class=""row"">  
        <select>  
            </select>  
        </div>  
        <div class=""row"">  
            <div class=""input-group-btn col s12"">  
                <a style=""border-radius:25px;background-color:#F42E56;"" class=""btn waves-effect  
waves-light col s12"" onclick=""document.getElementById('LoginForm').submit();return  
false;"">Login</a>  
            </div>  
        </div>  
    </div>
```

6.85.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Home_LoginRoleSelect.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Home/LoginRoleSelect.cshtml.g.cs

6.86 AspNetCore.Views_Home_Privacy Class Reference

Inheritance diagram for AspNetCore.Views_Home_Privacy:



Collaboration diagram for AspNetCore.Views_Home_Privacy:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> [Html](#) [get]

6.86.1 Member Function Documentation

6.86.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Home_Privacy.ExecuteAsync ( )
```

6.86.2 Property Documentation

6.86.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Home_Privacy.Component  
[get]
```

6.86.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_Home_Privacy.  
↳ Html [get]
```

6.86.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Home_Privacy.Json [get]
```

6.86.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Home_↳  
Privacy.ModelExpressionProvider [get]
```

6.86.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Home_Privacy.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/↔ Razor/Views/Home/[Privacy.cshtml.g.cs](#)

6.87 AspNetCore.Views_Home_SignUp Class Reference

Inheritance diagram for AspNetCore.Views_Home_SignUp:



Collaboration diagram for AspNetCore.Views_Home_SignUp:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.SignUpRequest > [Html](#) [get]

6.87.1 Member Function Documentation

6.87.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Home_SignUp.ExecuteAsync ( )
```

6.87.2 Property Documentation

6.87.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Home_SignUp.Component [get]
```

6.87.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.SignUpRequest> AspNetCore.Views_Home_SignUp.Html [get]
```

6.87.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Home_SignUp.Json [get]
```

6.87.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Home_SignUp.ModelExpressionProvider [get]
```

Initial value:

```
<style>
    .bttns{
        padding:5vh 5vw;
    }
    .btn{
        padding:0 2vw;
        margin-right:3vw;
    }
</style>
<div class=""container"">
    <h2 class=""Radical-Red-Text center"">Sign Up</h2>
    <br /><br />
    <div class=""row card-panel z-depth-2"">
        <div class=""col-md-4"">
            "
```

6.87.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Home_SignUp.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Home/[SignUp.cshtml.g.cs](#)

6.88 AspNetCore.Views_Home_TOS Class Reference

Inheritance diagram for AspNetCore.Views_Home_TOS:



Collaboration diagram for AspNetCore.Views_Home_TOS:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> [Html](#) [get]

6.88.1 Member Function Documentation

6.88.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Home_TOS.ExecuteAsync ( )
```

6.88.2 Property Documentation

6.88.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Home_TOS.Component [get]
```

6.88.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_Home_TOS.Html  
[get]
```

6.88.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Home_TOS.Json [get]
```

6.88.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Home_TOS.ModelExpressionProvider [get]
```

6.88.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Home_TOS.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/~/Razor/Views/Home/TOS.cshtml.g.cs

6.89 AspNetCore.Views_Profile_Discover Class Reference

Inheritance diagram for AspNetCore.Views_Profile_Discover:



Collaboration diagram for AspNetCore.Views_Profile_Discover:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- | | |
|--|---|
| • global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider
[get] | ModelExpressionProvider |
| • global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get] | |
| • global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< List<Potluck.Web.Models.UserDTO>> Html [get] | |

6.89.1 Member Function Documentation

6.89.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Profile_Discover.Execute←
Async ( )
```

6.89.2 Property Documentation

6.89.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Profile_Discover.←
Component [get]
```

6.89.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<List<Potluck.Web.Models.UserDTO>>
AspNetCore.Views_Profile_Discover.Html [get]
```

6.89.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Profile_Discover.Json
[get]
```

6.89.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←
Profile_Discover.ModelExpressionProvider [get]
```

6.89.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Profile_Discover.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/↔ Razor/Views/Profile/[Discover.cshtml.g.cs](#)

6.90 AspNetCore.Views_Profile_Favorites Class Reference

Inheritance diagram for AspNetCore.Views_Profile_Favorites:



Collaboration diagram for AspNetCore.Views_Profile_Favorites:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` [ModelExpressionProvider](#)
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.PageOfItems > Html [get]`

6.90.1 Member Function Documentation

6.90.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Profile_Favorites.Execute←  
Async ( )
```

6.90.2 Property Documentation

6.90.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Profile_Favorites.←  
Component [get]
```

6.90.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.PageOfItems> AspNet←  
Core.Views_Profile_Favorites.Html [get]
```

6.90.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Profile_Favorites.Json  
[get]
```

6.90.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←
Profile_Favorites.ModelExpressionProvider [get]
```

Initial value:

```
<style>
.hoverable {
    min-height: 61vh;
    max-height: 61vh;
    border: 4px solid #F42E56;
}
.pix {
    min-height: 29vh;
    max-height: 29vh;
}
.deets {
    min-height: 32vh;
    max-height: 32vh;
}
p{
    padding-top:1.5vh;
    padding-bottom:1.5vh;
    margin-right:0;
    padding-right:0;
}
</style>
<h3 class=""center"" style=""font-family:Arial, Helvetica,
sans-serif;font-weight:bold;font-size:2.5rem;margin:30px 0 30px 0;padding-left:3vw;color:
#F42E56;"">Favorites</h3>
<!--Name-->
<div class=""row deets"">
    <div class=""col s12"">
        <div class=""row"" style=""color:black;padding-left:7px;margin-top:.5vh;"">
            <!--Name-->
            <h6 style=""font-weight:500;font-size:large;margin-top:0;margin-bottom:0;"">
                Favorites
            </h6>
        </div>
    </div>
</div>
```

6.90.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Profile_Favorites.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Profile/Favorites.cshtml.g.cs

6.91 AspNetCore.Views_Profile_Index Class Reference

Inheritance diagram for AspNetCore.Views_Profile_Index:



Collaboration diagram for AspNetCore.Views_Profile_Index:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` [ModelExpressionProvider](#)
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.UserDTO> Html [get]`

6.91.1 Member Function Documentation

6.91.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Profile_Index.ExecuteAsync()
()
```

6.91.2 Property Documentation

6.91.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Profile_Index.Component
[get]
```

6.91.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.UserDTO> AspNetCore.Views_Profile_Index.Html [get]
```

6.91.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Profile_Index.Json
[get]
```

6.91.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Profile_Index.ModelExpressionProvider [get]
```

6.91.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Profile_Index.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Profile/Index.cshtml.g.cs

6.92 AspNetCore.Views_Profile_MiniProfile Class Reference

Inheritance diagram for AspNetCore.Views_Profile_MiniProfile:



Collaboration diagram for AspNetCore.Views_Profile_MiniProfile:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.UserDTO > [Html](#) [get]

6.92.1 Member Function Documentation

6.92.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Profile_MiniProfile.←  
ExecuteAsync ( )
```

6.92.2 Property Documentation

6.92.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Profile_MiniProfile.←  
Component [get]
```

6.92.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.UserDTO> AspNet←  
Core.Views_Profile_MiniProfile.Html [get]
```

6.92.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Profile_MiniProfile.←  
Json [get]
```

6.92.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
Profile_MiniProfile.ModelExpressionProvider [get]
```

6.92.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Profile_MiniProfile.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Profile/[MiniProfile.cshtml.g.cs](#)

6.93 AspNetCore.Views_Profile_ProfileAddAddress Class Reference

Inheritance diagram for AspNetCore.Views_Profile_ProfileAddAddress:



Collaboration diagram for AspNetCore.Views_Profile_ProfileAddAddress:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< [Potluck.Web.Models.AddressVO](#) > [Html](#) [get]

6.93.1 Member Function Documentation

6.93.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Profile_ProfileAddAddress.←  
ExecuteAsync ( )
```

6.93.2 Property Documentation

6.93.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Profile_ProfileAdd←  
Address.Component [get]
```

6.93.2.2 Html

```
global.Microsoft.AspNetCore.Rendering.IHtmlHelper<Potluck.Web.Models.AddressVO> AspNet←  
Core.Views_Profile_ProfileAddAddress.Html [get]
```

6.93.2.3 Json

```
global.Microsoft.AspNetCore.Rendering.IJsonHelper AspNetCore.Views_Profile_ProfileAdd←  
Address.Json [get]
```

6.93.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←
Profile_ProfileAddAddress.ModelExpressionProvider [get]
```

Initial value:

```
<style>
    .btns {
        margin-top: 3vh;
    }
</style>
<div class=""row container"">
    <h3 style=""font-size:3rem;font-family:Arial, Helvetica,
    sans-serif;font-weight:bold;font-size:2.85rem;margin:70px 0 50px 0;padding-left:3vw;"">
        Add Address to Profile</h3>
    <div class=""card-panel z-depth-5 "">
        <div class=""col-md-4 "">
            <div class=""row container"">
                <div class=""col-md-12 "">
                    <div class=""row container"">
                        <div class=""col-md-12 "">
                            <div class=""row container"">
                                <div class=""col-md-12 "">
                                    <div class=""row container"">
                                        <div class=""col-md-12 "">
                                            <div class=""row container"">
                                                <div class=""col-md-12 "">
                                                    <div class=""row container"">
                                                        <div class=""col-md-12 "">
                                                            <div class=""row container"">
                                                                <div class=""col-md-12 "">
                                                                    <div class=""row container"">
                                                                        <div class=""col-md-12 "">
                                                                            <div class=""row container"">
                                                                                <div class=""col-md-12 "">
                                                                                    <div class=""row container"">
                                                                                        <div class=""col-md-12 "">
                                                                                            <div class=""row container"">
                                                                                                <div class=""col-md-12 "">
                                                                                                    <div class=""row container"">
                                                                                                        <div class=""col-md-12 "">
                                                                                                            <div class=""row container"">
                                                                                                                <div class=""col-md-12 "">
                                                                                                                    <div class=""row container"">
                                                                                                                        <div class=""col-md-12 "">
                                                                                                                            <div class=""row container"">
                                                                                                                                <div class=""col-md-12 "">
                                                                                                                                    <div class=""row container"">
                                                                                                                                        <div class=""col-md-12 "">
                                                                                                                                            <div class=""row container"">
                                                                                                                                                <div class=""col-md-12 "">
                                                                                                                                                    <div class=""row container"">
                                                                                                                                                        <div class=""col-md-12 "">
                                                                                                                                                            <div class=""row container"">
                                                                                                                                                                <div class=""col-md-12 "">
                                                                                                    <div class=""row container"">
                                                                                                        <div class=""col-md-12 "">
                                                                                                            <div class=""row container"">
................................................................
```

6.93.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_ProfileAddAddress.Url
[get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
 Razor/Views/Profile/ProfileAddAddress.cshtml.g.cs

6.94 AspNetCore.Views_Profile_Address Class Reference

Inheritance diagram for AspNetCore.Views_Profile_Address:



Collaboration diagram for AspNetCore.Views_Profile_ProfileAddress:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider ModelExpressionProvider [get]`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.UserDTO > Html [get]`

6.94.1 Member Function Documentation

6.94.1.1 ExecuteAsync()

```
async override global::System.Threading.Tasks.Task AspNetCore.Views_Profile_ProfileAddress.←
ExecuteAsync ( )
```

6.94.2 Property Documentation

6.94.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Profile_Address.←  
Component [get]
```

6.94.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.UserDTO> AspNet←  
Core.Views_ProfileAddress.Html [get]
```

6.94.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_ProfileAddress.←  
Json [get]
```

6.94.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
Profile_ProfileAddress.ModelExpressionProvider [get]
```

Initial value:

```
<div class=""col s5 card panel center-on-small""  
style=""min-height:31vh;max-height:35vh;margin-right:1.7vw;padding:0;border-bottom-left-radius:15px;border-bottom-right:  
<div class=""row"" style=""padding:0;margin:0;"">  
    <div class=""col s5 Radical-Red"">  
        "  
    </div>  
    </div>  
<div class=""col s11 push-s1 center"">  
    <ul class=""left grey-text"">  
        <li class=""center Radical-Red-Text""><b>"
```

6.94.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_ProfileAddress.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Profile/ProfileAddress.cshtml.g.cs

6.95 AspNetCore.Views_Profile_Delete Class Reference

Inheritance diagram for AspNetCore.Views_Profile_Delete:



Collaboration diagram for AspNetCore.Views_Profile_Delete:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- | | |
|--|---|
| • <code>global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]</code> | ModelExpressionProvider |
| • <code>global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.UserDTO> Html [get]</code> | |

6.95.1 Member Function Documentation

6.95.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_ProfileProfileDelete.←  
ExecuteAsync ( )
```

6.95.2 Property Documentation

6.95.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_ProfileProfileDelete.←  
Component [get]
```

6.95.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.UserDTO> AspNet←  
Core.Views_ProfileProfileDelete.Html [get]
```

6.95.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_ProfileProfileDelete.←  
Json [get]
```

6.95.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
ProfileProfileDelete.ModelExpressionProvider [get]
```

Initial value:

```
<div>  
    <div class=""row center-align"">  
        <h5>ARE YOU SURE YOU WISH TO DELETE YOUR ACCOUNT?</h5>  
    </div>  
    <div class=""row center-align"">  
        <h6>PRESSING THE BUTTON BELOW WILL DELETE ALL USER CONTENT</h6>  
    </div>  
    <div class=""row center-align"">  
        <input type="button" value="DELETE" />  
    </div>
```

6.95.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_ProfileDelete.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Profile/[ProfileDelete.cshtml.g.cs](#)

6.96 AspNetCore.Views_Profile_ProfileEdit Class Reference

Inheritance diagram for AspNetCore.Views_Profile_ProfileEdit:



Collaboration diagram for AspNetCore.Views_Profile_ProfileEdit:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.UserDTO > [Html](#) [get]

6.96.1 Member Function Documentation

6.96.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_ProfileEdit.←  
ExecuteAsync ( )
```

6.96.2 Property Documentation

6.96.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_ProfileEdit.←  
Component [get]
```

6.96.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.UserDTO> AspNet←  
Core.Views_ProfileEdit.Html [get]
```

6.96.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_ProfileEdit.←  
Json [get]
```

6.96.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_(Profile_Edit).ModelExpressionProvider [get]
```

Initial value:

```
</div>
</div>
<div class="form-group">
    <a style=""border-radius:25px;background-color:#F42E56;"" class="btn waves-effect waves-light col s12"" onclick=""document.getElementById('ProfileEditForm').submit();return false;"">Save Changes</a>
</div>
"
```

6.96.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_ProfileEdit.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/ProfileEdit.cshtml.g.cs

6.97 AspNetCore.Views_Profile_ProfileImage Class Reference

Inheritance diagram for AspNetCore.Views_Profile_ProfileImage:



Collaboration diagram for AspNetCore.Views_Profile_ProfileImage:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` `ModelExpressionProvider`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.UserDTO > Html [get]`

6.97.1 Member Function Documentation

6.97.1.1 ExecuteAsync()

```
async override global::System.Threading.Tasks.Task AspNetCore.Views_Profile_ProfileImage.←  
ExecuteAsync ( )
```

6.97.2 Property Documentation

6.97.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_ProfileImage.←  
Component [get]
```

6.97.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.UserDTO> AspNet←  
Core.Views_ProfileImage.Html [get]
```

6.97.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_ProfileImage.←  
Json [get]
```

6.97.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
Profile_ProfileImage.ModelExpressionProvider [get]
```

6.97.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_ProfileImage.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Profile/ProfileImage.cshtml.g.cs

6.98 AspNetCore.Views_Profile_ProfileName Class Reference

Inheritance diagram for AspNetCore.Views_Profile_ProfileName:



Collaboration diagram for AspNetCore.Views_Profile_ProfileName:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- | | |
|---|--|
| • <code>global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]</code> | <code>ModelExpressionProvider</code> ModelExpressionProvider |
| • <code>global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]</code> | <code>Url</code> Url |
| • <code>global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]</code> | <code>Component</code> Component |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]</code> | <code>Json</code> Json |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> Html [get]</code> | <code>Html</code> Html |

6.98.1 Member Function Documentation

6.98.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Profile_ProfileNav.Execute←
Async ( )
```

6.98.2 Property Documentation

6.98.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Profile_ProfileNav.←
Component [get]
```

6.98.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_Profile_←
ProfileNav.Html [get]
```

6.98.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Profile_ProfileNav.Json
[get]
```

6.98.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←
Profile_ProfileNav.ModelExpressionProvider [get]
```

6.98.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_ProfileNav.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Profile/[ProfileNav.cshtml.g.cs](#)

6.99 AspNetCore.Views_Profile_ProfileUpdateAddress Class Reference

Inheritance diagram for AspNetCore.Views_Profile_ProfileUpdateAddress:



Collaboration diagram for AspNetCore.Views_Profile_ProfileUpdateAddress:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` [ModelExpressionProvider](#)
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.AddressDTO > Html [get]`

6.99.1 Member Function Documentation

6.99.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Profile_ProfileUpdate←
Address.ExecuteAsync ( )
```

6.99.2 Property Documentation

6.99.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Profile_ProfileUpdate←
Address.Component [get]
```

6.99.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.AddressDTO> AspNet←
Core.Views_Profile_ProfileUpdateAddress.Html [get]
```

6.99.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Profile_ProfileUpdate←
Address.Json [get]
```

6.99.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←
Profile_ProfileUpdateAddress.ModelExpressionProvider [get]
```

Initial value:

```
<style>
    .btns {
        margin-top: 3vh;
    }
</style>
<div class="row container">
    <h3 style="" font-size:3rem;font-family:Arial, Helvetica,
    sans-serif;font-weight:bold;font-size:2.85rem;margin:70px 0 50px 0;padding-left:3vw; ""
    class="center">Update Address</h3>
    <div class="card-panel z-depth-5 ">
        <div class="col-md-4">
            <label>
                <span></span>
            </label>
        </div>
        <div class="form-group container center btns">
            <input type="submit" value=""Update"" class="btn btn-default Radical-Red" />
        </div>
    </div>
</div>
```

6.99.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_ProfileUpdateAddress.Url
[get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Profile/[ProfileUpdateAddress.cshtml.g.cs](#)

6.100 AspNetCore.Views_Review_Index Class Reference

Inheritance diagram for AspNetCore.Views_Review_Index:



Collaboration diagram for AspNetCore.Views_Review_Index:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` [ModelExpressionProvider](#)
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.PageOfReviews > Html [get]`

6.100.1 Member Function Documentation

6.100.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Review_Index.ExecuteAsync ( )
```

6.100.2 Property Documentation

6.100.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Review_Index.Component [get]
```

6.100.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.PageOfReviews> AspNetCore.Views_Review_Index.Html [get]
```

6.100.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Review_Index.Json [get]
```

6.100.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Review_Index.ModelExpressionProvider [get]
```

6.100.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Review_Index.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Review/Index.cshtml.g.cs

6.101 AspNetCore.Views_Review_ReviewCreate Class Reference

Inheritance diagram for AspNetCore.Views_Review_ReviewCreate:



Collaboration diagram for AspNetCore.Views_Review_ReviewCreate:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider ModelExpressionProvider [get]`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.ReviewVO > Html [get]`

6.101.1 Member Function Documentation

6.101.1.1 ExecuteAsync()

```
async override global::System.Threading.Tasks.Task AspNetCore.Views_Review_ReviewCreate. ExecuteAsync ( )
```

6.101.2 Property Documentation

6.101.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Review_ReviewCreate.←  
Component [get]
```

6.101.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.ReviewVO> AspNet←  
Core.Views_Review_ReviewCreate.Html [get]
```

6.101.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Review_ReviewCreate.←  
Json [get]
```

6.101.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
Review_ReviewCreate.ModelExpressionProvider [get]
```

6.101.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Review_ReviewCreate.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Review/[ReviewCreate.cshtml.g.cs](#)

6.102 AspNetCore.Views_SellerCustom_CustomCreate Class Reference

Inheritance diagram for AspNetCore.Views_SellerCustom_CustomCreate:



Collaboration diagram for AspNetCore.Views_SellerCustom_CustomCreate:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync\(\)](#)

Properties

- | | |
|---|---|
| • global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider
[get] | ModelExpressionProvider |
| • global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get] | |
| • global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.CustomVO > Html
[get] | |

6.102.1 Member Function Documentation

6.102.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerCustom_CustomCreate.ExecuteAsync( )
```

6.102.2 Property Documentation

6.102.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerCustom_Custom←
Create.Component [get]
```

6.102.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.CustomVO> AspNet←
Core.Views_SellerCustom_CustomCreate.Html [get]
```

6.102.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerCustom_Custom←
Create.Json [get]
```

6.102.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←
SellerCustom_CustomCreate.ModelExpressionProvider [get]
```

Initial value:

```
<style>
    .btn {
        border-radius: 25px;
        width: 16vw;
        margin: 0 4vw 2vh 1vw;
        margin-top: 8vh;
    }
    .z-depth-5 {
        margin-bottom: 10vh;
    }
    h5 {
        margin-bottom: 4vh;
        color: #F42E56;
    }
</style>
<div class=""container"""
    <h3 style=""font-size:3rem;font-family:Arial, Helvetica,
    sans-serif;font-weight:bold;font-size:2.85rem;margin:70px 0 50px 0;padding-left:3vw;color:
    #F42E56,">Create a Custom Combo</h3>
    <div class=""card-panel z-depth-5 """
        <h5 class=""center""><b>Combo Setup</b></h5>
        <div class=""col-md-4"""
            "
                </td>
            </tr>
        </table>
        <div class=""container form-group"""
            <input type=""submit"" value=""Create"" class=""btn btn-default Radical-Red"" />
        "
    </div>
</div>
```

6.102.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerCustom_CustomCreate.Url
[get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/~/Razor/Views/SellerCustom/[CustomCreate.cshtml.g.cs](#)

6.103 AspNetCore.Views_SellerCustom_CustomDelete Class Reference

Inheritance diagram for AspNetCore.Views_SellerCustom_CustomDelete:



Collaboration diagram for AspNetCore.Views_SellerCustom_CustomDelete:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` [ModelExpressionProvider](#)
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.CustomDTO > Html [get]`

6.103.1 Member Function Documentation

6.103.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerCustom_CustomDelete.←  
ExecuteAsync ( )
```

6.103.2 Property Documentation

6.103.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerCustom_Custom←  
Delete.Component [get]
```

6.103.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.CustomDTO> AspNet←  
Core.Views_SellerCustom_CustomDelete.Html [get]
```

6.103.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerCustom_Custom←  
Delete.Json [get]
```

6.103.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
SellerCustom_CustomDelete.ModelExpressionProvider [get]
```

6.103.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerCustom_CustomDelete.Url
[get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/~/Razor/Views/SellerCustom/[CustomDelete.cshtml.g.cs](#)

6.104 AspNetCore.Views_SellerCustom_CustomDetails Class Reference

Inheritance diagram for AspNetCore.Views_SellerCustom_CustomDetails:



Collaboration diagram for AspNetCore.Views_SellerCustom_CustomDetails:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` [ModelExpressionProvider](#)
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.CustomDTO > Html [get]`

6.104.1 Member Function Documentation

6.104.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerCustom_CustomDetails.←  
ExecuteAsync ( )
```

6.104.2 Property Documentation

6.104.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerCustom_Custom←  
Details.Component [get]
```

6.104.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.CustomDTO> AspNet←  
Core.Views_SellerCustom_CustomDetails.Html [get]
```

6.104.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerCustom_Custom←  
Details.Json [get]
```

6.104.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
SellerCustom_CustomDetails.ModelExpressionProvider [get]
```

6.104.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerCustom_CustomDetails.Url
[get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/SellerCustom/[CustomDetails.cshtml.g.cs](#)

6.105 AspNetCore.Views_SellerCustom_Index Class Reference

Inheritance diagram for AspNetCore.Views_SellerCustom_Index:



Collaboration diagram for AspNetCore.Views_SellerCustom_Index:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- | | |
|--|---|
| • global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider
[get] | ModelExpressionProvider |
| • global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get] | |
| • global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.PageOfCustoms > Html
[get] | |

6.105.1 Member Function Documentation

6.105.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerCustom_Index.Execute←  
Async ( )
```

6.105.2 Property Documentation

6.105.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerCustom_Index.←  
Component [get]
```

6.105.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.PageOfCustoms> Asp←  
NetCore.Views_SellerCustom_Index.Html [get]
```

6.105.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerCustom_Index.Json  
[get]
```

6.105.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
SellerCustom_Index.ModelExpressionProvider [get]
```

6.105.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerCustom_Index.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/SellerCustom/Index.cshtml.g.cs

6.106 AspNetCore.Views_SellerDelivery_Index Class Reference

Inheritance diagram for AspNetCore.Views_SellerDelivery_Index:



Collaboration diagram for AspNetCore.Views_SellerDelivery_Index:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- | | |
|---|---|
| • global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider
[get] | ModelExpressionProvider |
| • global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get] | |
| • global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.PageOfDeliveries > Html
[get] | |

6.106.1 Member Function Documentation

6.106.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerDelivery_Index.←  
ExecuteAsync ( )
```

6.106.2 Property Documentation

6.106.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerDelivery_Index.←  
Component [get]
```

6.106.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.PageOfDeliveries>  
AspNetCore.Views_SellerDelivery_Index.Html [get]
```

6.106.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerDelivery_Index.←  
Json [get]
```

6.106.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
SellerDelivery_Index.ModelExpressionProvider [get]
```

6.106.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerDelivery_Index.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/SellerDelivery/Index.cshtml.g.cs

6.107 AspNetCore.Views_SellerItem_ItemCreate Class Reference

Inheritance diagram for AspNetCore.Views_SellerItem_ItemCreate:



Collaboration diagram for AspNetCore.Views_SellerItem_ItemCreate:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.ItemVO > [Html](#) [get]

6.107.1 Member Function Documentation

6.107.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerItem_ItemCreate.←  
ExecuteAsync ( )
```

6.107.2 Property Documentation

6.107.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerItem_ItemCreate.←  
Component [get]
```

6.107.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.ItemVO> AspNetCore.←  
Views_SellerItem_ItemCreate.Html [get]
```

6.107.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerItem_ItemCreate.←  
Json [get]
```

6.107.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_<-->  
SellerItem_ItemCreate.ModelExpressionProvider [get]
```

6.107.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerItem_ItemCreate.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/SellerItem/ItemCreate.cshtml.g.cs

6.108 AspNetCore.Views_SellerItem_ItemDelete Class Reference

Inheritance diagram for AspNetCore.Views_SellerItem_ItemDelete:



Collaboration diagram for AspNetCore.Views_SellerItem_ItemDelete:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider ModelExpressionProvider [get]`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.ItemDTO > Html [get]`

6.108.1 Member Function Documentation

6.108.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerItem_ItemDelete.←
ExecuteAsync ( )
```

6.108.2 Property Documentation

6.108.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerItem_ItemDelete.←
Component [get]
```

6.108.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.ItemDTO> AspNetCore.←
Views_SellerItem_ItemDelete.Html [get]
```

6.108.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerItem_ItemDelete.←
Json [get]
```

6.108.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_<-
SellerItem_Delete.ModelExpressionProvider [get]
```

Initial value:

```
<style>
    td {
        text-align: center;
    }
    .z-depth-5 {
        margin: 10vh 12vw;
    }
    table{
        margin:1vh 2vw 4vh .3vw;
    }
    .btms{
        margin-left:3vw;
    }
</style>
<div class=""container"">
    <h3 style="font-family:Arial, Helvetica, sans-serif;font-weight:bold;font-size:2.85rem;margin:70px
0 50px 0;padding-left:3vw;">Delete Item</h3>
    <div class=""row card-panel z-depth-5"">
        <h5 class=""Radical-Red-Text"" style="font-family:Arial, Helvetica,
sans-serif;font-weight:bold;font-size:2rem;margin:20px 0 50px 0;text-align:center;">Are you sure you
want to Delete "
        <button type=""submit"" value=""Delete"""
style=""border-radius:25px;background-color:#F42E56;height:8vh;margin:10vh
2vw;padding-top:.3vh;width:12vw;"" class=""btn waves-effect waves-light col s3 hoverable
white-text "">Delete</button>
    "
```

6.108.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerItem_Delete.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/SellerItem/[ItemDelete.cshtml.g.cs](#)

6.109 AspNetCore.Views_SellerItem_ItemDetails Class Reference

Inheritance diagram for AspNetCore.Views_SellerItem_ItemDetails:



Collaboration diagram for AspNetCore.Views_SellerItem_ItemDetails:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider ModelExpressionProvider [get]`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.ItemDTO > Html [get]`

6.109.1 Member Function Documentation

6.109.1.1 ExecuteAsync()

```
async override global::System.Threading.Tasks.Task AspNetCore.Views_SellerItem_ItemDetails.←  
ExecuteAsync ( )
```

6.109.2 Property Documentation

6.109.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerItem_ItemDetails.←  
Component [get]
```

6.109.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.ItemDTO> AspNet←  
Core.Views_SellerItem_ItemDetails.Html [get]
```

6.109.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerItem_ItemDetails.←  
Json [get]
```

6.109.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
SellerItem_ItemDetails.ModelExpressionProvider [get]
```

6.109.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerItem_ItemDetails.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/SellerItem/[ItemDetails.cshtml.g.cs](#)

6.110 AspNetCore.Views_SellerItem_ItemUpdate Class Reference

Inheritance diagram for AspNetCore.Views_SellerItem_ItemUpdate:



Collaboration diagram for AspNetCore.Views_SellerItem_ItemUpdate:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- | | |
|--|---|
| • <code>global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]</code> | ModelExpressionProvider |
| • <code>global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.ItemDTO> Html [get]</code> | |

6.110.1 Member Function Documentation

6.110.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerItem_ItemUpdate.←  
ExecuteAsync ( )
```

6.110.2 Property Documentation

6.110.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerItem_ItemUpdate.←  
Component [get]
```

6.110.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.ItemDTO> AspNet←  
Core.Views_SellerItem_ItemUpdate.Html [get]
```

6.110.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerItem_ItemUpdate.←  
Json [get]
```

6.110.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
SellerItem_ItemUpdate.ModelExpressionProvider [get]
```

6.110.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerItem_ItemUpdate.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/SellerItem/[ItemUpdate.cshtml.g.cs](#)

6.111 AspNetCore.Views_SellerItem_Menu Class Reference

Inheritance diagram for AspNetCore.Views_SellerItem_Menu:



Collaboration diagram for AspNetCore.Views_SellerItem_Menu:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- | | |
|--|---|
| • global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider
[get] | ModelExpressionProvider |
| • global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get] | |
| • global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.PageOfItems > Html
[get] | |

6.111.1 Member Function Documentation

6.111.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerItem_Menu.Execute←  
Async ( )
```

6.111.2 Property Documentation

6.111.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerItem_Menu.Component  
[get]
```

6.111.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.PageOfItems> AspNet←  
Core.Views_SellerItem_Menu.Html [get]
```

6.111.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerItem_Menu.Json  
[get]
```

6.111.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
SellerItem_Menu.ModelExpressionProvider [get]
```

6.111.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerItem_Menu.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/SellerItem/[Menu.cshtml.g.cs](#)

6.112 AspNetCore.Views_SellerOrder_Index Class Reference

Inheritance diagram for AspNetCore.Views_SellerOrder_Index:



Collaboration diagram for AspNetCore.Views_SellerOrder_Index:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- | | |
|--|---|
| • global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider
[get] | ModelExpressionProvider |
| • global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get] | |
| • global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.PageOfOrders > Html [get] | |

6.112.1 Member Function Documentation

6.112.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerOrder_Index.Execute←  
Async ( )
```

6.112.2 Property Documentation

6.112.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerOrder_Index.←  
Component [get]
```

6.112.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.PageOfOrders> Asp←  
NetCore.Views_SellerOrder_Index.Html [get]
```

6.112.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerOrder_Index.Json  
[get]
```

6.112.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
SellerOrder_Index.ModelExpressionProvider [get]
```

6.112.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerOrder_Index.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/→
Razor/Views/SellerOrder/Index.cshtml.g.cs

6.113 AspNetCore.Views_SellerOrder_OrderDetails Class Reference

Inheritance diagram for AspNetCore.Views_SellerOrder_OrderDetails:



Collaboration diagram for AspNetCore.Views_SellerOrder_OrderDetails:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- | | |
|---|---|
| • global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider
[get] | ModelExpressionProvider |
| • global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get] | |
| • global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get] | |
| • global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.OrderDTO > Html
[get] | |

6.113.1 Member Function Documentation

6.113.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerOrder_OrderDetails.←  
ExecuteAsync ( )
```

6.113.2 Property Documentation

6.113.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerOrder_Order←  
Details.Component [get]
```

6.113.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.OrderDTO> AspNet←  
Core.Views_SellerOrder_OrderDetails.Html [get]
```

6.113.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerOrder_Order←  
Details.Json [get]
```

6.113.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
SellerOrder_OrderDetails.ModelExpressionProvider [get]
```

Initial value:

```
<style>  
    .table th {  
        width: 30%;  
    }  
    .btns {  
        margin: 0 auto;  
        width: 70%;  
    }  
</style>  
<div class="container">  
    <h3 style="font-family:Arial, Helvetica, sans-serif;font-weight:bold;font-size:2.85rem;margin:70px 0  
    50px 0;padding-left:3vw;">Item Details</h3>  
    <div class="row card-panel z-depth-5">  
        <div class="row center-align">  
            <div>  
                <h4>Order Response</h4>  
                <hr />  
                <table>  
                    <tr>  
                        <th class="Radical-Red-Text"><b>Order Date</b></th>  
                        <td>
```

6.113.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerOrder_OrderDetails.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/SellerOrder/[OrderDetails.cshtml.g.cs](#)

6.114 AspNetCore.Views_SellerSchedule_Index Class Reference

Inheritance diagram for AspNetCore.Views_SellerSchedule_Index:



Collaboration diagram for AspNetCore.Views_SellerSchedule_Index:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync \(\)](#)

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#)
[get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.PageOfSchedules > [Html](#)
[get]

6.114.1 Member Function Documentation

6.114.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_SellerSchedule_Index.←  
ExecuteAsync ( )
```

6.114.2 Property Documentation

6.114.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerSchedule_Index.←  
Component [get]
```

6.114.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.PageOfSchedules>  
AspNetCore.Views_SellerSchedule_Index.Html [get]
```

6.114.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerSchedule_Index.←  
Json [get]
```

6.114.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
SellerSchedule_Index.ModelExpressionProvider [get]
```

6.114.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerSchedule_Index.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/SellerSchedule/Index.cshtml.g.cs

6.115 AspNetCore.Views_SellerSchedule_ScheduleCreate Class Reference

Inheritance diagram for AspNetCore.Views_SellerSchedule_ScheduleCreate:



Collaboration diagram for AspNetCore.Views_SellerSchedule_ScheduleCreate:



Public Member Functions

- async override global::System.Threading.Tasks.Task [ExecuteAsync\(\)](#)

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#)
[get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.ScheduleCreate > [Html](#)
[get]

6.115.1 Member Function Documentation

6.115.1.1 ExecuteAsync()

```
async override global::System.Threading.Tasks.Task AspNetCore.Views_SellerSchedule_ScheduleCreate.ExecuteAsync( )
```

6.115.2 Property Documentation

6.115.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerSchedule_Schedule←  
Create.Component [get]
```

6.115.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.ScheduleCreate> AspNetCore.Views_SellerSchedule_ScheduleCreate.Html [get]
```

6.115.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerSchedule_Schedule←  
Create.Json [get]
```

6.115.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_SellerSchedule_ScheduleCreate.ModelExpressionProvider [get]
```

6.115.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerSchedule_ScheduleCreate.Url  
[get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/→
Razor/Views/SellerSchedule/ScheduleCreate.cshtml.g.cs

6.116 AspNetCore.Views_SellerSchedule_ScheduleDetails Class Reference

Inheritance diagram for AspNetCore.Views_SellerSchedule_ScheduleDetails:



Collaboration diagram for AspNetCore.Views_SellerSchedule_ScheduleDetails:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` [ModelExpressionProvider](#)
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< Potluck.Web.Models.ScheduleDTO > Html [get]`

6.116.1 Member Function Documentation

6.116.1.1 ExecuteAsync()

```

async override global::System.Threading.Tasks.Task AspNetCore.Views_SellerSchedule_ScheduleDetails.ExecuteAsync ( )
  
```

6.116.2 Property Documentation

6.116.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_SellerSchedule_ScheduleDetails.Component [get]
```

6.116.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<Potluck.Web.Models.ScheduleDTO> AspNetCore.Views_SellerSchedule_ScheduleDetails.Html [get]
```

6.116.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_SellerSchedule_ScheduleDetails.Json [get]
```

6.116.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_SellerSchedule_ScheduleDetails.ModelExpressionProvider [get]
```

6.116.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_SellerSchedule_ScheduleDetails.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerSchedule/ScheduleDetails.cshtml.g.cs

6.117 AspNetCore.Views_Shared__CookieConsentPartial Class Reference

Inheritance diagram for AspNetCore.Views_Shared__CookieConsentPartial:



Collaboration diagram for AspNetCore.Views_Shared__CookieConsentPartial:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- | | |
|---|---|
| • <code>global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]</code> | ModelExpressionProvider |
| • <code>global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> Html [get]</code> | |

6.117.1 Member Function Documentation

6.117.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Shared__CookieConsent←  
Partial.ExecuteAsync ( )
```

6.117.2 Property Documentation

6.117.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Shared__CookieConsent←  
Partial.Component [get]
```

6.117.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_Shared__←  
CookieConsentPartial.Html [get]
```

6.117.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Shared__CookieConsent←  
Partial.Json [get]
```

6.117.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←
Shared__CookieConsentPartial.ModelExpressionProvider [get]
```

Initial value:

```
<nav id="#cookieConsent" class="navbar navbar-default navbar-fixed-top" role="alert">
    <div class="container">
        <div class="navbar-header">
            <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#cookieConsent .navbar-collapse">
                <span class="sr-only">Toggle cookie consent banner</span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>
            <span class="navbar-brand"><span class="glyphicon glyphicon-info-sign" aria-hidden="true"></span></span>
        </div>
        <div class="collapse navbar-collapse">
            <p class="navbar-text">
                Use this space to summarize your privacy and cookie use policy.
            </p>
            <div class="navbar-right">
                <button>Accept</button>
            </div>
        </div>
    </div>
</nav>
<script>
    (function () {
        document.querySelector("#cookieConsent button[data-cookie-string]").addEventListener("click", function (el) {
            document.cookie = el.target.dataset.cookieString;
            document.querySelector("#cookieConsent").classList.add("hidden");
        }, false);
    })();
</script>
"
```

6.117.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Shared__CookieConsentPartial.Url
[get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
 Razor/Views/Shared/_CookieConsentPartial.cshtml.g.cs

6.118 AspNetCore.Views_Shared__Layout Class Reference

Inheritance diagram for AspNetCore.Views_Shared__Layout:



Collaboration diagram for AspNetCore.Views_Shared__Layout:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]` [ModelExpressionProvider](#)
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> Html [get]`

6.118.1 Member Function Documentation

6.118.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Shared__Layout.ExecuteAsync()
()
```

6.118.2 Property Documentation

6.118.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Shared__Layout.Component
[get]
```

6.118.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_Shared__←
Layout.Html [get]
```

6.118.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Shared__Layout.Json
[get]
```

6.118.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←
Shared__Layout.ModelExpressionProvider [get]
```

6.118.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Shared__Layout.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Shared/_Layout.cshtml.g.cs

6.119 AspNetCore.Views_Shared__LoginPartial Class Reference

Inheritance diagram for AspNetCore.Views_Shared__LoginPartial:



Collaboration diagram for AspNetCore.Views_Shared__LoginPartial:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- UserManager< IdentityUser > [UserManager](#) [get]
- SignInManager< IdentityUser > [SignInManager](#) [get]
- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper< dynamic > [Html](#) [get]

6.119.1 Member Function Documentation

6.119.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Shared__LoginPartial.←  
ExecuteAsync ( )
```

6.119.2 Property Documentation

6.119.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Shared__LoginPartial.←  
Component [get]
```

6.119.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_Shared__←  
LoginPartial.Html [get]
```

6.119.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Shared__LoginPartial.←  
Json [get]
```

6.119.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Shared__LoginPartial.ModelExpressionProvider [get]
```

6.119.2.5 SignInManager

```
SignInManager<IdentityUser> AspNetCore.Views_Shared__LoginPartial.SignInManager [get]
```

6.119.2.6 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Shared__LoginPartial.Url [get]
```

6.119.2.7 UserManager


```
UserManager<IdentityUser> AspNetCore.Views_Shared__LoginPartial.UserManager [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/_LoginPartial.cshtml.g.cs

6.120 AspNetCore.Views_Shared__ValidationScriptsPartial Class Reference

Inheritance diagram for AspNetCore.Views_Shared__ValidationScriptsPartial:



Collaboration diagram for AspNetCore.Views_Shared__ValidationScriptsPartial:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider ModelExpressionProvider [get]`
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> Html [get]`

6.120.1 Member Function Documentation

6.120.1.1 ExecuteAsync()

```
async override global::System.Threading.Tasks.Task AspNetCore.Views_Shared__ValidationScriptsPartial.ExecuteAsync ( )
```

6.120.2 Property Documentation

6.120.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Shared__Validation←  
ScriptsPartial.Component [get]
```

6.120.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_Shared__←  
ValidationScriptsPartial.Html [get]
```

6.120.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Shared__Validation←  
ScriptsPartial.Json [get]
```

6.120.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Shared__←  
ValidationScriptsPartial.ModelExpressionProvider [get]
```

6.120.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Shared__ValidationScriptsPartial.←  
Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Shared/_ValidationScriptsPartial.cshtml.g.cs

6.121 AspNetCore.Views_Shared_Error Class Reference

Inheritance diagram for AspNetCore.Views_Shared_Error:



Collaboration diagram for AspNetCore.Views_Shared_Error:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- | | |
|--|---|
| • <code>global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [get]</code> | ModelExpressionProvider |
| • <code>global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]</code> | |
| • <code>global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<ErrorViewModel> Html [get]</code> | |

6.121.1 Member Function Documentation

6.121.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Shared_Error.ExecuteAsync ( )
```

6.121.2 Property Documentation

6.121.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Shared_Error.Component [get]
```

6.121.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<ErrorViewModel> AspNetCore.Views_Shared_Error.Html [get]
```

6.121.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Shared_Error.Json [get]
```

6.121.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Shared_Error.ModelExpressionProvider [get]
```

Initial value:

```
<h3>Development Mode</h3>
<p>Swapping to <strong>Development</strong> environment will display more detailed information about the error that occurred.</p>
<p><strong>Development environment should not be enabled in deployed applications</strong>, as it can result in sensitive information from exceptions being displayed to end users. For local debugging, development environment can be enabled by setting the <strong>ASPNETCORE_ENVIRONMENT</strong> environment variable to <strong>Development</strong>, and restarting the application.</p>
"
```

6.121.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Shared_Error.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Shared/Error.cshtml.g.cs

6.122 AspNetCore.Views_Shared_Footer Class Reference

Inheritance diagram for AspNetCore.Views_Shared_Footer:



Collaboration diagram for AspNetCore.Views_Shared_Footer:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider [ModelExpressionProvider](#) [get]
- global::Microsoft.AspNetCore.Mvc.IUrlHelper [Url](#) [get]
- global::Microsoft.AspNetCore.Mvc.IViewComponentHelper [Component](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper [Json](#) [get]
- global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> [Html](#) [get]

6.122.1 Member Function Documentation

6.122.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Shared_Footer.ExecuteAsync()
( )
```

6.122.2 Property Documentation

6.122.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Shared_Footer.Component
[get]
```

6.122.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_Shared_Footer.Html
[get]
```

6.122.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Shared_Footer.Json
[get]
```

6.122.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_Shared_Footer.ModelExpressionProvider [get]
```

Initial value:

```
<footer id="" footer"" class="Radical-Red white-text"
    style=""margin-bottom:0;padding:.4vh;font-size:small;margin-top:0;"">
    <div style=""padding-top:.8vh">
        <div style=""float:right;padding-right:2.5vw;padding-top:1.9vh;">
            <a class="white-text" style=""margin-right:1vw;"">Terms Of Service</a>
            <a class="white-text" style=""margin-right:1vw;"">Privacy Policy</a>
        </div>
        <p class="left-align" style=""padding-left:2.5vw;"">&copy; 2020 Potluck. All Rights
        Reserved</p>
    </div>
</footer>
```

6.122.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Shared_Footer.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/Footer.cshtml.g.cs

6.123 AspNetCore.Views_Shared_FootLinks Class Reference

Inheritance diagram for AspNetCore.Views_Shared_FootLinks:



Collaboration diagram for AspNetCore.Views_Shared_FootLinks:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.IViewFeatures.IModelExpressionProvider [get]` [ModelExpressionProvider](#)
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper Url [get]`
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper Component [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper Json [get]`
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> Html [get]`

6.123.1 Member Function Documentation

6.123.1.1 ExecuteAsync()

```
async override global::System.Threading.Tasks.Task AspNetCore.Views_Shared_FootLinks.ExecuteAsync ( )
```

6.123.2 Property Documentation

6.123.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Shared_FootLinks.←  
Component [get]
```

6.123.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_Shared_Foot←  
Links.Html [get]
```

6.123.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Shared_FootLinks.Json  
[get]
```

6.123.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
Shared_FootLinks.ModelExpressionProvider [get]
```

6.123.2.5 Url


```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Shared_FootLinks.Url [get]
```

The documentation for this class was generated from the following file:


- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/Views/Shared/FootLinks.cshtml.g.cs

6.124 AspNetCore.Views_Shared_NavBar Class Reference

Inheritance diagram for AspNetCore.Views_Shared_NavBar:



Collaboration diagram for AspNetCore.Views_Shared_NavBar:



Public Member Functions

- `async override global::System.Threading.Tasks.Task ExecuteAsync ()`

Properties

- `global::Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider` [get] [ModelExpressionProvider](#)
- `global::Microsoft.AspNetCore.Mvc.IUrlHelper` [Url](#) [get]
- `global::Microsoft.AspNetCore.Mvc.IViewComponentHelper` [Component](#) [get]
- `global::Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper` [Json](#) [get]
- `global::Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic>` [Html](#) [get]

6.124.1 Member Function Documentation

6.124.1.1 ExecuteAsync()

```
async override global.System.Threading.Tasks.Task AspNetCore.Views_Shared_NavBar.ExecuteAsync()  
( )
```

6.124.2 Property Documentation

6.124.2.1 Component

```
global.Microsoft.AspNetCore.Mvc.IViewComponentHelper AspNetCore.Views_Shared_NavBar.Component  
[get]
```

6.124.2.2 Html

```
global.Microsoft.AspNetCore.Mvc.Rendering.IHtmlHelper<dynamic> AspNetCore.Views_Shared_Nav←  
Bar.Html [get]
```

6.124.2.3 Json

```
global.Microsoft.AspNetCore.Mvc.Rendering.IJsonHelper AspNetCore.Views_Shared_NavBar.Json  
[get]
```

6.124.2.4 ModelExpressionProvider

```
global.Microsoft.AspNetCore.Mvc.ViewFeatures.IModelExpressionProvider AspNetCore.Views_←  
Shared_NavBar.ModelExpressionProvider [get]
```

6.124.2.5 Url

```
global.Microsoft.AspNetCore.Mvc.IUrlHelper AspNetCore.Views_Shared_NavBar.Url [get]
```

The documentation for this class was generated from the following file:

- C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/←
Razor/VIEWS/Shared/NavBar.cshtml.g.cs

Chapter 7

File Documentation

7.1 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Controllers/AdminController.cs File Reference

Classes

- class [Potluck.Web.ControllersAdminController](#)
AdminController contains high level administration actions

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.2 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Controllers/APIController.cs File Reference

Classes

- class [Potluck.Web.Controllers.APIController](#)
The APIController class contains all the methods for interfacing with the back end api.

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.3 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/ ↵ Potluck.Web/Controllers/BuyerItemController.cs File Reference

Classes

- class [Potluck.Web.Controllers.BuyerItemController](#)
BuyerItemController Contains all the methods for buyers to browse and search for items

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.4 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/ ↵ Potluck.Web/Controllers/BuyerOrderController.cs File Reference

Classes

- class [Potluck.Web.Controllers.BuyerOrderController](#)
BuyerOrderController handles orders from the buyers perspective

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.5 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/ ↵ Potluck.Web/Controllers/ChatController.cs File Reference

Classes

- class [Potluck.Web.Controllers.ChatController](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.6 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/HomeController.cs File Reference

Classes

- class [Potluck.Web.Controllers.HomeController](#)

HomeController handles any publicly accessible views such as the home page and login

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.7 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/ProfileController.cs File Reference

Classes

- class [Potluck.Web.Controllers.ProfileController](#)

Handles profile actions

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.8 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/ReviewController.cs File Reference

Classes

- class [Potluck.Web.Controllers.ReviewController](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.9 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Controllers/SellerCustomController.cs File Reference

Classes

- class [Potluck.Web.Controllers.SellerCustomController](#)
SellerCustomController handles actions for custom collections

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.10 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Controllers/SellerDeliveryController.cs File Reference

Classes

- class [Potluck.Web.Controllers.SellerDeliveryController](#)
SellerDeliveryController contains actions for creating and modifying seller delivery settings

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.11 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Controllers/SellerItemController.cs File Reference

Classes

- class [Potluck.Web.Controllers.SellerItemController](#)
SellerItemController contains action for sellers to manage their items

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.12 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerOrderController.cs File Reference

Classes

- class [Potluck.Web.Controllers.SellerOrderController](#)

Contains action for seller to manage orders

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.13 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Controllers/SellerScheduleController.cs File Reference

Classes

- class [Potluck.Web.Controllers.SellerScheduleController](#)

Contains actions for managing a sellers schedule

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Controllers](#)

7.14 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Infrastructure/SessionExtensions.cs File Reference

Classes

- class [Potluck.Web.Infrastructure.SessionExtensions](#)

Helper class for the session Saves data as json in session

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Infrastructure](#)

7.15 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Middleware/ChatWebSocketMiddleware.cs File Reference

Classes

- class [Potluck.Web.Middleware.ChatWebSocketMiddleware](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Middleware](#)

7.16 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Custom/CustomDTO.cs File Reference

Classes

- class [Potluck.Web.Models.CustomDTO](#)
Custom Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.17 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Custom/CustomVO.cs File Reference

Classes

- class [Potluck.Web.Models.CustomVO](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.18 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Custom/PageOfCustoms.cs File Reference ←

Potluck.Web/Models/Custom/PageOfCustoms.cs File Reference

Classes

- class [Potluck.Web.Models.PageOfCustoms](#)

Page of Customs

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.19 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Delivery/DeliveryDTO.cs File Reference ←

Potluck.Web/Models/Delivery/DeliveryDTO.cs File Reference

Classes

- class [Potluck.Web.Models.DeliveryDTO](#)

Delivery Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.20 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Delivery/DeliveryVO.cs File Reference ←

Potluck.Web/Models/Delivery/DeliveryVO.cs File Reference

Classes

- class [Potluck.Web.Models.DeliveryVO](#)

Delivery Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.21 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Delivery/PageOfDeliveries.cs File Reference

Classes

- class [Potluck.Web.Models.PageOfDeliveries](#)
Page of Deliveries

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.22 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Item/Category.cs File Reference

Classes

- class [Potluck.Web.Models.Category](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.23 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Item/ItemDTO.cs File Reference

Classes

- class [Potluck.Web.Models.ItemDTO](#)
Item Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.24 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Item/ItemVO.cs File Reference

Classes

- class [Potluck.Web.Models.ItemVO](#)

Item Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.25 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Item/PageOfItems.cs File Reference

Classes

- class [Potluck.Web.Models.PageOfItems](#)

Page of Items

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.26 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Item/SubItemDTO.cs File Reference

Classes

- class [Potluck.Web.Models.SubItemDTO](#)

SubItem Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.27 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Item/SubItemVO.cs File Reference

Classes

- class [Potluck.Web.Models.SubItemVO](#)
SubItem Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.28 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Order/OrderDTO.cs File Reference

Classes

- class [Potluck.Web.Models.OrderDTO](#)
Order Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.29 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Order/OrdersItemDTO.cs File Reference

Classes

- class [Potluck.Web.Models.OrdersItemDTO](#)
Order Item Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.30 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/OrdersItemsCustomDTO.cs File Reference

Classes

- class [Potluck.Web.Models.OrdersItemsCustomDTO](#)
Orer Item Csutom Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.31 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/OrdersItemsCustomVO.cs File Reference

Classes

- class [Potluck.Web.Models.OrdersItemsCustomVO](#)
OrderItemsCustom Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.32 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/OrdersItemVO.cs File Reference

Classes

- class [Potluck.Web.Models.OrdersItemVO](#)
OrderItem Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.33 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Order/OrderSubItemDTO.cs File Reference

Classes

- class [Potluck.Web.Models.OrderSubItemDTO](#)
Order Subitem Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.34 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Order/OrderSubItemVO.cs File Reference

Classes

- class [Potluck.Web.Models.OrderSubItemVO](#)
OrderSubItem Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.35 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Order/OrderVO.cs File Reference

Classes

- class [Potluck.Web.Models.OrderVO](#)
Order Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.36 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Order/PageOfOrders.cs File Reference

Classes

- class [Potluck.Web.Models.PageOfOrders](#)

Page of Orders

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.37 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Other/ErrorViewModel.cs File Reference

Classes

- class [Potluck.Web.Models.ErrorViewModel](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.38 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Models/Paging/Pageable.cs File Reference

Classes

- class [Potluck.Web.Models.Pageable](#)

Paging object Attached to "Pages" of objects specifies details about the page requested

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.39 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Review/PageOfReviews.cs File Reference

Classes

- class [Potluck.Web.Models.PageOfReviews](#)

Page of Reviews

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.40 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Review/ReviewDTO.cs File Reference

Classes

- class [Potluck.Web.Models.ReviewDTO](#)

Review Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.41 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Review/ReviewVO.cs File Reference

Classes

- class [Potluck.Web.Models.ReviewVO](#)

Review Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.42 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Schedule/PageOfSchedules.cs File Reference

Classes

- class [Potluck.Web.Models.PageOfSchedules](#)

Page of Schedules

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.43 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Schedule/ScheduleCreate.cs File Reference

Classes

- class [Potluck.Web.Models.ScheduleCreate](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.44 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Schedule/ScheduleDTO.cs File Reference

Classes

- class [Potluck.Web.Models.ScheduleDTO](#)

Schedule Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.45 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Schedule/ScheduleVO.cs File Reference

Classes

- class [Potluck.Web.Models.ScheduleVO](#)
Schedule Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.46 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/Schedule/TimeVO.cs File Reference

Classes

- class [Potluck.Web.Models.TimeVO](#)
Time Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.47 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/User/AddressDTO.cs File Reference

Classes

- class [Potluck.Web.Models.AddressDTO](#)
Address Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.48 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/User/AddressVO.cs File Reference

Classes

- class [Potluck.Web.Models.AddressVO](#)
Address Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.49 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/User/GoogleGeo.cs File Reference

Classes

- class [Potluck.Web.Models.GoogleGeo](#)
- class [Potluck.Web.Models.Result](#)
- class [Potluck.Web.Models.AddressComponent](#)
- class [Potluck.Web.Models.Geometry](#)
- class [Potluck.Web.Models.PlusCode](#)
- class [Potluck.Web.Models.Location](#)
- class [Potluck.Web.Models.Viewport](#)
- class [Potluck.Web.Models.Northeast](#)
- class [Potluck.Web.Models.Southwest](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.50 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/User/LoginRequest.cs File Reference

Classes

- class [Potluck.Web.Models.LoginRequest](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.51 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/User/Role.cs File Reference

Classes

- class [Potluck.Web.Models.Role](#)

Object that represent the role a user possesses

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.52 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/User/SignUpRequest.cs File Reference

Classes

- class [Potluck.Web.Models.SignUpRequest](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.53 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/User/StateCountry.cs File Reference

Classes

- class [Potluck.Web.Models.StateCountry](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.54 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/User/UserDTO.cs File Reference

Classes

- class [Potluck.Web.Models.UserDTO](#)

User Data Transfer Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

7.55 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Models/User/UserVO.cs File Reference

Classes

- class [Potluck.Web.Models.UserVO](#)

User Values Object

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)
- namespace [Potluck.Web.Models](#)

- 7.56 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/.NETCore←
App, Version=v2.1.AssemblyAttributes.cs File Reference
- 7.57 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Potluck.Web.AssemblyInfo.←
cs File Reference
- 7.58 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Potluck.Web.csproj.FileList←
Absolute.txt File Reference
- 7.59 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Potluck.Web.Razor←
AssemblyInfo.cs File Reference
- 7.60 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Potluck.Web.RazorTarget←
AssemblyInfo.cs File Reference
- 7.61 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Areas/Identity/←
Pages/_ViewStart.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Areas_Identity_Pages__ViewStart](#)

Namespaces

- namespace [AspNetCore](#)

- 7.62 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/_View←
Start.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views__ViewStart](#)

Namespaces

- namespace [AspNetCore](#)

7.63 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/_ViewImports.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views__ViewImports](#)

Namespaces

- namespace [AspNetCore](#)

7.64 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Admin/CategoryConfig.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Admin_CategoryConfig](#)

Namespaces

- namespace [AspNetCore](#)

7.65 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Admin/CountryConfig.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Admin_CountryConfig](#)

Namespaces

- namespace [AspNetCore](#)

7.66 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Admin/Region← Config.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Admin_RegionConfig](#)

Namespaces

- namespace [AspNetCore](#)

7.67 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Admin/Region← Create.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Admin_RegionCreate](#)

Namespaces

- namespace [AspNetCore](#)

7.68 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Admin/Region← Details.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Admin_RegionDetails](#)

Namespaces

- namespace [AspNetCore](#)

7.69 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Admin/Region← Update.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Admin_RegionUpdate](#)

Namespaces

- namespace [AspNetCore](#)

7.70 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerItem/ItemDetails.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_BuyerItem_ItemDetails](#)

Namespaces

- namespace [AspNetCore](#)

7.71 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerItem/ItemDetails.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_SellerItem_ItemDetails](#)

Namespaces

- namespace [AspNetCore](#)

7.72 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerItem/Menu.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_BuyerItem_Menu](#)

Namespaces

- namespace [AspNetCore](#)

7.73 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerItem/← Menu.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_SellerItem_Menu](#)

Namespaces

- namespace [AspNetCore](#)

7.74 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerItem/← Search.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_BuyerItem_Search](#)

Namespaces

- namespace [AspNetCore](#)

7.75 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerOrder/← Checkout.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_BuyerOrder_Checkout](#)

Namespaces

- namespace [AspNetCore](#)

7.76 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerOrder/← CheckoutLocation.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_BuyerOrder_CheckoutLocation](#)

Namespaces

- namespace [AspNetCore](#)

7.77 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerOrder/CheckoutPayPal.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_BuyerOrder_CheckoutPayPal](#)

Namespaces

- namespace [AspNetCore](#)

7.78 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerOrder/CheckoutReceipt.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_BuyerOrder_CheckoutReceipt](#)

Namespaces

- namespace [AspNetCore](#)

7.79 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerOrder/Index.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_BuyerOrder_Index](#)

Namespaces

- namespace [AspNetCore](#)

**7.80 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Home/←
Index.cshtml.g.cs File Reference****Classes**

- class [AspNetCore.Views_Home_Index](#)

Namespaces

- namespace [AspNetCore](#)

**7.81 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/←
Index.cshtml.g.cs File Reference****Classes**

- class [AspNetCore.Views_Profile_Index](#)

Namespaces

- namespace [AspNetCore](#)

**7.82 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Review/←
Index.cshtml.g.cs File Reference****Classes**

- class [AspNetCore.Views_Review_Index](#)

Namespaces

- namespace [AspNetCore](#)

**7.83 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerCustom/←
Index.cshtml.g.cs File Reference****Classes**

- class [AspNetCore.Views_SellerCustom_Index](#)

Namespaces

- namespace [AspNetCore](#)

7.84 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerDelivery/Index.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_SellerDelivery_Index](#)

Namespaces

- namespace [AspNetCore](#)

7.85 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerOrder/Index.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_SellerOrder_Index](#)

Namespaces

- namespace [AspNetCore](#)

7.86 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerSchedule/Index.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_SellerSchedule_Index](#)

Namespaces

- namespace [AspNetCore](#)

7.87 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/BuyerOrder/← OrderDetails.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_BuyerOrder_OrderDetails](#)

Namespaces

- namespace [AspNetCore](#)

7.88 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerOrder/← OrderDetails.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_SellerOrder_OrderDetails](#)

Namespaces

- namespace [AspNetCore](#)

7.89 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Home/← Login.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Home_Login](#)

Namespaces

- namespace [AspNetCore](#)

7.90 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Home/Login/← RoleSelect.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Home_LoginRoleSelect](#)

Namespaces

- namespace [AspNetCore](#)

7.91 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Home/Privacy.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Home_Privacy](#)

Namespaces

- namespace [AspNetCore](#)

7.92 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Home/SignUp.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Home_SignUp](#)

Namespaces

- namespace [AspNetCore](#)

7.93 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Home/TOS.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Home_TOS](#)

Namespaces

- namespace [AspNetCore](#)

7.94 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/← Discover.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Profile_Discover](#)

Namespaces

- namespace [AspNetCore](#)

7.95 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/← Favorites.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Profile_Favorites](#)

Namespaces

- namespace [AspNetCore](#)

7.96 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/Mini← Profile.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Profile_MiniProfile](#)

Namespaces

- namespace [AspNetCore](#)

7.97 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/Profile← AddAddress.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Profile_ProfileAddAddress](#)

Namespaces

- namespace [AspNetCore](#)

7.98 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/Profile← Address.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Profile_ProfileAddress](#)

Namespaces

- namespace [AspNetCore](#)

7.99 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/Profile← Delete.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Profile_ProfileDelete](#)

Namespaces

- namespace [AspNetCore](#)

7.100 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/← ProfileEdit.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Profile_ProfileEdit](#)

Namespaces

- namespace [AspNetCore](#)

7.101 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/← ProfileImage.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Profile_ProfileImage](#)

Namespaces

- namespace [AspNetCore](#)

7.102 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/← ProfileNav.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Profile_ProfileNav](#)

Namespaces

- namespace [AspNetCore](#)

7.103 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Profile/← ProfileUpdateAddress.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Profile_ProfileUpdateAddress](#)

Namespaces

- namespace [AspNetCore](#)

7.104 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Review/← ReviewCreate.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Review_ReviewCreate](#)

Namespaces

- namespace [AspNetCore](#)

7.105 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerCustom/CustomCreate.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_SellerCustom_CustomCreate](#)

Namespaces

- namespace [AspNetCore](#)

7.106 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerCustom/CustomDelete.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_SellerCustom_CustomDelete](#)

Namespaces

- namespace [AspNetCore](#)

7.107 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerCustom/CustomDetails.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_SellerCustom_CustomDetails](#)

Namespaces

- namespace [AspNetCore](#)

**7.108 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerItem/←
ItemCreate.cshtml.g.cs File Reference****Classes**

- class [AspNetCore.Views_SellerItem_ItemCreate](#)

Namespaces

- namespace [AspNetCore](#)

**7.109 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerItem/←
ItemDelete.cshtml.g.cs File Reference****Classes**

- class [AspNetCore.Views_SellerItem_ItemDelete](#)

Namespaces

- namespace [AspNetCore](#)

**7.110 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerItem/←
ItemUpdate.cshtml.g.cs File Reference****Classes**

- class [AspNetCore.Views_SellerItem_ItemUpdate](#)

Namespaces

- namespace [AspNetCore](#)

**7.111 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/←
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Seller←
Schedule/ScheduleCreate.cshtml.g.cs File Reference****Classes**

- class [AspNetCore.Views_SellerSchedule_ScheduleCreate](#)

Namespaces

- namespace [AspNetCore](#)

7.112 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerSchedule/ScheduleDetails.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_SellerSchedule_ScheduleDetails](#)

Namespaces

- namespace [AspNetCore](#)

7.113 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/_CookieConsentPartial.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Shared__CookieConsentPartial](#)

Namespaces

- namespace [AspNetCore](#)

7.114 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/_Layout.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Shared__Layout](#)

Namespaces

- namespace [AspNetCore](#)

7.115 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/_← LoginPartial.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Shared__LoginPartial](#)

Namespaces

- namespace [AspNetCore](#)

7.116 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/_← ValidationScriptsPartial.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Shared__ValidationScriptsPartial](#)

Namespaces

- namespace [AspNetCore](#)

7.117 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/_← Error.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Shared_Error](#)

Namespaces

- namespace [AspNetCore](#)

7.118 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/_← Footer.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Shared_Footer](#)

Namespaces

- namespace [AspNetCore](#)

7.119 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/FootLinks.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Shared_FootLinks](#)

Namespaces

- namespace [AspNetCore](#)

7.120 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/NavBar.cshtml.g.cs File Reference

Classes

- class [AspNetCore.Views_Shared_NavBar](#)

Namespaces

- namespace [AspNetCore](#)

7.121 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/obj/Debug/netcoreapp2.1/UserSecretsAssemblyInfo.cs File Reference

7.122 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.Web/Program.cs File Reference

Classes

- class [Potluck.Web.Program](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)

7.123 C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/← Potluck.Web/Startup.cs File Reference

Classes

- class [Potluck.Web.Startup](#)

Namespaces

- namespace [Potluck](#)
- namespace [Potluck.Web](#)

Index

- AddAddress
 - Potluck.Web.Controllers.APIController, 41
 - Potluck.Web.Controllers.ProfileController, 154
- AddCustomToltem
 - Potluck.Web.Controllers.APIController, 41
 - Potluck.Web.Controllers.SellerItemController, 193
- AddFavorite
 - Potluck.Web.Controllers.APIController, 42
 - Potluck.Web.Controllers.ProfileController, 155
- AddItemToCustom
 - Potluck.Web.Controllers.APIController, 43
 - Potluck.Web.Controllers.SellerCustomController, 180
- AddItemToOrder
 - Potluck.Web.Controllers.BuyerOrderController, 96
- AddItemToSchedule
 - Potluck.Web.Controllers.SellerScheduleController, 212
- AddOrderItemToOrder
 - Potluck.Web.Controllers.APIController, 43
- address_components
 - Potluck.Web.Models.Result, 165
- addresses
 - Potluck.Web.Models.UserDTO, 226
- addressId
 - Potluck.Web.Models.AddressDTO, 24
 - Potluck.Web.Models.AddressVO, 27
- addressLine1
 - Potluck.Web.Models.AddressDTO, 24
 - Potluck.Web.Models.AddressVO, 27
- addressLine2
 - Potluck.Web.Models.AddressDTO, 24
 - Potluck.Web.Models.AddressVO, 27
- addressName
 - Potluck.Web.Models.AddressDTO, 24
 - Potluck.Web.Models.AddressVO, 27
- AddressVO
 - Potluck.Web.Models.AddressVO, 26
- amountStars
 - Potluck.Web.Models.UserDTO, 226
 - Potluck.Web.Models.UserVO, 229
- APIController
 - Potluck.Web.Controllers.APIController, 40
- AspNetCore, 17
- AspNetCore.Areas_Identity_Pages__ViewStart, 87
 - Component, 88
 - ExecuteAsync, 88
 - Html, 88
 - Json, 88
- ModelExpressionProvider, 88
- Url, 88
- AspNetCore.Views__ViewImports, 231
 - Component, 232
 - ExecuteAsync, 232
 - Html, 232
 - Json, 233
 - ModelExpressionProvider, 233
 - Url, 233
- AspNetCore.Views__ViewStart, 233
 - Component, 234
 - ExecuteAsync, 234
 - Html, 234
 - Json, 235
 - ModelExpressionProvider, 235
 - Url, 235
- AspNetCore.Views_Admin_CategoryConfig, 235
 - Component, 236
 - ExecuteAsync, 236
 - Html, 236
 - Json, 236
 - ModelExpressionProvider, 236
 - Url, 237
- AspNetCore.Views_Admin_CountryConfig, 237
 - Component, 238
 - ExecuteAsync, 238
 - Html, 238
 - Json, 238
 - ModelExpressionProvider, 238
 - Url, 239
- AspNetCore.Views_Admin_RegionConfig, 239
 - Component, 240
 - ExecuteAsync, 240
 - Html, 240
 - Json, 240
 - ModelExpressionProvider, 240
 - Url, 241
- AspNetCore.Views_Admin_RegionCreate, 241
 - Component, 242
 - ExecuteAsync, 242
 - Html, 242
 - Json, 242
 - ModelExpressionProvider, 242
 - Url, 243
- AspNetCore.Views_Admin_RegionDetails, 243
 - Component, 244
 - ExecuteAsync, 244
 - Html, 244
 - Json, 244

ModelExpressionProvider, 244
Url, 245

AspNetCore.Views_Admin_RegionUpdate, 245
Component, 246
ExecuteAsync, 246
Html, 246
Json, 246
ModelExpressionProvider, 246
Url, 247

AspNetCore.Views_BuyerItem_ItemDetails, 247
Component, 248
ExecuteAsync, 248
Html, 249
Json, 249
ModelExpressionProvider, 249
Url, 249

AspNetCore.Views_BuyerItem_Menu, 250
Component, 251
ExecuteAsync, 250
Html, 251
Json, 251
ModelExpressionProvider, 251
Url, 251

AspNetCore.Views_BuyerItem_Search, 252
Component, 253
ExecuteAsync, 253
Html, 253
Json, 253
ModelExpressionProvider, 253
Url, 253

AspNetCore.Views_BuyerOrder_Checkout, 254
Component, 255
ExecuteAsync, 255
Html, 255
Json, 255
ModelExpressionProvider, 255
Url, 255

AspNetCore.Views_BuyerOrder_CheckoutLocation, 256
Component, 257
ExecuteAsync, 257
Html, 257
Json, 257
ModelExpressionProvider, 257
Url, 258

AspNetCore.Views_BuyerOrder_CheckoutPayPal, 258
Component, 259
ExecuteAsync, 259
Html, 259
Json, 259
ModelExpressionProvider, 259
Url, 260

AspNetCore.Views_BuyerOrder_CheckoutReceipt, 260
Component, 261
ExecuteAsync, 261
Html, 261
Json, 261
ModelExpressionProvider, 261

Url, 262

AspNetCore.Views_BuyerOrder_Index, 262
Component, 263
ExecuteAsync, 263
Html, 263
Json, 263
ModelExpressionProvider, 263
Url, 264

AspNetCore.Views_BuyerOrder_OrderDetails, 264
Component, 265
ExecuteAsync, 265
Html, 265
Json, 265
ModelExpressionProvider, 265
Url, 266

AspNetCore.Views_Home_Index, 266
Component, 267
ExecuteAsync, 267
Html, 267
Json, 267
ModelExpressionProvider, 267
Url, 268

AspNetCore.Views_Home_Login, 268
Component, 269
ExecuteAsync, 269
Html, 269
Json, 269
ModelExpressionProvider, 269
Url, 269

AspNetCore.Views_Home_LoginRoleSelect, 270
Component, 271
ExecuteAsync, 271
Html, 271
Json, 271
ModelExpressionProvider, 271
Url, 271

AspNetCore.Views_Home_Privacy, 272
Component, 273
ExecuteAsync, 273
Html, 273
Json, 273
ModelExpressionProvider, 273
Url, 273

AspNetCore.Views_Home_SignUp, 274
Component, 275
ExecuteAsync, 275
Html, 275
Json, 275
ModelExpressionProvider, 275
Url, 275

AspNetCore.Views_Home_TOS, 276
Component, 277
ExecuteAsync, 277
Html, 277
Json, 277
ModelExpressionProvider, 277
Url, 277

AspNetCore.Views_Profile_Discover, 278

Component, 279
ExecuteAsync, 279
Html, 279
Json, 279
ModelExpressionProvider, 279
Url, 279
AspNetCore.Views_Profile_Favorites, 280
Component, 281
ExecuteAsync, 281
Html, 281
Json, 281
ModelExpressionProvider, 281
Url, 282
AspNetCore.Views_Profile_Index, 283
Component, 284
ExecuteAsync, 284
Html, 284
Json, 284
ModelExpressionProvider, 284
Url, 284
AspNetCore.Views_Profile_MiniProfile, 285
Component, 286
ExecuteAsync, 286
Html, 286
Json, 286
ModelExpressionProvider, 286
Url, 287
AspNetCore.Views_Profile_ProfileAddAddress, 287
Component, 288
ExecuteAsync, 288
Html, 288
Json, 288
ModelExpressionProvider, 288
Url, 289
AspNetCore.Views_Profile_ProfileAddress, 289
Component, 290
ExecuteAsync, 290
Html, 291
Json, 291
ModelExpressionProvider, 291
Url, 291
AspNetCore.Views_Profile_ProfileDelete, 292
Component, 293
ExecuteAsync, 293
Html, 293
Json, 293
ModelExpressionProvider, 293
Url, 293
AspNetCore.Views_Profile_ProfileEdit, 294
Component, 295
ExecuteAsync, 295
Html, 295
Json, 295
ModelExpressionProvider, 295
Url, 296
AspNetCore.Views_Profile_ProfileImage, 296
Component, 297
ExecuteAsync, 297
Html, 298
Json, 298
ModelExpressionProvider, 298
Url, 298
AspNetCore.Views_Profile_ProfileName, 299
Component, 300
ExecuteAsync, 300
Html, 300
Json, 300
ModelExpressionProvider, 300
Url, 300
AspNetCore.Views_ProfileUpdateAddress, 301
Component, 302
ExecuteAsync, 302
Html, 302
Json, 302
ModelExpressionProvider, 302
Url, 302
AspNetCore.Views_Review_Index, 303
Component, 304
ExecuteAsync, 304
Html, 304
Json, 304
ModelExpressionProvider, 304
Url, 304
AspNetCore.Views_Review_ReviewCreate, 305
Component, 306
ExecuteAsync, 305
Html, 306
Json, 306
ModelExpressionProvider, 306
Url, 306
AspNetCore.Views_SellerCustom_CustomCreate, 307
Component, 308
ExecuteAsync, 307
Html, 308
Json, 308
ModelExpressionProvider, 308
Url, 308
AspNetCore.Views_SellerCustom_CustomDelete, 309
Component, 310
ExecuteAsync, 310
Html, 310
Json, 310
ModelExpressionProvider, 310
Url, 310
AspNetCore.Views_SellerCustom_CustomDetails, 311
Component, 312
ExecuteAsync, 312
Html, 312
Json, 312
ModelExpressionProvider, 312
Url, 312
AspNetCore.Views_SellerCustom_Index, 313
Component, 314
ExecuteAsync, 314
Html, 314
Json, 314

ModelExpressionProvider, 314
Url, 314

AspNetCore.Views_SellerDelivery_Index, 315
Component, 316
ExecuteAsync, 316
Html, 316
Json, 316
ModelExpressionProvider, 316
Url, 316

AspNetCore.Views_SellerItem_ItemCreate, 317
Component, 318
ExecuteAsync, 318
Html, 318
Json, 318
ModelExpressionProvider, 318
Url, 319

AspNetCore.Views_SellerItem_ItemDelete, 319
Component, 320
ExecuteAsync, 320
Html, 320
Json, 320
ModelExpressionProvider, 320
Url, 321

AspNetCore.Views_SellerItem_ItemDetails, 321
Component, 322
ExecuteAsync, 322
Html, 323
Json, 323
ModelExpressionProvider, 323
Url, 323

AspNetCore.Views_SellerItem_ItemUpdate, 324
Component, 325
ExecuteAsync, 325
Html, 325
Json, 325
ModelExpressionProvider, 325
Url, 325

AspNetCore.Views_SellerItem_Menu, 326
Component, 327
ExecuteAsync, 327
Html, 327
Json, 327
ModelExpressionProvider, 327
Url, 327

AspNetCore.Views_SellerOrder_Index, 328
Component, 329
ExecuteAsync, 329
Html, 329
Json, 329
ModelExpressionProvider, 329
Url, 329

AspNetCore.Views_SellerOrder_OrderDetails, 330
Component, 331
ExecuteAsync, 331
Html, 331
Json, 331
ModelExpressionProvider, 331
Url, 331

AspNetCore.Views_SellerSchedule_Index, 332
Component, 333
ExecuteAsync, 332
Html, 333
Json, 333
ModelExpressionProvider, 333
Url, 333

AspNetCore.Views_SellerSchedule_ScheduleCreate, 334
Component, 335
ExecuteAsync, 334
Html, 335
Json, 335
ModelExpressionProvider, 335
Url, 335

AspNetCore.Views_SellerSchedule_ScheduleDetails, 336
Component, 337
ExecuteAsync, 336
Html, 337
Json, 337
ModelExpressionProvider, 337
Url, 337

AspNetCore.Views_Shared__CookieConsentPartial, 338
Component, 339
ExecuteAsync, 339
Html, 339
Json, 339
ModelExpressionProvider, 339
Url, 340

AspNetCore.Views_Shared__Layout, 341
Component, 342
ExecuteAsync, 342
Html, 342
Json, 342
ModelExpressionProvider, 342
Url, 342

AspNetCore.Views_Shared__LoginPartial, 343
Component, 344
ExecuteAsync, 344
Html, 344
Json, 344
ModelExpressionProvider, 344
SignInManager, 345
Url, 345
UserManager, 345

AspNetCore.Views_Shared__ValidationScriptsPartial, 345
Component, 346
ExecuteAsync, 346
Html, 347
Json, 347
ModelExpressionProvider, 347
Url, 347

AspNetCore.Views_Shared_Error, 348
Component, 349
ExecuteAsync, 349

Html, 349	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
Json, 349	361
ModelExpressionProvider, 349	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
Url, 349	362
AspNetCore.Views_Shared_Footer, 350	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
Component, 351	362
ExecuteAsync, 351	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
Html, 351	362
Json, 351	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
ModelExpressionProvider, 351	363
Url, 352	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
AspNetCore.Views_Shared_FootLinks, 352	363
Component, 353	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
ExecuteAsync, 353	363
Html, 354	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
Json, 354	364
ModelExpressionProvider, 354	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
Url, 354	364
AspNetCore.Views_Shared_NavBar, 355	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
Component, 356	364
ExecuteAsync, 356	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
Html, 356	365
Json, 356	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
ModelExpressionProvider, 356	365
Url, 356	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
authority	365
Potluck.Web.Models.Role, 174	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
buyer	366
Potluck.Web.Models.OrderDTO, 132	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
Potluck.Web.Models.ReviewDTO, 170	366
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
357	367
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
357	367
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
358	367
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
358	368
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
358	368
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
358	368
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
359	368
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
359	369
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
359	369
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
360	369
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
360	370
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
360	370
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
361	370
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.F...	C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck/Potluck.W...
361	371

C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerCustom/ItemDetail.cshtml 382
Potluck.Web.Models.SubItemDTO 382
categoryId
Potluck.Web.Models.ItemVO 128
ChangeOrderStatus
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerDelivery/ItemDetail.cshtml 383
ChatWebSocketMiddleware
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerItem/ItemDetail.cshtml 390
SellerItem/ItemDetail.cshtml 109
Potluck.Web.Models.AddressDTO 25
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerItem/ItemDetail.cshtml 390
SellerItem/ItemDetail.cshtml 379
Component
AspNetCoreWebApp/obj/Debug/netcoreapp2.1/Views/SellerItem/Menu.cshtml 380
AspNetCore.Views_ViewImports 232
AspNetCoreWebApp/obj/Debug/netcoreapp2.1/Razor/Views/SellerOrder/Index.cshtml 383
AspNetCore.Views_Admin_CategoryConfig 236
AspNetCoreWebApp/obj/Debug/netcoreapp2.1/Views/SellerOrder/Order.cshtml 384
AspNetCore.Views_Admin_RegionConfig 240
AspNetCoreWebApp/obj/Debug/netcoreapp2.1/Views/SellerSchedule/Schedule.cshtml 383
AspNetCore.Views_Admin_RegionDetails 244
AspNetCoreWebApp/obj/Debug/netcoreapp2.1/Views/SellerSchedule/Update.cshtml 390
AspNetCore.Views_BuyerItem_ItemDetails 248
AspNetCoreWebApp/obj/Debug/netcoreapp2.1/Razor/Views/SellerSchedule/Update.cshtml 391
AspNetCore.Views_BuyerItem_Search 253
AspNetCoreWebApp/obj/Debug/netcoreapp2.1/Views/Shared/_Cookie.cshtml 391
AspNetCore.Views_BuyerOrder_CheckoutLocation
AspNetCoreWebApp/obj/Debug/netcoreapp2.1/Razor/Views/Shared/_Layout.cshtml 391
AspNetCore.Views_BuyerOrder_CheckoutPayPal
AspNetCoreWebApp/obj/Debug/netcoreapp2.1/Razor/Views/Shared/_LoginPartial.cshtml 392
AspNetCore.Views_BuyerOrder_CheckoutReceipt
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/_ValidationScriptsPartial.cshtml 392
AspNetCore.Views_BuyerOrder_Index 263
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/Error.cshtml 392
AspNetCore.Views_Home_Index 267
AspNetCoreWebApp/obj/Debug/netcoreapp2.1/Razor/Views/Shared/Footer.cshtml 392
AspNetCore.Views_Home_LoginRoleSelect 271
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/FootLink.cshtml 393
AspNetCore.Views_Home_SignUp 275
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/NavBar.cshtml 393
AspNetCore.Views_Profile_Discover 279
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/UserSecretsAssemblyInfo.cshtml 393
AspNetCore.Views_Profile_Index 284
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/Shared/Program.cshtml 393
AspNetCore.Views_ProfileName_MiniProfile 286
AspNetCore.Views_Profile_ProfileAddAddress
C:/Work/Potluck/Github/FEDEV/PotLuckFrontEndDevEd/Potluck.Web/Startup.cs 394
AspNetCore.Views_Profile_ProfileAddress 290
calories
Potluck.Web.Models.ItemDTO 125
Potluck.Web.Models.ItemVO 128
Potluck.Web.Models.OrderSubItemDTO 139
Potluck.Web.Models.SubItemDTO 222
CancelOrder
Potluck.Web.Controllers.BuyerOrderController 97
Category
Potluck.Web.Models.Category 106
category
Potluck.Web.Models.ItemDTO 125
Potluck.Web.Models.OrderSubItemDTO 139
Potluck.Web/obj/Debug/netcoreapp2.1/Razor/Views/SellerCustom/CustomCreate.cshtml 302
AspNetCore.Views_Review_Index 304
AspNetCore.Views_Review_ReviewCreate 306
AspNetCore.Views_SellerCustom_CustomCreate 308
AspNetCore.Views_SellerCustom_CustomDelete 310

AspNetCore.Views_SellerCustom_CustomDetails, 312
AspNetCore.Views_SellerCustom_Index, 314
AspNetCore.Views_SellerDelivery_Index, 316
AspNetCore.Views_SellerItem_ItemCreate, 318
AspNetCore.Views_SellerItem_ItemDelete, 320
AspNetCore.Views_SellerItem_ItemDetails, 322
AspNetCore.Views_SellerItem_ItemUpdate, 325
AspNetCore.Views_SellerItem_Menu, 327
AspNetCore.Views_SellerOrder_Index, 329
AspNetCore.Views_SellerOrder_OrderDetails, 331
AspNetCore.Views_SellerSchedule_Index, 333
AspNetCore.Views_SellerSchedule_ScheduleCreate, 335
AspNetCore.Views_SellerSchedule_ScheduleDetails, 337
AspNetCore.Views_Shared_CookieConsentPartial, 339
AspNetCore.Views_Shared_Layout, 342
AspNetCore.Views_Shared_LoginPartial, 344
AspNetCore.Views_Shared_ValidationScriptsPartial, 346
AspNetCore.Views_Shared_Error, 349
AspNetCore.Views_Shared_Footer, 351
AspNetCore.Views_Shared_FootLinks, 353
AspNetCore.Views_Shared_NavBar, 356
compound_code
 Potluck.Web.Models.PlusCode, 152
Configuration
 Potluck.Web.Startup, 220
Configure
 Potluck.Web.Startup, 220
ConfigureServices
 Potluck.Web.Startup, 220
content
 Potluck.Web.Models.PageOfCustoms, 143
 Potluck.Web.Models.PageOfDeliveries, 145
 Potluck.Web.Models.PageOfItems, 147
 Potluck.Web.Models.PageOfOrders, 148
 Potluck.Web.Models.PageOfReviews, 149
 Potluck.Web.Models.PageOfSchedules, 151
country
 Potluck.Web.Models.StateCountry, 221
coverageKmRadius
 Potluck.Web.Models.DeliveryDTO, 113
 Potluck.Web.Models.DeliveryVO, 115
 Potluck.Web.Models.UserDTO, 227
 Potluck.Web.Models.UserVO, 229
CreateCategory
 Potluck.Web.Controllers.AdminController, 30
 Potluck.Web.Controllers.APIController, 45
CreateCustom
 Potluck.Web.Controllers.APIController, 45
 Potluck.Web.Controllers.SellerCustomController, 181
CreateDelivery
 Potluck.Web.Controllers.APIController, 47
 Potluck.Web.Controllers.SellerDeliveryController, 188
CreateItem
 Potluck.Web.Controllers.APIController, 47
 Potluck.Web.Controllers.SellerItemController, 194
CreateOrder
 Potluck.Web.Controllers.APIController, 48
 Potluck.Web.Controllers.BuyerOrderController, 97
CreateRegion
 Potluck.Web.ControllersAdminController, 30
CreateReview
 Potluck.Web.Controllers.APIController, 49
 Potluck.Web.Controllers.ReviewController, 167
CreateSchedule
 Potluck.Web.Controllers.APIController, 49
 Potluck.Web.Controllers.SellerScheduleController, 212
CreateSessionOrder
 Potluck.Web.Controllers.BuyerOrderController, 98
CreateStateCountry
 Potluck.Web.Controllers.APIController, 50
CreateWebHostBuilder
 Potluck.Web.Program, 164
CustomDTO
 Potluck.Web.Models.CustomDTO, 110
customId
 Potluck.Web.Models.CustomDTO, 110
 Potluck.Web.Models.CustomVO, 112
 Potluck.Web.Models.OrdersItemsCustomVO, 136
customs
 Potluck.Web.Models.ItemDTO, 125
customTitle
 Potluck.Web.Models.CustomDTO, 110
 Potluck.Web.Models.CustomVO, 112
customType
 Potluck.Web.Models.CustomDTO, 110
 Potluck.Web.Models.CustomVO, 112
CustomVO
 Potluck.Web.Models.CustomVO, 111
dateTimeCreated
 Potluck.Web.Models.CustomDTO, 110
 Potluck.Web.Models.CustomVO, 112
 Potluck.Web.Models.DeliveryDTO, 113
 Potluck.Web.Models.ItemDTO, 125
 Potluck.Web.Models.ItemVO, 128
 Potluck.Web.Models.OrderDTO, 132
 Potluck.Web.Models.OrderVO, 141
 Potluck.Web.Models.ReviewDTO, 171
dateTimeModified
 Potluck.Web.Models.CustomDTO, 111
 Potluck.Web.Models.CustomVO, 112
 Potluck.Web.Models.DeliveryDTO, 113
 Potluck.Web.Models.ItemDTO, 125
 Potluck.Web.Models.ItemVO, 128
 Potluck.Web.Models.OrderDTO, 132
 Potluck.Web.Models.OrderVO, 141
 Potluck.Web.Models.ReviewDTO, 171
dayOfWeek

- Potluck.Web.Models.ScheduleCreate, 175
- Potluck.Web.Models.ScheduleDTO, 176
- Potluck.Web.Models.ScheduleVO, 178
- DeleteCategory
 - Potluck.Web.ControllersAdminController, 31
 - Potluck.Web.Controllers.APIController, 51
- DeleteCustom
 - Potluck.Web.Controllers.APIController, 51
 - Potluck.Web.Controllers.SellerCustomController, 182
- DeleteDelivery
 - Potluck.Web.Controllers.APIController, 52
 - Potluck.Web.Controllers.SellerDeliveryController, 188
- DeleteItem
 - Potluck.Web.Controllers.APIController, 53
 - Potluck.Web.Controllers.SellerItemController, 194
- DeleteOrder
 - Potluck.Web.Controllers.APIController, 53
 - Potluck.Web.Controllers.SellerOrderController, 203
- DeleteRegion
 - Potluck.Web.ControllersAdminController, 31
- DeleteReview
 - Potluck.Web.Controllers.APIController, 54
- DeleteSchedule
 - Potluck.Web.Controllers.APIController, 54
 - Potluck.Web.Controllers.SellerScheduleController, 213
- DeleteStateCountry
 - Potluck.Web.Controllers.APIController, 55
- deliveryFee
 - Potluck.Web.Models.StateCountry, 221
- deliveryId
 - Potluck.Web.Models.DeliveryDTO, 113
 - Potluck.Web.Models.DeliveryVO, 115
- deliveryType
 - Potluck.Web.Models.OrderDTO, 132
 - Potluck.Web.Models.OrderVO, 141
- DeliveryVO
 - Potluck.Web.Models.DeliveryVO, 114
- description
 - Potluck.Web.Models.ItemDTO, 125
 - Potluck.Web.Models.ItemVO, 128
- EditDelivery
 - Potluck.Web.Controllers.SellerDeliveryController, 189
- EditUser
 - Potluck.Web.Controllers.APIController, 55
 - Potluck.Web.Controllers.ProfileController, 156
- email
 - Potluck.Web.Models.LoginRequest, 130
 - Potluck.Web.Models.SignUpRequest, 218
 - Potluck.Web.Models.UserDTO, 227
 - Potluck.Web.Models.UserVO, 229
- emailVerified
 - Potluck.Web.Models.UserDTO, 227
- empty
 - Potluck.Web.Models.PageOfDeliveries, 145
- enable
 - Potluck.Web.Models.ItemDTO, 125
 - Potluck.Web.Models.ItemVO, 128
 - Potluck.Web.Models.OrderSubItemDTO, 139
 - Potluck.Web.Models.SubItemDTO, 222
- ExecuteAsync
 - AspNetCore.Areas_Identity_Pages_ViewStart, 88
 - AspNetCore.Views_ViewImports, 232
 - AspNetCore.Views_ViewStart, 234
 - AspNetCore.Views_Admin_CategoryConfig, 236
 - AspNetCore.Views_Admin_CountryConfig, 238
 - AspNetCore.Views_Admin_RegionConfig, 240
 - AspNetCore.Views_Admin_RegionCreate, 242
 - AspNetCore.Views_Admin_RegionDetails, 244
 - AspNetCore.Views_Admin_RegionUpdate, 246
 - AspNetCore.Views_BuyerItem_ItemDetails, 248
 - AspNetCore.Views_BuyerItem_Menu, 250
 - AspNetCore.Views_BuyerItem_Search, 253
 - AspNetCore.Views_BuyerOrder_Checkout, 255
 - AspNetCore.Views_BuyerOrder_CheckoutLocation, 257
 - AspNetCore.Views_BuyerOrder_CheckoutPayPal, 259
 - AspNetCore.Views_BuyerOrder_CheckoutReceipt, 261
 - AspNetCore.Views_BuyerOrder_Index, 263
 - AspNetCore.Views_BuyerOrder_OrderDetails, 265
 - AspNetCore.Views_Home_Index, 267
 - AspNetCore.Views_Home_Login, 269
 - AspNetCore.Views_Home_LoginRoleSelect, 271
 - AspNetCore.Views_Home_Privacy, 273
 - AspNetCore.Views_Home_SignUp, 275
 - AspNetCore.Views_Home_TOS, 277
 - AspNetCore.Views_Profile_Discover, 279
 - AspNetCore.Views_Profile_Favorites, 281
 - AspNetCore.Views_Profile_Index, 284
 - AspNetCore.Views_Profile_MiniProfile, 286
 - AspNetCore.Views_Profile_ProfileAddAddress, 288
 - AspNetCore.Views_Profile_ProfileAddress, 290
 - AspNetCore.Views_Profile_ProfileDelete, 293
 - AspNetCore.Views_Profile_ProfileEdit, 295
 - AspNetCore.Views_Profile_ProfileImage, 297
 - AspNetCore.Views_Profile_ProfileNav, 300
 - AspNetCore.Views_Profile_ProfileUpdateAddress, 302
 - AspNetCore.Views_Review_Index, 304
 - AspNetCore.Views_Review_ReviewCreate, 305
 - AspNetCore.Views_SellerCustom_CustomCreate, 307
 - AspNetCore.Views_SellerCustom_CustomDelete, 310
 - AspNetCore.Views_SellerCustom_CustomDetails, 312

AspNetCore.Views_SellerCustom_Index, 314
AspNetCore.Views_SellerDelivery_Index, 316
AspNetCore.Views_SellerItem_ItemCreate, 318
AspNetCore.Views_SellerItem_ItemDelete, 320
AspNetCore.Views_SellerItem_ItemDetails, 322
AspNetCore.Views_SellerItem_ItemUpdate, 325
AspNetCore.Views_SellerItem_Menu, 327
AspNetCore.Views_SellerOrder_Index, 329
AspNetCore.Views_SellerOrder_OrderDetails, 331
AspNetCore.Views_SellerSchedule_Index, 332
AspNetCore.Views_SellerSchedule_ScheduleCreate, 334
AspNetCore.Views_SellerSchedule_ScheduleDetails, 336
AspNetCore.Views_Shared__CookieConsentPartial, 339
AspNetCore.Views_Shared__Layout, 342
AspNetCore.Views_Shared__LoginPartial, 344
AspNetCore.Views_Shared__ValidationScriptsPartial, 346
AspNetCore.Views_Shared_Error, 349
AspNetCore.Views_Shared_Footer, 351
AspNetCore.Views_Shared_FootLinks, 353
AspNetCore.Views_Shared_NavBar, 356

favorites
 Potluck.Web.Models.UserDTO, 227

feePercentage
 Potluck.Web.Models.DeliveryDTO, 113
 Potluck.Web.Models.DeliveryVO, 115

FindRegionsByCountry
 Potluck.Web.Controllers.APIController, 56

first
 Potluck.Web.Models.PageOfCustoms, 144
 Potluck.Web.Models.PageOfDeliveries, 145
 Potluck.Web.Models.PageOfItems, 147
 Potluck.Web.Models.PageOfOrders, 148
 Potluck.Web.Models.PageOfReviews, 150
 Potluck.Web.Models.PageOfSchedules, 151

ForgotPassword
 Potluck.Web.Controllers.APIController, 56

formatted_address
 Potluck.Web.Models.Result, 165

geometry
 Potluck.Web.Models.Result, 165

GetAllCategories
 Potluck.Web.Controllers.APIController, 57

GetAllCountries
 Potluck.Web.Controllers.APIController, 57

GetAllCustoms
 Potluck.Web.Controllers.APIController, 58

GetAllDeliveriesByEmail
 Potluck.Web.Controllers.APIController, 59

GetAllReviewsByEmail
 Potluck.Web.Controllers.APIController, 59

GetAllSchedulesByEmail
 Potluck.Web.Controllers.APIController, 60

GetCancelledOrders

Potluck.Web.Controllers.BuyerOrderController, 98
Potluck.Web.Controllers.SellerOrderController, 204

GetCategoryById
 Potluck.Web.Controllers.APIController, 60

GetClosedOrders
 Potluck.Web.Controllers.BuyerOrderController, 99
 Potluck.Web.Controllers.SellerOrderController, 204

GetCoords
 Potluck.Web.Controllers.APIController, 62

GetCurrentUser
 Potluck.Web.Controllers.APIController, 62

GetCustomById
 Potluck.Web.Controllers.APIController, 63

GetDeliveryById
 Potluck.Web.Controllers.APIController, 64

GetFavoritesByEmail
 Potluck.Web.Controllers.APIController, 65

GetGeoFence
 Potluck.Web.Controllers.APIController, 65

GetItemId
 Potluck.Web.Controllers.APIController, 66

GetMenuBySearch
 Potluck.Web.Controllers.APIController, 67

GetMenuById
 Potluck.Web.Controllers.APIController, 68

GetMostRecentOpenOrder
 Potluck.Web.Controllers.BuyerOrderController, 99
 Potluck.Web.Controllers.SellerOrderController, 205

GetOrderId
 Potluck.Web.Controllers.APIController, 69

GetOrdersOfBuyer
 Potluck.Web.Controllers.APIController, 70

GetOrdersOfSeller
 Potluck.Web.Controllers.APIController, 71

GetPageOfOrders
 Potluck.Web.Controllers.BuyerOrderController, 100

GetReviewById
 Potluck.Web.Controllers.APIController, 72

GetScheduleById
 Potluck.Web.Controllers.APIController, 72

GetSessionOrder
 Potluck.Web.Controllers.BuyerOrderController, 101

GetStateCountryById
 Potluck.Web.Controllers.APIController, 73

GetTokenFromSessionUser
 Potluck.Web.Controllers.AdminController, 32
 Potluck.Web.Controllers.BuyerItemController, 90
 Potluck.Web.Controllers.BuyerOrderController, 101
 Potluck.Web.Controllers.ProfileController, 157
 Potluck.Web.Controllers.ReviewController, 168
 Potluck.Web.Controllers.SellerCustomController, 182
 Potluck.Web.Controllers.SellerDeliveryController, 190
 Potluck.Web.Controllers.SellerItemController, 195
 Potluck.Web.Controllers.SellerOrderController, 205
 Potluck.Web.Controllers.SellerScheduleController, 213

GetUserByEmail
 Potluck.Web.Controllers.APIController, 74

global_code
 Potluck.Web.Models.PlusCode, 152

googleApiKey
 Potluck.Web.Controllers.APIController, 86

hours
 Potluck.Web.Models.TimeVO, 225

Html
 AspNetCore.Areas_Identity_Pages_ViewStart, 88
 AspNetCore.Views__ViewImports, 232
 AspNetCore.Views__ViewStart, 234
 AspNetCore.Views_Admin_CategoryConfig, 236
 AspNetCore.Views_Admin_CountryConfig, 238
 AspNetCore.Views_Admin_RegionConfig, 240
 AspNetCore.Views_Admin_RegionCreate, 242
 AspNetCore.Views_Admin_RegionDetails, 244
 AspNetCore.Views_Admin_RegionUpdate, 246
 AspNetCore.Views_BuyerItem_ItemDetails, 249
 AspNetCore.Views_BuyerItem_Menu, 251
 AspNetCore.Views_BuyerItem_Search, 253
 AspNetCore.Views_BuyerOrder_Checkout, 255
 AspNetCore.Views_BuyerOrder_CheckoutLocation,
 257
 AspNetCore.Views_BuyerOrder_CheckoutPayPal,
 259
 AspNetCore.Views_BuyerOrder_CheckoutReceipt,
 261
 AspNetCore.Views_BuyerOrder_Index, 263
 AspNetCore.Views_BuyerOrder_OrderDetails, 265
 AspNetCore.Views_Home_Index, 267
 AspNetCore.Views_Home_Login, 269
 AspNetCore.Views_Home_LoginRoleSelect, 271
 AspNetCore.Views_Home_Privacy, 273
 AspNetCore.Views_Home_SignUp, 275
 AspNetCore.Views_Home_TOS, 277
 AspNetCore.Views_Profile_Discover, 279
 AspNetCore.Views_Profile_Favorites, 281
 AspNetCore.Views_Profile_Index, 284
 AspNetCore.Views_Profile_MiniProfile, 286
 AspNetCore.Views_Profile_ProfileAddAddress,
 288
 AspNetCore.Views_Profile_ProfileAddress, 291
 AspNetCore.Views_Profile_ProfileDelete, 293
 AspNetCore.Views_Profile_ProfileEdit, 295
 AspNetCore.Views_Profile_ProfileImage, 298
 AspNetCore.Views_Profile_ProfileNav, 300
 AspNetCore.Views_Profile_ProfileUpdateAddress,
 302
 AspNetCore.Views_Review_Index, 304
 AspNetCore.Views_Review_ReviewCreate, 306
 AspNetCore.Views_SellerCustom_CustomCreate,
 308
 AspNetCore.Views_SellerCustom_CustomDelete,
 310
 AspNetCore.Views_SellerCustom_CustomDetails,
 312
 AspNetCore.Views_SellerCustom_Index, 314

AspNetCore.Views_SellerDelivery_Index, 316
 AspNetCore.Views_SellerItem_ItemCreate, 318
 AspNetCore.Views_SellerItem_ItemDelete, 320
 AspNetCore.Views_SellerItem_ItemDetails, 323
 AspNetCore.Views_SellerItem_ItemUpdate, 325
 AspNetCore.Views_SellerItem_Menu, 327
 AspNetCore.Views_SellerOrder_Index, 329
 AspNetCore.Views_SellerOrder_OrderDetails, 331
 AspNetCore.Views_SellerSchedule_Index, 333
 AspNetCore.Views_SellerSchedule_ScheduleCreate,
 335
 AspNetCore.Views_SellerSchedule_ScheduleDetails,
 337
 AspNetCore.Views_Shared__CookieConsentPartial,
 339
 AspNetCore.Views_Shared__Layout, 342
 AspNetCore.Views_Shared__LoginPartial, 344
 AspNetCore.Views_Shared__ValidationScriptsPartial,
 347
 AspNetCore.Views_Shared_Error, 349
 AspNetCore.Views_Shared_Footer, 351
 AspNetCore.Views_Shared_FootLinks, 354
 AspNetCore.Views_Shared_NavBar, 356

id
 Potluck.Web.Models.Category, 107
 Potluck.Web.Models.Role, 174

imageUrl
 Potluck.Web.Models.ItemDTO, 125
 Potluck.Web.Models.UserDTO, 227

Index
 Potluck.Web.Controllers.BuyerItemController, 90
 Potluck.Web.Controllers.BuyerOrderController, 101
 Potluck.Web.Controllers.ChatController, 108
 Potluck.Web.Controllers.HomeController, 119
 Potluck.Web.Controllers.ProfileController, 157
 Potluck.Web.Controllers.SellerDeliveryController,
 190
 Potluck.Web.Controllers.SellerItemController, 195
 Potluck.Web.Controllers.SellerOrderController, 206
 Potluck.Web.Controllers.SellerScheduleController,
 214

Invoke
 Potluck.Web.Middleware.ChatWebSocketMiddleware,
 109

item
 Potluck.Web.Models.OrdersItemDTO, 134

ItemEnableSwitch
 Potluck.Web.Controllers.APIController, 74

itemId
 Potluck.Web.Models.ItemDTO, 126
 Potluck.Web.Models.ItemVO, 128
 Potluck.Web.Models.OrdersItemVO, 138
 Potluck.Web.Models.OrderSubItemDTO, 139
 Potluck.Web.Models.OrderSubItemVO, 140
 Potluck.Web.Models.ScheduleCreate, 175
 Potluck.Web.Models.SubItemDTO, 223
 Potluck.Web.Models.SubItemVO, 224

itemList

Potluck.Web.Models.ScheduleDTO, 176
Potluck.Web.Models.ScheduleVO, 178
ItemVO
 Potluck.Web.Models.ItemVO, 127

Json
 AspNetCore.Areas_Identity_Pages__ViewStart, 88
 AspNetCore.Views__ViewImports, 233
 AspNetCore.Views__ViewStart, 235
 AspNetCore.Views_Admin_CategoryConfig, 236
 AspNetCore.Views_Admin_CountryConfig, 238
 AspNetCore.Views_Admin_RegionConfig, 240
 AspNetCore.Views_Admin_RegionCreate, 242
 AspNetCore.Views_Admin_RegionDetails, 244
 AspNetCore.Views_Admin_RegionUpdate, 246
 AspNetCore.Views_BuyerItem_ItemDetails, 249
 AspNetCore.Views_BuyerItem_Menu, 251
 AspNetCore.Views_BuyerItem_Search, 253
 AspNetCore.Views_BuyerOrder_Checkout, 255
 AspNetCore.Views_BuyerOrder_CheckoutLocation, 257
 AspNetCore.Views_BuyerOrder_CheckoutPayPal, 259
 AspNetCore.Views_BuyerOrder_CheckoutReceipt, 261
 AspNetCore.Views_BuyerOrder_Index, 263
 AspNetCore.Views_BuyerOrder_OrderDetails, 265
 AspNetCore.Views_Home_Index, 267
 AspNetCore.Views_Home_Login, 269
 AspNetCore.Views_Home_LoginRoleSelect, 271
 AspNetCore.Views_Home_Privacy, 273
 AspNetCore.Views_Home_SignUp, 275
 AspNetCore.Views_Home_TOS, 277
 AspNetCore.Views_Profile_Discover, 279
 AspNetCore.Views_Profile_Favorites, 281
 AspNetCore.Views_Profile_Index, 284
 AspNetCore.Views_Profile_MiniProfile, 286
 AspNetCore.Views_Profile_ProfileAddAddress, 288
 AspNetCore.Views_Profile_ProfileAddress, 291
 AspNetCore.Views_Profile_ProfileDelete, 293
 AspNetCore.Views_Profile_ProfileEdit, 295
 AspNetCore.Views_Profile_ProfileImage, 298
 AspNetCore.Views_Profile_ProfileNav, 300
 AspNetCore.Views_Profile_ProfileUpdateAddress, 302
 AspNetCore.Views_Review_Index, 304
 AspNetCore.Views_Review_ReviewCreate, 306
 AspNetCore.Views_SellerCustom_CustomCreate, 308
 AspNetCore.Views_SellerCustom_CustomDelete, 310
 AspNetCore.Views_SellerCustom_CustomDetails, 312
 AspNetCore.Views_SellerCustom_Index, 314
 AspNetCore.Views_SellerDelivery_Index, 316
 AspNetCore.Views_SellerItem_ItemCreate, 318
 AspNetCore.Views_SellerItem_ItemDelete, 320
 AspNetCore.Views_SellerItem_ItemDetails, 323
 AspNetCore.Views_SellerItem_ItemUpdate, 325
 AspNetCore.Views_SellerItem_Menu, 327
 AspNetCore.Views_SellerOrder_Index, 329
 AspNetCore.Views_SellerOrder_OrderDetails, 331
 AspNetCore.Views_SellerSchedule_Index, 333
 AspNetCore.Views_SellerSchedule_ScheduleCreate, 335
 AspNetCore.Views_SellerSchedule_ScheduleDetails, 337
 AspNetCore.Views_Shared__CookieConsentPartial, 339
 AspNetCore.Views_Shared__Layout, 342
 AspNetCore.Views_Shared__LoginPartial, 344
 AspNetCore.Views_Shared__ValidationScriptsPartial, 347
 AspNetCore.Views_Shared_Error, 349
 AspNetCore.Views_Shared_Footer, 351
 AspNetCore.Views_Shared_FootLinks, 354
 AspNetCore.Views_Shared_NavBar, 356

last
 Potluck.Web.Models.PageOfCustoms, 144
 Potluck.Web.Models.PageOfDeliveries, 145
 Potluck.Web.Models.PageOfItems, 147
 Potluck.Web.Models.PageOfOrders, 148
 Potluck.Web.Models.PageOfReviews, 150
 Potluck.Web.Models.PageOfSchedules, 151

lat
 Potluck.Web.Models.Location, 129
 Potluck.Web.Models.Northeast, 131
 Potluck.Web.Models.Southwest, 219

latitude
 Potluck.Web.Models.AddressDTO, 25
 Potluck.Web.Models.AddressVO, 27

lng
 Potluck.Web.Models.Location, 129
 Potluck.Web.Models.Northeast, 131
 Potluck.Web.Models.Southwest, 219

location
 Potluck.Web.Models.Geometry, 116

location_type
 Potluck.Web.Models.Geometry, 116

Login
 Potluck.Web.Controllers.HomeController, 119

LoginUser
 Potluck.Web.Controllers.APIController, 75
 Potluck.Web.Controllers.HomeController, 119

LogOutUser
 Potluck.Web.Controllers.ProfileController, 157

long_name
 Potluck.Web.Models.AddressComponent, 23

LongerThanADay
 Potluck.Web.Controllers.SellerOrderController, 206

longitude
 Potluck.Web.Models.AddressDTO, 25
 Potluck.Web.Models.AddressVO, 27

Main
 Potluck.Web.Program, 164

mainAddress
 Potluck.Web.Models.AddressDTO, 25
 Potluck.Web.Models.AddressVO, 28

message
 Potluck.Web.Models.ReviewDTO, 171
 Potluck.Web.Models.ReviewVO, 172

minutes
 Potluck.Web.Models.TimeVO, 225

ModelExpressionProvider
 AspNetCore.Areas_Identity_Pages__ViewStart, 88
 AspNetCore.Views__ViewImports, 233
 AspNetCore.Views__ViewStart, 235
 AspNetCore.Views_Admin_CategoryConfig, 236
 AspNetCore.Views_Admin_CountryConfig, 238
 AspNetCore.Views_Admin_RegionConfig, 240
 AspNetCore.Views_Admin_RegionCreate, 242
 AspNetCore.Views_Admin_RegionDetails, 244
 AspNetCore.Views_Admin_RegionUpdate, 246
 AspNetCore.Views_BuyerItem_ItemDetails, 249
 AspNetCore.Views_BuyerItem_Menu, 251
 AspNetCore.Views_BuyerItem_Search, 253
 AspNetCore.Views_BuyerOrder_Checkout, 255
 AspNetCore.Views_BuyerOrder_CheckoutLocation, 257
 AspNetCore.Views_BuyerOrder_CheckoutPayPal, 259
 AspNetCore.Views_BuyerOrder_CheckoutReceipt, 261
 AspNetCore.Views_BuyerOrder_Index, 263
 AspNetCore.Views_BuyerOrder_OrderDetails, 265
 AspNetCore.Views_Home_Index, 267
 AspNetCore.Views_Home_Login, 269
 AspNetCore.Views_Home_LoginRoleSelect, 271
 AspNetCore.Views_Home_Privacy, 273
 AspNetCore.Views_Home_SignUp, 275
 AspNetCore.Views_Home_TOS, 277
 AspNetCore.Views_Profile_Discover, 279
 AspNetCore.Views_Profile_Favorites, 281
 AspNetCore.Views_Profile_Index, 284
 AspNetCore.Views_Profile_MiniProfile, 286
 AspNetCore.Views_Profile_ProfileAddAddress, 288
 AspNetCore.Views_Profile_ProfileAddress, 291
 AspNetCore.Views_Profile_ProfileDelete, 293
 AspNetCore.Views_Profile_ProfileEdit, 295
 AspNetCore.Views_Profile_ProfileImage, 298
 AspNetCore.Views_Profile_ProfileNav, 300
 AspNetCore.Views_Profile_ProfileUpdateAddress, 302
 AspNetCore.Views_Review_Index, 304
 AspNetCore.Views_Review_ReviewCreate, 306
 AspNetCore.Views_SellerCustom_CustomCreate, 308
 AspNetCore.Views_SellerCustom_CustomDelete, 310
 AspNetCore.Views_SellerCustom_CustomDetails, 312
 AspNetCore.Views_SellerCustom_Index, 314

AspNetCore.Views_SellerDelivery_Index, 316
AspNetCore.Views_SellerItem_ItemCreate, 318
AspNetCore.Views_SellerItem_ItemDelete, 320
AspNetCore.Views_SellerItem_ItemDetails, 323
AspNetCore.Views_SellerItem_ItemUpdate, 325
AspNetCore.Views_SellerItem_Menu, 327
AspNetCore.Views_SellerOrder_Index, 329
AspNetCore.Views_SellerOrder_OrderDetails, 331
AspNetCore.Views_SellerSchedule_Index, 333
AspNetCore.Views_SellerSchedule_ScheduleCreate, 335
AspNetCore.Views_SellerSchedule_ScheduleDetails, 337
AspNetCore.Views_Shared__CookieConsentPartial, 339
AspNetCore.Views_Shared__Layout, 342
AspNetCore.Views_Shared__LoginPartial, 344
AspNetCore.Views_Shared__ValidationScriptsPartial, 347
AspNetCore.Views_Shared_Error, 349
AspNetCore.Views_Shared_Footer, 351
AspNetCore.Views_Shared_FootLinks, 354
AspNetCore.Views_Shared_NavBar, 356

name
 Potluck.Web.Models.Category, 107
 Potluck.Web.Models.DeliveryDTO, 114
 Potluck.Web.Models.DeliveryVO, 115
 Potluck.Web.Models.ItemDTO, 126
 Potluck.Web.Models.ItemVO, 128
 Potluck.Web.Models.OrderSubItemDTO, 139
 Potluck.Web.Models.SignUpRequest, 218
 Potluck.Web.Models.SubItemDTO, 223
 Potluck.Web.Models.UserDTO, 227
 Potluck.Web.Models.UserVO, 230

NewOrder
 Potluck.Web.Controllers.BuyerOrderController, 102

northeast
 Potluck.Web.Models.Viewport, 231

Oauth2
 Potluck.Web.Controllers.HomeController, 121

offset
 Potluck.Web.Models.Pageable, 142

OnActionExecuting
 Potluck.Web.Controllers.AdminController, 32
 Potluck.Web.Controllers.BuyerItemController, 90
 Potluck.Web.Controllers.BuyerOrderController, 102
 Potluck.Web.Controllers.HomeController, 122
 Potluck.Web.Controllers.ProfileController, 157
 Potluck.Web.Controllers.ReviewController, 168
 Potluck.Web.Controllers.SellerCustomController, 183
 Potluck.Web.Controllers.SellerDeliveryController, 191
 Potluck.Web.Controllers.SellerItemController, 195
 Potluck.Web.Controllers.SellerOrderController, 206
 Potluck.Web.Controllers.SellerScheduleController, 214

OrderDTO
 Potluck.Web.Models.OrderDTO, 132

orderId
 Potluck.Web.Models.OrderDTO, 132
 Potluck.Web.Models.OrderVO, 141

ordersItems
 Potluck.Web.Models.OrderDTO, 133
 Potluck.Web.Models.OrderVO, 141

ordersItemsCustomId
 Potluck.Web.Models.OrdersItemsCustomDTO, 135
 Potluck.Web.Models.OrdersItemsCustomVO, 136

ordersItemsCustoms
 Potluck.Web.Models.OrdersItemDTO, 134
 Potluck.Web.Models.OrdersItemVO, 138

ordersItemsId
 Potluck.Web.Models.OrdersItemDTO, 134
 Potluck.Web.Models.OrdersItemVO, 138

OrdersItemVO
 Potluck.Web.Models.OrdersItemVO, 137

orderStatus
 Potluck.Web.Models.OrderDTO, 133

pageable
 Potluck.Web.Models.PageOfCustoms, 144
 Potluck.Web.Models.PageOfDeliveries, 145
 Potluck.Web.Models.PageOfItems, 147
 Potluck.Web.Models.PageOfOrders, 148
 Potluck.Web.Models.PageOfReviews, 150
 Potluck.Web.Models.PageOfSchedules, 151

paged
 Potluck.Web.Models.Pageable, 142

pageNumber
 Potluck.Web.Models.Pageable, 142

PageOfCustoms
 Potluck.Web.Models.PageOfCustoms, 143

PageOfItems
 Potluck.Web.Models.PageOfItems, 146

pageSize
 Potluck.Web.Models.Pageable, 142

password
 Potluck.Web.Models.LoginRequest, 130
 Potluck.Web.Models.SignUpRequest, 218

picture
 Potluck.Web.Models.ItemVO, 129
 Potluck.Web.Models.UserVO, 230

place_id
 Potluck.Web.Models.Result, 166

plus_code
 Potluck.Web.Models.Result, 166

postalCode
 Potluck.Web.Models.AddressDTO, 25
 Potluck.Web.Models.AddressVO, 28

Potluck, 18

Potluck.Web, 18

Potluck.Web.Controllers, 19

Potluck.Web.Controllers.AdminController, 28
 CreateCategory, 30
 CreateRegion, 30
 DeleteCategory, 31

DeleteRegion, 31

GetTokenFromSessionUser, 32

OnActionExecuting, 32

PreLoadViewBag, 32

ShowCategoryConfig, 33

ShowCountryConfig, 33

ShowRegionConfig, 34

ShowRegionCreate, 34

ShowRegionDetails, 35

ShowRegionUpdate, 35

UpdateCategory, 36

UpdateRegion, 36

Potluck.Web.Controllers.APIController, 37
 AddAddress, 41
 AddCustomToltem, 41
 AddFavorite, 42
 AddItemToCustom, 43
 AddOrderItemToOrder, 43
 APIController, 40
 ChangeOrderStatus, 44
 CreateCategory, 45
 CreateCustom, 45
 CreateDelivery, 47
 CreateItem, 47
 CreateOrder, 48
 CreateReview, 49
 CreateSchedule, 49
 CreateStateCountry, 50
 DeleteCategory, 51
 DeleteCustom, 51
 DeleteDelivery, 52
 DeleteItem, 53
 DeleteOrder, 53
 DeleteReview, 54
 DeleteSchedule, 54
 DeleteStateCountry, 55
 EditUser, 55
 FindRegionsByCountry, 56
 ForgotPassword, 56
 GetAllCategories, 57
 GetAllCountries, 57
 GetAllCustoms, 58
 GetAllDeliveriesByEmail, 59
 GetAllReviewsByEmail, 59
 GetAllSchedulesByEmail, 60
 GetCategoryById, 60
 GetCoords, 62
 GetCurrentUser, 62
 GetCustomById, 63
 GetDeliveryById, 64
 GetFavoritesByEmail, 65
 GetGeoFence, 65
 GetItemById, 66
 GetMenuBySearch, 67
 GetMenuByUserId, 68
 GetOrderById, 69
 GetOrdersOfBuyer, 70
 GetOrdersOfSeller, 71

GetReviewById, 72
GetScheduleById, 72
GetStateCountryById, 73
 GetUserByEmail, 74
 googleApiKey, 86
 ItemEnableSwitch, 74
 LoginUser, 75
 RemoveAddress, 76
 RemoveCustomFromItem, 76
 RemoveFavorite, 77
 RemoveItemFromCustom, 78
 RemoveItemFromOrder, 78
 RemoveOrderItemFromOrder, 79
 SignUpUser, 80
 Token, 86
 UpdateAddress, 80
 UpdateCategory, 81
 UpdateCustom, 81
 UpdateDelivery, 82
 UpdateItem, 83
 UpdateOrder, 83
 UpdateReview, 84
 UpdateSchedule, 84
 UpdateStateCountry, 85
 Potluck.Web.Controllers.BuyerItemController, 89
 GetTokenFromSessionUser, 90
 Index, 90
 OnActionExecuting, 90
 PreLoadViewBag, 91
 ShowItemDetails, 91
 ShowMenu, 92
 ShowMenuPageByNumber, 92
 ShowSearch, 93
 ShowSearchPageByNumber, 94
 Potluck.Web.Controllers.BuyerOrderController, 95
 AddItemToOrder, 96
 CancelOrder, 97
 CreateOrder, 97
 CreateSessionOrder, 98
 GetCancelledOrders, 98
 GetClosedOrders, 99
 GetMostRecentOpenOrder, 99
 GetPageOfOrders, 100
 GetSessionOrder, 101
 GetTokenFromSessionUser, 101
 Index, 101
 NewOrder, 102
 OnActionExecuting, 102
 PreLoadViewBag, 103
 RemoveItemFromOrder, 103
 ShowCheckout, 104
 ShowOrder, 104
 UpdateOrder, 105
 Potluck.Web.Controllers.ChatController, 107
 Index, 108
 Potluck.Web.Controllers.HomeController, 118
 Index, 119
 Login, 119
 LoginUser, 119
 Oauth2, 121
 OnActionExecuting, 122
 PreLoadViewBag, 122
 SelectRole, 122
 ShowPrivacyPolicy, 123
 ShowSignUp, 123
 ShowTermsOfService, 123
 SignUpUser, 123
 Potluck.Web.Controllers.ProfileController, 153
 AddAddress, 154
 AddFavorite, 155
 EditUser, 156
 GetTokenFromSessionUser, 157
 Index, 157
 LogOutUser, 157
 OnActionExecuting, 157
 PreLoadViewBag, 158
 ProfileController, 154
 ProfileEdit, 158
 RemoveAddress, 159
 RemoveFavorite, 159
 ShowAddAddress, 160
 ShowAddressManager, 160
 ShowDiscover, 161
 ShowFavorites, 162
 ShowUpdateAddress, 162
 UpdateAddress, 163
 Potluck.Web.Controllers.ReviewController, 166
 CreateReview, 167
 GetTokenFromSessionUser, 168
 OnActionExecuting, 168
 PreLoadViewBag, 168
 ShowReviewCreate, 169
 ShowSellerReviews, 169
 Potluck.Web.Controllers.SellerCustomController, 179
 AddItemToCustom, 180
 CreateCustom, 181
 DeleteCustom, 182
 GetTokenFromSessionUser, 182
 OnActionExecuting, 183
 PreLoadViewBag, 183
 RemoveItemFromCustom, 183
 ShowAllCustoms, 184
 ShowCustomCreate, 185
 ShowCustomDetails, 185
 ShowCustomPageByNumber, 186
 Potluck.Web.Controllers.SellerDeliveryController, 187
 CreateDelivery, 188
 DeleteDelivery, 188
 EditDelivery, 189
 GetTokenFromSessionUser, 190
 Index, 190
 OnActionExecuting, 191
 PreLoadViewBag, 191
 Potluck.Web.Controllers.SellerItemController, 192
 AddCustomToItem, 193
 CreateItem, 194

DeleteItem, 194
GetTokenFromSessionUser, 195
Index, 195
OnActionExecuting, 195
PreLoadViewBag, 196
RemoveCustomFromItem, 196
ShowItemCreate, 197
ShowItemDelete, 197
ShowItemDetails, 198
ShowItemUpdate, 199
ShowMenu, 199
ShowMenuPageByNumber, 200
ToggleEnable, 201
UpdateItem, 201
Potluck.Web.Controllers.SellerOrderController, 202
DeleteOrder, 203
GetCancelledOrders, 204
GetClosedOrders, 204
GetMostRecentOpenOrder, 205
GetTokenFromSessionUser, 205
Index, 206
LongerThanADay, 206
OnActionExecuting, 206
PreLoadViewBag, 207
RemoveItemFromOrder, 207
ShowAllOrders, 208
ShowAllOrdersOfStatus, 208
ShowOrder, 209
UpdateOrder, 210
Potluck.Web.Controllers.SellerScheduleController, 211
AddItemToSchedule, 212
CreateSchedule, 212
DeleteSchedule, 213
GetTokenFromSessionUser, 213
Index, 214
OnActionExecuting, 214
PreLoadViewBag, 215
RemoveItemFromSchedule, 215
ShowScheduleCreate, 216
ShowScheduleDetails, 216
UpdateDateTime, 217
Potluck.Web.Infrastructure, 19
Potluck.Web.Middleware, 19
Potluck.Web.Middleware.ChatWebSocketMiddleware,
 108
 ChatWebSocketMiddleware, 109
 Invoke, 109
Potluck.Web.Models, 20
Potluck.Web.Models.AddressComponent, 23
 long_name, 23
 short_name, 23
 types, 23
Potluck.Web.Models.AddressDTO, 24
 addressId, 24
 addressLine1, 24
 addressLine2, 24
 addressName, 24
 city, 25
 latitude, 25
 longitude, 25
 mainAddress, 25
 postalCode, 25
 stateCountry, 25
Potluck.Web.Models.AddressVO, 26
 addressId, 27
 addressLine1, 27
 addressLine2, 27
 addressName, 27
 AddressVO, 26
 city, 27
 latitude, 27
 longitude, 27
 mainAddress, 28
 postalCode, 28
 stateCountryId, 28
Potluck.Web.Models.Category, 106
 Category, 106
 id, 107
 name, 107
Potluck.Web.Models.CustomDTO, 109
 CustomDTO, 110
 customId, 110
 customTitle, 110
 customType, 110
 dateTimeCreated, 110
 dateTimeModified, 111
 subItems, 111
Potluck.Web.Models.CustomVO, 111
 customId, 112
 customTitle, 112
 customType, 112
 CustomVO, 111
 dateTimeCreated, 112
 dateTimeModified, 112
 subItems, 112
Potluck.Web.Models.DeliveryDTO, 113
 coverageKmRadius, 113
 dateTimeCreated, 113
 dateTimeModified, 113
 deliveryId, 113
 feePercentage, 113
 name, 114
 user, 114
Potluck.Web.Models.DeliveryVO, 114
 coverageKmRadius, 115
 deliveryId, 115
 DeliveryVO, 114
 feePercentage, 115
 name, 115
Potluck.Web.Models.ErrorViewModel, 115
 RequestId, 116
 ShowRequestId, 116
Potluck.Web.Models.Geometry, 116
 location, 116
 location_type, 116
 viewport, 117

Potluck.Web.Models.GoogleGeo, 117
 results, 117
 status, 117

Potluck.Web.Models.ItemDTO, 124
 calories, 125
 category, 125
 customs, 125
 dateTimeCreated, 125
 dateTimeModified, 125
 description, 125
 enable, 125
 imageUrl, 125
 itemId, 126
 name, 126
 price, 126
 soldAlone, 126
 user, 126

Potluck.Web.Models.ItemVO, 126
 calories, 128
 categoryId, 128
 dateTimeCreated, 128
 dateTimeModified, 128
 description, 128
 enable, 128
 itemId, 128
 ItemVO, 127
 name, 128
 picture, 129
 price, 129
 soldAlone, 129

Potluck.Web.Models.Location, 129
 lat, 129
 lng, 129

Potluck.Web.Models.LoginRequest, 130
 email, 130
 password, 130

Potluck.Web.Models.Northeast, 130
 lat, 131
 lng, 131

Potluck.Web.Models.OrderDTO, 131
 buyer, 132
 dateTimeCreated, 132
 dateTimeModified, 132
 deliveryType, 132
 OrderDTO, 132
 orderId, 132
 ordersItems, 133
 orderStatus, 133
 seller, 133
 serviceFee, 133
 subTotal, 133
 tax, 133
 total, 133

Potluck.Web.Models.OrdersItemDTO, 134
 item, 134
 ordersItemsCustoms, 134
 ordersItemsId, 134
 price, 134

 quantity, 135

Potluck.Web.Models.OrdersItemsCustomDTO, 135
 ordersItemsCustomId, 135
 subitems, 135

Potluck.Web.Models.OrdersItemsCustomVO, 136
 customId, 136
 ordersItemsCustomId, 136
 subitems, 136

Potluck.Web.Models.OrdersItemVO, 136
 itemId, 138
 ordersItemsCustoms, 138
 ordersItemsId, 138
 OrdersItemVO, 137
 quantity, 138

Potluck.Web.Models.OrderSubItemDTO, 138
 calories, 139
 category, 139
 enable, 139
 itemId, 139
 name, 139
 price, 139

Potluck.Web.Models.OrderSubItemVO, 140
 itemId, 140

Potluck.Web.Models.OrderVO, 140
 dateTimeCreated, 141
 dateTimeModified, 141
 deliveryType, 141
 orderId, 141
 ordersItems, 141

Potluck.Web.Models.Pageable, 141
 offset, 142
 paged, 142
 pageNumber, 142
 pageSize, 142
 sort, 142
 unpaged, 142

Potluck.Web.Models.PageOfCustoms, 143
 content, 143
 first, 144
 last, 144
 pageable, 144
 PageOfCustoms, 143
 totalElements, 144
 totalPages, 144

Potluck.Web.Models.PageOfDeliveries, 144
 content, 145
 empty, 145
 first, 145
 last, 145
 pageable, 145
 totalElements, 145
 totalPages, 146

Potluck.Web.Models.PageOfItems, 146
 content, 147
 empty, 147
 first, 147
 last, 147
 pageable, 147

PageOfItems, 146
totalElements, 147
totalPages, 147
Potluck.Web.Models.PageOfOrders, 148
content, 148
empty, 148
first, 148
last, 148
pageable, 148
totalElements, 149
totalPages, 149
Potluck.Web.Models.PageOfReviews, 149
content, 149
empty, 150
first, 150
last, 150
pageable, 150
totalElements, 150
totalPages, 150
Potluck.Web.Models.PageOfSchedules, 151
content, 151
empty, 151
first, 151
last, 151
pageable, 151
totalElements, 152
totalPages, 152
Potluck.Web.Models.PlusCode, 152
compound_code, 152
global_code, 152
Potluck.Web.Models.Result, 165
address_components, 165
formatted_address, 165
geometry, 165
place_id, 166
plus_code, 166
types, 166
Potluck.Web.Models.ReviewDTO, 170
buyer, 170
dateTimeCreated, 171
dateTimeModified, 171
message, 171
reviewId, 171
seller, 171
stars, 171
subject, 171
Potluck.Web.Models.ReviewVO, 172
message, 172
reviewId, 172
sellerEmail, 172
stars, 172
subject, 173
Potluck.Web.Models.Role, 173
authority, 174
id, 174
Role, 173
Potluck.Web.Models.ScheduleCreate, 174
dayOfWeek, 175
itemId, 175
ScheduleCreate, 174
scheduleId, 175
timeFrom, 175
timeTo, 175
Potluck.Web.Models.ScheduleDTO, 175
dayOfWeek, 176
itemList, 176
ScheduleDTO, 176
scheduleId, 176
timeFrom, 177
timeTo, 177
user, 177
Potluck.Web.Models.ScheduleVO, 177
dayOfWeek, 178
itemList, 178
scheduleId, 179
ScheduleVO, 178
timeFrom, 179
timeTo, 179
Potluck.Web.Models.SignUpRequest, 218
email, 218
name, 218
password, 218
Potluck.Web.Models.Southwest, 219
lat, 219
lng, 219
Potluck.Web.Models.StateCountry, 221
country, 221
deliveryFee, 221
serviceFee, 221
stateCountryId, 221
stateProvince, 221
tax, 221
Potluck.Web.Models.SubItemDTO, 222
calories, 222
category, 222
enable, 222
itemId, 223
name, 223
price, 223
Potluck.Web.Models.SubItemVO, 223
itemId, 224
SubItemVO, 224
Potluck.Web.Models.TimeVO, 225
hours, 225
minutes, 225
TimeVO, 225
Potluck.Web.Models.UserDTO, 226
addresses, 226
amountStars, 226
coverageKmRadius, 227
email, 227
emailVerified, 227
favorites, 227
imageUrl, 227
name, 227
provider, 227

reviews, 227
roles, 228
telephone, 228
token, 228
userId, 228
Potluck.Web.Models.UserVO, 228
amountStars, 229
coverageKmRadius, 229
email, 229
name, 230
picture, 230
reviews, 230
telephone, 230
userId, 230
UserVO, 229
Potluck.Web.Models.Viewport, 230
northeast, 231
southwest, 231
Potluck.Web.Program, 164
CreateWebHostBuilder, 164
Main, 164
Potluck.Web.Startup, 219
Configuration, 220
Configure, 220
ConfigureServices, 220
Startup, 220
PreLoadViewBag
Potluck.Web.Controllers.AdminController, 32
Potluck.Web.Controllers.BuyerItemController, 91
Potluck.Web.Controllers.BuyerOrderController, 103
Potluck.Web.Controllers.HomeController, 122
Potluck.Web.Controllers.ProfileController, 158
Potluck.Web.Controllers.ReviewController, 168
Potluck.Web.Controllers.SellerCustomController, 183
Potluck.Web.Controllers.SellerDeliveryController, 191
Potluck.Web.Controllers.SellerItemController, 196
Potluck.Web.Controllers.SellerOrderController, 207
Potluck.Web.Controllers.SellerScheduleController, 215
price
Potluck.Web.Models.ItemDTO, 126
Potluck.Web.Models.ItemVO, 129
Potluck.Web.Models.OrdersItemDTO, 134
Potluck.Web.Models.OrderSubItemDTO, 139
Potluck.Web.Models.SubItemDTO, 223
ProfileController
Potluck.Web.Controllers.ProfileController, 154
ProfileEdit
Potluck.Web.Controllers.ProfileController, 158
provider
Potluck.Web.Models.UserDTO, 227
quantity
Potluck.Web.Models.OrdersItemDTO, 135
Potluck.Web.Models.OrdersItemVO, 138
RemoveAddress

Potluck.Web.Controllers.APIController, 76
Potluck.Web.Controllers.ProfileController, 159
RemoveCustomFromItem
Potluck.Web.Controllers.APIController, 76
Potluck.Web.Controllers.SellerItemController, 196
RemoveFavorite
Potluck.Web.Controllers.APIController, 77
Potluck.Web.Controllers.ProfileController, 159
RemoveItemFromCustom
Potluck.Web.Controllers.APIController, 78
Potluck.Web.Controllers.SellerCustomController, 183
RemoveItemFromOrder
Potluck.Web.Controllers.APIController, 78
Potluck.Web.Controllers.BuyerOrderController, 103
Potluck.Web.Controllers.SellerOrderController, 207
RemoveItemFromSchedule
Potluck.Web.Controllers.SellerScheduleController, 215
RemoveOrderItemFromOrder
Potluck.Web.Controllers.APIController, 79
RequestId
Potluck.Web.Models.ErrorViewModel, 116
results
Potluck.Web.Models.GoogleGeo, 117
reviewId
Potluck.Web.Models.ReviewDTO, 171
Potluck.Web.Models.ReviewVO, 172
reviews
Potluck.Web.Models.UserDTO, 227
Potluck.Web.Models.UserVO, 230
Role
Potluck.Web.Models.Role, 173
roles
Potluck.Web.Models.UserDTO, 228
ScheduleCreate
Potluck.Web.Models.ScheduleCreate, 174
ScheduleDTO
Potluck.Web.Models.ScheduleDTO, 176
scheduleId
Potluck.Web.Models.ScheduleCreate, 175
Potluck.Web.Models.ScheduleDTO, 176
Potluck.Web.Models.ScheduleVO, 179
ScheduleVO
Potluck.Web.Models.ScheduleVO, 178
SelectRole
Potluck.Web.Controllers.HomeController, 122
seller
Potluck.Web.Models.OrderDTO, 133
Potluck.Web.Models.ReviewDTO, 171
sellerEmail
Potluck.Web.Models.ReviewVO, 172
serviceFee
Potluck.Web.Models.OrderDTO, 133
Potluck.Web.Models.StateCountry, 221
short_name
Potluck.Web.Models.AddressComponent, 23
ShowAddAddress

Potluck.Web.Controllers.ProfileController, 160
ShowAddressManager
 Potluck.Web.Controllers.ProfileController, 160
ShowAllCustoms
 Potluck.Web.Controllers.SellerCustomController,
 184
ShowAllOrders
 Potluck.Web.Controllers.SellerOrderController, 208
ShowAllOrdersOfStatus
 Potluck.Web.Controllers.SellerOrderController, 208
ShowCategoryConfig
 Potluck.Web.Controllers.AdminController, 33
ShowCheckout
 Potluck.Web.Controllers.BuyerOrderController, 104
ShowCountryConfig
 Potluck.Web.Controllers.AdminController, 33
ShowCustomCreate
 Potluck.Web.Controllers.SellerCustomController,
 185
ShowCustomDetails
 Potluck.Web.Controllers.SellerCustomController,
 185
ShowCustomPageByNumber
 Potluck.Web.Controllers.SellerCustomController,
 186
ShowDiscover
 Potluck.Web.Controllers.ProfileController, 161
ShowFavorites
 Potluck.Web.Controllers.ProfileController, 162
ShowItemCreate
 Potluck.Web.Controllers.SellerItemController, 197
ShowItemDelete
 Potluck.Web.Controllers.SellerItemController, 197
ShowItemDetails
 Potluck.Web.Controllers.BuyerItemController, 91
 Potluck.Web.Controllers.SellerItemController, 198
ShowItemUpdate
 Potluck.Web.Controllers.SellerItemController, 199
ShowMenu
 Potluck.Web.Controllers.BuyerItemController, 92
 Potluck.Web.Controllers.SellerItemController, 199
ShowMenuPageByNumber
 Potluck.Web.Controllers.BuyerItemController, 92
 Potluck.Web.Controllers.SellerItemController, 200
ShowOrder
 Potluck.Web.Controllers.BuyerOrderController, 104
 Potluck.Web.Controllers.SellerOrderController, 209
ShowPrivacyPolicy
 Potluck.Web.Controllers.HomeController, 123
ShowRegionConfig
 Potluck.Web.Controllers.AdminController, 34
ShowRegionCreate
 Potluck.Web.Controllers.AdminController, 34
ShowRegionDetails
 Potluck.Web.Controllers.AdminController, 35
ShowRegionUpdate
 Potluck.Web.Controllers.AdminController, 35
ShowRequestId
 Potluck.Web.Controllers.AdminController, 35
 Potluck.Web.Models.ErrorViewModel, 116
ShowReviewCreate
 Potluck.Web.Controllers.ReviewController, 169
ShowScheduleCreate
 Potluck.Web.Controllers.SellerScheduleController,
 216
ShowScheduleDetails
 Potluck.Web.Controllers.SellerScheduleController,
 216
ShowSearch
 Potluck.Web.Controllers.BuyerItemController, 93
ShowSearchPageByNumber
 Potluck.Web.Controllers.BuyerItemController, 94
ShowSellerReviews
 Potluck.Web.Controllers.ReviewController, 169
ShowSignUp
 Potluck.Web.Controllers.HomeController, 123
ShowTermsOfService
 Potluck.Web.Controllers.HomeController, 123
ShowUpdateAddress
 Potluck.Web.Controllers.ProfileController, 162
SignInManager
 AspNetCore.Views_Shared__LoginPartial, 345
SignUpUser
 Potluck.Web.Controllers.APIController, 80
 Potluck.Web.Controllers.HomeController, 123
soldAlone
 Potluck.Web.Models.ItemDTO, 126
 Potluck.Web.Models.ItemVO, 129
sort
 Potluck.Web.Models.Pageable, 142
southwest
 Potluck.Web.Models.Viewport, 231
stars
 Potluck.Web.Models.ReviewDTO, 171
 Potluck.Web.Models.ReviewVO, 172
Startup
 Potluck.Web.Startup, 220
stateCountry
 Potluck.Web.Models.AddressDTO, 25
stateCountryId
 Potluck.Web.Models.AddressVO, 28
 Potluck.Web.Models.StateCountry, 221
stateProvince
 Potluck.Web.Models.StateCountry, 221
status
 Potluck.Web.Models.GoogleGeo, 117
subItems
 Potluck.Web.Models.CustomDTO, 111
 Potluck.Web.Models.CustomVO, 112
subitems
 Potluck.Web.Models.OrdersItemsCustomDTO, 135
 Potluck.Web.Models.OrdersItemsCustomVO, 136
SubItemVO
 Potluck.Web.Models.SubItemVO, 224
subject
 Potluck.Web.Models.ReviewDTO, 171
 Potluck.Web.Models.ReviewVO, 173

subTotal
 Potluck.Web.Models.OrderDTO, 133

tax
 Potluck.Web.Models.OrderDTO, 133
 Potluck.Web.Models.StateCountry, 221

telephone
 Potluck.Web.Models.UserDTO, 228
 Potluck.Web.Models.UserVO, 230

timeFrom
 Potluck.Web.Models.ScheduleCreate, 175
 Potluck.Web.Models.ScheduleDTO, 177
 Potluck.Web.Models.ScheduleVO, 179

timeTo
 Potluck.Web.Models.ScheduleCreate, 175
 Potluck.Web.Models.ScheduleDTO, 177
 Potluck.Web.Models.ScheduleVO, 179

TimeVO
 Potluck.Web.Models.TimeVO, 225

ToggleEnable
 Potluck.Web.Controllers.SellerItemController, 201

Token
 Potluck.Web.Controllers.APIController, 86

token
 Potluck.Web.Models.UserDTO, 228

total
 Potluck.Web.Models.OrderDTO, 133

totalElements
 Potluck.Web.Models.PageOfCustoms, 144
 Potluck.Web.Models.PageOfDeliveries, 145
 Potluck.Web.Models.PageOfItems, 147
 Potluck.Web.Models.PageOfOrders, 149
 Potluck.Web.Models.PageOfReviews, 150
 Potluck.Web.Models.PageOfSchedules, 152

totalPages
 Potluck.Web.Models.PageOfCustoms, 144
 Potluck.Web.Models.PageOfDeliveries, 146
 Potluck.Web.Models.PageOfItems, 147
 Potluck.Web.Models.PageOfOrders, 149
 Potluck.Web.Models.PageOfReviews, 150
 Potluck.Web.Models.PageOfSchedules, 152

types
 Potluck.Web.Models.AddressComponent, 23
 Potluck.Web.Models.Result, 166

unpaged
 Potluck.Web.Models.Pageable, 142

UpdateAddress
 Potluck.Web.Controllers.APIController, 80
 Potluck.Web.Controllers.ProfileController, 163

UpdateCategory
 Potluck.Web.Controllers.AdminController, 36
 Potluck.Web.Controllers.APIController, 81

UpdateCustom
 Potluck.Web.Controllers.APIController, 81

UpdateDateTime
 Potluck.Web.Controllers.SellerScheduleController, 217

UpdateDelivery

Potluck.Web.Controllers.APIController, 82

UpdateItem
 Potluck.Web.Controllers.APIController, 83
 Potluck.Web.Controllers.SellerItemController, 201

UpdateOrder
 Potluck.Web.Controllers.APIController, 83
 Potluck.Web.Controllers.BuyerOrderController, 105
 Potluck.Web.Controllers.SellerOrderController, 210

UpdateRegion
 Potluck.Web.ControllersAdminController, 36

UpdateReview
 Potluck.Web.Controllers.APIController, 84

UpdateSchedule
 Potluck.Web.Controllers.APIController, 84

UpdateStateCountry
 Potluck.Web.Controllers.APIController, 85

Url
 AspNetCore.Areas_Identity_Pages_ViewStart, 88
 AspNetCore.Views_ViewImports, 233
 AspNetCore.Views_ViewStart, 235
 AspNetCore.Views_Admin_CategoryConfig, 237
 AspNetCore.Views_Admin_CountryConfig, 239
 AspNetCore.Views_Admin_RegionConfig, 241
 AspNetCore.Views_Admin_RegionCreate, 243
 AspNetCore.Views_Admin_RegionDetails, 245
 AspNetCore.Views_Admin_RegionUpdate, 247
 AspNetCore.Views_BuyerItem_ItemDetails, 249
 AspNetCore.Views_BuyerItem_Menu, 251
 AspNetCore.Views_BuyerItem_Search, 253
 AspNetCore.Views_BuyerOrder_Checkout, 255
 AspNetCore.Views_BuyerOrder_CheckoutLocation, 258
 AspNetCore.Views_BuyerOrder_CheckoutPayPal, 260
 AspNetCore.Views_BuyerOrder_CheckoutReceipt, 262
 AspNetCore.Views_BuyerOrder_Index, 264
 AspNetCore.Views_BuyerOrder_OrderDetails, 266
 AspNetCore.Views_Home_Index, 268
 AspNetCore.Views_Home_Login, 269
 AspNetCore.Views_Home_LoginRoleSelect, 271
 AspNetCore.Views_Home_Privacy, 273
 AspNetCore.Views_Home_SignUp, 275
 AspNetCore.Views_Home_TOS, 277
 AspNetCore.Views_Profile_Discover, 279
 AspNetCore.Views_Profile_Favorites, 282
 AspNetCore.Views_Profile_Index, 284
 AspNetCore.Views_Profile_MiniProfile, 287
 AspNetCore.Views_Profile_ProfileAddAddress, 289
 AspNetCore.Views_Profile_ProfileAddress, 291
 AspNetCore.Views_Profile_ProfileDelete, 293
 AspNetCore.Views_Profile_ProfileEdit, 296
 AspNetCore.Views_Profile_ProfileImage, 298
 AspNetCore.Views_Profile_ProfileNav, 300
 AspNetCore.Views_Profile_ProfileUpdateAddress, 302
 AspNetCore.Views_Review_Index, 304

AspNetCore.Views_Review_ReviewCreate, [306](#)
AspNetCore.Views_SellerCustom_CustomCreate,
 [308](#)
AspNetCore.Views_SellerCustom_CustomDelete,
 [310](#)
AspNetCore.Views_SellerCustom_CustomDetails,
 [312](#)
AspNetCore.Views_SellerCustom_Index, [314](#)
AspNetCore.Views_SellerDelivery_Index, [316](#)
AspNetCore.Views_SellerItem_ItemCreate, [319](#)
AspNetCore.Views_SellerItem_ItemDelete, [321](#)
AspNetCore.Views_SellerItem_ItemDetails, [323](#)
AspNetCore.Views_SellerItem_ItemUpdate, [325](#)
AspNetCore.Views_SellerItem_Menu, [327](#)
AspNetCore.Views_SellerOrder_Index, [329](#)
AspNetCore.Views_SellerOrder_OrderDetails, [331](#)
AspNetCore.Views_SellerSchedule_Index, [333](#)
AspNetCore.Views_SellerSchedule_ScheduleCreate,
 [335](#)
AspNetCore.Views_SellerSchedule_ScheduleDetails,
 [337](#)
AspNetCore.Views_Shared__CookieConsentPartial,
 [340](#)
AspNetCore.Views_Shared__Layout, [342](#)
AspNetCore.Views_Shared__LoginPartial, [345](#)
AspNetCore.Views_Shared__ValidationScriptsPartial,
 [347](#)
AspNetCore.Views_Shared_Error, [349](#)
AspNetCore.Views_Shared_Footer, [352](#)
AspNetCore.Views_Shared_FootLinks, [354](#)
AspNetCore.Views_Shared_NavBar, [356](#)

user
 Potluck.Web.Models.DeliveryDTO, [114](#)
 Potluck.Web.Models.ItemDTO, [126](#)
 Potluck.Web.Models.ScheduleDTO, [177](#)

userId
 Potluck.Web.Models.UserDTO, [228](#)
 Potluck.Web.Models.UserVO, [230](#)

UserManager
 AspNetCore.Views_Shared__LoginPartial, [345](#)


UserVO
 Potluck.Web.Models.UserVO, [229](#)

viewport
 Potluck.Web.Models.Geometry, [117](#)


GENERAL SITE OPERATION

Signing Up & Logging In

ON POTLUCK HOMEPAGE, CLICK PROFILE ICON TO NAVIGATE TO LOGIN/SIGNUP PAGE.



CLICK SIGNUP BUTTON TO BE NAVIGATED TO SIGN UP FORM.



ON SIGNUP PAGE FILL IN PERSONAL DETAILS AND CLICK SIGN UP BUTTON TO BE NAVIGATED BACK TO LOGIN PAGE.

The screenshot shows the sign up page. It has a red header bar with a logo, "Home", and other icons. The main content is a white form with three fields: "email" (with placeholder "YourEmail@email.com"), "name" (with placeholder "Your Name"), and "password" (with placeholder "YourPassword"). Below the form are two buttons: a red "SIGN UP" button and a smaller red "HOME" button. A black callout box at the bottom left of the form contains the text "On the sign up page fill in details & sign up".

LOGIN TO ACCESS ACCOUNT.



Welcome Back

Sign in to continue

YourEmail@email.com

••••••••••

LOGIN

SIGNUP



USER CAN EDIT PROFILE DETAILS BY CLICKING EDIT PROFILE ON PROFILE PAGE. PROFILE CHANGES & PICTURE UPLOADS ARE SAVED HERE.

The image shows a mobile-style user interface for editing a profile. On the left, there's a sidebar with a storefront icon, a "Your Name" field, an "Edit Profile" button (with a black arrow pointing to it), a "Log Out" button, and four navigation links: "My Orders", "Address Manager", "My Favorites", and "Refer Friends". On the right, there's a main area with a kitchen scene image, a "Choose File" input field with "No file chosen", a "Name" field containing "YourName", an "Email" field containing "YourEmail@email.com", a "Phone" field containing "999-999-9999", and a large red "SAVE CHANGES" button at the bottom with a black arrow pointing to it.

Your Name

Edit Profile

Log Out

My Orders >

Address Manager >

My Favorites >

Refer Friends >

Choose File No file chosen

Add/change profile picture

Name




Email

Phone

SAVE CHANGES


Logging In with Google & Facebook

ON SIGNUP/LGIN PAGE, CLICKING GOOGLE OR FACEBOOK LOGIN BUTTON WILL NAVIGATE TO THEIR RESPECTIVE EXTERNAL LOGIN SITES. ON SUCCESSFUL LOGIN, USER WILL BE NAVIGATED BACK TO POTLUCK AND POTLUCK ACCOUNT.




Managing Addresses with Address Manager

IN PROFILE NAVIGATION SIDE-PANEL, CLICK ON ADDRESS MANAGER TO NAVIGATE TO ADDRESS MANGER.



ADDRESS MANAGER DISPLAYS ADDRESSES INCLUDING PRIMARY ADDRESS. CLICK ADD NEW ADDRESS TO NAVIGATE TO ADDRESS CREATION PAGE. CLICK UPDATE TO NAVIGATE TO ADDRESS DETAILS, WHERE EDITS CAN BE MADE. CLICK X TO DELETE AN ADDRESS.



ON ADD ADDRESS PAGE FILL IN ADDRESS DETAILS AND CLICK CREATE TO ADD A NEW ADDRESS.

Address Title:

Address Line 1:

Address Line 2:

City:

Postal Code:

Country ID:


CREATE

BACK TO LIST

SELLER OPERATIONS

Presetting Seller's Delivery Options

IN PROFILE NAVIGATION SIDE-PANEL, CLICK ON DELIVERY OPTIONS TO NAVIGATE TO DELIVERY OPTIONS PAGE ACCESS DELIVERY PRESETS.



DELIVERY OPTIONS DISPLAYS LIST OF PRESET DELIVERIES. FILL IN COVERAGE & FEE AND CLICK ADD BUTTON TO CREATE NEW DELIVERY. EDIT PRESET BY CHANGING VALUES AND CLICKING EDIT BUTTON. DELETE A PRESET DELIVERY BY CLICKING X ON RIGHT OF PRESET.

The screenshot shows a 'Deliveries' page with a table listing preset delivery options. Each row contains fields for Name, Coverage Range (KM), Fee %, and actions (Edit, Delete). A red box highlights the table area. Callouts provide instructions for interacting with the page:

- 'Set Delivery range and fee' points to the 'Coverage Range (KM)' field in the first row.
- 'Add new address' points to the 'Add' button at the top right of the table.
- 'Change Delivery details & click Edit' points to the 'Edit' button in the second row.
- 'Delete Preset Delivery' points to the 'Delete' button (marked with a red X) in the second row.

Name	Coverage Range (KM)	Fee %	Add
Name	Coverage	Fee	<input type="button" value="+"/>
Weekends	25	5.0	<input type="button" value="Edit"/> <input type="button" value="Delete"/>

Managing Seller's Schedules

IN PROFILE NAVIGATION SIDE-PANEL, CLICK ON MY SCHEDULES TO NAVIGATE TO SCHEDULE PAGE WHERE SELLER SCHEDULES ARE MANAGED.

The screenshot shows the profile navigation side-panel with various options. A black arrow points to the 'My Schedules' link, which is highlighted with a red box. Other links include 'Edit Profile', 'Log Out', 'Delivery Options', 'My Items', 'My Customs', 'My Orders', and 'Address Manager'. The 'My Schedules' link is located in the middle section of the panel.

SCHEDULES PAGE LISTS SCHEDULES. CREATE NEW BUTTON WILL NAVIGATE TO SCHEDULE CREATION PAGE. DETAILS BUTTON NAVIGATES TO SCHEDULE DETAILS PAGE, WHERE SCHEDULES CAN BE VIEWED AND EDITED. CLICK X TO DELETE A SCHEDULE.

The screenshot shows a 'Schedules' page with two entries:

- EVERYDAY**: Starting Time 09:30, Ending Time 23:59. Buttons: DETAILS, Delete Schedule (indicated by a red X).
- FRIDAY**: Starting Time 18:00, Ending Time 22:00. Buttons: DETAILS, Delete Schedule (indicated by a red X).

Callouts provide the following information:

- Go to Schedule Creation page (points to the 'CREATE NEW SCHEDULE' button).
- Delete Schedule (points to the red X button for the Friday entry).
- View & Edit Schedule details (points to the DETAILS button for the Friday entry).

ON SCHEDULE CREATION PAGE, SET START & END TIME AND DAY OF THE WEEK. SELECT A STARTING MENU ITEM & CLICK CREATE BUTTON TO ADD NEW SCHEDULE. WILL BE NAVIGATED TO SCHEDULE DETAILS PAGE.

The screenshot shows the 'Create a Schedule' page with the following fields:

- Day: Everyday (dropdown menu).
- Start: (Time Picker icon).
- End: (Time Picker icon).
- Starting Item: juice box

Buttons at the bottom: CREATE (with a right-pointing arrow) and BACK TO LIST.

Callouts provide the following information:

- Dropdown list with days of week (points to the Day dropdown).
- Enter time or click on clock for Time Picker (points to the Start and End input fields).
- Choose first Menu Item from list to add to Schedule (points to the Starting Item field).

SCHEDULE DETAILS PAGE DISPLAYS A SCHEDULE'S TIMES & DAYS, AND MENU ITEMS AVAILABLE DURING SCHEDULE HOURS. EDIT TIMES & DAYS IN SCHEDULE PANEL. CHOOSE MENU ITEM FROM LIST AND CLICK **+** TO ADD TO SCHEDULE. CLICK UPDATE BUTTON TO SAVE CHANGES. CLICK **X** TO REMOVE ITEM.

The screenshot shows the 'Schedule Details' page. On the left, a sidebar labeled 'Edit Schedule Details' contains fields for 'Day' (set to Friday), 'Start' (06:00 PM), and 'End' (10:00 PM). Below these are 'UPDATE' and 'BACK TO LIST' buttons. To the right is a table titled 'Menu Items' with columns: Name, Price, Calories, and Remove. The table lists three items: 'taco' (\$2.00, 130 cal), 'Fried Chicken' (\$6.00, 500 cal), and 'Fruit Salad' (\$6.00, 1 cal). Each item has a red 'X' button in the 'Remove' column. Below the table is a search bar containing 'juice box' with a red '+' button to its right. The top navigation bar includes icons for Home, Profile, and Wallet.

Edit Schedule Details

List of Menu Items available during Schedule hours. Click X to remove item

Select Menu Item from list and click + icon to add to this Schedule

Managing Seller Menu Items

IN PROFILE NAVIGATION SIDE-PANEL, CLICK ON MY ITEMS TO NAVIGATE TO SELLER MENU WHERE SELLER'S MENU ITEMS ARE LISTED AND MANAGED. SELLERS CAN ADD, EDIT AND CONFIGURE THEIR MENU ITEMS HERE.

The screenshot shows the profile navigation side-panel for 'SchoolTime Eats'. It includes a 'SchoolTime Eats' logo, 'Edit Profile' and 'Log Out' buttons, and a list of links: 'Delivery Options', 'My Schedules', 'My Items' (with a black arrow pointing to it), 'My Customs', 'My Orders', and 'Address Manager'. The 'My Items' link is highlighted with a black arrow.

MENU ITEMS LISTED ON PANELS. ENABLE/DISABLE SWITCH SETS ITEM AVAILABILITY TO CUSTOMERS. CLICK ADD ITEM TO NAVIGATE TO ITEM CREATION FORM AND ADD A NEW ITEM. CLICK ON ITEM TO VIEW ITEM DETAILS AND TO EDIT ITEM.

My Menu

The screenshot shows a menu interface titled "My Menu". It displays four items: "taco" (disabled), "Ramen" (disabled), "Ice Cream Sundae" (disabled), and "Fruit Salad" (disabled). Each item card includes a thumbnail image, the item name, a description, and a price. A red callout box points to the "Add Item" button with the text: "Navigate to Item Creation page to add new item to menu". Another callout box points to the "taco" item with the text: "Switch enables/disables Item availability. Items with availability disabled will not be seen by others". A third callout box points to the "Fruit Salad" item with the text: "Click on Item panel to navigate to Item Details for viewing".

ON ITEM CREATION PAGE, TO ADD NEW ITEM TO MENU, FILL OUT ITEM DETAILS, AND UPLOAD PICTURE (OPTIONAL). ENABLE ITEM TO MAKE ITEM VISIBLE TO CUSTOMERS. SOLD ALONE ITEMS CAN BE SOLD OUTSIDE OF COMBO. IF ITEM IS ONLY COMBO ITEM, DISABLE SOLD ALONE. CLICK CREATE BUTTON TO ADD NEW ITEM TO MENU.

Create Item

The screenshot shows a "Create Item" form. It includes fields for Name, Price, Description, Calories, Category ID, Item ID, Enabled status, and Sold Alone status. A callout box points to the "Upload Item image" input field with the text: "Upload Item image". Another callout box points to the "ENABLED" checkbox with the text: "Enable/Disable Item. Disabled Items will not be visible to customers". A third callout box points to the "SOLD ALONE" checkbox with the text: "Will Item be sold alone or only as a Custom Addon".

ITEM DETAILS DISPLAYS ITEM DETAILS AND COMBO PANEL. ASSOCIATE ITEM WITH A COMBO BY SELECTING CUSTOM COMBO & CLICKING + ICON. CLICK ON CUSTOM PANEL X TO DISSOCIATE ITEM FROM COMBO. DELETE AN ITEM BY CLICKING DELETE BUTTON. TO EDIT ITEM, CLICK UPDATE BUTTON TO NAVIGATE TO ITEM UPDATE FORM.

Item Details



Name:	taco
Description:	taco
Category:	Kids Meals
Calories:	130
Price:	\$2.00
Enabled:	X

Sold Alone: ✓

Sides	Calories	Price	SELECT ONE
5-Bean Burrito	330	\$7.50	X
Ramen	45	\$9.00	
Fried Chicken	500	\$6.00	
taco	130	\$2.00	

+ Sides Dessert

Sides
Dessert

UPDATE
DELETE
BACK TO LIST

Navigate to Item Update form

Click X to disassociate Item from Combo

Choose Custom Combo to associate Item with. Combo will be offered with Item

Remove Item from menu & delete

EDIT ITEM DETAILS ON ITEM UPDATE FORM AND CLICK UPDATE TO SAVE.


Update Item

NAME :	taco	PRICE :	2.00
DESCRIPTION :	taco		
CALORIES :	130	CATEGORY :	Kids Meals
ITEM ID :	69	ENABLED :	<input type="checkbox"/>
		SOLD ALONE : ✓	
<input type="button" value="Browse..."/> No file selected.			
UPDATE BACK TO LIST			

Edit Item Details and click Update button to save

Managing Seller's Custom Combos (Add-Ons)

IN PROFILE NAVIGATION SIDE-PANEL CLICK MY CUSTOMS, TO NAVIGATE TO CUSTOM COMBOS LIST TO VIEW, MANAGE & EDIT CUSTOM COMBOS.



CUSTOMS LIST DISPLAYS CUSTOM COMBOS. CLICK CREATE NEW BUTTON TO GO TO CUSTOM CREATION PAGE TO CREATE A NEW COMBO. CLICK DETAILS BUTTON TO GO TO CUSTOM DETAILS PAGE, FOR VIEWING DETAILS, EDITING COMBOS AND ADD/REMOVE MENU ITEMS. CLICK DELETE BUTTON TO DELETE CUSTOM COMBO FROM CUSTOM LIST.

The image shows the 'Customs List' page. At the top, there is a red header bar with a logo, 'Home', and other icons. Below the header, the title 'Customs List' is displayed in pink. A table lists two custom combos: 'Sides' (Type: Select One) and 'Dessert' (Type: Select Multi). Each row has a 'DETAILS' button and a 'DELETE' button. Callout boxes provide instructions for each button:

- A callout box points to the 'CREATE NEW' button in the top right corner, stating: "Navigate to Custom Creation page to create a new Custom Combo".
- A callout box points to the 'DETAILS' button for the 'Sides' row, stating: "Navigate to Details to view & edit Custom and Add Menu Items to Custom Combo".
- A callout box points to the 'DELETE' button for the 'Sides' row, stating: "Delete Custom Combo".

Title	Type
Sides	Select One
Dessert	Select Multi

CREATE A NEW CUSTOM COMBO BY ENTERING COMBO TITLE AND CHOOSE WHETHER A SINGLE COMBO ITEM CAN BE SELECTED OR MULTIPLE COMBO ITEMS.

The screenshot shows a 'Combo Setup' form. It has two input fields: 'Custom Combo Title' and 'Custom Combo Type'. Below these are two radio button options: 'Select One (Can choose only one item)' and 'Select Multiple (Can choose more than one item)'. At the bottom are 'CREATE' and 'BACK TO LIST' buttons. A callout bubble points to the 'Custom Combo Type' field and the radio buttons, stating: 'Add a title and choose whether multiple Combo Items can be chosen or just one'.


CUSTOM DETAILS PAGE IS WHERE CUSTOM COMBOS ARE CONFIGURED. SELECT MENU ITEMS FROM LIST AND CLICK + ICON TO ADD MENU ITEM TO COMBO. CLICK X TO REMOVE MENU ITEM FROM CUSTOM COMBO.

The screenshot shows a 'Custom Details' page. It includes fields for 'Custom Title' (labeled 'Sides') and 'Custom Type' (labeled 'Select One'). Below is a table titled 'Custom Combo Items' with columns: Name, Price, Calories, and Remove. Three items are listed: juice box, tater tots, and taco. A callout bubble points to the 'Remove' column, stating: 'Lists all Menu Items available in Combo. Click X to remove Item'. At the bottom is a dropdown menu containing 'taco' and a '+' icon. A callout bubble points to the '+' icon, stating: 'Select Menu Item to add to Combo from dropdown list and click + to add to Combo'.

Name	Price	Calories	Remove
juice box	\$1.00	100	X
tater tots	\$2.00	300	X
taco	\$2.00	130	X

Managing Orders

TO NAVIGATE TO ORDERS, CLICK MY ORDERS IN PROFILE NAV SIDE-PANEL, OR \$ ICON IN TOP NAVBAR.



ORDERS PAGE DISPLAYS SELLERS' ORDERS, CATEGORIZED BY STATUS. SELECT ORDER STATUS (OPENED, CLOSED, CANCELLED) AND CLICK SEARCH ICON TO DISPLAY LIST OF ORDERS. CLICKING ON ORDER PANEL WILL NAVIGATE TO ORDER DETAILS.

The screenshot shows the "My Orders" page. At the top, it says "My Orders" and has a search bar with a magnifying glass icon. To its left is a dropdown menu labeled "Choose Order Status" with "OPENED" selected. A callout bubble points to the search icon with the text: "Select Status for Orders to be displayed and click Search Icon. Default opens Opened Orders". Another callout bubble points to the "OPENED" status with the text: "Status of Orders being displayed". Below the search bar, there are several order panels. One panel for a "taco" is highlighted with an arrow pointing to it from a callout bubble that says: "Click on an Order panel to view Order Details". The other panels show items like "Ramen", "2-Topping Pizza", "2-Topping Pizza", "Ramen", "Fried Chicken", "2-Topping Pizza", "2-Topping Pizza", and "2-Topping Pizza". Each panel displays the item name, price, and a small description at the bottom.

ORDER DETAILS SHOWS ITEMIZED LISTING OF ORDER CONTENTS, INCLUDING CUSTOM COMBO ADDON ITEMS.

The screenshot shows the 'Order Details' section of a food delivery app. At the top, there are details: Order Date (16/04/2024), Order ID (123456789), and Order Status (OPENED). Below this is a table listing items:

Item	Description	Quantity	Price
FRIED CHICKEN	The Crispiest Skin with Moistest Chicken	x 1	\$6.00
Add Ons:			
Taco			\$2.00
Fruit Salad			\$6.00

A callout box points to the 'Add Ons' section with the text: 'Displays itemized list of all ordered Items in selected Order. Combo items listed under Add Ons'.

CUSTOMER OPERATIONS

Searching for an Item

SEARCH FOR AN ITEM, ENTER SEARCH TERM INTO SEARCH WINDOW ON TOP NAVBAR AND CLICK ON SEARCH ICON TO GO TO RESULTS.

The screenshot shows the top navigation bar of the app. The search input field contains the word 'burger'. A callout box points to the search icon with the text: 'Enter search term into top Navbar & click Search Icon to find all matching Menu Items'.

RESULTS ARE RETURNED ON RESULTS PAGE. CLICK ON RESULTS ITEM PANEL TO NAVIGATE TO ITEM DETAILS PAGE.



Results for fruit

Fruit Salad
Yummy, Yummy!
\$6.00

Click on any returned Search Item to navigate to Item Details

Managing Favorites

ACCESS FAVORITES CLICK MY FAVORITES IN PROFILE NAVIGATION SIDE-PANEL OR FAVORITES TAB ON TOP NAVBAR. NAVIGATES TO USER'S FAVORITES PAGE.

Home Discover Favorites

mU

Edit Profile

Log Out

My Orders >

Address Manager >

My Favorites >

Refer Friends >

NAME:

EMAIL:

USERID:

Click on Top Navbar Favorites button or My Favorites in side-panel to navigate to Favorites

FAVORITES DISPLAY FAVORITED ITEMS ON PANELS WITH ITEM NAME, PRICE, DESCRIPTION AND SELLER. CLICK ITEM PANEL TO VIEW ITEM DETAILS PAGE. CLICKING X ON ITEM PANEL TO REMOVE ITEM FROM FAVORITES.

Favorited Items are displayed on panels. Click on Item panel to navigate to Item Details page

Favorites



My Burger
Great Option You will like it!

 System Administrator \$7.99



Fruit Salad
Yummy, Yummy!

 SchoolTime Eats \$6.00



Home Fries
Home Cooked Potato Fires

 Bob Belcher \$5.00

Remove an Item from Favorites by clicking X

TO ADD AN ITEM TO FAVORITES, CLICK THE ADD TO FAVORITES LINK, FOUND ON EVERY ITEM DETAILS PAGE.



Item Details




Bobs Best Burger

 Add Item To Favorites


Add any Item to Favorites by clicking Add Item To Favorites on Item Details page of selected Item

Discovering What is Available Near you


TO DISCOVER SELLERS NEAR YOU CLICK DISCOVER TAB ON TOP NAVBAR. NAVIGATES TO DISCOVER MAP.



DISCOVER MAP DISPLAYS SELLERS WITH GIVEN RADIUS. OF RED CIRCLE. TO INCREASE/DECREASE CIRCLE RADIUS, SELECT RANGE FROM DROPODOWN LIST. USER IS TAGGED WITH BLUE MARKER AND SELLERS ARE TAGGED WITH GREY MARKERS. CLICKING ON SELLER MARKER WILL OPEN SELLER INFORMATION IN SMALL PANEL.



SELLER PANEL ON DISCOVER MAP DISPLAYS SELLER NAME, PROFILE PICTURE AND RATING. CLICKING SELLER PANEL WILL NAVIGATE TO SELLER MENU PAGE.



ONCE ON A SELLER'S MENU PAGE, USERS CAN BROWSE ITEMS TO VIEW AND ADD TO ORDER. CLICK ON A SELLER'S MENU ITEM WILL NAVIGATE TO ITEM DETAILS PAGE.

SchoolTime Eats Menu

The menu items are displayed in three separate boxes:

- TACO**: An image of a filled soft shell taco. Below it is the text "taco" and "\$2.00".
- ICE CREAM SUNDAE**: An image of a sundae in a glass dish with two spoons. Below it is the text "A sundae for everyday" and "\$10.00".
- TATER TOTS**: An image of a pile of golden-brown tater tots. Below it is the text "Taters for tots, adults or anyone" and "\$2.00".

A black callout box with white text at the bottom center of the menu says: "Click on an a Menu Item to View Item Details & add to Order". Two arrows point from the text in this callout to the "TACO" and "TATER TOTS" menu items.

Making An Order

WHILE ON ITEM DETAILS OF ITEM CHOSEN TO ORDER, SELECT CUSTOM COMBO ADDON ITEMS TO INCLUDE WITH ORDER. ONCE ALL ORDER ITEMS HAVE BEEN SELECTED, CLICK ADD TO ORDER BUTTON TO PROCEED WITH ORDER .

Item Details

Make an order by navigating to Item you would like to order

Add Menu Item(s) to Order

Add on Combo Items to Item to make a Custom Combo

Fried Chicken

Sides

Choose One	Name	Calories	Price
<input type="radio"/>	Ramen	45 cal	\$9.00
<input checked="" type="radio"/>	taco	130 cal	\$2.00
<input type="radio"/>	5-Bean Burrito	330 cal	\$7.50
<input type="radio"/>	Fried Chicken	500 cal	\$6.00

Dessert

Choose Any	Name	Calories	Price
<input checked="" type="checkbox"/>	Fruit Salad	1 cal	\$6.00
<input type="checkbox"/>	Apple Pie Slice	300 cal	\$4.50
<input type="checkbox"/>	Ice Cream Sundae	100 cal	\$10.00

ADD TO ORDER

SHOW USER MENU

CONFIRM CONTENTS OF ORDER ON ORDER DETAILS. ITEMS ARE DISPLAYED WITH COMBO ADDONS LISTED UNDERNEATH. CLICK X ON AN ITEM TO REMOVE ITEM (INCLUDING COMBO ADDONS) FROM ORDER. CLICK CHECKOUT BUTTON TO PROCEED TO PAYMENT.

Order Details

Item	Description	Add Ons	Price
FRIED CHICKEN	The Crispiest Skin with Moistest Chicken	taco	\$6.00
		Fruit Salad	\$6.00

Order Date: 1602041283309 | Order ID: 121 | Order Status: OPENED | Delivery Type:

After review of Order details, click Checkout to proceed to payment

Details of Order displayed with itemized Combo Addons. Click X to remove Item from Order

Click to cancel Order

ORDER DETAILS PANEL CONTAINS SELLER DETAILS, ORDER ITEMS LISTING, ITEMIZED LISTING OF PRICES, FEES, TAXES AND PAYPAL ACCOUNT & CARD PAYMENT PROCESSING FORM. PAYPAL BUTTON NAVIGATES TO EXTERNAL PAYPAL ACCOUNT VIA PAYPAL ACCOUNT. DEBIT OR CREDIT BUTTON OPENS CARD PAYMENT FORM FOR CARD PAYMENT, VIA PAYPAL WITHOUT LOGGING INTO PAYPAL ACCOUNT

Order Details

SchoolTime Eats

Name	Price	Qty
Fried Chicken	\$6.00	1
taco	\$2.00	1
Fruit Salad	\$6.00	1

Sub-Total: \$14.00
Service Fees: \$1.40
Taxes: \$0.70
Total: \$16.10

PayPal

Debit or Credit Card


Powered by PayPal

Review Items in Order

Itemized listing of Prices, Fees & Taxes


To make payment, click Debit/Credit button to fill out payment form. Or click PayPal button to navigate external payment panel & pay with your PayPal account.

PAYPAL BUTTON NAVIGATES TO EXTERNAL PAYPAL ACCOUNT VIA PAYPAL ACCOUNT. DEBIT OR CREDIT BUTTON OPENS CARD PAYMENT FORM FOR CARD PAYMENT, VIA PAYPAL WITHOUT LOGGING INTO PAYPAL ACCOUNT



Viewing Orders

TO NAVIGATE TO ORDERS, CLICK MY ORDERS IN PROFILE NAV SIDE-PANEL, OR SHOPPING CART ICON IN TOP NAVBAR.



ORDERS PAGE DISPLAYS SELLERS' ORDERS, CATEGORIZED BY STATUS. SELECT ORDER STATUS (OPENED, CLOSED, CANCELLED) AND CLICK SEARCH ICON TO DISPLAY LIST OF ORDERS. CLICKING ON ORDER PANEL WILL NAVIGATE TO ORDER DETAILS OF SELECTED ORDER.

Status of Orders being displayed

Select Status for Orders to be displayed and click Search Icon. Default opens Opened Orders

OPENED

Click on an Order panel to view Order Details

ORDER DETAILS SHOWS ITEMIZED LISTING OF ORDER CONTENTS. ITEMS ARE DISPLAYED WITH COMBO ADDON ITEMS LISTED UNDERNEATH. CLICK X ON AN ITEM TO REMOVE ITEM (INCLUDING COMBO ADDONS) FROM ORDER. CLICK CHECKOUT BUTTON TO PROCEED TO PAYMENT.



Order Details

After review of Order details, click Checkout to proceed to payment

Displays itemized list of all ordered Items in selected Order. Click X to remove Item

CHECKOUT

CANCEL

BACK