

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
1	56ST	DJ-6	1	24'-8 3/16"	Framed Opening Jamb C8X11.5 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	286		56ST
2	56ST	DJ-7	1	23'-0 13/16"	Framed Opening Jamb C8X11.5 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	267		56ST
3	56ST	EC-4	1	19'-11 11/16"	EW Column W10X12 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	263		56ST
4	56ST	EC-100	1	23'-4 1/16"	EW Column W10X12 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	306		56ST
5	528VESDS14P1	E-1	1	19'-7 1/2"	Eave Strut 8-1/4" x 5" x 3-3/8" Low Side Double-Sloped Eave Strut - 1:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	84.39		528VESDS14P1
6	528VESDS14P1	E-2	5	19'-11 1/2"	Eave Strut 8-1/4" x 5" x 3-3/8" Low Side Double-Sloped Eave Strut - 1:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	85.82		528VESDS14P1
7	528VESDS14P1	E-3	1	17'-7 1/2"	Eave Strut 8-1/4" x 5" x 3-3/8" Low Side Double-Sloped Eave Strut - 1:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	75.79		528VESDS14P1
8	528VESDS14P2	E-4	1	17'-7 1/2"	Eave Strut 8-3/8" x 5" x 3-1/4" Low Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	75.79		528VESDS14P2
9	528VESDS14P2	E-5	5	19'-11 1/2"	Eave Strut 8-3/8" x 5" x 3-1/4" Low Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	85.82		528VESDS14P2
10	528VESDS14P2	E-6	1	19'-7 1/2"	Eave Strut 8-3/8" x 5" x 3-1/4" Low Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	84.39		528VESDS14P2
11	528VESDS14P1	E-7	1	23'-9 3/4"	Eave Strut 8-1/4" x 5" x 3-3/8" Low Side Double-Sloped Eave Strut - 1:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	102.39		528VESDS14P1
12	528VESDS14P1	E-8	5	19'-8"	Eave Strut 8-1/4" x 5" x 3-3/8" Low Side Double-Sloped Eave Strut - 1:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	84.57		528VESDS14P1

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
13	528VESDS14P1	E-9	1	21'-9 3/4"	Eave Strut 8-1/4" x 5" x 3-3/8" Low Side Double-Sloped Eave Strut - 1:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	93.79		528VESDS14P1
14	528VESDS14P2	E-10	1	21'-9 3/4"	Eave Strut 8-3/8" x 5" x 3-1/4" Low Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	93.79		528VESDS14P2
15	528VESDS14P2	E-11	5	19'-8"	Eave Strut 8-3/8" x 5" x 3-1/4" Low Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	84.57		528VESDS14P2
16	528VESDS14P2	E-12	1	19'-9 3/4"	Eave Strut 8-3/8" x 5" x 3-1/4" Low Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	85.19		528VESDS14P2
17	528VESDS14P0	E-13	1	12'-8"	Eave Strut 8-1/4" x 5" x 3-3/8" Low Side Double-Sloped Eave Strut - No Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = SPECIAL PUNCH, Punch Leading =	Red Oxide	Not Submitted	54.47		528VESDS14P0
18	528VESDS14P0	E-14	1	16'-8"	Eave Strut 8-1/4" x 5" x 3-3/8" Low Side Double-Sloped Eave Strut - No Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	71.67		528VESDS14P0
19	528VESDS14P0	E-15	1	23'-9 3/4"	Eave Strut 8-1/4" x 5" x 3-3/8" Low Side Double-Sloped Eave Strut - No Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	102.39		528VESDS14P0
20	528VESDS14P1	E-16	2	4'-3 1/2"	Eave Strut 8-1/4" x 5" x 3-3/8" Low Side Double-Sloped Eave Strut - 1:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	18.45		528VESDS14P1
21	528VESDS14P2	E-17	1	4'-3 1/2"	Eave Strut 8-3/8" x 5" x 3-1/4" Low Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	18.45		528VESDS14P2
22	528VESDS14P2	E-101	1	6'-3 1/2"	Eave Strut 8-3/8" x 5" x 3-1/4" Low Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	27.05		528VESDS14P2
23	528VESDS14P2	E-103	1	10'-11 1/2"	Eave Strut 8-3/8" x 5" x 3-1/4" Low Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	47.12		528VESDS14P2

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
24	528VESDS14P2	E-105	1	4'-3 1/2"	Eave Strut 8-3/8" x 5" x 3-1/4" Low Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	18.45		528VESDS14P2
25	52FB2214P	FB28.1	2	2'-4 1/8"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.2		52FB2214P
26	52FB2214P	FB28.3	19	2'-4 1/4"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.21		52FB2214P
27	52FB2214P	FB28.4	6	2'-4 3/8"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.22		52FB2214P
28	52FB2214P	FB28.5	4	2'-4 1/2"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.23		52FB2214P
29	52FB2214P	FB28.6	8	2'-4 5/8"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.24		52FB2214P
30	52FB2214P	FB28.8	14	2'-4 3/4"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.25		52FB2214P
31	52FB2214P	FB29	8	2'-5"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.27		52FB2214P
32	52FB2214P	FB29.1	2	2'-5 1/8"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.28		52FB2214P
33	52FB2214P	FB29.4	2	2'-5 3/8"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.3		52FB2214P
34	52FB2214P	FB29.5	2	2'-5 1/2"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.31		52FB2214P
35	52FB2214P	FB29.8	6	2'-5 3/4"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.33		52FB2214P

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
36	52FB2214P	FB29.9	6	2'-5 7/8"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.34		52FB2214P
37	52FB2214P	FB30.4	2	2'-6 3/8"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.38		52FB2214P
38	52FB2214P	FB31.1	8	2'-7 1/8"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.44		52FB2214P
39	52FB2214P	FB31.3	12	2'-7 1/4"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.45		52FB2214P
40	52FB2214P	FB34.9	12	2'-10 7/8"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	2.73		52FB2214P
41	52FB2214P	FB50.3	2	4'-2 1/4"	Flg Brc 2" x 2" Flange Brace 14Ga Red Oxide Punch Trailing = WW STANDARD FLANGE BRACE PUNCH, Punch Leading = WW STANDARD FLANGE BRACE PUNCH	Red Oxide	Not Submitted	3.94		52FB2214P
42	59AK508P		4		Portal Clip AK-508 Shop/Field Bolted - Structural Shape Clip - Wind Bent Attachment - RED OXIDE	Red Oxide	Not Submitted	7.5		59AK508P
43	43BCA014Z	CB-1	6	31'-4"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 31'-4", Cable Length = 29'-2"		Not Submitted	5.5		43BCA014Z
44	43BCA014Z	CB-2	6	27'-1"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 27'-1", Cable Length = 24'-11"		Not Submitted	5		43BCA014Z
45	43BCA014Z	CB-3	6	24'-9"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 24'-9", Cable Length = 22'-7"		Not Submitted	4.7		43BCA014Z
46	43BCA014Z	CB-4	6	27'-3"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 27'-3", Cable Length = 25'-1"		Not Submitted	5		43BCA014Z

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
47	43BCA014Z	CB-5	6	23'-4"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 23'-4", Cable Length = 21'-2"		Not Submitted	4.5		43BCA014Z
48	43BCA014Z	CB-6	6	25'-5"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 25'-5", Cable Length = 23'-3"		Not Submitted	4.8		43BCA014Z
49	43BCA014Z	CB-7	6	30'-0"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 30'-0", Cable Length = 27'-10"		Not Submitted	5.3		43BCA014Z
50	43BCA014Z	CB-100	1	10'-4"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 10'-4", Cable Length = 8'-2"		Not Submitted	2.97		43BCA014Z
51	43BCA014Z	CB-101	1	9'-11"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 9'-11", Cable Length = 7'-9"		Not Submitted	2.92		43BCA014Z
52	43BCA014Z	CB-102	4	13'-10"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 13'-10", Cable Length = 11'-8"		Not Submitted	3.39		43BCA014Z
53	43BCA014Z	CB-103	5	10'-5"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 10'-5", Cable Length = 8'-3"		Not Submitted	2.98		43BCA014Z
54	43BCA014Z	CB-104	1	10'-11"	Cable Brace Brace Cable Assembly - 1/4" Strand - 1/2" Zinc-Plated Eyebolt w/ Nut & Flat Washer (add Hillside Washers) - SEE DETAIL FOR LENGTH Overall Length = 10'-11", Cable Length = 8'-9"		Not Submitted	3.04		43BCA014Z
55	43W012		108		1/2" Flat Washer F844 USS Flat Washer - 1/2" - BLACK	Red Oxide	Not Submitted	0.04		43W012
56	43N012		108		1/2" Nut A563 Grade 2 Hex Nut - 1/2" - BLACK	Red Oxide	Not Submitted	0.07		43N012
57	56BU	RC1-1	2	21'-6 11/16"	RF Column BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	506		56BU
58	56BU	RR1-2	2	37'-4 1/16"	RF Rafter BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	747		56BU
59	56BU	RR1-3	2	5'-6 5/8"	RF Rafter BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	138		56BU

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
60	56BU	RR1-4	2	29'-0 1/8"	RF Rafter BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	580		56BU
61	56BU	RC1-5	1	17'-7 11/16"	RF Column BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	429		56BU
62	56BU	RC1-6	1	17'-7 11/16"	RF Column BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	429		56BU
63	56BU	RC2-1	6	21'-6 5/8"	RF Column BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	562		56BU
64	56BU	RR2-2	6	37'-3"	RF Rafter BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	754		56BU
65	56BU	RR2-3	6	5'-6 9/16"	RF Rafter BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	136		56BU
66	56BU	RR2-4	6	28'-10"	RF Rafter BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	603		56BU
67	56BU	RC2-5	6	17'-7 5/8"	RF Column BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	442		56BU
68	56BU	WF-1	2	17'-2"	Wind Bent BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	269		56BU
69	56BU	WF-2	2	17'-2"	Wind Bent BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	269		56BU
70	56BU	WF-3	2	16'-11 1/4"	Wind Bent BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	228		56BU
71	52818CH16P	EBR-1	2	9'-2 1/4"	Ext Beam 8-1/8" x 1-7/8" Open Channel 16Ga Red Oxide Punch Trailing = NP, Punch Leading = NP	Red Oxide	Not Submitted	22		52818CH16P
72	56ST	EBR-2	2	5'-6 9/16"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	62		56ST
73	56ST	EBR-3	6	5'-7 9/16"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	63		56ST
74	52818CH16P	EBR-4	2	9'-3 1/16"	Ext Beam 8-1/8" x 1-7/8" Open Channel 16Ga Red Oxide Punch Trailing = NP, Punch Leading = NP	Red Oxide	Not Submitted	22.1		52818CH16P
75	56ST	EBR-5	1	5'-10 1/2"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	65		56ST
76	56ST	EBR-6	6	5'-9 1/2"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	64		56ST
77	56ST	EBR-7	1	5'-10 1/2"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	62		56ST
78	56ST	EBR-8	1	3'-9"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	44		56ST
79	56ST	EBR-9	1	3'-9"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	46		56ST

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
80	56ST	EBR-10	1	4'-2"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	48		56ST
81	56ST	EBR-11	1	3'-9 7/8"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	45		56ST
82	56ST	EBR-12	1	3'-8 7/8"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	44		56ST
83	56BU	RC1-100	1	21'-6 11/16"	RF Column BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	318		56BU
84	56BU	RR1-101	1	38'-7 1/16"	RF Rafter BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	560		56BU
85	56BU	RC1-102	1	27'-0 11/16"	RF Column BUILT-UP MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	389		56BU
86	52818CH16P	EBR-100	2	5'-7"	Ext Beam 8-1/8" x 1-7/8" Open Channel 16Ga Red Oxide Punch Trailing = NP, Punch Leading = NP	Red Oxide	Not Submitted	13.3		52818CH16P
87	56ST	EBR-101	1	4'-8 5/8"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	56		56ST
88	56ST	EBR-102	1	4'-8 5/8"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	52		56ST
89	52818CH16P	EBR-103	2	9'-3 1/16"	Ext Beam 8-1/8" x 1-7/8" Open Channel 16Ga Red Oxide Punch Trailing = NP, Punch Leading = NP	Red Oxide	Not Submitted	22.1		52818CH16P
90	56ST	EBR-104	1	4'-6 7/16"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	49		56ST
91	56ST	EBR-105	1	4'-6 7/16"	Ext Beam W8X10 FABRICATED STRUCTURAL MEMBER Finish = RED OXIDE	Red Oxide	Not Submitted	52		56ST
92	528312C14P	EC-1	1	19'-11 7/16"	Endwall Column 8" x 3-1/2" Cee 14Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	81.2		528312C14P
93	528312C12P	EC-2	1	18'-7 7/16"	Endwall Column 8" x 3-1/2" Cee 12Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	111.1		528312C12P
94	5210312C12P	EC-3	1	18'-4 15/16"	Endwall Column 10" x 3-1/2" Cee 12ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	118.2		5210312C12P
95	528312C14P	DJ-1	2	11'-6"	Door Jamb 8" x 3-1/2" Cee 14Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	43.94		528312C14P

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
96	528312C14P	DJ-2	4	7'-11 1/2"	Door Jamb 8" x 3-1/2" Cee 14Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	30.41		528312C14P
97	528312C14P	DJ-3	12	5'-11 1/2"	Door Jamb 8" x 3-1/2" Cee 14Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	22.75		528312C14P
98	528312C14P	DJ-4	4	7'-7 1/2"	Door Jamb 8" x 3-1/2" Cee 14Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	29.13		528312C14P
99	528312C14P	DJ-5	6	13'-11 1/2"	Door Jamb 8" x 3-1/2" Cee 14Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	53.31		528312C14P
100	528312C14P	DJ-8	2	7'-11 1/2"	Door Jamb 8" x 3-1/2" Cee 14Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	30.41		528312C14P
101	528C14P	DH-1	1	8'-11 1/2"	Door Header 8" x 2-1/2" Cee 14Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	29.91		528C14P
102	528C14P	DH-2	3	3'-3 1/2"	Door Header 8" x 2-1/2" Cee 14Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	11		528C14P
103	528312C14P	DH-3	1	11'-11 1/2"	Door Header 8" x 3-1/2" Cee 14Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	45.69		528312C14P
104	528312C14P	RO-1	2	4'-6 3/4"	Roof Support 8" x 3-1/2" Cee 14Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	17.4		528312C14P
105	528312C14P	RO-2	6	4'-2 3/4"	Roof Support 8" x 3-1/2" Cee 14Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	16.1		528312C14P
106	528312C14P	DJ-100	2	7'-7 1/2"	Door Jamb 8" x 3-1/2" Cee 14Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	29.13		528312C14P
107	528C14P	DH-100	1	3'-3 1/2"	Door Header 8" x 2-1/2" Cee 14Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	11		528C14P
108	528Z12P	P-1	5	21'-1 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 12Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	105.63		528Z12P
109	528Z12P	P-2	3	21'-1 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 12Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	105.63		528Z12P
110	528Z14P	P-3	8	22'-3 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 14Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	74.68		528Z14P

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
111	528Z16P	P-4	32	22'-3 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	62.19		528Z16P
112	528Z16P	P-5	5	23'-1 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	64.52		528Z16P
113	528Z16P	P-6	3	23'-1 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	64.52		528Z16P
114	528Z16P	P-7	2	25'-1 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	70.1		528Z16P
115	528Z16P	P-8	28	22'-3 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	62.19		528Z16P
116	528Z16P	P-9	2	23'-1 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	64.52		528Z16P
117	528Z16P	P-10	6	26'-1 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	72.89		528Z16P
118	528Z16P	P-11	6	23'-3 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading = WA	Red Oxide	Not Submitted	64.98		528Z16P
119	528Z16P	P-12	6	23'-3 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = WA, Punch Leading =	Red Oxide	Not Submitted	64.98		528Z16P
120	528Z16P	P-13	6	24'-1 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	67.31		528Z16P
121	528Z16P	P-14	1	19'-0"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	53.01		528Z16P
122	528Z16P	P-15	10	19'-4"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	53.94		528Z16P
123	528Z16P	P-16	2	17'-0"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	47.43		528Z16P
124	528Z14P	P-17	2	19'-0"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 14Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	63.65		528Z14P

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
125	528Z16P	P-18	1	12'-4"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	34.41		528Z16P
126	528Z12P	P-19	1	16'-4"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 12Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	81.67		528Z12P
127	528Z16P	P-20	4	6'-8 3/4"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	18.77		528Z16P
128	528Z16P	P-21	4	10'-8 3/4"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	29.93		528Z16P
129	528Z16P	P-22	3	3'-11 3/4"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	11.1		528Z16P
130	528Z16P	G-1	2	1'-4"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	3.72		528Z16P
131	528Z16P	G-2	1	12'-8"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	35.34		528Z16P
132	528Z16P	G-3	1	12'-8"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	35.34		528Z16P
133	528Z16P	G-4	2	1'-7 1/2"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	4.53		528Z16P
134	528C16P	G-5	1	15'-6 11/16"	EW Girt 8" x 2-1/2" Cee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	41.85		528C16P
135	528C16P	G-6	1	15'-0 1/2"	EW Girt 8" x 2-1/2" Cee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	40.46		528C16P
136	528Z16P	G-7	1	14'-11 13/16"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	41.8		528Z16P
137	528Z16P	G-8	1	14'-9 3/8"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	41.24		528Z16P
138	528Z16P	G-9	1	13'-7 5/16"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	37.97		528Z16P
139	528C16P	G-10	1	13'-2"	EW Girt 8" x 2-1/2" Cee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	35.43		528C16P

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
140	528C16P	G-11	1	12'-9 3/8"	EW Girt 8" x 2-1/2" Cee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	34.39		528C16P
141	528Z16P	G-12	1	12'-9 11/16"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	35.74		528Z16P
142	528Z16P	G-13	2	14'-7 1/2"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	40.8		528Z16P
143	528C16P	G-14	1	14'-7 1/2"	EW Girt 8" x 2-1/2" Cee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	39.34		528C16P
144	528C16P	G-15	1	14'-7 1/2"	EW Girt 8" x 2-1/2" Cee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	39.34		528C16P
145	528Z16P	G-16	2	8'-9 1/2"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	24.53		528Z16P
146	528C16P	G-17	1	8'-9 1/2"	EW Girt 8" x 2-1/2" Cee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	23.65		528C16P
147	528Z16P	G-18	1	7'-2 3/4"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	20.17		528Z16P
148	528Z16P	G-19	2	11'-11 1/2"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	33.36		528Z16P
149	528Z16P	G-20	1	9'-5 1/2"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	26.39		528Z16P
150	528C16P	G-21	1	16'-11 13/16"	EW Girt 8" x 2-1/2" Cee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	45.68		528C16P
151	528Z16P	G-22	1	16'-5 5/16"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	45.88		528Z16P
152	528Z16P	G-23	1	9'-8 3/4"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	27.14		528Z16P
153	528Z16P	G-24	1	3'-8 5/16"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	10.3		528Z16P
154	528C16P	G-25	1	19'-0"	SW Girt 8" x 2-1/2" Cee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	51.11		528C16P
155	528C16P	G-26	1	19'-0"	SW Girt 8" x 2-1/2" Cee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	51.11		528C16P

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
156	528Z16P	G-27	6	19'-0"	SW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	53.01		528Z16P
157	528Z16P	G-28	4	6'-5 3/8"	SW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	17.99		528Z16P
158	528312Z16P	G-29	2	16'-11 1/4"	SW Girt 8" x 3-3/8" x 3-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	54.03		528312Z16P
159	528312Z16P	G-30	2	16'-11 1/4"	SW Girt 8" x 3-3/8" x 3-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	54.03		528312Z16P
160	528Z16P	G-31	9	3'-3 3/4"	SW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	9.24		528Z16P
161	528312C16P	G-32	3	19'-4"	SW Girt 8" x 3-1/2" Cee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	59.55		528312C16P
162	528Z16P	G-33	9	3'-3 3/4"	SW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	9.24		528Z16P
163	528Z16P	G-34	8	17'-0"	SW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	47.43		528Z16P
164	528Z16P	G-35	20	19'-4"	SW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	53.94		528Z16P
165	528312Z16P	G-36	5	19'-4"	SW Girt 8" x 3-3/8" x 3-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	61.67		528312Z16P
166	528312Z16P	G-37	1	19'-0"	SW Girt 8" x 3-3/8" x 3-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	60.61		528312Z16P
167	528Z16P	P-100	8	10'-11 1/2"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	30.57		528Z16P
168	528Z16P	P-101	2	5'-8"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	15.81		528Z16P

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
169	528Z16P	P-102	2	3'-11 3/4"	Roof Purlin 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	11.1		528Z16P
170	528VHESDS14P2	E-100	1	6'-3 1/2"	Eave Strut 8-3/8" x 5" x 3-1/4" High Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	27.05		528VHESDS14P2
171	528VHESDS14P2	E-102	1	10'-11 1/2"	Eave Strut 8-3/8" x 5" x 3-1/4" High Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	47.12		528VHESDS14P2
172	528VHESDS14P2	E-104	1	4'-3 1/2"	Eave Strut 8-3/8" x 5" x 3-1/4" High Side Double-Sloped Eave Strut - 2:12 Roof Slope - 14Ga RED-OXIDE (Ref: 8-1/4" Purlin Line) Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	18.45		528VHESDS14P2
173	528Z16P	G-100	1	3'-9"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	10.46		528Z16P
174	528312Z16P	G-101	1	18'-9"	EW Girt 8" x 3-3/8" x 3-1/8" Zee 16Ga Red Oxide Punch Trailing = SPECIAL PUNCH, Punch Leading = SPECIAL PUNCH	Red Oxide	Not Submitted	59.81		528312Z16P
175	528312Z16P	G-102	4	18'-9"	EW Girt 8" x 3-3/8" x 3-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	59.81		528312Z16P
176	528Z16P	G-103	1	16'-0 3/8"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	44.73		528Z16P
177	528Z16P	G-104	1	10'-11 1/2"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	30.57		528Z16P
178	528Z16P	G-105	1	18'-9"	EW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading =	Red Oxide	Not Submitted	52.31		528Z16P
179	528Z16P	G-106	4	6'-3 3/4"	SW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = , Punch Leading = WA	Red Oxide	Not Submitted	17.61		528Z16P
180	528Z16P	G-107	4	6'-3 3/4"	SW Girt 8" x 2-3/8" x 2-1/8" Zee 16Ga Red Oxide Punch Trailing = WA, Punch Leading =	Red Oxide	Not Submitted	17.61		528Z16P
181		RS-100	6	48'-11 1/2"	Roof Sheet	KYNAR COLOR	Not Submitted	120.44		51STP4^
182		RS-1	71	44'-1 1/4"	Roof Sheet	KYNAR COLOR	Not Submitted	108.5		51STP4^
183		RS-3	73	33'-9 3/4"	Roof Sheet	KYNAR COLOR	Not Submitted	83.18		51STP4^
184		RS-2	73	4'-5 1/2"	Roof Sheet	KYNAR COLOR	Not Submitted	10.97		51STP4^

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
185		ESR-11	1	27'-9 1/2"	R_EW Sheet	NEED COLOR	Not Submitted	75.87		51SSX^
186		ESL-113	1	27'-9 1/2"	L_EW Sheet	NEED COLOR	Not Submitted	75.87		51SSX^
187		SSF-100	3	27'-9"	F_SW Sheet	NEED COLOR	Not Submitted	75.76		51SSX^
188		ESR-12	1	27'-4 1/2"	R_EW Sheet	NEED COLOR	Not Submitted	74.73		51SSX^
189		ESL-112	1	27'-4 1/2"	L_EW Sheet	NEED COLOR	Not Submitted	74.73		51SSX^
190		ESR-13	1	26'-11 1/2"	R_EW Sheet	NEED COLOR	Not Submitted	73.6		51SSX^
191		ESL-111	1	26'-11 1/2"	L_EW Sheet	NEED COLOR	Not Submitted	73.6		51SSX^
192		ESR-14	1	26'-6 3/4"	R_EW Sheet	NEED COLOR	Not Submitted	72.52		51SSX^
193		ESL-110	1	26'-6 3/4"	L_EW Sheet	NEED COLOR	Not Submitted	72.52		51SSX^
194		ESL-109	1	26'-1 3/4"	L_EW Sheet	NEED COLOR	Not Submitted	71.38		51SSX^
195		ESL-108	1	25'-8 3/4"	L_EW Sheet	NEED COLOR	Not Submitted	70.24		51SSX^
196		ESL-107	1	25'-3 3/4"	L_EW Sheet	NEED COLOR	Not Submitted	69.1		51SSX^
197		ESR-18	1	24'-10 3/4"	R_EW Sheet	NEED COLOR	Not Submitted	67.97		51SSX^
198		ESL-106	1	24'-10 3/4"	L_EW Sheet	NEED COLOR	Not Submitted	67.97		51SSX^
199		ESR-19	1	24'-6"	R_EW Sheet	NEED COLOR	Not Submitted	66.89		51SSX^
200		ESL-105	1	24'-6"	L_EW Sheet	NEED COLOR	Not Submitted	66.89		51SSX^
201		ESR-20	1	24'-1"	R_EW Sheet	NEED COLOR	Not Submitted	65.75		51SSX^
202		ESL-104	1	24'-1"	L_EW Sheet	NEED COLOR	Not Submitted	65.75		51SSX^
203		ESR-21	1	23'-8"	R_EW Sheet	NEED COLOR	Not Submitted	64.61		51SSX^
204		ESL-103	1	23'-8"	L_EW Sheet	NEED COLOR	Not Submitted	64.61		51SSX^
205		ESR-22	1	23'-3"	R_EW Sheet	NEED COLOR	Not Submitted	63.47		51SSX^
206		ESL-102	1	23'-3"	L_EW Sheet	NEED COLOR	Not Submitted	63.47		51SSX^
207		ESR-23	1	22'-10"	R_EW Sheet	NEED COLOR	Not Submitted	62.34		51SSX^
208		ESL-101	1	22'-10"	L_EW Sheet	NEED COLOR	Not Submitted	62.34		51SSX^
209		ESR-24	1	22'-5 1/4"	R_EW Sheet	NEED COLOR	Not Submitted	61.25		51SSX^

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
210		ESL-100	1	22'-5 1/4"	L_EW Sheet	NEED COLOR	Not Submitted	61.25		51SSX^
211		SSB-1	9	22'-3"	B_SW Sheet	NEED COLOR	Not Submitted	60.74		51SSX^
212		SSB-101	2	22'-3"	B_SW Sheet	NEED COLOR	Not Submitted	60.74		51SSX^
213		SSB-100	1	22'-2"	B_SW Sheet	NEED COLOR	Not Submitted	60.52		51SSX^
214		ESR-10	1	22'-0 3/4"	R_EW Sheet	NEED COLOR	Not Submitted	60.23		51SSX^
215		ESR-9	1	21'-8 1/4"	R_EW Sheet	NEED COLOR	Not Submitted	59.21		51SSX^
216		SSB-2	37	21'-4"	B_SW Sheet	NEED COLOR	Not Submitted	58.24		51SSX^
217		ESR-8	1	21'-3 3/4"	R_EW Sheet	NEED COLOR	Not Submitted	58.18		51SSX^
218		ESR-7	1	20'-11 1/2"	R_EW Sheet	NEED COLOR	Not Submitted	57.22		51SSX^
219		ESR-6	1	20'-7"	R_EW Sheet	NEED COLOR	Not Submitted	56.19		51SSX^
220		ESR-5	1	20'-2 1/2"	R_EW Sheet	NEED COLOR	Not Submitted	55.17		51SSX^
221		ESR-4	1	19'-10 1/4"	R_EW Sheet	NEED COLOR	Not Submitted	54.2		51SSX^
222		ESR-3	1	19'-5 3/4"	R_EW Sheet	NEED COLOR	Not Submitted	53.18		51SSX^
223		ESR-2	1	19'-1 1/4"	R_EW Sheet	NEED COLOR	Not Submitted	52.15		51SSX^
224		ESR-1	1	18'-9"	R_EW Sheet	NEED COLOR	Not Submitted	51.19		51SSX^
225		SSF-6	30	18'-4"	F_SW Sheet	NEED COLOR	Not Submitted	50.05		51SSX^
226		ESR-15	1	12'-0 3/4"	R_EW Sheet	NEED COLOR	Not Submitted	32.93		51SSX^
227		ESL-1	6	11'-11"	L_EW Sheet	NEED COLOR	Not Submitted	32.53		51SSX^
228		SSF-1	5	11'-11"	F_SW Sheet	NEED COLOR	Not Submitted	32.53		51SSX^
229		ESR-16	1	11'-7 3/4"	R_EW Sheet	NEED COLOR	Not Submitted	31.79		51SSX^
230		ESR-17	1	11'-2 3/4"	R_EW Sheet	NEED COLOR	Not Submitted	30.66		51SSX^
231		ESL-2	1	10'-0 3/4"	L_EW Sheet	NEED COLOR	Not Submitted	27.47		51SSX^
232		ESL-4	1	9'-8 1/4"	L_EW Sheet	NEED COLOR	Not Submitted	26.45		51SSX^
233		ESL-5	1	9'-3 3/4"	L_EW Sheet	NEED COLOR	Not Submitted	25.42		51SSX^
234		ESL-6	1	8'-11 1/2"	L_EW Sheet	NEED COLOR	Not Submitted	24.46		51SSX^

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
235		ESL-7	1	8'-7"	L_EW Sheet	NEED COLOR	Not Submitted	23.43		51SSX^
236		ESL-9	1	8'-2 1/2"	L_EW Sheet	NEED COLOR	Not Submitted	22.41		51SSX^
237		ESL-10	1	7'-10 1/4"	L_EW Sheet	NEED COLOR	Not Submitted	21.44		51SSX^
238		ESL-11	1	7'-5 3/4"	L_EW Sheet	NEED COLOR	Not Submitted	20.42		51SSX^
239		ESL-12	1	7'-1 1/4"	L_EW Sheet	NEED COLOR	Not Submitted	19.39		51SSX^
240		ESL-13	1	6'-9"	L_EW Sheet	NEED COLOR	Not Submitted	18.43		51SSX^
241		SSF-2	6	6'-4"	F_SW Sheet	NEED COLOR	Not Submitted	17.29		51SSX^
242		SSF-7	10	4'-3"	F_SW Sheet	NEED COLOR	Not Submitted	11.6		51SSX^
243		RS-4	18	4'-1 1/4"	Ext Sheet	NEED COLOR	Not Submitted	11.2		51SSX^
244		SSF-5	1	3'-10"	F_SW Sheet	NEED COLOR	Not Submitted	10.47		51SSX^
245		ESL-8	2	2'-1"	L_EW Sheet	NEED COLOR	Not Submitted	5.69		51SSX^
246		SSF-3	1	2'-1"	F_SW Sheet	NEED COLOR	Not Submitted	5.69		51SSX^
247		ESL-3	4	1'-10"	L_EW Sheet	NEED COLOR	Not Submitted	5.01		51SSX^
248		SSF-4	1	1'-0"	F_SW Sheet	NEED COLOR	Not Submitted	2.73		51SSX^
249		SSB-3	37	0'-11"	B_SW Sheet	NEED COLOR	Not Submitted	2.5		51SSX^
250		SF-102	2	18'-8 1/2"	Soffit	NEED COLOR	Not Submitted	51.07		51LRX^
251		SF-5	2	15'-11 3/4"	Soffit	NEED COLOR	Not Submitted	43.62		51LRX^
252		SF-6	2	14'-11 1/4"	Soffit	NEED COLOR	Not Submitted	40.78		51LRX^
253		SF-7	2	13'-9 3/4"	Soffit	NEED COLOR	Not Submitted	37.71		51LRX^
254		SF-4	4	13'-8"	Soffit	NEED COLOR	Not Submitted	37.31		51LRX^
255		SF-2	4	10'-11 3/4"	Soffit	NEED COLOR	Not Submitted	29.97		51LRX^
256		SF-100	2	10'-2 1/2"	Soffit	NEED COLOR	Not Submitted	27.87		51LRX^
257		SF-101	4	10'-0 1/2"	Soffit	NEED COLOR	Not Submitted	27.41		51LRX^
258		SF-3	4	9'-11"	Soffit	NEED COLOR	Not Submitted	27.07		51LRX^
259		SF-1	4	5'-6 3/4"	Soffit	NEED COLOR	Not Submitted	15.19		51LRX^

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
260		SF-103	3	3'-10 1/2"	Soffit	NEED COLOR	Not Submitted	10.58		51LRX^
261		SF-9	18	3'-9"	Soffit	NEED COLOR	Not Submitted	10.24		51LRX^
262		SF-8	94	3'-8 1/4"	Soffit	NEED COLOR	Not Submitted	10.07		51LRX^
263		SF-104	4	3'-8 1/4"	Soffit	NEED COLOR	Not Submitted	10.07		51LRX^
264	59SPECLB	b1	8	0'-8"	Grt-Jmb Plt SPECIAL CONNECTION CLIP - SEE DETAIL Finish = RED OXIDE	Red Oxide	Not Submitted	2.45		59SPECLB
265	59SPECLB	b2	4	0'-9 1/8"	Col-Grt Plt SPECIAL CONNECTION CLIP - SEE DETAIL Finish = RED OXIDE	Red Oxide	Not Submitted	2.79		59SPECLB
266	59AK200P		78		Col-Grt Plt AK-200 Shop/Field Bolted - Angle Clip - Girt Clip for 8" or 10" Cee - RED OXIDE	Red Oxide	Not Submitted	3.95		59AK200P
267	59SPECLB	d1	4	0'-7 7/8"	Beam-Eave Plt SPECIAL CONNECTION CLIP - SEE DETAIL Finish = RED OXIDE	Red Oxide	Not Submitted	2.41		59SPECLB
268	59SPECLB	d2	30	0'-10 1/8"	Beam-Eave Plt SPECIAL CONNECTION CLIP - SEE DETAIL Finish = RED OXIDE	Red Oxide	Not Submitted	3.1		59SPECLB
269	59AK400P		19		Col-Bas Plt AK-400 Shop/Field Bolted or Welded - Angle Clip -Cee Column Base Attachment - RED OXIDE	Red Oxide	Not Submitted	3.61		59AK400P
270	59SPECLB	f3	16	0'-5 5/8"	Jmb-Bas Plt SPECIAL CONNECTION CLIP - SEE DETAIL Finish = RED OXIDE	Red Oxide	Not Submitted	3.44		59SPECLB
271	59AK222P		91		Prl-Brc Plt AK-222 Shop/Field Bolted - Flat Clip - Flg Brace Clip for 8" Purlin/Girt and Liner Panel - RED OXIDE	Red Oxide	Not Submitted	1.17		59AK222P
272	59AB201P		24		Jmb-Grt Plt AB-201 Shop/Field Bolted - Angle Clip - 8" Sidewall Girt to 8" or 10" Single Cee Corner Column - RED OXIDE	Red Oxide	Not Submitted	1.67		59AB201P
273	59SPECLB	j3	14	0'-8 7/8"	Jmb-Grt Plt SPECIAL CONNECTION CLIP - SEE DETAIL Finish = RED OXIDE	Red Oxide	Not Submitted	2.71		59SPECLB
274	59SPECLB	e1	1	0'-5 13/16"	Jmb-Eav Plt SPECIAL CONNECTION CLIP - SEE DETAIL Finish = RED OXIDE	Red Oxide	Not Submitted	2.47		59SPECLB
275	59SPECLB	e2	1	0'-5 13/16"	Jmb-Eav Plt SPECIAL CONNECTION CLIP - SEE DETAIL Finish = RED OXIDE	Red Oxide	Not Submitted	2.47		59SPECLB
276	59SPECLB	d100	2	0'-7 7/8"	Beam-Eave Plt SPECIAL CONNECTION CLIP - SEE DETAIL Finish = RED OXIDE	Red Oxide	Not Submitted	2.41		59SPECLB
277	59SPECLB	d101	2	0'-6 7/8"	Beam-Eave Plt SPECIAL CONNECTION CLIP - SEE DETAIL Finish = RED OXIDE	Red Oxide	Not Submitted	2.1		59SPECLB

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
278	52SA000514P	SA005	33		Sheeting Ang 2" x 2" Angle x 0'-5 long 14Ga Red Oxide - STOCK ANGLE in Houston and Atlanta Plants Only	Red Oxide	Not Submitted	0.17		52SA000514P
279	44SSEP5018G		15		High Eave PL EP-501 SS-II / Plus High Eave Plate x 8' long 14ga GALVANIZED (HW-7616)	PRE-GALVANIZED	Not Submitted	8.47		44SSEP5018G
280	44SSEP5018G		18		High Eave PL EP-501 SS-II / Plus High Eave Plate x 8' long 14ga GALVANIZED (HW-7616)	PRE-GALVANIZED	Not Submitted	8.47		44SSEP5018G
281	52A4216P2000	RA2000	6		4X2X16GA 4" x 2" Angle x 20'-0 long 16Ga Red Oxide	Red Oxide	Not Submitted	28.53		52A4216P2000
282	52A4216P2000	RA2000	11		4X2X16GA 4" x 2" Angle x 20'-0 long 16Ga Red Oxide	Red Oxide	Not Submitted	28.53		52A4216P2000
283	52A4216P2000	RA2000	2		4X2X16GA 4" x 2" Angle x 20'-0 long 16Ga Red Oxide	Red Oxide	Not Submitted	28.53		52A4216P2000
284	44SS2RSHP		4		Hi Rake Supp Super Seam II / Plus High Floating Rake Support L4-3/8" x 1-1/2" x 20'0 long, 14ga RED OXIDE (HW-7720)	Red Oxide	Not Submitted	31		44SS2RSHP
285	44SS2RSHP		11		Hi Rake Supp Super Seam II / Plus High Floating Rake Support L4-3/8" x 1-1/2" x 20'0 long, 14ga RED OXIDE (HW-7720)	Red Oxide	Not Submitted	31		44SS2RSHP
286	52A4216P2000	RA2000	4		4X2X16GA 4" x 2" Angle x 20'-0 long 16Ga Red Oxide	Red Oxide	Not Submitted	28.53		52A4216P2000
287	44HW2124		985		Hi-Float Clip Super Seam Plus 2" Sliding Clip - High - 1.375" Movement in Each Direction (DL) (HW-2124) GALVANIZED	PRE-GALVANIZED	Not Submitted	0.53		44HW2124
288	528C16G	BC-8P	19	20'-0"	Base Chnl 8" x 2-1/2" Cee 16Ga GALVANIZED Punch Trailing = NP, Punch Leading = NP	PRE-GALVANIZED	Not Submitted	53.8		528C16G
289	52M1114P	SE-1	7	4'-10 3/4"	L2X2 Stab M-1-1 Angle Red Oxide Punch Trailing = NP, Punch Leading = NP	Red Oxide	Not Submitted	0.63		52M1114P
290	52M1114P	SE-2	7	4'-10"	L2X2 Stab M-1-1 Angle Red Oxide Punch Trailing = NP, Punch Leading = NP	Red Oxide	Not Submitted	0.62		52M1114P
291	52M1114P	SE-3	7	4'-11 7/8"	L2X2 Stab M-1-1 Angle Red Oxide Punch Trailing = NP, Punch Leading = NP	Red Oxide	Not Submitted	0.64		52M1114P
292	52M1114P	SE-4	7	4'-11"	L2X2 Stab M-1-1 Angle Red Oxide Punch Trailing = NP, Punch Leading = NP	Red Oxide	Not Submitted	0.63		52M1114P
293	502PS104C	PS-104	10		2x26ga Strap Roll of 26ga x 2" wide x 104' long Purlin Strap. Top color may vary, white on back.	Polar White	Not Submitted	13.75		502PS104C
294	52M1114P	M-1-1	30	4'-0"	L2X2 Stab M-1-1 Angle Red Oxide Punch Trailing = NP, Punch Leading = NP	Red Oxide	Not Submitted	0.71		52M1114P
295		ET-10_	1	10'-3"	Eave Trim	NEED COLOR	Not Submitted	8.52		50ET10_^

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
296		ET-10_	3	15'-3"	Eave Trim	NEED COLOR	Not Submitted	12.68		50ET10_^
297		ET-50_	1	10'-3"	Eave Trim	NEED COLOR	Not Submitted	5.53		50ET50_^
298		ET-50_	7	20'-3"	Eave Trim	NEED COLOR	Not Submitted	10.93		50ET50_^
299		GC-50_	16	10'-3"	Counter Flashing	NEED COLOR	Not Submitted	3.78		50GC50_^
300		SCB	4	0'-8"	Corner Box	NEED COLOR	Not Submitted	0.21		50SCB^
301		EC-52_	4	0'-8"	Gutt End Cap	NEED COLOR	Not Submitted	0.21		50EC52_^
302		GS-501	39	1'-4"	Gutter Strap	KYNAR COLOR	Not Submitted	0.24		50GS501^
303		RT-540	7	10'-3"	Rake Trim	NEED COLOR	Not Submitted	9.25		50RT540^
304		RT-540	7	15'-3"	Rake Trim	NEED COLOR	Not Submitted	13.76		50RT540^
305		RT-540	4	20'-3"	Rake Trim	NEED COLOR	Not Submitted	18.27		50RT540^
306		RT-101	4	10'-3"	Rake Trim	NEED COLOR	Not Submitted	11.9		50RT101^
307		RS-501	23	10'-3"	Rake Slide	NEED COLOR	Not Submitted	2.41		50RS501^
308		RT-509	16	15'-3"	Rake Term	NEED COLOR	Not Submitted	9.81		50RT509^
309		RT-508	12	0'-9"	Rake End Cap	NEED COLOR	Not Submitted	0.39		50RT508^
310		SSPB_	3	0'-8"	Peak Box	NEED COLOR	Not Submitted	2		50SSPB_L^
311		RT-505	1	10'-3"	Rake Trim	NEED COLOR	Not Submitted	12.26		50RT505^
312		RT-505	2	15'-3"	Rake Trim	NEED COLOR	Not Submitted	18.24		50RT505^
313		SS-506	3	15'-3"	Rake Trim Closure	NEED COLOR	Not Submitted	5.78		50SS506^
314		MT-116	1	10'-3"	Cap Trim	NEED COLOR	Not Submitted	8.45		50MT116C^
315		MT-116	2	20'-3"	Cap Trim	NEED COLOR	Not Submitted	16.69		50MT116C^
316		RT-508	2	0'-9"	Shadow Rake End Cap	NEED COLOR	Not Submitted	0.37		50RT508^
317		JT-101	4	4'-2"	Jamb Trim	NEED COLOR	Not Submitted	1.19		50JT101^
318		JT-101	18	7'-2"	Jamb Trim	NEED COLOR	Not Submitted	2.04		50JT101^
319		JT-101	12	8'-2"	Jamb Trim	NEED COLOR	Not Submitted	2.32		50JT101^
320		JT-101	2	10'-2"	Jamb Trim	NEED COLOR	Not Submitted	2.89		50JT101^

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
321		JT-101	8	14'-2"	Jamb Trim	NEED COLOR	Not Submitted	4.03		50JT101^
322		MT-116	4	3'-2"	Cap Trim	NEED COLOR	Not Submitted	2.41		50MT116B^
323		MT-116	8	6'-2"	Cap Trim	NEED COLOR	Not Submitted	4.69		50MT116B^
324		MT-116	8	7'-4"	Cap Trim	NEED COLOR	Not Submitted	5.58		50MT116B^
325		MT-116	4	8'-2"	Cap Trim	NEED COLOR	Not Submitted	6.22		50MT116B^
326		MT-116	2	10'-2"	Cap Trim	NEED COLOR	Not Submitted	7.74		50MT116B^
327		MT-116	8	14'-2"	Cap Trim	NEED COLOR	Not Submitted	10.78		50MT116B^
328		HT-101	8	3'-4"	Head Trim	NEED COLOR	Not Submitted	0.95		50HT101^
329		HT-101	6	4'-4"	Head Trim	NEED COLOR	Not Submitted	1.23		50HT101^
330		HT-101	1	6'-4"	Head Trim	NEED COLOR	Not Submitted	1.8		50HT101^
331		HT-101	2	8'-4"	Head Trim	NEED COLOR	Not Submitted	2.37		50HT101^
332		HT-101	1	10'-4"	Head Trim	NEED COLOR	Not Submitted	2.94		50HT101^
333		HT-101	4	12'-4"	Head Trim	NEED COLOR	Not Submitted	3.51		50HT101^
334		MT-116	6	3'-0"	Cap Trim	NEED COLOR	Not Submitted	2.28		50MT116B^
335		MT-116	4	3'-4"	Cap Trim	NEED COLOR	Not Submitted	2.54		50MT116B^
336		MT-116	3	4'-0"	Cap Trim	NEED COLOR	Not Submitted	3.05		50MT116B^
337		MT-116	1	6'-0"	Cap Trim	NEED COLOR	Not Submitted	4.57		50MT116B^
338		MT-116	4	7'-0"	Cap Trim	NEED COLOR	Not Submitted	5.33		50MT116B^
339		MT-116	1	9'-0"	Cap Trim	NEED COLOR	Not Submitted	6.85		50MT116B^
340		MT-116	4	12'-0"	Cap Trim	NEED COLOR	Not Submitted	9.14		50MT116B^
341		MT-114	3	3'-4"	Sill Trim	NEED COLOR	Not Submitted	1.39		50MT114^
342		MT-114	2	4'-4"	Sill Trim	NEED COLOR	Not Submitted	1.8		50MT114^
343		MT-114	1	6'-4"	Sill Trim	NEED COLOR	Not Submitted	2.63		50MT114^
344		MT-114	2	8'-4"	Sill Trim	NEED COLOR	Not Submitted	3.46		50MT114^
345		MT-116	1	4'-0"	Cap Trim	NEED COLOR	Not Submitted	2.04		50MT116F^

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
346		MT-116	1	6'-0"	Cap Trim	NEED COLOR	Not Submitted	3.06		50MT116F^
347		CF-116	9	10'-3"	Soffit Trim	NEED COLOR	Not Submitted	2.92		50CF116^
348		CF-116	22	20'-3"	Soffit Trim	NEED COLOR	Not Submitted	6.29		50CF116^
349		CF-203	9	10'-3"	Soffit Trim	NEED COLOR	Not Submitted	8.8		50CF203^
350		CF-203	25	20'-3"	Soffit Trim	NEED COLOR	Not Submitted	18.21		50CF203^
351		MT-15_	3	10'-3"	Mansard Trim	NEED COLOR	Not Submitted	7.85		50MT15_^
352		MT-15_	4	10'-3"	Mansard Trim	NEED COLOR	Not Submitted	7.85		50MT15_^
353		MT-15_	1	10'-3"	Mansard Trim	NEED COLOR	Not Submitted	10.14		50MT15_4^
354		CF-110	4	10'-3"	Canopy Soffit	NEED COLOR	Not Submitted	10.17		50CF110^
355		GU-52_	1	10'-3"	Shadow Gutter	NEED COLOR	Not Submitted	13.18		50GU52_^
356		GU-52_	7	20'-3"	Shadow Gutter	NEED COLOR	Not Submitted	26.05		50GU52_^
357		DS-101	10	23'-8"	Downspout(w/KO)	NEED COLOR	Not Submitted	25.34		50DS101^
358		DS-105	50	0'-1"	Downspout Strap	NEED COLOR	Not Submitted	0.05		50DS105^
359		DS-101	10	10'-3"	Downspout(Straight)	NEED COLOR	Not Submitted	10.06		50DS101^
360		DS-120	10	2'-0"	Downspout Elbow	NEED COLOR	Not Submitted	1.96		50DS120^
361		DS-121	10	2'-0"	Downspout Elbow	NEED COLOR	Not Submitted	1.96		50DS121^
362		BT-101	37	10'-3"	Base Trim	NEED COLOR	Not Submitted	2.92		50BT101^
363		CT-102	4	12'-0"	Corner Trim	NEED COLOR	Not Submitted	9.98		50CT102^
364		CT-102	2	20'-3"	Corner Trim	NEED COLOR	Not Submitted	16.84		50CT102^
365		ET-50_	1	15'-3"	Eave Trim	NEED COLOR	Not Submitted	8.23		50ET50_^
366		GU-52_	1	15'-3"	Shadow Gutter	NEED COLOR	Not Submitted	19.62		50GU52_^
367		CT-102	2	14'-0"	Corner Trim	NEED COLOR	Not Submitted	11.64		50CT102^
368	42RS100		18		1" Tape Seal 1" x 3/32" Butyl Tape Sealant (50'/roll - 500'/case - 39#/case)		Not Submitted	3		42RS100
369	42RS100		1290		1" Tape Seal 1" x 3/32" Butyl Tape Sealant (50'/roll - 500'/case - 39#/case)		Not Submitted	0.07		42RS100

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
370	42CS29R		95		IS Closure CS29R Super Span Closure Strip (inside)		Not Submitted	0.14		42CS29R
371	42RS138		290		4" Sealer Strip 1-3/8" x 7/32" x 4" long Beveled Butyl Tape Sealant Strips (144 pcs/case - 13#/case)		Not Submitted	0.07		42RS138
372	44SS2MCP18		145		18ga IS Closure SS-II Metal Closure Plug 18ga GALVALUME (HW-426)	PRE-GALVANIZED	Not Submitted	0.22		44SS2MCP18
373	42TCCLR		16		Clr TB Caulk Advanced Polymer Gutter Caulk 10.1oz Tube - Clear (12 tubes/case)	Clear	Not Submitted	1.2		42TCCLR
374	42CS28R		118		OS Closure CS28R Super Span Closure Strip (outside)		Not Submitted	0.36		42CS28R
375	44SSTS		1177		1" Thermal Spacer SS-II / SS-PLUS 2# EPS Thermal Spacer 1" x 3" x 23-7/8"		Not Submitted	0.08		44SSTS
376	44SSSA		8		Spray Adhesive Spray Adhesive 12oz Spray Can (12 Cans/Case)		Not Submitted	0.08		44SSSA
377	44SS2ED		150		SSeam End Dam SS-II / SS-Plus 24" End Dam 24ga GALVALUME PLUS	KYNAR COLOR	Not Submitted	1		44SS2ED
378		44SS2BUP	4	2'-0"	SS Backup Plate	Red Oxide	Not Submitted	1.8		44SS2BUP
379	47INSUL-MDL		2		9.5" R30 System 47INSUL - SPECIAL ORDER LOT OF INSULATION Approx Square Feet = , Vendor = , Vendor Quote No =		Not Submitted	146.77		47INSUL-MDL
380	47INSUL-MDL		26		9.5" R30 System 47INSUL - SPECIAL ORDER LOT OF INSULATION Approx Square Feet = , Vendor = , Vendor Quote No =		Not Submitted	184.55		47INSUL-MDL
381		WI-1	1	45'-6"	6" WMP-VR-R Plus		Not Submitted	57.33		46IWMPVRRP48600
382		WI-2	1	101'-4"	6" WMP-VR-R Plus		Not Submitted	127.68		46IWMPVRRP48600
383		WI-3	1	66'-9"	6" WMP-VR-R Plus		Not Submitted	105.47		46IWMPVRRP60600
384		WI-4	1	104'-8"	6" WMP-VR-R Plus		Not Submitted	165.37		46IWMPVRRP60600
385		WI-5	1	106'-4"	6" WMP-VR-R Plus		Not Submitted	168.01		46IWMPVRRP60600
386		WI-6	1	111'-3"	6" WMP-VR-R Plus		Not Submitted	175.78		46IWMPVRRP60600
387		WI-7	3	112'-3"	6" WMP-VR-R Plus		Not Submitted	177.36		46IWMPVRRP60600
388		WI-8	1	115'-7 1/16"	6" WMP-VR-R Plus		Not Submitted	182.63		46IWMPVRRP60600
389		WI-9	1	116'-0"	6" WMP-VR-R Plus		Not Submitted	183.28		46IWMPVRRP60600

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
390		WI-10	1	116'-7 11/16"	6" WMP-VR-R Plus		Not Submitted	184.29		46IWMPVRRP60600
391		WI-11	1	116'-8 13/16"	6" WMP-VR-R Plus		Not Submitted	184.44		46IWMPVRRP60600
392		WI-12	1	117'-1 1/4"	6" WMP-VR-R Plus		Not Submitted	185.03		46IWMPVRRP60600
393		WI-13	1	119'-7 1/2"	6" WMP-VR-R Plus		Not Submitted	189.01		46IWMPVRRP60600
394	443070MW8		5		3070M Not Rated 3070(M) White Door Unit (20g Leaf, 8-1/4" 16g Kerf Frame, Weather Strip, Hinges & Threshold)	White	Not Submitted	173		443070MW8
395	44LKD54		5		Panic Hdwe 3'-0 Surface-Mounted Rim Panic Device with Keyed Exterior Lever US26D		Not Submitted	10.5		44LKD54
396	44ACCCL		5		Size IV Closer Hydraulic Door Closer Size IV with Sex Bolt & Nuts Aluminum Finish - Heavy Duty, Grade 1		Not Submitted	6.83		44ACCCL
397	48EP		2		Erection Package Erection Package (Includes OSHA MSDS Manual)		Not Submitted	0.25		48EP
398	42SLSS108HS		38		SS Wallight 8oz High-Strength Light Transmitting Panel 10'-8 Super Span - ACRYLIT	W	Not Submitted	7.92		42SLSS108HS
399	43BRACER1		108		Bracer #1 Bracer #1 (1/2" & 5/8") RED-OXIDE	Red Oxide	Not Submitted	1		43BRACER1
400	41GROM		152		Grommet 1/4" x 1" Stainless Steel Grommet Seals	Stainless Self-Tapper	Not Submitted	0.1		41GROM
401	41UD114LS		456		LL SDS 12-14 x 1-1/4" LONG-LIFE Driller LIGHT STONE	Light Stone	Not Submitted	0.2		41UD114LS
402	47INSUL-MDL		1		9.5" R30 System 47INSUL - SPECIAL ORDER LOT OF INSULATION Approx Square Feet = , Vendor = , Vendor Quote No =		Not Submitted	171.2		47INSUL-MDL
403		WI-100	1	104'-6 5/8"	6" WMP-VR-R Plus		Not Submitted	131.73		46IWMPVRRP48600
404		WI-101	1	23'-3"	6" WMP-VR-R Plus		Not Submitted	36.74		46IWMPVRRP60600
405		WI-102	1	102'-0 7/8"	6" WMP-VR-R Plus		Not Submitted	161.28		46IWMPVRRP60600
406		WI-103	1	112'-6 5/16"	6" WMP-VR-R Plus		Not Submitted	177.79		46IWMPVRRP60600
407	43HTB058112		54		Bolts A325 Bolt - 5/8" diameter x 1-1/2" long - BLACK	Black	Not Submitted	0.22		43HTB058112
408	43HTN058		112		Nuts A194 Nut - 5/8" diameter - BLACK	Black	Not Submitted	0.1		43HTN058
409	43HTB058134		60		Bolts A325 Bolt - 5/8" diameter x 1-3/4" long - BLACK	Black	Not Submitted	0.24		43HTB058134
410	43MB012114		2300		Bolts A307 Machine Bolt - 1/2" diameter x 1-1/4" long - ZINC-PLATED	Black	Not Submitted	0.18		43MB012114

Job: 11425 - 1098431 Active Line Items: 429

Row	Oracle Code	Mark	Qty	Length	Description	Color	Status	Weight	Ext Weight	Imported Code
411	43NZ012		2400		Nuts A563 Grade A Hex Nut - 1/2" - Grade 2 Finished - ZINC-PLATED	Black	Not Submitted	0.03		43NZ012
412	43MB012114F		100		Bolts A307 Fin-Neck Flat-Head Bolt - 1/2" diameter x 1-1/4" long - ZINC-PLATED	Black	Not Submitted	0.14		43MB012114F
413	43HTB034214		148		Bolts A325 Bolt - 3/4" diameter x 2-1/4" long - BLACK	Black	Not Submitted	0.66		43HTB034214
414	43HTN034		354		Nuts A194 Nut - 3/4" diameter - BLACK	Black	Not Submitted	0.17		43HTN034
415	43HTB034134		86		Bolts A325 Bolt - 3/4" diameter x 1-3/4" long - BLACK	Black	Not Submitted	0.6		43HTB034134
416	43HTB034200		122		Bolts A325 Bolt - 3/4" diameter x 2" long - BLACK	Black	Not Submitted	0.63		43HTB034200
417	43HTB012114		86		Bolts A325 Bolt - 1/2" diameter x 1-1/4" long - BLACK	Black	Not Submitted	0.12		43HTB012114
418	43HTN012		86		Nuts A194 Nut - 1/2" diameter - BLACK	Black	Not Submitted	0.05		43HTN012
419	43HTW012		86		Washers F436 Washer - 1/2" diameter - BLACK	Black	Not Submitted	0.02		43HTW012
420		12X1.25L	8000	0'-1 1/4"	LL SDS	NEED COLOR	Not Submitted	0.02		41UD114^
421		Fas1E	1000	0'-1 1/4"	LL SDS	KYNAR COLOR	Not Submitted	0.03		41UD11414^
422		12X1.25L	250	0'-1 1/4"	LL SDS	KYNAR COLOR	Not Submitted	0.02		41UD114^
423		14X.875L	1000	0'-0 7/8"	LL Lap-Tek	KYNAR COLOR	Not Submitted	0.02		41UD078^
424		14X.875L	5000	0'-0 7/8"	LL Lap-Tek	NEED COLOR	Not Submitted	0.02		41UD078^
425		Fas14	750	0'-0 1/8"	Pop Rivet	NEED COLOR	Not Submitted	0		41PR^
426		Fas1E	1000	0'-1 1/4"	LL SDS	NEED COLOR	Not Submitted	0.03		41UD11414^
427	41TEK114Z		1000		Tek2 SDS 1/4-14 X 1-1/4" HWH TCP2 5/16" Head Self-Driller - No Sealing Washer - Zinc-Plated	Plated/Plain Finish	Not Submitted	0.01		41TEK114Z
428	41TEK114Z		500		Shoulder SDS 1/4-14 X 1-1/4" HWH TCP2 5/16" Head Self-Driller - No Sealing Washer - Zinc-Plated	Plated/Plain Finish	Not Submitted	0.01		41TEK114Z
429	41SD10014Z		2500		Plated SDS 1/4"-14 x 1" Driller 5/16" head ZINC-PLATED (Super Seam-II / PLUS Clip Fastener w/ Insul. Up To 4" Thick)	Plated/Plain Finish	Not Submitted	0.02		41SD10014Z