2D Interactive Toy Process Work

Concept Work

A toy is less than a game with no win or lose conditions; it is merely played with.

Ideas

Scrapped Ideas

- Flash game style challenge maze. Top-down. Move a character through an obstacle course where touching anything resets you.
    - Block breaker: could be a "goal" of the maze or a different game. Move the character into randomly appearing blocks to break them. (Score?)
        - Blocks cycle through zones to force the confrontation of danger. The first block is a freebie in a safe zone to establish the mechanic.
    - Promising, but closer to a game than a toy. Could be too complicated.
- "Dr. Mario": Colored block factory producing blocks. Move blocks to put the same color together.
    - Maybe too complicated. Not very original either.

Final Idea

- "Fruit Ninja": Differently colored and shaped objects move across the screen. ~~Points are given for the player clicking on them, but clicking on a red object ends the game.~~
    - After enough time objects come from new directions.
        - Alteration: Each object has a set way of moving; the only thing that changes over time is speed and number of destructible objects on screen at once.
        - Watermelons move horizontally; bananas spin and come diagonally; oranges come vertically.
    - Good game to use for loops, each object can be a class, and simple enough I can do it. Still more complex than toy definition implies. Final pick.


Notes and Issue Log

Pre-Development

- WASD controls
- Player character is a sword icon, changes on click (sheath / no sheath)
- Clicking on a destructible destroys it, resets that fruit. Fruits spawn endlessly.

Development

- Red fruit dropped early for being part of an end state. All fruit types share a single color, no points or game overs, just destruction if clicked.
- Problem: WASD movement not tracking, object stuck in initial position with minimal movement.
    - Solution: Had position variable in wrong spot in code.
- Problem: Class objects colors aren't working / behind background color?
    - Solution: Issue was with how I was defining color within the class. As I understand it, I was initializing the color fully within the class, causing an issue with calling it along with the shape in the actual code.
- Dropped banana to maintain scope



Pixel Paper - 400 x 400
Graph Paper for Screen Coordinates