

1. CREAR LA ESTRUCTURA DE LA BASE DE DATOS

```
MariaDB [(none)]> SOURCE schema.sql
Query OK, 14 rows affected (0.193 sec)

Query OK, 1 row affected (0.001 sec)

Database changed
Query OK, 0 rows affected (0.024 sec)

Query OK, 0 rows affected (0.015 sec)

Query OK, 0 rows affected (0.020 sec)

Query OK, 0 rows affected (0.018 sec)

Query OK, 0 rows affected (0.014 sec)

Query OK, 0 rows affected (0.026 sec)
```

2. CARGANDO LOS DATOS EN LA BASE DE DATOS

Para cargar los datos, tuvimos que modificar el script `seed.sql` para evitar violar el constraint **unique_profesor_curso_anio**

```
ERROR 1062 (23000) at line 148 in file: 'seed.sql': Duplicate entry '1-2024' for key 'unique_profesor_curso_anio'
```

```
MariaDB [colegio_san_martin]> SOURCE seed.sql
Database changed
Query OK, 2 rows affected (0.002 sec)
Records: 2 Duplicates: 0 Warnings: 0

Query OK, 5 rows affected (0.005 sec)
Records: 5 Duplicates: 0 Warnings: 0

Query OK, 6 rows affected (0.005 sec)
Records: 6 Duplicates: 0 Warnings: 0

Query OK, 9 rows affected (0.005 sec)
Records: 9 Duplicates: 0 Warnings: 0

Query OK, 9 rows affected (0.008 sec)
Records: 9 Duplicates: 0 Warnings: 0

Query OK, 10 rows affected (0.005 sec)
Records: 10 Duplicates: 0 Warnings: 0

Query OK, 20 rows affected (0.006 sec)
Records: 20 Duplicates: 0 Warnings: 0
```