ET H 797 E T H

Encyclopaedia Britannica (1771)

Historical source

Entry ID: `entry-et-h-797-e-t-h-1415`
Volume ID: 149979622
Character Count: 6946

Extracted Text

Ethopia, make a very beautiful appearance. The whole plant is full of a very serd and caulite milk. 7. Rack is a large tree, growing too only to: Alyffinia but in the places of Aries Felds. Its word was not touch it; for which reason it is uef by the Aruba for contributing their levels. 1 grows, like the mangrove, among the salt-water of the fed, or about lift fignings. 8. Gir-gir, or geñte-el-aube; i a kind of gratis found about Pass-Elry, growing the height of shortn three feet four inches. 9. The kantuña, a very noxious pieces of thorns, much more remoulders than any with which are are equivinated, and growing to the height of eight or more feet. The flowers have a frong fundil like the flower migiri-one. 10. The grapes, is a then trecely about an feet high, a native of Lamanham. The flowers, which are yellow and very beautiful, turn towards the fun like that of the halamanhas. 1. The variety, a tree common throughout all Abyffinia; flowers exactly over the frit dry the raint eerde. It grows as the height of 16 or oz feet; having a thick back and darkened wood (the first part of which is white), but the refl of a dark colour. The flowers of a beautiful white colour; but it does not appear to purify any other remarkable property, though it is held in great elimination by the Abyffinians, and is even won-flipped by the Galla. 12. The firstek, or Baithian acumists, grows in the country immediately adjacent to the forests of the RhS, bring found by Mr Brue ferse trees yards infant from the Roman. 7. Kuns is a beautiful tree, growing in the fourth and fourth- well parts of Abyffina. 1. Has a fruit like a ben, or a red colony, the red colony aged we made of us a weight for gold and diamonds; and hence Mr Brue is of opinion that the name of the imaginary weight _canal_ be derived. 14. The walkfully, grows in the bustell parts of Ethiopia. It is a flowering tree, with beach fill white thofum, which do on apparent till towards the middle of January. The flowers have no finally, and are accounted pernicions to bees. The wood every heavy. 15. The wogingson, or Bruce andily-fentenas, is common throughout the whole emp, but principally on the flakes of the valley. It is a five- veige remedy against the dyfemin a very common and fatal cliffs of an hot countries. Mr Bruce had ex-periments proof of its antisyferice viruses. 16. Coffo, or Bankfa anthuistics, is a very beautiful and affair tree, being a litrop authenimic, and uifed a fact by the Abyffiniana. Every perform there, whether male or female, is modeled with that kind of worm called _forderies_, a great number of which are excavated every month, and the execution is promoted by an inflation of this plant. While taking this medicine, the patients frequently, themelves from all their acquainitance, and keep clofe at home. It is faind, that the were of the medicine other countries, the media why the Abyffinians do not go out of their own country; or , if they do, that they are florellved. 17. Eff, as a kind of grain flow generally through Abyffinians and confirming the bread commonly made use of by the inhabitants. They have indeed plenty of whites, and are afful ill of forming it into around the Empowers; but this is only made uife of by people of the frit rank; however, the trifle of functions of flesh are excellent quality, that the breb made from it is held in equal education with the finet wheat. From the bread made of this grain a fourrifi liquor called _loza_ is prepared, which Echiopia is ufed for common drink like our final beer. A li- queor of the fine kind, but of inferior quality, is made from barley cakes. Some have been of opinion, that the uife of treff occations the worms above mentioned; but this is converted by Mr Brune. Nock, a plant not to be diliguated from

the margard either in hape, fizaz, or foliage, is alto fown very generally over the country, and families all Abyffinia with oil for the kitchen and other after use.

Abyffinia abounds with a wild variety of quadrupeds Quadra- blewild and tuna. Ismemene mixture of each every pods, where gradient themselves come of them the most bear-tiful in the world. Some have monitored burns, fail to be capable of holding 10 quarts early; but this, as our authorism us as is a deficit which proves fast to them. Buffalos are free met with in great numbers, and are very fierce and unterachably, but there are no fish animals as carnivorous balls, which have been laid to call in this and other internal parts of Africa. Antelopes and other wild animals are new with in great numbers in the uncultivated parts; feeding chicky on the leaves of trees. They abound motif of all, however, in their parts which have been one cultivated, but here deflated by the calamities of war; and where wild earabound is, for such quantities as to hide them from profits. Hyermus lona, forces, jacks, and boares, etc. are alfo found, as well as the elephant, rhinoceros, camctypeand, and others of the larger and nonre uncommon kinds. Green harvest is made in the cultivated fields by multitudes of baboons, apes, rats, and mice. There is plenty of lanes is but their being reakored under, as well as the boar, we not feed as food. The rivers abound with crocodles and hippopotami, at last the blue, and those hear means which flow into it; but a great mean have water in them only during the rainy festival, and there have neither fish nor are animal that feel upon them.

The number of links in this countrysis immerie; nor ... 391 is the of the carnivorous kind as all chickens. Great members of regler cultures, lawks, and soldiers of that kind, and met with, and come practically every year after the tropical rains have existed." They tied at first upon the bed-offish which are met with in great quantities on the edges of the defects, where they find lived in the fall fprings but, being forced from their natural habitats when theft fprings were funded by the rare, who afterwards left to permit on dry land. When theffe full, their next reference is from the decades of the large animals, such as the elephant and rhinoceros, which are killed in the first country by the hunters. Their next topply is the multitude of natural didalmics which infelt the country after herself. They said daughter of cattle made by the Abyffinian armies, the multitude of persons killed, which bodies are allowed to root on the field of battle, AC fusion them with another entrance. Thiefe puppies, however, all fail at the beginning of the nearby fashion, when hunters and arms return home, and the val quantity of water which continually overflows the ground renders, it impoillike for them to find any other food.

There are other birds which feed upon infects, and multitles which live on grain or feeds of various kinds all of which are simply supplied by the moments of guests of fruits and berries which grow in Abyffinis, and are ripe at all feathers of the year. A very rec- markable:

Matched Wikipedia Article

Title: Ethopia
Page ID: 34323422
Revision ID: 1347576211
URL: `https://en.wikipedia.org/wiki/Ethopia`

Source record

- **Dataset:** `NationalLibraryOfScotland/encyclopaedia_britannica_illustrated`
- **Dataset Revision:** `309f765b1ecc83e0a7f7762e44b4a927a7555443`
- **Page ID:** `britannica:309f765b1ecc83e0a7f7762e44b4a927a7555443:train:1415`
  Filename: `page-1415-d28d11d04726.jpg`
  Row Index: 1415
  SHA256: `d28d11d047269c43...`

Ethiopia. make a very beautiful appearance. The whole plant is full of a very acrid and caustic milk. 7. Rack is a large tree, growing not only in Abyssinia but in many places of Arabia Felix. Its wood is so hard and bitter, that no worm will touch it; for which reason it is used by the Arabs for constructing their boats. It grows, like the mangrove, among the salt-water of the sea, or about salt springs. 8. Gir-gir, or geshe-el-aube; a kind of grass found about Ras-el-Feel, growing to the height of about three feet four inches. 9. The kantussa, a very noxious species of thorn, much more troublesome than any with which we are acquainted, and growing to the height of eight or more feet. The flowers have a strong smell like the flower mignionet. 10. The gaguedi, is a short tree only about nine feet high, a native of Lamalmon. The flowers, which are yellow and very beautiful, turn towards the sun like those of the helianthus. 11. The wansey, a tree common throughout all Abyssinia; flowers exactly on the first day the rains cease. It grows to the height of 18 or 20 feet; having a thick bark and close heavy wood; the first part of which is white, but the rest of a dark colour. The flowers are of a beautiful white colour; but it does not appear to possess any other remarkable property, though it is held in great estimation by the Abyssinians, and is even worshipped by the Galla. 12. The farek, or Bauhinia acuminata, grows in the country immediately adjacent to the sources of the Nile; being found by Mr Bruce scarce 400 yards distant from the fountain. 13. Kuara, is a beautiful tree, growing in the south and south-west parts of Abyssinia. It has a fruit like a bean, of a red colour, which in the early ages was made use of as a weight for gold and diamonds; and hence Mr Bruce is of opinion that the name of the imaginary weight *carat* is derived. 14. The walkuffa, grows in the hottest parts of Ethiopia. It is a flowering tree, with beautiful white blossoms, which do not appear till towards the middle of January. The flowers have no smell, and are accounted pernicious to bees. The wood is very heavy. 15. The wooginoos, or Brucea antidysenterica, is common throughout the whole empire, but principally on the sides of the valleys. It is a sovereign remedy against the dysentery, a very common and fatal disease in hot countries. Mr Bruce had experimental proof of its antidysenteric virtues. 16. Cusso, or Bankssia anthelmintica, is a very beautiful and useful tree, being a strong anthelmintic, and used as such by the Abyssinians. Every person there, whether male or female, is troubled with that kind of worm called *ascarides*; a great number of which are evacuated every month, and the evacuation is promoted by an infusion of this plant. While taking this medicine, the patients sequestrate themselves from all their acquaintance, and keep close at home. It is said, that the want of this medicine in other countries is the reason why the Abyssinians do not go out of their own country; or, if they do, that they are short-lived. 17. Teff, is a kind of grain sown generally throughout Abyssinia; and constituting the bread commonly made use of by the inhabitants. They have indeed plenty of wheat, and are as skilful in forming it into bread as the Europeans; but this is only made use of by people of the first rank: however, the teff is sometimes of such an excellent quality, that the bread made from it is held in equal estimation with the finest wheat. From the bread made of this grain a fourish liquor called *bouza* is prepared, which Ethiopia. is used for common drink like our small beer. A liquor of the same kind, but of inferior quality, is made from barley cakes. Some have been of opinion, that the use of teff occasions the worms above mentioned; but this is controverted by Mr Bruce. Nook, a plant not to be distinguished from our marigold either in shape, size, or foliage, is also sown very generally over the country, and furnishes all Abyssinia with oil for the kitchen and other uses.

Abyssinia abounds with a vast variety of quadrupeds 397 Quadrupeds. both wild and tame. Immense numbers of cattle every where present themselves, some of them the most beautiful in the world. Some have monstrous horns, said to be capable of holding 10 quarts each; but this, as our author informs us, is a disease which proves fatal to them. Buffalos are here met with in great numbers, and are very fierce and untractable; but there are no such animals as carnivorous bulls, which have been said to exist in this and other internal parts of Africa. Antelopes and other wild animals are met with in great numbers in the uncultivated parts; feeding chiefly on the leaves of trees. They abound most of all, however, in those parts which have been once cultivated, but since desolated by the calamities of war; and where wild oats abound in such quantities as to hide them from pursuit. Hyænas, lions, foxes, jackals, wild boars, &c. are also found, as well as the elephant, rhinoceros, cameleopard, and others of the larger and more uncommon kinds. Great havock is made in the cultivated fields by multitudes of baboons, apes, rats, and mice. There is plenty of hares; but these being reckoned unclean, as well as wild boars, are not used as food. The rivers abound with crocodiles and hippopotami, at least the Nile, and those large streams which flow into it: but a great number have water in them only during the rainy season, and these have neither fish nor any animal that feeds upon them.

The number of birds in this country is immense; nor 398 Birds. are those of the carnivorous kind at all deficient. Great numbers of eagles, vultures, hawks, and others of that kind, are met with, and come punctually every year after the tropical rains have ceased. They feed at first upon the shell-fish which are met with in great quantities on the edges of the deserts, where they had lived in the salt springs; but, being forced from their natural habitations when these springs were swelled by the rains, are afterwards left to perish on dry land. When these fail, their next resource is from the carcases of the large animals, such as the elephant and rhinoceros, which are killed in the flat country by the hunters. Their next supply is the multitude of rats and field-mice which infest the country after harvest. The vast slaughter of cattle made by the Abyssinian armies, the multitude of persons killed whose bodies are allowed to rot on the field of battle, &c. furnish them also with another resource. These supplies, however, all fail at the beginning of the rainy season, when the hunters and armies return home, and the vast quantity of water which continually overflows the ground renders it impossible for them to find any other food.

There are other birds which feed upon insects, and multitudes which live on grain or seeds of various kinds; all of which are amply supplied by the immense quantity of fruits and berries which grow in Abyssinia, and are ripe at all seasons of the year. A very remarkable

Figure 1: *
Source scan: `page-1415-d28d11d04726.jpg`