LA U 6oz L AU

Encyclopaedia Britannica (1771)

Historical source

Entry ID: `entry-la-u-6oz-l-au-268`
Volume ID: 149982181
Character Count: 6776

Extracted Text

Laura. cipally the fearcity of this plant which makes it valeable.

The _becaom_ tree will grow to a much larger five than the other, and its branches are more numerous They are smooth, and of a fine light-green colour. The leaves on their upper furface are smooth and of a fine light-green colour, but that under furfacted w., nofe, and as which cells. When buried, they emit a fine fragrance. This tree was formerly milken for that which produces the thinly called forests in which is now known to be chained forests of places. See Svvxxax.

The _faffifra_ will grow to nearly the height of the others, though the branches are not fo numerous. Its bark is smooth, and of a red color, which beautifully diligullies in his winter, whilst the fine fishing green of its leave constitutes its growth because a formation. In thefe, indeed, there is a variety, and a very extraordinary one. Some are large, and of an coal figures; others are finally, and of the time hopes, while o-thers again are to divided into three lobes, as to a flexible the length of fine fame first of the fig trees. In America, the fallafras generally hands fining in the woods, and along the forces round the fields. It flowers in May before the leaves come out, and bring entirely covered with them, it is diltinguished at a great distance by their beautiful yellow colour.

This method of the diffusers has a fragrant fowl, and a favorite, aromatic, tabberid tails the bark tatles much fronger than any other parts, and the final twige fringer than the large area. If the warm agentes and corroborate, and frequently employed with good fucsels for purifying and foreseeing the blood and juices. For their purpose, inflation made from the simplest nor or hair may be drank as tea. In forms conditions indeed, fish humans are by their fragments, app, on field taking them, to all the the herd, but in such cafes, they may be advantageously freed from their flavor by boiling. A detection of fallafras, boiled down to the confluence of an extract, proves firmly bitterth and fubaltingent. Hoffman affures us, that he has frequently given this extract to the quantity of a temple a time, with remarkable facets, for strengthening the tone of the vificera in ca-cherts; is allo in the decline of constituent levels, and in hypothetical fusions. Stifafras yields in di-filtration an extremely fragrant oil of a penetrating pungent tafes, foodcords (postwithstanding lightened to the deep yield) as to find in water. Rec-tified spirit extracts the whole tate and fowl of falls-fres, and cleaves nothing in separation, hence the spiritual extracts proves the most elegant and efficacious preparation, as containing the virtue of the root entire.

The bark of this tree is used by the women in Pen-flyingia and other part of North America in dying worried a fine falling orange-colour, which does not fade in the form. They are in white infested alum in dying; and both the dye in a brafs boiler, becard in an iron wildt it does not yield to fine a colour. The wood is made up of for polls belonging to the indo-fares, herit it fails to do a long time in the ground: but it is likewife laid, that there is hardly any kind of wood which is more stacked by worms than this way it is expected to the air without cover, and that in a short time it is quite worm-teaten through and through.

Ralos _Trevels in America._

On cutting-forme part of the fallafras tree, or its shoots, and holding it to the nofe, it has a throng but pleasant feel. Some people peel the root, and boil they get with the beer which they are brewing, because they believe it wishfulness. For the fine realtion, the peel is put into branch either whiff it is diffilling or her it turned. Profefits Kale returns so that a de-ceflow of the root of fallafras in warn drank every morning, is used with fucsels in the droopyWhen part of a wood is defined for conflitration, the fallafras tree are commonly left upon it, because they say a very thick foliage, and afford a cool finish to the cattle during the great heats. Some people get their bel-pulle made of fallafras wood, in order to expel the bugs, for its strong focus; it is fail, prevents those verin from settling in them. For two or three years together that last the dried effect, or about as long as the wood keeps its frong economic fresh; but after the time it has been observed to loof the effect. In Perlybania some people put chips of fallafras into their chefts, where they keep all fans of woolen fluffs, in order to expel the moths (or these or caterpillars of moths or traits) which commonly feite in them in firmmer. The root keeps its smell for a long while it Profefits Kale for our who which had him for ofx yers in the drawn of a table, and full preferred the strength of its feces. The people also gather its flowers, and uile it acts.

The _perfus_, or _alligator_ pear tree,is cultivated universally in the Well Infinity all ranks of people. The fruit is pear-shaped, and from one too two pounds in weight, to removing a green film or covering, we come to a yellow bayrayous dishantery, and in the heart find a large round feed or above, which is inequitible the fun-ice, and exceedingly hard and woody. This fruit is ripe in August and September, as coilitates one of the melt agreeable articles of diet for fix or eight weeks to the progress. Thefe pears, with a little fat and aplanar or one, affect a heavy meal. They are derived by at the tables of white people as choice fruit. When the pear is ripe, the yellow or enable influence a farmer than buttery, rather talles fomewhat like butter or marces. Hence it is called by from the vegetable marrow. But however excellent this fruit is when ripe, it is very dangerous when pulled and eaten before maturity. Or Wight fight, he has repeatedly known it to produce fever and dyreterty, which were removed with difficultythe lease of this tree and hude of the backvine or wild limporare made into pectoral decoction by the common peopleThe large flora is used for marking lines. The clearly teet for hold over the flows, and the letters are picked out by a needle through the check and into the feet. The flain is a reddish brown, which never washes out The buds of the allgance tree canfall to be held with fucsels in pillars and the overall effects. An infusion of them in water, denks in the morning falls is already recommended for didlodging congrula-ted blood in the florals produced by a fall or a few eroks or the important central. "The wild boar's in the Laft Indies (days Labar), eat generally of the manners and revacide peas, which give their flesh a infection and moll' agressive fauna?".

Caffia. The bark or this species is known in the flops by the name of _caffia ligges_. This bark, which

Matched Wikipedia Article

Title: Claude Javeau
Page ID: 68518728
Revision ID: 1342142088
URL: `https://en.wikipedia.org/wiki/Claude_Javeau`

Source record

- **Dataset:** `NationalLibraryOfScotland/encyclopaedia_britannica_illustrated`
- **Dataset Revision:** `309f765b1ecc83e0a7f7762e44b4a927a7555443`
- **Page ID:** `britannica:309f765b1ecc83e0a7f7762e44b4a927a7555443:train:268`
  Filename: `page-0268-4f70fe5dafd6.jpg`
  Row Index: 268
  SHA256: `4f70fe5dafd60ccb...`

Laurus. cipally the ſcarcity of this plant which makes it valuable.

The *benzoin* tree will grow to a much larger ſize than the other, and its branches are more numerous. They are ſmooth, and of a fine light-green colour. The leaves on their upper ſurface are ſmooth and of a fine light-green colour, but their under ſurface is veneſe, and of a whitiſh caſt. When bruiſed, they emit a fine fragrance. This tree was formerly miſtaken for that which produces the drug called *benzoin*; which is now known to be obtained from a ſpecies of ſtyrax. See STYRAX.

The *ſaſſafras* will grow to nearly the height of the others, though the branches are not ſo numerous. Its bark is ſmooth, and of a red colour, which beautifully diſtinguiſhes it in winter; whilſt the fine ſhining green of its leaves conſtitutes its greateſt beauty in ſummer. In theſe, indeed, there is a variety, and a very extraordinary one. Some are large, and of an oval figure; others are ſmaller, and of the ſame ſhape; whilſt others again are ſo divided into three lobes, as to reſemble the leaves of ſome ſorts of the fig-tree. In America, the ſaſſafras generally ſtands ſingle in the woods, and along the fences round the fields. It flowers in May before the leaves come out; and being entirely covered with them, it is diſtinguiſhed at a great diſtance by their beautiful yellow colour.

The root of the ſaſſafras has a fragrant ſmell, and a ſweetiſh, aromatic, ſubacrid taſte; the bark taſtes much ſtronger than any other part, and the ſmall twigs ſtronger than the large pieces. It is a warm aperient and corroborant, and frequently employed with good ſucceſs for purifying and ſweetening the blood and juices. For theſe purpoſes, infuſions made from the raſped root or bark may be drank as tea. In ſome conſtitutions indeed, ſuch liquors are, by their fragrance, apt, on firſt taking them, to affect the head; but in ſuch caſes they may be advantageouſly freed from their flavour by boiling. A decoction of ſaſſafras, boiled down to the conſiſtence of an extract, proves ſimply bitteriſh and ſubaſtringent. Hoffman aſſures us, that he has frequently given this extract to the quantity of a ſcruple at a time, with remarkable ſucceſs, for ſtrengthening the tone of the viſcera in cachexies; as alſo in the decline of intermittent fevers, and in hypochondriacal ſpaſms. Saſſafras yields in diſtillation an extremely fragrant oil of a penetrating pungent taſte, ſo ponderous (notwithſtanding the lightneſs of the drug itſelf) as to ſink in water. Rectified ſpirit extracts the whole taſte and ſmell of ſaſſafras; and elevates nothing in evaporation: hence the ſpirituous extract proves the moſt elegant and efficacious preparation, as containing the virtue of the root entire.

The bark of this tree is uſed by the women in Penſylvania and other parts of North America in dying worſted a fine laſting orange-colour, which does not fade in the ſun. They uſe urine inſtead of alum in dying; and boil the dye in a braſs boiler, becauſe in an iron veſſel it does not yield ſo fine a colour. The wood is made uſe of for poſts belonging to the incloſures, for it is ſaid to laſt a long time in the ground: but it is likewiſe ſaid, that there is hardly any kind of wood which is more attacked by worms than this when it is expoſed to the air without cover; and that in a ſhort time it is quite worm-eaten through and through. *Kalm's Travels in America.*

On cutting ſome part of the ſaſſafras tree, or its ſhoots, and holding it to the noſe, it has a ſtrong but pleaſant ſmell. Some people peel the root, and boil the peel with the beer which they are brewing, becauſe they believe it wholeſome. For the ſame reaſon, the peel is put into brandy either whilſt it is diſtilling or after it is made. Profeſſor Kalm informs us, that a decoction of the root of ſaſſafras in water, drank every morning, is uſed with ſucceſs in the dropſy.—When part of a wood is deſtined for cultivation, the ſaſſafras trees are commonly left upon it, becauſe they have a very thick foliage, and afford a cool ſhade to the cattle during the great heats. Some people get their bed-poſts made of ſaſſafras wood, in order to expel the bugs; for its ſtrong ſcent, it is ſaid, prevents thoſe vermin from ſettling in them. For two or three years together this has the deſired effect, or about as long as the wood keeps its ſtrong aromatic ſmell; but after that time it has been obſerved to loſe its effect. In Penſylvania ſome people put chips of ſaſſafras into their cheſts, where they keep all ſorts of woollen ſtuffs, in order to expel the moths (or larvæ or caterpillars of moths or tinies) which commonly ſettle in them in ſummer. The root keeps its ſmell for a long while: Profeſſor Kalm ſaw one which had lain five or ſix years in the drawer of a table, and ſtill preſerved the ſtrength of its ſcent. The people alſo gather its flowers, and uſe it as tea. Laurus.

The *perſea*, or *alligator pear* tree, is cultivated univerſally in the Weſt Indies by all ranks of people. The fruit is pear-ſhaped, and from one to two pounds in weight. On removing a green ſkin or covering, we come to a yellow butyraceous ſubſtance; and in the heart find a large round ſeed or ſtone, which is unequal in the ſurface, and exceedingly hard and woody. This fruit is ripe in Auguſt and September, and conſtitutes one of the moſt agreeable articles of diet for ſix or eight weeks to the negroes. Theſe pears, with a little ſalt and a plantain or two, afford a hearty meal. They are alſo ſerved up at the tables of white people as choice fruit. When the pear is ripe, the yellow or eatable ſubſtance is firmer than butter, and taſtes ſomewhat like butter or marrow: hence it is called by ſome the *vegetable marrow*. But however excellent this fruit is when ripe, it is very dangerous when pulled and eaten before maturity. Dr Wright ſays, he has repeatedly known it to produce fever and dyſentery, which were removed with difficulty.—The leaves of this tree and thoſe of the bead-vine or wild liquoriee are made into pectoral decoctions by the common people.—The large ſtone is uſed for marking linen. The cloth is tied or held over the ſtone, and the letters are pricked out by a needle through the cloth and into the ſeed. The ſtain is a reddiſh brown, which never waſhes out.—The buds of the alligator tree are ſaid to be uſed with ſucceſs in ptiſans againſt the venereal diſeaſe. An infuſion of them in water, drank in the morning faſting, is ſtrongly recommended for diſlodging coagulated blood in the ſtomach produced by a fall or a ſevere ſtroke on that important entrail. "The wild boars in the Eaſt Indies (ſays Labat) eat greedily of the mammees and avocado pears, which give their fleſh a luſcious and moſt agreeable favour."

Caſſia. The bark of this ſpecies is known in the ſhops by the name of *caſſia lignea*. This bark, which is