Britannica Volume 149981670 Row 1324

Encyclopaedia Britannica (1771)

Historical source

Entry ID: `entry-britannica-volume-149981670-row-1324-1324`
Volume ID: 149981670
Character Count: 7879

Extracted Text

Hedges. price of line in high they may be built without any content, and author the purple very well if the work is properly executed?

In making a new fence of this kind, the surface of the ground should be proud off the bench of that ditely and likewise for some feet away in order to pre- vent as much as polible the thoms from being injured by the growth of goods and weeks. The dicht should be fine for the bowed, two can an half in depth, and one foot broad at the bottom. Leave one foot for an elging or forcements, then dip the catch one field of 4 pools for about one foots and put about three inches of good earth below the thons, which should be laid nearly horizontal, but the point, rather including upwards, in order to let the mind drop on the roots, the add a foot of good earth above it; leave three or four inches of a farement before another short against it. It must not be directly over the lower one, but about nine inches, or a foot to one side of it; then throw a foot of good wood on the thoms, and example it well down, all level the top of the bank for about three feet and an half for the bake of the wall to tell. This hale should be about once or ten inches, but must not exceed one foot from the them. The wall ought to be about two feet thick as the hours and one foot at the top; the cops to be a single love laid like; y they covered with two folds of turf, the grafs of the under- moot to be east the wall, and the other feel mad have the grads (ide opponent); the food found due of time thickness, in order to retain moisture; fo that they may adhere together, and not be fully diligated by the wind is the height of the wilt to be too fast and an half, exclusive of the folks; which together should be from four to fix holes, by which means the wall would be near to three categories. The expense of the fences cannot fo cally be counted, on account of the difference of the prices of labour of different parts. Mr Drinke had time down one limit, every thing, included, from 1c2d, to 13d, per ell (which is equal to 27 inches) a party, according to the rule are effectively of working for country and the influence of it from the place where the fence is erected. The lime rolls about 60, per decade of about 4009/66y holidas, and from 15 to 16 balls of lime are wild on the roof of 26 square ella Scots measure; and there are upwards of 43 Stretch oils, or 44 lightly water. When the com- men round or flott losses are made ufe of, as they require more lime, it is necellary to do its 20 or 35 balls of lime or the center. The thorax are fold from the ten lullings per thousand, according to their age, reckoning ix feces to the hundred. Making the dirh, buy the thons, and preparing the top of the wall, generally colft from 7d, to 8d, every 8r else. About 50 carts of dams, each cart carrying from 7 to oes will build a resta the carriage at 20, per cart for half a mile-left glance.

Warnish is undoubtedly an beneficial to hedges as trees; and the walls give an efficient holder, which in expected titanium is absolutely necessary for resting young hedges; and they likewise prefere a proper degree of smaller income about the treats. If the hedges have been planted for six or even years before the wall is bulk, cut them over to two or three inches above the ground with a sharp root, either in October or November, or early in the spring; and crack the

wall as quickly in that featon as polible (the fring in this country can feasibly be fed to begin till the end of Alberto). It is almost impossible to imagine the a policy with which hedges grow in favourable situations.

Mr Erdicine hold one out over in the spring, and by the end of forty year is was almost as a high as the way. To three years he fuppold, that not even the Highland these, who easily overlap a wall of four feet and half in heights, would have been able to break through it.

Northhandling, the reasons that they learn given Results for already against the planting of timber trees in hedges, planning we find the practice recommended by home authors as hedges. One of the fall fluctuation for many flip-times. The reason are: that the roots have free money in the soil joining incolores, and the toy is exposed to the ex- credits in the winds, by which means the trees are at once enabled, to those out strong arms, and have a large spreading head at the fence time; fo that we thus at once obtain quick-cut of growth, with strength and considered of timber. Will trained timber trees it is alleged are not prejudicial to hedges, though pal-lars and low foregressing trees are effective to the hedgewood which grows under them; neither are high trees republished to corn fields like high hedges and pollards, which prevents a proper circulation of als; and in Norfolk, where the cultivation of grain is carried on in great preferred, such bands are fold to be wound. But when an hedge is normal down to four or five feet high, with axis interported, a cir- culation of air is rather promoted than reached by its trimmed clayey will thrive quite with similar all fleemned trees, particularly oak. For arabic indo- ray, therefore, heavy areas are recommended of four or five feet high, with oak lember from 7 to 83 feet fiem. Higher hedges are more eligible for grade landst ing grafts after warmth, by which their growth is promoted, and consequently their quantity in intervals, though perhaps their quality may fuller home injury. As oil fence likely absorbs the cattle, provided the thick disk of color of the bottom, but currently, by admitting the air in currents, it does rather harm than good. The flames of trees equally friendly to excite the farmers for which reitor it is never used in grafs inclofures to allow the hedge to make its natural thorns, and at the first time to have oak tree planted in it paper traversé. Upon both hills, and in ex- poefed futations, it will be proper to have two or even three rows of hedgedows, about four feet climb from each others, the middle row being permitted to reach, and always to remain at, its natural heights whilst the the rows are cut down alternately to give repeated security to the bottom, and find it's comfort tiply of material for dead hedges and other purposes of un-devood.

Much has been laid of the excellence of the holly Red me as a material of hedges and indeed the beauty of what of plants with its extreme clolerés, and containing and rolling green throughout the winter, evidently gives the peo only for ference to all others and could it be rafted with equal hedges, they, is no doubt that it would come into our vertical practice. Hidden the above properties, the holly will thrive almost upon any foil; but thin-folded flowy heights (em to be its natural fiturions; and it may plogely enough be fail, that holly will grow H U E [707] H U G der legant all fill it rises gradually to the surface, and gradually reverted its heights, thinking ama- ingly, and flinging up great flows. After attin- ing its greatest height, it gradually falls till it to daily disappoint. Building _life drama_ and boiling fipings are frequent in molt parts of the island. In many years they replied to the otherup if one he naive? The molt capital is that which is called Gray or Ccyfer, in a plain rifling into final hills, and in the multi of an amphitheater, bounded by the molt marg- infeces and various shaped the mountainss among which the three-headed Hechs fears pre-eminent. See TerLANN, N 4Their there's not confined to the land, they rife in the very few, and form feuling fourstairs amidth the waves. Their dithers from the land is unknown, but she ever vulnerable, twelve molds off the point of Kickeness, emitting fire and froke, proves that the observations fires and wa- ters extend to that space; for those avoid effects safe from the united fury of their two elements.

Haifa Hier.

Matched Wikipedia Article

Title: History of the Encyclopædia Britannica
Page ID: 9004976
Revision ID: 1340071003
URL: `https://en.wikipedia.org/wiki/History_of_the_Encyclop%C3%A6dia_Britannica`

Source record

- **Dataset:** `NationalLibraryOfScotland/encyclopaedia_britannica_illustrated`
- **Dataset Revision:** `309f765b1ecc83e0a7f7762e44b4a927a7555443`

- **Page ID:** `britannica:309f765b1ecc83e0a7f7762e44b4a927a7555443:train:1324`
  Filename: `page-1324-2cfbaa25a150.jpg`
  Row Index: 1324
  SHA256: `2cfbaa25a150c2ea...`
- **Page ID:** `britannica:309f765b1ecc83e0a7f7762e44b4a927a7555443:train:1327`
  Filename: `page-1327-7d41b1db21d5.jpg`
  Row Index: 1327
  SHA256: `7d41b1db21d5e291...`

Hedges. price of lime is high they may be built without any cement, and anſwer the purpoſe very well if the work is properly executed."

In making a new fence of this kind, the ſurface of the ground ſhould be pared off the breadth of the ditch, and likewiſe for two feet more, in order to prevent as much as poſſible the thorns from being injured by the growth of graſs and weeds. The ditch ſhould be five feet broad, two and an half in depth, and one foot broad at the bottom. Leave one foot for an edging or ſcarcement, then dig the earth one ſpit of a ſpade for about one foot, and put about three inches of good earth below the thorn, which ſhould be laid nearly horizontal, but the point rather inclining upwards, in order to let the rain drip to the roots; then add a foot of good earth above it: leave three or four inches of a ſcarcement before another thorn is planted; it muſt not be directly over the lower one, but about nine inches or a foot to one ſide of it: then throw a foot of good earth on the thorn, and trample it well down, and level the top of the bank for about three feet and an half for the baſe of the wall to reſt on. This baſe ſhould be about nine or ten inches, but muſt not exceed one foot from the thorn. The wall ought to be about two feet thick at the bottom and one foot at the top; the cope to be a ſingle ſtone laid flat; then covered with two ſods of turf, the graſs of the undermoſt to be next the wall, and the other ſod muſt have the graſs ſide uppermoſt: the ſods ſhould be of ſome thickneſs, in order to retain moiſture; ſo that they may adhere together, and not be eaſily diſplaced by the wind: the height of the wall to be two feet and an half, excluſive of the ſods; which together ſhould be from four to ſix inches, by which means the wall would be near to three feet altogether. The expence of the fences cannot ſo eaſily be counted, on account of the difference of the prices of labour in different parts. Mr Erſkine had them done with lime, every thing included, from 10½d. to 13d. per ell (which is equal to 37 inches 2 parts), according to the eaſe or difficulty of working the quarry, and the diſtance of it from the place where the fence is erected. The lime coſts about 6d. per boll of about 4.0872667 buſhels; and from 15 to 16 bolls of lime are uſed to the rood of 36 ſquare ells Scots meaſure; and there are upwards of 43 Scotch ells, or 44 Engliſh yards. When the common round or flint ſtones are made uſe of, as they require more lime, it is neceſſary to uſe 30 or 35 bolls of lime to the rood. The thorns are ſold from five to ten ſhillings per thouſand, according to their age, reckoning ſix ſcore to the hundred. Making the ditch, laying the thorns, and preparing the top of the wall, generally coſt from 7d. to 8d. every ſix ells. About 50 carts of ſtones, each cart carrying from 7 to 9 cwt. will build a rood; the carriage at 2d. per cart for half a mile's diſtance.

Warmth is undoubtedly as beneficial to hedges as trees; and the walls give an effectual ſhelter, which in expoſed ſituations is abſolutely neceſſary for rearing young hedges; and they likewiſe preſerve a proper degree of moiſture about the roots. If the hedges have been planted for ſix or ſeven years before the wall is built, cut them over to two or three inches above the ground with a ſharp tool, either in October or November, or early in the ſpring; and erect the wall as quickly in that ſeaſon as poſſible (the ſpring in this country can ſcarcely be ſaid to begin till the end of March). It is almoſt impoſſible to imagine the rapidity with which hedges grow in favourable ſituations. Mr Erſkine had one cut over in the ſpring, and by the end of the year it was almoſt as high as the wall. In three years he ſuppoſed, that not even the Highland ſheep, who eaſily overleap a wall of four feet and an half in height, would have been able to break through it. Hedges.

41 Reaſons for planting oak trees in hedges.

Notwithſtanding the reaſons that have been given already againſt the planting of timber trees in hedges, we find the practice recommended by ſome authors as one of the beſt ſituations for raiſing ſhip-timber. The reaſons are, that the roots have free range in the adjoining incloſures, and the top is expoſed to the exerciſe of the winds; by which means the trees are at once enabled to throw out ſtrong arms, and have a large ſpreading head at the ſame time; ſo that we thus at once obtain quickneſs of growth, with ſtrength and crookedneſs of timber. Well trained timber trees it is alleged are not prejudicial to hedges, though pollards and low ſpreading trees are deſtructive to the hedge-wood which grows under them; neither are high trees prejudicial to corn-fields like high hedges and pollards, which prevent a proper circulation of air; and in Norfolk, where the cultivation of grain is carried on in great perfection, ſuch lands are ſaid to be *wood-bound*. But when an hedge is trimmed down to four or five feet high, with oaks interſperſed, a circulation of air is rather promoted than retarded by it; and a trimmed hedge will thrive quite well under tall ſtemmed trees, particularly oaks. For arable incloſures, therefore, hedges are recommended of four or five feet high, with oak-timbers from 15 to 25 feet ſtem. Higher hedges are more eligible for graſs lands: the graſſes affect warmth, by which their growth is promoted, and conſequently their quantity is increaſed, though perhaps their quality may ſuffer ſome injury. A tall fence likewiſe affords ſhelter to cattle, provided it be thick and cloſe at the bottom; but otherwiſe, by admitting the air in currents, it does rather harm than good. The ſhade of trees is equally friendly to cattle in ſummer; for which reaſon it is recommended in graſs incloſures to allow the hedge to make its natural ſhoots, and at the ſame time to have oak-trees planted in it at proper intervals. Upon bleak hills, and in expoſed ſituations, it will be proper to have two or even three rows of hedgewood, about four feet diſtant from each other; the middle row being permitted to reach, and always to remain at, its natural height: whilſt the ſide rows are cut down alternately to give perpetual ſecurity to the bottom, and afford a conſtant ſupply of materials for dead hedges and other purpoſes of underwood.

43 Beſt method of planting and raiſing holly for hedges.

Much has been ſaid of the excellency of the holly as a material for hedges; and indeed the beauty of the plant, with its extreme cloſeneſs, and continuing green throughout the winter, evidently give it the preference to all others; and could it be raiſed with equal eaſe, there is no doubt that it would come into univerſal practice. Beſides the above properties, the holly will thrive almoſt upon any ſoil; but thin-ſoiled ſtony heights ſeem to be its natural ſituation: and it may properly enough be ſaid, that holly will grow where-

Figure 1: *
Source scan: `page-1324-2cfbaa25a150.jpg`

Huesca || Huet.

der begins to fill: it rises gradually to the surface, and gradually encreases its height, smoking amazingly, and flinging up great stones. After attaining its greatest height it gradually sinks till it totally disappears. Boiling *jets d'eaux* and boiling springs are frequent in most parts of the island. In many parts they are applied to the culinary uses of the natives. The most capital is that which is called *Geyer* or *Geyser*, in a plain rising into small hills, and in the midst of an amphitheatre, bounded by the most magnificent and various-shaped icy mountains; among which the three-headed Hecla soars pre-eminent. See ICELAND, N° 4.——These huers are not confined to the land; they rise in the very sea, and form scalding fountains amidst the waves. Their distance from the land is unknown; but the new vulcanic isle, twelve miles off the point of Reickenes, emitting fire and smoke, proves that the subterraneous fires and waters extend to that space; for those awful effects arise from the united fury of these two elements.

Plate CCXXXVI.

HUESCA, an ancient and considerable town of Spain, in the kingdom of Arragon, with a bishop's see and an university. It is seated on the Issuela, in a soil producing excellent wine, in W. Long. 0. 13. N. Lat. 40. 2.

HUESCAR, or GUESCAR, a town of Spain, in the kingdom of Granada, seated on a plain in W. Long. 1. 45. N. Lat. 37. 32.

HUESNE, or HUENA, a small island in the Baltic Sea, in the Sound, where was the famous observatory of Tycho Brahe. E. Long. 13. 5. N. Lat. 55. 54.

HUET (Peter Daniel), a very learned French writer, born at Caen in Normandy, on the 8th of February 1630. He discovered, from his infancy, a great inclination to the study of polite literature and the sciences, and at first applied himself to the law; but Des Cartes's principles, and Bochart's sacred geography, made him change his studies for those of philosophy, mathematics, the languages, and antiquities. His admiration for Bochart made him desirous of knowing him. He contracted a very strict friendship with him, and accompanied that learned man to Sweden. Here Christina would have engaged him in her service; but he, sensible of her inconstant temper, returned to France. All he brought with him was a copy of a MS. of Origen, which he transcribed at Stockholm. He refused several offers from Christina after she abdicated and went to Rome, and from Gustavus her successor. In 1670, Mr Bossuet being appointed by the king preceptor to the dauphin, his majesty chose Mr Huet for his colleague, with the title of *sub preceptor to the prince*. It was he that formed the plan of the commentaries *in usum Delphini*, and directed the execution. His sentiments of piety determined him to enter into holy orders, which he did at the age of 46. Soon after this, he was presented by the king to the abbey of Aunay; and in 1685 was nominated to the bishopric of Soissons, which he exchanged for the see of Avranches. After governing that diocese ten years, he resigned, and was made abbot of Fontenay near Caen. His love to his native place determined him to fix there. But lawsuits coming upon him, he retired to Paris, and lodged among the Jesuits in the *Maison Professe*, whom he had made heirs to his library. A severe distemper weakened his body extremely, but not the vivacity of his genius: he wrote his own life in a very elegant style; and died in 1721, aged 91. He was a man of very agreeable conversation; and of great probity, as well as immense erudition.—The following are the titles of his principal works. 1. *De claris interpretibus, et de optimo genere interpretandi.* 2. An edition of Origen's commentaries on the holy Scriptures, in Greek and Latin. 3. A treatise on the origin of the Romans. 4. *Demonstratio evangelica*, folio. 5. *Quæstiones Alnetanæ de concordia rationis et fidei.* 6. Of the situation of the terrestrial paradise, in French. 7. A history of the commerce and navigation of the ancients, which has been translated into English. 8. *Commentarius de rebus ad eum pertinentibus.* 9. *Huetiana.* 10. Latin and Greek verses, &c.

Hughes || Huguenots.

HUGHES (John), an ingenious and polite writer, was born in 1677. In the earliest parts of his youth, he cultivated the sister-arts, poetry, drawing, and music, in each of which he by turns made a considerable progress; but followed those and his other studies only as agreeable amusements, under frequent confinement on account of his ill state of health. The lord Chancellor Cowper made him secretary for the commissions of the peace without his knowledge, and distinguished him with singular marks of his esteem. He continued in the same employment under the earl of Macclesfield, and held it to the day of his death; which happened in 1719, the very night in which his tragedy, intitled *The siege of Damascus*, was first acted. He was then 42. He translated Fontenelle's dialogues of the dead, Vertot's revolutions of Portugal, and the letters of Abelard and Eloisa. He gave a very accurate edition of Spencer's works, with his life, a glossary, and remarks; and wrote several papers in the Tatler, Spectator, and Guardian. Mr Duncombe, who married his sister, collected his poems and essays in 2 vols 12mo, in 1735.

HUGHLY, a town of Asia, in the kingdom of Bengal, seated on the most westerly branch of the river Ganges. It is of large extent, reaching about two miles along the river-side, and drives a great trade in all the commodities of that country; affording rich cargoes for 50 or 60 ships annually, besides what is brought on carriages to the neighbouring towns. Saltpetre is brought hither from Patnia in vessels above 50 yards long and five broad. The inhabitants are chiefly Indians; but there are also Portuguese, English, and other Europeans. E. Long 87. 55. N. Lat. 22. 0.

HUGO CAPET, chief of the third race of the kings of France, being count of Paris and Orleans; he was raised to the throne for his military valour and public virtues in 987. See FRANCE, n 38.

HUGONIA, in botany: A genus of the decandria order, belonging to the monadelphia class of plants; and in the natural method ranking with those of which the order is doubtful. The corolla is pentapetalous; the fruit is a plum with a striated kernel.

HUGUENOTS, an appellation given by way of contempt to the reformed or Protestant Calvinists of France.

The name had its first rise in 1560; but authors are

Figure 2: *
Source scan: page-1327-7d41b1db21d5.jpg