

Tuesday 21 May 2024 – Afternoon GCSE (9–1) Computer Science

J277/02 Computational thinking, algorithms and programming

lime allowed: 1 hour 30 minutes 42920 3429000000000000000000000000000000	342920 34
Do not use: • a calculator	20 342920
Please write clearly in black ink. Do not w	rite in the barcodes.
Centre number	Candidate number

INSTRUCTIONS

Last name

- Use black ink.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.

INFORMATION

- The total mark for this paper is 80.
- The marks for each question are shown in brackets [].
- This document has 20 pages.

ADVICE

- Read each question carefully before you start your answer.
- We advise you to spend approximately 50 minutes on Section A and approximately 40 minutes on Section B.





2 SECTION A

We advise you to spend approximately 50 minutes on Section A.

1 Tick (✓) one box in each row to identify the programming construct where each keyword is used.

Vernoend	Programming construct			
Keyword	Selection	Iteration		
if				
for				
while				

[3]

2 An algorithm decides if a number is odd or even. An odd number divided by 2 will give the remainder 1.

The flowchart statements have been written for the algorithm, but the flowchart is incomplete.

Complete the flowchart.

Start

INPUT num

if num MOD 2 == 0

OUTPUT "Odd"

OUTPUT "Even"

End

[4]

	3	
3 (a)	State what is meant by the term syntax error. Give one example of a syntax error in a program.	
	Definition	
	Example	
		[2]
(b)	A student writes an algorithm to input two numbers and add them together to create a total.	
	If the total is between 10 and 20 inclusive, "success" is output.	
	If the total is not between 10 and 20 inclusive, "warning" is output.	
	01 num1 = input("Enter a number")	
	02 num2 = input("Enter a number")	
	03 total = num1 + num1	
	04 if total >= 10 then	
	05 print("success")	
	06 else	
	07 print("warning")	
	08 endif	
	The algorithm does not work correctly.	
	Identify the line number of the two logic errors in the algorithm and refine the code to correct each logic error.	
	Line number	
	Correction	
	Line number	
	Correction	•••

4

(c) (i)	Show how a binary search will be used to find the number 10 in the following data set:	
	1 2 5 6 7 10 20	
	[[3]
(ii)	State one pre-requisite for a binary search algorithm.	
	[[1]
(iii)	Tick (✓) one box to identify the name of the sorting algorithm that splits data into individual item before recombining in order.	IS
	Bubble sort	
	Insertion sort	
	Merge sort	[1]
4	A program allows users to search for and watch videos. Users give a rating to the videos they watch	ch.
(a)	Identify one input and one output for the program.	
	Input	
	Output	 [2]
(b)		
	-	
		[2]

© OCR 2024

5

(a) Complete the truth table for P = (A AND B) OR C

Α	В	С	Р
0	0	0	
0	0	1	
0	1	0	
0	1	1	
1	0	0	
1	0	1	
1	1	0	
1	1	1	

[4]

(b) Draw a logic circuit for P = NOT A AND (B OR C)

Α	
В	Ρ
С	

[3]

6 The variable mess	age is ass	signed a v	/alue
---------------------	-------------------	------------	-------

(a) Complete the table to show the output when each statement executes.

The first output has been completed for you.

Statement	Output
<pre>print(message.length)</pre>	8
<pre>print(message.upper)</pre>	
<pre>print(message.left(4))</pre>	
<pre>print(int(message.right(4))*2)</pre>	

/I \	1 4 / 1/						
(b)	vvrite	an	algor	ıthm	ın	pseudocode	to:

- store "Hello" in the variable word1
- store "Everyone" in the variable word2
 concatenate word1 and word2 to store "

concatenate w	ord1 and word	12 to store " Hel	lloEveryone"	' in the variable	message	
 						• • • •

.. [3]

[3]



7

1	Programs can be written in high-level languages of low-level languages.
(a)	Give two reasons why some programs are written in a low-level language.
	1
	2
	[2]
(b)	Describe the benefits of using a compiler instead of an interpreter when writing a program.
	[3]



8 An algorithm stores the position of a character on a straight line as an integer. A user can move the character left or right.

The following algorithm:

- generates one random number between 1 and 512 (inclusive) to store as the position
- prompts the user to input a direction to move (left or right)
- takes a direction as input until a valid direction is input.

2	 	

[4]

[6]

(b) If the character moves left, 5 is subtracted from the position. If the character moves right, 5 is added to the position.

The position of the character can only be between 1 and 512 inclusive.

The function moveCharacter():

- takes the direction (left or right) and current position as parameters
- changes position based on direction

Complete the function moveCharacter()

- sets position to 1 if the new position is less than 1
- sets position to 512 if the new position is greater than 512
- returns the new position.

•
function moveCharacter(direction, position)
endfunction



10 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE



11 SECTION B

We advise you to spend approximately 40 minutes on Section B.

Some questions require you to respond using either the OCR Exam Reference Language or a high-level programming language you have studied. These are clearly shown.

9 Students take part in a sports day. The students are put into teams.

Students gain points depending on their result and the year group they are in. The points are added to the team score.

The team with the most points at the end of the sports day wins.

- (a) Data about the teams and students is stored in a sports day program.
- (i) Identify the most appropriate data type for each variable used by the program.

Each data type must be different.

Variable	Example	Data type
teamName	"Super-Team"	
studentYearGroup	11	
javelinThrow	18.2	

[3]



(ii) The student names for a team are stored in an array with the identifier the Team

An example of the data in this array is shown:

Index	0	1	2	3	4	5
Data	Ali	Eve	Ling	Nina	Sarah	Tom
			theTeam	n		

A linear search function is used to find whether a student is in the team. The function:

- takes a student name as a parameter
- returns True if the student name is in the array
- returns False if the student name is not in the array.

Complete the design of an algorithm for the linear search function.

[4]



(b) This algorithm calculates the number of points a student gets for the distance they throw in the javelin:

```
01
     javelinThrow = input("Enter distance")
     yearGroup = input("Enter year group")
02
03
     if javelinThrow >= 20.0 then
04
         score = 3
05
     elseif javelinThrow >= 10.0 then
06
         score = 2
07
     else
08
         score = 1
09
     endif
10
     if yearGroup != 11 then
11
         score = score * 2
12
     endif
13
    print("The score is", score)
```

Complete the trace table for the algorithm when a student in year 10 throws a distance of 14.3

You may not need to use all the rows in the table.

Line number	javelinThrow	yearGroup	score	Output

[4]

(c) The height a student jumps in the high jump needs to be input and validated.

The height is entered in centimetres (cm) and must be between 40.0 and 180.0 inclusive.

14

- (i) Write an algorithm to:
 - take the height jumped as input
 - output "VALID" or "NOT VALID" depending on the height input.

You	must	HSE	either
100	HIUSL	usc	CILITO

•	OCR Exam Reference Language, or
•	A high-level programming language that you have studied.
• • • •	

.....[4]

(ii) The algorithm is tested using a range of tests.

Complete the table to identify an example of test data for each type of test.

Test data (height jumped in cm)	Type of test	Expected output
	Normal	"VALID"
	Boundary	"VALID"
	Erroneous	"NOT VALID"

[3]



MyCSTutor

(d) The individual results for each student in each event are stored in a database.

The database table TblResult stores the times of students in the 100 m race. Some of the data is shown:

StudentID	YearGroup	TeamName	Time
11GC1	11	Valiants	20.3
10VE1	10	Super-Team	19.7
10SM1	10	Super-Team	19.2
11JP2	11	Champions	19.65

Complete the SQL statement to show the Student ID and team name of all students who are in year group 11

	SELECT StudentID,	
	FROM	
		[4]
(e)	Abstraction and decomposition have been used in the design of the sports day program.	
(i)	Identify one way that abstraction has been used in the design of this program.	
		[1]
(ii)	Identify one way that decomposition has been used in the design of this program.	
		[1]

MyCSTutor

[6]

(f) An algorithm works out which team has won (has the highest score).

Write an algorithm to:

You must use either:

- prompt the user to enter a team name and score, or to enter "stop" to stop entering new teams
- repeatedly take team names and scores as input until the user enters "stop"
- calculate which team has the highest score
- output the team name and score of the winning team in an appropriate message.

END OF QUESTION PAPER

17 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE



18 EXTRA ANSWER SPACE

If you need extra space use these lined pages. You must write the question numbers clearly in the margin.

	•••
	•••
• • • • • • • • • • • • • • • • • • • •	•••



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

 $For queries \ or \ further \ information \ please \ contact \ The \ OCR \ Copyright \ Team, \ The \ Triangle \ Building, \ Shaftesbury \ Road, \ Cambridge \ CB2 \ 8EA.$

 ${\sf OCR} \ is \ part \ of \ Cambridge \ University \ Press \ \& \ Assessment, \ which \ is \ itself \ a \ department \ of \ the \ University \ of \ Cambridge.$