

# Entra ID Protection and Conditional Access

Real World Best Practices



# About me



8 years

Product Management in Entra ID

6 years

Microsoft partner leading customer success

4 years

Licensed corporate attorney



[linkedin.com/in/basseri](https://www.linkedin.com/in/basseri)

 2Pint



robopack 

wortell

INGRAM<sup>®</sup> MICRO

  
The Collective

 bechtle

 lebon.IT

  
ConXion  
The new style of IT

 VirtualMetric

  
veeam


  
evri

# Agenda



1. Introduction / Overview
2. Customer examples
3. Best Practices
4. How risk works
5. Q&A



# Initial access techniques in Entra ID



# Customer examples



# Story: Global commercial retailer





# Story: US federal agency

## MS.AAD.2. Microsoft Entra ID Protection Risk Level Distribution


Users detected

- Rational
- Last month
- Note: Users with Microsoft accounts

## MS.AAD.2.

Sign-ins detected

- Rational



ing the system via a  
mediates their






# Story: European Automaker




# Best practices: Planning



# Which approach is right for you?



 **Conditional Access Optimization Agent** Preview

Microsoft

Available

This agent finds new users and apps in your tenant and makes sure they're covered by policies.

[View details](#)

# Microsoft-managed policies

- Benefits

- ✓ Adheres to best practice
- ✓ Maximizes utilization
- ✓ No one gets blocked
- ✓ License-compliant
- ✓ Updated by Microsoft
- ✓ Admin no-op

- Process

- Notify
- Create group and policy
- Wait 45+ days
- Enforce policy
- Update policy

## Microsoft-managed policy

Multifactor authentication and reauthentication for risky sign-ins

### Policy details

### Policy impact

[Edit](#) [Duplicate](#)

### Policy details

#### Summary

High sign-in risk represents a high probability that the given authentication request isn't authorized by the identity owner. This policy incorporates high sign-in risk detections from Entra ID Protection in real-time to trigger multifactor authentication and reauthentication to prevent identity compromise. We'll assign eligible users into a new security group named 'Conditional Access: Risky sign-in multifactor authentication (a4ea6c0f-b8fb-4d29-91f1-9f8cf0601e98)'. As a Microsoft-managed policy, only certain properties are editable. [Learn more](#)

#### Name

Multifactor authentication and reauthentication for risky sign-ins

#### State

Report-only (policy is evaluated but not enforced)

[Edit](#)

#### Included identities (1)

1 groups

[View all](#)

#### Excluded identities (0)

0 users, 0 groups, 0 roles

[Edit](#)

#### Included cloud apps (1)

All apps

#### Requirements for access (2)

Require multifactor authentication

Require a new sign-in for each session

#### Created date

5/22/2025, 9:05:21 AM

#### Modified date

N/A

### Recommended actions

Before enabling this policy, or before Microsoft enables it automatically no sooner than 45 days after policy creation

- Review the policy and its benefits.
- When you are ready to enable, switch its state to 'on'. If you do not want to enforce this policy for your organization, switch its state to 'off'. If you leave the policy in report-only mode, we will enable it for you.
- Exclude one or more break glass accounts from the policy.
- While we have scoped this policy to include users who are already enabled for multifactor authentication, we recommend you verify this using the report below as an extra precaution to prevent users from being locked out.
- This policy relies on its corresponding security group to function. We recommend you keep the group even if you don't intend to use the policy now.

Save

Cancel

- Benefits
  - ✓ Adheres to best practice
  - ✓ Updated by you when needed
- Process
  - Meet pre-reqs
  - Create group and policy
  - Wait
  - Enforce policy
  - Update policy

# Custom policies

- Benefits

- ✓ Tailored for your organization
- ✓ Fully customizable
- ✓ Updated by you when needed

- Process


- Meet pre-reqs
- Create group and policy
- Wait
- Enforce policy
- Update policy



# Note: Passwordless users

## Challenge

I want to auto-remediate compromised users but don't want to force a password reset on a passwordless user!



## Solution (public preview)

A User Risk policy that accommodates **all authentication methods**, ID Protection manages the appropriate remediation flow:

**Path 1 - Password and session compromise:** Active risk detection (e.g. leaked credential, password spray, or session history involving a compromised password). Entra ID forces secure password change and revokes sessions.


**Path 2 – Session compromise only:** Active risk detection that doesn't involve a compromised password (e.g. anomalous token, impossible travel, unfamiliar sign-in properties). Entra ID revokes sessions.

Instead of “require password change” choose “**require risk remediation**”



# Note: Guest users

- Evaluated for risk and remediated in the guest's home



# Note: Policy exclusions



- Emergency/break-glass accounts (HW backed)
- Service accounts

# Best practices: Deployment



## Prerequisites

Review reports

Plan for change

Deploy policies

Monitor and adapt

- Ensure Microsoft Entra ID P2 or trial license is active
- Required roles: Security Reader, Security Admin, Conditional Access Admin
- Ensure users are registered for MFA and password reset (if still on passwords)
- Create test users and groups for validation
- Engage stakeholders early and define responsibilities

Prerequisites

Review reports

Plan for change

Deploy policies

Monitor and adapt

- Review ID Protection reports for suspicious activity
- Investigate and remediate risky users
- Use the Risk Management Agent or Microsoft Graph PowerShell for bulk actions
- Use the [Impact analysis workbook](#) to understand user impact before creating risk policies

# Risky users

Identity Risk Management Agent

Preview

AI-generated content may be incorrect. Check it for accuracy.

Agent summary

The agent is now under manual trigger. Click on "Run agent" to trigger an investigation on recent risky users. To enable continuous monitoring or daily runs, go to Settings.

Chat with agent

Manage agent

Agent suggestions

AI-generated content may be incorrect. Check it for accuracy.

Dismiss risk for users ⓘ

0 users

Dismiss risk for users

Reset passwords ⓘ

4 users

Reset passwords

## Risky users list

Take action 

✕

 Confirm user(s) compromised 

✓

 Dismiss user(s) risk 

✓

 Confirm user(s) safe  Reset password  Refresh  Manage view 

...

Search

Add filter

Risk level : 3 selected

Suggested action : All 

✕

Risk state : 2 selected 

✕

Status : Active 

✕

Reset filters

<input type="checkbox"/>	Name ↑↓	Username	Risk state	Risk level	Risk last updated ↓	Suggested action
<input type="checkbox"/>	Rosa Magyar	rma717@int.zava-private.com	At risk	<div><div></div><div></div><div></div></div> Low	Feb 04, 2026, 02:34 AM	<div>Reset Password</div>
<input type="checkbox"/>	Kiana Strapko	kst692@int.zava-private.com	At risk	<div><div></div><div></div><div></div></div> Low	Feb 03, 2026, 09:27 PM	<div>Reset Password</div>
<input type="checkbox"/>	Ismat Bekarevich	isbe27@Woodgrove.net	At risk	<div><div></div><div></div><div></div></div> Low	Feb 03, 2026, 05:18 PM	<div>Reset Password</div>

# Impact summary of recommended risk-based access policies

## User risk scenarios

1. High risk users not being blocked 

1

2. High risk users not prompted for MFA 

1

3. Users that changed password 

0

4. High risk users not successfully authenticated 

1

5. User risk remediated by on-premise MFA 

0


6. User risk remediated by password 

0

## Federated sign-in risk scenarios


1. Sign-in risk redirected to external MFA 

0

2. Sign-in risk remediated by external MFA 

0


## Sign-in risk & trusted network scenarios

1. High risk sign-ins not being blocked 


3

2. Medium or high risk sign-ins not being blocked 

16

3. Risky sign-ins remediated by MFA 

0

4. High risk sign-ins not successfully authenticated 

1

5. IP addresses not trusted 

11

## Legacy Identity Protection policies

1. Impacted by legacy user risk policy 

20

2. Impacted by legacy sign-in risk policy 

20



Prerequisites

Review reports

**Plan for change**

Deploy policies

Monitor and adapt

- Define Conditional Access policies for sign-in and user risk based on your risk tolerance
  - 2 separate policies
- Exclude emergency and service accounts to prevent lockouts
- Configure Named Locations as trusted to reduce false positives and define your VPN ranges in Defender for Cloud Apps
- Proactively inform users to prepare them for change and enhance deployment success

Prerequisites


Review reports

Plan for change

**Deploy policies**

Monitor and adapt

- Enable MFA registration policy first (if needed)
- Use Report-only mode to test policies before enforcement
  - First: Sign-in risk
  - Next: User risk
- Validate policy behavior with test users
- Rollout enforcement gradually
  - Ring 1 (Identity team)
  - Ring 2 (InfoSec)
  - Ring 3 (Corp. HQ)
  - Ring 4 (everyone else)



Prerequisites

Review reports

Plan for change

Deploy policies


**Monitor and adapt**

- Monitor by enabling alerts, using workbooks, or exporting risk data.
- Exclude additional accounts as appropriate
- Revisit policy coverage gaps to ensure all users are protected\*

# How risk works




# How Entra Computes Realtime Risk



- Entra ID Protection takes a multifaceted approach to risk analysis.
- Leveraging real-time models to quickly assess risk during authentication time
- Stream near-real-time signals like aggregate risk and Microsoft Defender Alerts to the evaluation engine.


# Realtime Enforcement and Remediation



- Realtime Model Enforcement means pre-token issuance – so we can stop the attacker very early in the kill chain.
- Realtime Auth Challenges means we can disrupt the attacker early and give legit users an opportunity to self-remediate.
- Realtime Remediation means if the user passes the challenges, we can close the risk and reduce SOC overhead and investigation time.



# How Entra Computes Aggregated Risk



- Entra ID Protection Aggregated Risk is the most comprehensive authority for an Entra Accounts Risk
- Entra ID Protection Aggregated Risk can change over time as Entra learns more about the Account and Remediations occur like TAP Generation or a Credential Change.

# Anomalous Token

- Attackers are increasing leveraging token theft attacks to bypass MFA Protections.
- Anomalous Token detection helps catch and stop these attacks by evaluating risks real-time and offline.



# Realtime Password Spray

- Still the most common attack
- Real-time version



# Verified Threat Actor IP / Threat Intelligence

- Verified Threat Actor IP
- Extra Threat Intelligence






# Risk Thresholds and Scoring


Entra ID Protection communicates risk as Risk Levels i.e Low, Medium, and High. These risk levels are decided by real-time and offline models depending on the weights.














## Entra ID Protection



# Example: A Deeper Look at Unfamiliar Location

Some of the feature set used by a real-time model for the Unfamiliar Location detection base.



Browser Size		
Time of Day		
Device		
Browser		 
IP Address		
Country		

# Closing





- Check to see if you have a Microsoft-Managed policy available
- Review the Policy Impact workbook or the policy blade report
- AI for Security: Try out our agents
  - Conditional Access Optimization Agent
  - Risk Management Agent
- Security for AI: Check out ID Protection and Conditional Access for Agents

Trivia question:  
This new CA grant control  
will allow a passwordless  
risky user to self-remediate.



# Discussion / Q&A



Session feedback  
available in home feed  
of the app after the  
session





**MC2MC**  
—CONNECT—