
Software Owner and Administrator: Bastian Ritter · bastian.ritter@senvion.in

# CSCM Tool

Controller Status Code Management Tool

## Design walkthrough for the team




Version 4.18.0

2026-10-28

Main Controllers and Hub Controllers of wind turbines

# Design principles

## 1 Same shell everywhere

Top bar, role-based menu and tokens of the OneTool design system. No CDN, no framework.

## 2 Colour means something

Roles, lifecycle states and confidence have fixed colours. Every pair is checked for contrast.


## 3 Everyone can use it

Keyboard operable, labelled controls, 19 languages, right to left, dark theme.


## 4 Nothing is lost

A rejected form keeps what was typed. Every action is audited.

# Login





Password sign-in, with the language choice and the theme choice before anybody is signed in.




Where the organisation uses Windows accounts, one button signs in with the Windows identity.

# The shell: top bar and menu





1 **Top bar**
Notices, theme, language, the person and their role badge, account and log out.

2 **Menu**
Groups open and close; the count beside a link is the work waiting there.

3 **Role colours**
Red is the highest role. The colours repeat in lists and reports.

# Status Codes: find, filter, share





1 **Filters**
Search tolerates typos; group, subgroup, platform, lifecycle and category narrow the list.

2 **Columns and saved searches**
Choose the columns, save a view and share its link.

3 **State badges**
Draft to Archived, always in the same colours and always with words.

# Select, select all, delete Drafts





1. **Tick boxes for your own Drafts**
   Only the author can delete a Draft, so only these rows have a box.

2. **Select all**
   The box in the header ticks every Draft on the page.

3. **All Drafts of a filter**
   When filtered to Draft, one button deletes your Drafts on every page.

# A status code





1 **Identity and state**
The number, the state badge and the sign-offs at a glance.

2 **Tabs**
Details, history, comparison, where used, translations.

3 **One number, forever**
A number is issued once, at submit, and never reused.

# Writing a code





1 **Help beside every field**
Each choice explains itself; subgroups follow the group chosen.

2 **Soft checks**
Duplicates, similar titles and range capacity are shown while typing.

3 **Nothing is lost**
A rejected save keeps every entry and says what to correct.

# My work and the queues





1 **My Change Requests**
Your own requests, their state, and who they wait for.

2 **Select and withdraw**
Tick several and withdraw them at once; each is reported.

3 **Queues for the roles**
Review and approval queues show the age of every request.

# Review queue





1 **Waiting time as a pill**
Green, amber and red follow the service level of the step.

2 **Open and decide**
One click to the request with its full history.

3 **Separation of duties**
You cannot review your own work.

# Sign-off and approval





1 **The strip of sign-offs**
Domain, Reviewer, Administrator and Chief Engineer, each with name and time.

2 **Comments and field notes**
Decisions, comments and notes on single fields stay with the request.

3 **Password for decisions**
Sensitive steps ask for the password again.

# Change sets and the workbench





1 **Readiness**
What still stops each Draft from being submitted.


2 **Bulk edit and bulk steps**
Set one value, submit, sign off or decide for the whole batch.

3 **Sample inspection**
Draw a sample, mark each code, and one defect stops the batch.

# Importing from controller programs





Upload files, a folder or a ZIP. The title, type and access levels come from the mapping.





Every program is a row with its new number, its type from the mapping, and what is wrong with it.

# The mapping and its three approvals





Which legacy code becomes which new one, with the title, type and access levels the programs do not carry.




A change takes effect only when the StCd Owner, the Chief Engineer and an Administrator have approved it.

# Connections





1 **Suppressed by**
A code that is silenced while its cause is active.


2 **Escalates to**
Where a repeating code is replaced by its repeat code.

3 **Read, not guessed**
Taken from the programs; loops and missing codes are named.

# Releases and exports





The builder collects approved codes into an immutable release.




Exports and the package, with the download rule applied.

# Catalogue health





1 **Capacity of the ranges**
How full each number range is, and when it will run out.

2 **Colour for the controller**
Main Controller rows blue, Hub Controller rows light blue.

3 **Stalled work**
Requests that wait too long are listed for the administrator.

# Translations and confidence





1 **One row per language**
Coverage, native-speaker review and the confidence of the pre-check.


2 **Confidence colours**
Red up to 50 %, green above 95 %.

3 **New words are checked**
Changed or new texts are checked and approved separately.

# Languages and right to left





Arabic mirrors the whole layout: menu on the right, tables read from the right.





Identifiers and numbers stay left to right inside the text.

# Light and dark





Light: ink on paper, for the office and for print.




Dark: the same page, with every colour pair checked for contrast.

# People and roles





1 **Six roles**
Viewer, Engineer, Reviewer, Chief Engineer, Administrator, StCd Owner.


2 **Colour is the level**
The role badge colour is the same everywhere it appears.

3 **Accounts by e-mail**
The e-mail address is fixed and links the Windows identity.

# On a phone




Dashboard




Status codes

1 **Menu on demand**
A button opens the menu; Esc closes it.

2 **Touch-sized targets**
Buttons and links are at least 44 by 44 pixels.

3 **No horizontal page scroll**
Wide tables scroll inside their card.

# Rules for every new screen

| | | |
|---|---|---|
| 1 | Use tokens, never colours | var(--color-surface), var(--tint-warn-bg) … A test fails on a hex colour outside the tokens. |
| 2 | Give a dark twin to a new token | A light token without a dark value would stay light on a dark page. |
| 3 | Label every control | A visible label or an accessible name; tables use scope on their headers. |
| 4 | Words for states, not only colour | Badges carry the state as text. |
| 5 | Translate every text | New words go through the confidence check and a separate approval. |

# The same rules, from login to release

- One shell, tokens for every colour, both themes
- Governance visible in every screen
- Version 4.18.0: 1,089 tests, 19 languages

