
Software Owner and Administrator: Bastian Ritter · bastian.ritter@senvion.in

CSCM Tool

Controller Status Code Management Tool

Design walkthrough for the team



Version 4.18.1

2026-10-29

Main Controllers and Hub Controllers of wind turbines

Design principles

1 Same shell everywhere

Top bar, role-based menu and tokens of the OneTool design system. No CDN, no framework.

2 Colour means something

Roles, lifecycle states and confidence have fixed colours. Every pair is checked for contrast.


3 Everyone can use it

Keyboard operable, labelled controls, 19 languages, right to left, dark theme.


4 Nothing is lost

A rejected form keeps what was typed. Every action is audited.

Login




Password sign-in, with the language choice and the theme choice before anybody is signed in.



Where the organisation uses Windows accounts, one button signs in with the Windows identity.

The shell: top bar and menu




1 **Top bar**
Notices, theme, language, the person and their role badge, account and log out.

2 **Menu**
Groups open and close; the count beside a link is the work waiting there.

3 **Role colours**
Red is the highest role. The colours repeat in lists and reports.

Status Codes: find, filter, share




1 **Filters**
Search tolerates typos; group, subgroup, platform, lifecycle and category narrow the list.

2 **Columns and saved searches**
Choose the columns, save a view and share its link.

3 **State badges**
Draft to Archived, always in the same colours and always with words.

Select, select all, delete Drafts




1. **Tick boxes for your own Drafts**
   Only the author can delete a Draft, so only these rows have a box.

2. **Select all**
   The box in the header ticks every Draft on the page.

3. **All Drafts of a filter**
   When filtered to Draft, one button deletes your Drafts on every page.

A status code




1 **Identity and state**
The number, the state badge and the sign-offs at a glance.

2 **Tabs**
Details, history, comparison, where used, translations.

3 **One number, forever**
A number is issued once, at submit, and never reused.

Writing a code




1 **Help beside every field**
Each choice explains itself; subgroups follow the group chosen.

2 **Soft checks**
Duplicates, similar titles and range capacity are shown while typing.

3 **Nothing is lost**
A rejected save keeps every entry and says what to correct.

My work and the queues




1 **My Change Requests**
Your own requests, their state, and who they wait for.

2 **Select and withdraw**
Tick several and withdraw them at once; each is reported.

3 **Queues for the roles**
Review and approval queues show the age of every request.

Review queue




1 **Waiting time as a pill**
Green, amber and red follow the service level of the step.

2 **Open and decide**
One click to the request with its full history.

3 **Separation of duties**
You cannot review your own work.

Sign-off and approval




1 **The strip of sign-offs**
Domain, Reviewer, Administrator and Chief Engineer, each with name and time.

2 **Comments and field notes**
Decisions, comments and notes on single fields stay with the request.

3 **Password for decisions**
Sensitive steps ask for the password again.

Change sets and the workbench




1 **Readiness**
What still stops each Draft from being submitted.


2 **Bulk edit and bulk steps**
Set one value, submit, sign off or decide for the whole batch.

3 **Sample inspection**
Draw a sample, mark each code, and one defect stops the batch.

Importing from controller programs




Upload files, a folder or a ZIP. The title, type and access levels come from the mapping.




Every program is a row with its new number, its type from the mapping, and what is wrong with it.

The mapping and its three approvals




Which legacy code becomes which new one, with the title, type and access levels the programs do not carry.



A change takes effect only when the StCd Owner, the Chief Engineer and an Administrator have approved it.

Connections




1 **Suppressed by**
A code that is silenced while its cause is active.


2 **Escalates to**
Where a repeating code is replaced by its repeat code.

3 **Read, not guessed**
Taken from the programs; loops and missing codes are named.

Releases and exports




The builder collects approved codes into an immutable release.



Exports and the package, with the download rule applied.

Catalogue health




1 **Capacity of the ranges**
How full each number range is, and when it will run out.

2 **Colour for the controller**
Main Controller rows blue, Hub Controller rows light blue.

3 **Stalled work**
Requests that wait too long are listed for the administrator.

Translations and confidence




1 **One row per language**
Coverage, native-speaker review and the confidence of the pre-check.


2 **Confidence colours**
Red up to 50 %, green above 95 %.

3 **New words are checked**
Changed or new texts are checked and approved separately.

Languages and right to left




Arabic mirrors the whole layout: menu on the right, tables read from the right.




Identifiers and numbers stay left to right inside the text.

Light and dark




Light: ink on paper, for the office and for print.



Dark: the same page, with every colour pair checked for contrast.

People and roles




1 **Six roles**
Viewer, Engineer, Reviewer, Chief Engineer, Administrator, StCd Owner.


2 **Colour is the level**
The role badge colour is the same everywhere it appears.

3 **Accounts by e-mail**
The e-mail address is fixed and links the Windows identity.

On a phone



Dashboard



Status codes

1 **Menu on demand**
A button opens the menu; Esc closes it.

2 **Touch-sized targets**
Buttons and links are at least 44 by 44 pixels.

3 **No horizontal page scroll**
Wide tables scroll inside their card.

Rules for every new screen

1	Use tokens, never colours	var(--color-surface), var(--tint-warn-bg) … A test fails on a hex colour outside the tokens.
2	Give a dark twin to a new token	A light token without a dark value would stay light on a dark page.
3	Label every control	A visible label or an accessible name; tables use scope on their headers.
4	Words for states, not only colour	Badges carry the state as text.
5	Translate every text	New words go through the confidence check and a separate approval.

The same rules, from login to release

- One shell, tokens for every colour, both themes
- Governance visible in every screen
- Version 4.18.1: 1,280 tests, 19 languages

