

Presented to:
Thinking Machines
Data Science

## Priority Areas for Reforestation

Analyzing vulnerability as a function of impact and adaptative capacity in order to classify priority areas for reforestation on regions affected by Typhoon Odette.

Presented by: Mark Anthony A. Cabanlit



#### Introduction

On 16 December 2021, Typhoon Rai (local name Odette) brought torrential rains, violent winds, landslides, and storm surges in the provinces of Surigao del Norte and Dinagat Islands in Mindanao, in five provinces of Visayas, and in the island of Palawan in Luzon before it exited the Philippine area of responsibility on 17 December. –UNHCR

## Super Typhoon Odette (Rai)








Almost 5 months after the typhoon, I am glad to say that we are slowly recovering from the damages brought about by the typhoon.

According to NDRRMC, there have been 2,276,535 affected families, 405 deaths, and almost 2M damaged houses.

A lot has changed most specially in the rural areas, almost no shade can be seen since most trees have been toppled down by the Typhoon and that includes the tree that destroyed our house.

Although a few of the houses have already been repaired within the span of a few months, unfortunately other factors such as trees would require more time to recover.


#### Track of Typhoon "ODETTE" {RAI}



## Study Area

The image on the left shows the path of Typhoon Rai when it passed the Philippines.

PRIORITY AREAS FOR REFORESTATION



## Study Area


The image on the left shows the path of Typhoon Rai when it passed the Philippines.

The regions that were affected includes: BARMM, CARAGA, Central Visayas, Eastern Visayas, Western Visayas, Zamboanga Peninsula, Northern Mindanao and Davao Region.

#### Identifying Priority Areas

The Intergovernmental Panel on Climate Change (IPCC; 2001) defines Vulnerability as "the degree to which a system is susceptible to, or unable to cope with, adverse effects of climate change, including climate variability and extremes." It is a function of (1) the degree of the system's Exposure to climate hazards; (2) its Sensitivity to such hazards; and (3) its Adaptive Capacity (IPCC, 2001)

For this particular use case, the impact has already been experienced so we will be tailoring our factors towards Impact instead of Potential Impact which is a function of Exposure and Sensitivity.




Adapted from Alino et.al (2013) guidebook on Vulnerability Assessment Tools for Coastal Ecosystems

PRIORITY AREAS FOR REFORESTATION 6

#### Identifying Priority Areas


The Intergovernmental Panel on Climate Change (IPCC; 2001) defines Vulnerability as "the degree to which a system is susceptible to, or unable to cope with, adverse effects of climate change, including climate variability and extremes." It is a function of (1) the degree of the system's Exposure to climate hazards; (2) its Sensitivity to such hazards; and (3) its Adaptive Capacity (IPCC, 2001)

For this particular use case, the impact has already been experienced so we will be tailoring our factors towards Impact instead of Potential Impact which is a function of Exposure and Sensitivity.




Adapted from Alino et.al (2013) guidebook on Vulnerability Assessment Tools for Coastal Ecosystems

PRIORITY AREAS FOR REFORESTATION 7




Here are the layers that are under the Impact factor of our analysis:


**□**Number of Deaths




- □Number of Deaths
- □Number of Injuries




- ■Number of Deaths
- □Number of Injuries
- **□**Number of Missing People



- ■Number of Deaths
- □Number of Injuries
- □Number of Missing People
- $\square$ Non-passable Roads



- ■Number of Deaths
- □Number of Injuries
- □Number of Missing People
- □Non-passable Roads
- ■Non-passable Bridges




Here are the layers that are under the Impact factor of our analysis:

■Number of Deaths


**□**Damaged Communication Lines

- □Number of Injuries
- □Number of Missing People
- □Non-passable Roads
- □Non-passable Bridges




- □Number of Deaths
- □Number of Injuries
- □Number of Missing People
- □Non-passable Roads
- □Non-passable Bridges

- □ Damaged Communication Lines
- ■Number of Damaged Houses




- □Number of Deaths
- ■Number of Injuries
- □Number of Missing People
- □Non-passable Roads
- □Non-passable Bridges

- □ Damaged Communication Lines
- □Number of Damaged Houses
- **□**Damage to Agriculture




- ■Number of Deaths
- □Number of Injuries
- □Number of Missing People
- □Non-passable Roads
- ■Non-passable Bridges

- □ Damaged Communication Lines
- ■Number of Damaged Houses
- □Damage to Agriculture
- **□**Damage to Infrastructure



- ■Number of Deaths
- □Number of Injuries
- □Number of Missing People
- □Non-passable Roads
- □Non-passable Bridges

- □ Damaged Communication Lines
- ■Number of Damaged Houses
- □Damage to Agriculture
- □Damage to Infrastructure
- □ Distance from Path of Typhoon




Here are the layers that are under the Impact factor of our analysis:

- □Number of Deaths
- ■Number of Injuries
- □Number of Missing People
- □Non-passable Roads
- □Non-passable Bridges

- □ Damaged Communication Lines
- □Number of Damaged Houses
- □Damage to Agriculture
- □Damage to Infrastructure
- □Distance from Path of Typhoon


#### **Converted Impact Layer**

•This layer is a combination of all the data above, which was then normalized and categorized into Low Impact, Medium Impact and High Impact.




Here are the layers that are under the Adaptive Capacity factor of our analysis:


□City / Municipality




- □City / Municipality
- □Regional GDP



- □City / Municipality
- □Regional GDP
- □Provincial 4 Pillars



- □City / Municipality
- □Regional GDP
- □ Provincial 4 Pillars
- **□**Land Cover




Here are the layers that are under the Adaptive Capacity factor of our analysis:

□City / Municipality


**□**Green Band

- □Regional GDP
- □ Provincial 4 Pillars
- □Land Cover




- □City / Municipality
- □Regional GDP
- □ Provincial 4 Pillars
- □Land Cover

- ☐Green Band
- □ Change in Global Tree Cover




- □City / Municipality
- □Regional GDP
- □ Provincial 4 Pillars
- □Land Cover

- ☐Green Band
- □ Change in Global Tree Cover
- □ Change in Global Biomass Carbon



- □City / Municipality
- □Regional GDP
- □ Provincial 4 Pillars
- □Land Cover

- ☐Green Band
- □ Change in Global Tree Cover
- □ Change in Global Biomass Carbon
- □Global Human Modification



Here are the layers that are under the Adaptive Capacity factor of our analysis:

□City / Municipality □Gree

□Regional GDP

□ Provincial 4 Pillars

□Land Cover

☐Green Band

□ Change in Global Tree Cover

□ Change in Global Biomass Carbon

□Global Human Modification

#### **Converted Adaptive Capacity Layer**


•This layer is a combination of all the data above, which was then normalized and categorized into Low Adaptive Capacity, Medium Adaptive Capacity and High Adaptive Capacity.

# Low Medium High

## Potential Sites

Candidate sites for reforestation can be estimated by cross referencing impact and adaptive capacity layers as per the table below.

Vulnerability						
Potential Impact	Adaptive Capacity					
		L	М	Н		
	L	М	L	L		
	М	Н	М	L		
	Н	Н	Н	М		



# Potential Sites

Candidate sites for reforestation can be estimated by cross referencing impact and adaptive capacity layers as per the table below.

Vulnerability						
Potential Impact	Adaptive Capacity					
		L	М	Н		
	L	М	L	L		
	М	Н	М	L		
	Н	Н	Н	М		



## Scope and Limitations

- ☐ Further information about the data can be found on the submitted data set guide file.
- ☐ Only limited analysis has been made on the number of factors and the factors involved due to the time constraint.
- ☐ Most adaptive capacity values are geared towards forest cover in order to have an estimate or partial representation of the environment's ability to adapt.
- ☐ Most impact values are based on the report from NDRRMC and the quality and the accuracy of the datasets as well as the overlay analysis has not been analyzed for possible errors
- □ NDVI can be used but due to the large nature of the study area, the presenter wasn't able to download it since the drive space cannot contain the NDVI pre and post typhoon.



### Recommendations

- □ Educate people on how to inspect the health of the tree. For example, checking for weakened structural integrity. Most of the structural damages in homes were caused by strong winds and as well as trees falling into the houses.
- □ Normalized Difference Vegetation Index can be a useful layer in this analysis (personnel may need larger cloud storage).
- ☐ On the ground data and as well as community interviews can be a good input into the analysis and would somehow supplement and validate the analysis from remotely sensed data.
- ☐ Tree species dataset can be helpful in the analysis.