

1. (35 points) An open-loop transfer function is given by,


$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.0606s + 7.0606}$$

Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?


- A.  $F(s) = -9.63637 + \frac{2.6212}{s}$
- B.  $F(s) = -2.6212 + \frac{0.5606}{s}$**
- C.  $F(s) = 0.86363 + \frac{1.1212}{s}$
- D.  $F(s) = -9.75758 + \frac{1.1212}{s}$
- E.  $F(s) = 0.74242 + \frac{2.6212}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?


A.



B.




3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.




A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?


$$\sum \theta = 115.1^\circ + 97.3^\circ + 32.4^\circ = 244.8^\circ$$




$$\sum \theta = 115.1^\circ + 97.3^\circ + 147.6^\circ = 360.0^\circ$$




$$\sum \theta = 115.1^\circ + 82.7^\circ + 32.4^\circ = 230.2^\circ$$



$$\sum \theta = 115.1^\circ + 97.3^\circ - 32.4^\circ = 180.0^\circ$$



$$\sum \theta = 64.9^\circ + 97.3^\circ + 32.4^\circ = 194.5^\circ$$



Q	A
1	B
2	A
3	D