



1. (35 points) An open-loop transfer function is given by,

$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.39899s + 7.39899}$$


Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?

- A. $F(s) = -3.29797 + \frac{0.89899}{s}$
- B. $F(s) = -7.60606 + \frac{3.29797}{s}$
- C. $F(s) = 2.89394 + \frac{1.79797}{s}$
- D. $F(s) = 2.09595 + \frac{3.29797}{s}$
- E. $F(s) = -8.40405 + \frac{1.79797}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?




3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.




A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?


$$\sum \theta = 117.4^\circ + 101.0^\circ + 38.3^\circ =$$



$$\sum \theta = 117.4^\circ + 101.0^\circ - 38.3^\circ =$$




$$\sum \theta = 117.4^\circ + 101.0^\circ + 141.7^\circ =$$



$$\sum \theta = 117.4^\circ + 79.0^\circ + 38.3^\circ =$$

D. \Im



$$\sum \theta = 62.6^\circ + 101.0^\circ + 38.3^\circ =$$

E. \Im

