

1. (35 points) An open-loop transfer function is given by,


$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.03029s + 7.03029}$$

Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?


- A. $F(s) = -9.8788 + \frac{1.0606}{s}$
- B. $F(s) = -2.5606 + \frac{0.53029}{s}$**
- C. $F(s) = -9.81819 + \frac{2.5606}{s}$
- D. $F(s) = 0.6212 + \frac{2.5606}{s}$
- E. $F(s) = 0.68181 + \frac{1.0606}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?


A.



B.




3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.




A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?


$$\sum \theta = 65.1^\circ + 96.9^\circ + 31.9^\circ = 193.9^\circ$$




$$\sum \theta = 114.9^\circ + 96.9^\circ + 148.1^\circ = 360.0^\circ$$




$$\sum \theta = 114.9^\circ + 83.1^\circ + 31.9^\circ = 229.9^\circ$$



$$\sum \theta = 114.9^\circ + 96.9^\circ - 31.9^\circ = 180.0^\circ$$



$$\sum \theta = 114.9^\circ + 96.9^\circ + 31.9^\circ = 243.8^\circ$$



Q	A
1	B
2	B
3	D