

1. (35 points) An open-loop transfer function is given by,


$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.21716s + 7.21716}$$

Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?


- A.  $F(s) = 1.36868 + \frac{2.93434}{s}$
- B.  $F(s) = -9.13132 + \frac{1.43434}{s}$
- C.  $F(s) = -2.93434 + \frac{0.71716}{s}$
- D.  $F(s) = -8.69698 + \frac{2.93434}{s}$
- E.  $F(s) = 1.80302 + \frac{1.43434}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?


A.



B.




3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.




A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?


$$\sum \theta = 116.1^\circ + 99.0^\circ - 35.1^\circ = 180.0^\circ$$




$$\sum \theta = 116.1^\circ + 81.0^\circ + 35.1^\circ = 232.1^\circ$$



$$\sum \theta = 116.1^\circ + 99.0^\circ + 144.9^\circ = 360.0^\circ$$



$$\sum \theta = 63.9^\circ + 99.0^\circ + 35.1^\circ = 198.0^\circ$$



Q	A
1	C
2	B
3	A