

1. (35 points) An open-loop transfer function is given by,


$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.13635s + 7.13635}$$

Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?


- A.  $F(s) = -9.18182 + \frac{2.77272}{s}$
- B.  $F(s) = -2.77272 + \frac{0.63635}{s}$**
- C.  $F(s) = -9.45456 + \frac{1.27272}{s}$
- D.  $F(s) = 1.31818 + \frac{1.27272}{s}$
- E.  $F(s) = 1.04544 + \frac{2.77272}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?


A.



B.




3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.




A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?


$$\sum \theta = 115.6^\circ + 98.1^\circ + 146.3^\circ = 360.0^\circ$$




$$\sum \theta = 64.4^\circ + 98.1^\circ + 33.7^\circ = 196.2^\circ$$




$$\sum \theta = 115.6^\circ + 98.1^\circ - 33.7^\circ = 180.0^\circ$$



$$\sum \theta = 115.6^{\circ} + 98.1^{\circ} + 33.7^{\circ} = 247.3^{\circ}$$



$$\sum \theta = 115.6^{\circ} + 81.9^{\circ} + 33.7^{\circ} = 231.1^{\circ}$$



Q	A
1	B
2	A
3	C