

RELEASE

Acme Kit

2.1.0

Build every report from one command, in
whatever format the reader asked for.

Six scripts, four formats, one deadline.

Every project grows its own build script, and then a second one for the slides, and a third for the print version. They drift. The one that matters is always the one nobody ran.

6

BUILD SCRIPTS

4

OUTPUT FORMATS

1

THAT GOT RUN

A build is a fact about a project, not a habit of the person who last shipped it.

One command, every target.

Declare the targets once. Acme Kit reads them, builds only what changed, and writes each one where it belongs.

```
targets:  
  report: {format: pdf,  profile: release}  
  slides: {format: html, profile: talk}  
  archive: {format: docx, profile: release}
```

```
acme build --profile release
```

Three places it earns its keep.

A report that ships monthly

The same command in the same order, so the December build is the January build.

A paper and a talk from one source

Two targets, one set of numbers. The slides cannot fall behind the manuscript.

A handover

The build is in the repository, not in the head of whoever set it up.

What changed.

new

Profiles. One target set, several build shapes, no duplicated configuration.

new

Incremental builds. Only the targets whose inputs moved are rebuilt.

fixed

Relative paths now resolve from the project root on every platform.

Upgrading is a version bump. Existing target files keep working unchanged.

Install and build.

```
brew install acme-kit && acme init
```

Source, documentation, and every template in this gallery:

github.com/mcanouil/typst-carousel-gallery

1

COMMAND

3

TARGETS

0

DRIFT