




RELEASE

Acme Kit

2.1.0

Build every report from one command, in whatever format the reader asked for.





THE GAP

Six scripts, four formats, one deadline.

Every project grows its own build script, and then a second one for the slides, and a third for the print version. They drift. The one that matters is always the one nobody ran.

A build is a fact about a project, not a habit of the person who last shipped it.



HOW IT WORKS

One command, every target.

Declare the targets once. Acme Kit reads them, builds only what changed, and writes each one where it belongs.

```
targets:
  report: {format: pdf,  profile: release}
  slides: {format: html, profile: talk}
  archive: {format: docx, profile: release}
```


```
acme build --profile release
```



acme.example/gallery

WHERE IT PAYS OFF

Three places it earns its keep.



Monthly

December's build is January's build.

One source

The slides cannot fall behind the manuscript.

Handover

The build is in the repository, not in a head.

IN 2.1.0

What changed.

new

Profiles. One target set, several build shapes, no duplicated configuration.

new

Incremental builds. Only the targets whose inputs moved are rebuilt.

fixed

Relative paths now resolve from the project root on every platform.

Upgrading is a version bump. Existing target files keep working unchanged.



github.com/mcanouil/typst-carousel-gallery

GET IT

Install and build.

```
brew install acme-kit && acme init
```

Source, documentation, and every template in this gallery:

github.com/mcanouil/typst-carousel-gallery