Working Title

Dr Massimiliano Canzi

 $May\ 5th\ 2022$

```
library(ggpubr)
## Loading required package: ggplot2
library(lme4)
## Loading required package: Matrix
## Registered S3 methods overwritten by 'lme4':
##
     method
                                      from
##
     cooks.distance.influence.merMod car
##
     influence merMod
                                      car
     dfbeta.influence.merMod
##
                                      car
     dfbetas.influence.merMod
##
                                      car
```

library(lmerTest)

##

Attaching package: 'lmerTest'

Section 1

Introduction

• Lab Manager / Data Scientist @ Uni Konstanz

- Lab Manager / Data Scientist @ Uni Konstanz
- PhD in Linguistics @ Uni of Manchester

- Lab Manager / Data Scientist @ Uni Konstanz
- PhD in Linguistics @ Uni of Manchester
- \bullet MSc Forensic Speech Science @ Uni of York

- Lab Manager / Data Scientist @ Uni Konstanz
- PhD in Linguistics @ Uni of Manchester
- MSc Forensic Speech Science @ Uni of York
- MA Linguistics @ Uni of Manchester

Interested in R, experimental design, reproducibility, open science

Planning a (linguistics) experiment and filming a Hollywood movie are not as far apart as you would think:

• Write a script

- Write a script
- Set a production budget

- Write a script
- Set a production budget
- \bullet Casting, locations, props, story boards

- Write a script
- Set a production budget
- Casting, locations, props, storyboards
- Shoot the film

- Write a script
- Set a production budget
- Casting, locations, props, storyboards
- Shoot the film
- Editing, colour grading, VFX

- Write a script
- Set a production budget
- Casting, locations, props, storyboards
- Shoot the film
- Editing, colour grading, VFX
- Press, festivals

Planning a (linguistics) experiment and filming a Hollywood movie are not as far apart as you would think:

• Formulate a research question

- Formulate a research question
- Budget, weight methodologies, availability of participants and tools

- Formulate a research question
- \bullet Budget, weight methodologies, availability of participants and tools
- Recruitment, equipment setup, hardware and software

- Formulate a research question
- \bullet Budget, weight methodologies, availability of participants and tools
- Recruitment, equipment setup, hardware and software
- Data collection

- Formulate a research question
- Budget, weight methodologies, availability of participants and tools
- Recruitment, equipment setup, hardware and software
- Data collection
- Data wrangling, analysis and visualisation

- Formulate a research question
- \bullet Budget, weight methodologies, availability of participants and tools
- Recruitment, equipment setup, hardware and software
- Data collection
- Data wrangling, analysis and visualisation
- Paper, conferences

Just like when shooting a film. Plan ahead.

Just like when shooting a film. Plan ahead.

The more things you can accurately predict and plan, the more solid your design and experiment will be. That's pretty much all there is to it.

Thank you!

Questions?

Just kidding

Just kidding

Important: Starting now, most of the advice in this presentation is based on personal experience. As often is the case, there are many ways one can reach a destination. I am simply presenting some of the tips that helped me along the way.

Section 2

Pre-Production

Research Questions

Research Questions

Section 3

Production

Section 4

Post-Production

Let's have a look at some R code

Welcome back!

Sometimes, it's not as straightforward i.e. the story of event-related potentials (ERP)

Standardisation

- Standardisation
- \bullet Supporting material

- Standardisation
- \bullet Supporting material
- ullet package report

We fitted a linear mixed model (estimated using REML and nloptwrap optimizer) to predict rt with condition, fricative and participant_device_type (formula: rt ~ condition * fricative + participant_device_type). The model included condition, participant_private_id and item as random effects (formula: list(~condition | participant_private_id, ~1 | item)). The model's total explanatory power is substantial (conditional R2 = 0.41) and the part related to the fixed effects alone (marginal R2) is of 0.08. The model's intercept, corresponding to condition = NM, fricative = FF and participant_device_type = computer, is at 6.89 (95% CI [6.81, 6.97], t(11044) = 171.01, p < .001). Within this model:

- The effect of condition [WM] is statistically non-significant and positive (beta = 4.10e-03, 95% CI [-0.04, 0.05], t(11044) = 0.17, p = 0.867; Std. beta = 7.57e-03, 95% CI [-0.08, 0.10])
- \bullet The effect of fricative [SH] is statistically significant and negative (beta = -0.22, 95% CI [-0.30, -0.15], t(11044) = -5.52, p < .001; Std. beta = -0.41, 95% CI [-0.56, -0.27]) ...

Analyses were conducted using the R Statistical language (version 4.0.3; R Core Team, 2020) on macOS Big Sur 10.16, using the packages ggpubr (version 0.4.0; Alboukadel Kassambara, 2020), Matrix (version 1.3.2; Douglas Bates and Martin Maechler, 2021), lme4 (version 1.1.26; Douglas Bates et al., 2015), ggplot2 (version 3.3.5; Wickham. ggplot2: Elegant Graphics for Data Analysis. Springer-Verlag New York, 2016.), stringr (version 1.4.0; Hadley Wickham, 2019), tidyr (version 1.1.2; Hadley Wickham, 2020), forcats (version 0.5.1; Hadley Wickham, 2021), readr (version 1.4.0; Hadley Wickham and Jim Hester, 2020), dplyr (version 1.0.4; Hadley Wickham et al., 2021), tibble (version 3.1.5; Kirill Müller and Hadley Wickham, 2021), lmerTest (version 3.1.3; Kuznetsova A et al., 2017), purrr (version 0.3.4; Lionel Henry and Hadley Wickham, 2020), sjPlot (version 2.8.9; Lüdecke D, 2021), viridis (version 0.5.1; Simon Garnier, 2018), viridisLite (version 0.4.0; Simon Garnier et al., 2021) and tidyverse (version 1.3.0; Wickham et al., 2019).

References

- Alboukadel Kassambara (2020). ggpubr: 'ggplot2' Based Publication Ready Plots. R package version 0.4.0. https://CRAN.R-project.org/package=ggpubr
- Douglas Bates and Martin Maechler (2021). Matrix: Sparse and Dense Matrix Classes and Methods. R package version 1.3-2. https://CRAN.R-project.org/package=Matrix
- Douglas Bates, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. Journal of Statistical Software, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- H. Wickham. ggplot2: Elegant Graphics for Data Analysis. Springer-Verlag New York, 2016.
- Hadley Wickham (2019). stringr: Simple, Consistent Wrappers for Common String Operations. R package version 1.4.0. https://CRAN.R-project.org/package=stringr ...