

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/31/2023

Completed Date: 7/31/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hooyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = Patient unable to communicate pain; lack of pain determined based upon patient behavior (patient presents with no signs/symptoms of pain)

97110 97110: Pt performed LUE therex in all planes tolerated while seated w/c utilizing 2# dumbbell to increase strength and endurance in prep for ADLs.

97112 97112: Pt performed static standing baance tasks at parallel bars with max x3 A to increase standing tolerance, standing balance, and facilitate normal movement patterns in prep for ADLs. Pt able to stand 3x for about 1-2 minutes each attempt before requiring rest break.

97530 97530: Pt performed bed mob rolling with mod A, able to roll L and R and grab bedrails with assistance for RUE. Pt contacted for bed > w/c transfer via hooyer lift, good tolerance. Pt performed w/c <> parallel bar transfer with max x3 A, limited strength in BUEs and BLEs affect performance.

97535 97535: Pt performed LB dressing tasks while supine with max A for donning pants, able to assist by lifting LLE to initially thread into pants, able to pull pants up to thighs utilizing LUE, able to roll L and R to hike pants with assistance. Pt performed UB dressing tasks while in w/c with mod A, able to doff gown with assistance, able to thread BUEs into sleeves of pullover shirt, able to pull shirt over head.

Response to Tx Response to Treatment: Pt was compliant with skilled instruction and treatment today with pleasant mood. Lethargic behavior initially, became more alert and pleasant as session continued. Pt remained sitting in w/c post-tx, endorsed to activities.
BP: 121/80

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = Unable

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Mod (A)

LB Dressing LB Dressing = Max (A)

Toileting Toileting = DNT

Transfers Shower Chair Transfers = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Jacob Wong, COTA 7/31/2023 03:56:52 PM PDT
Date

Cosignature: _____ Electronically co-signed by Josephine Tuvera, OTR 7/31/2023 04:21:26 PM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB: 2/1/1943

Date of Service: 7/30/2023

Completed Date: 7/30/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97110 97110: Pt performed BUE therex in all planes tolerated while seated w/c utilizing AROM for LUE and PROM for RUE to maintain joint integrity, increase strength and endurance in prep for ADLs.

97112 97112: Pt performed static standing balance tasks with parallel bars to increase standing tolerance and standing balance in prep for ADLs. Pt able to tolerate about 1 min of standing before requiring rest break, performed 2x.

97530 97530: Pt performed bed mob supine <> EOB with max A, able to roll L and R and grab bedrails as enablers with assistance.
Pt contacted for bed > w/c transfer with TD+, hoyer transfer initiated.

97535 97535: Pt performed UB dressing while EOB with mod A, able to thread BUEs out of gown and into sleeve of button up shirt, assistance for wrapping around back, assistance for buttoning shirt.
Pt performed LB dressing tasks while supine with max A, able to assist for initially threading BLEs into shorts, able to pull up to thighs with LUE, able to roll L and R and hike shorts to waist with assistance.

Response to Tx Response to Treatment: Pt was compliant with skilled instruction and treatment today with pleasant mood. Pt mostly nonverbal, but able to communicate with facial gestures and understand instructions. Pt remained sitting in w/c with call light and needs met.

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = Unable

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Mod (A)

LB Dressing LB Dressing = Max (A)

Toileting Toileting = DNT

Transfers Shower Chair Transfers = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Jacob Wong, COTA 7/30/2023 03:26:43 PM PDT
Date

Cosignature: _____ Electronically co-signed by Josephine Tuvera, OTR 7/31/2023 10:39:20 AM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/29/2023

Completed Date: 7/29/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97112 97112: bilateral integration techniques, facilitation of patterned movements and facilitation of crossing mid-line to increase independence with ADL tasks.

97530 97530: Therapeutic Activities: bed mobility activities to increase functional skills, training in rolling, scooting, bridging to facilitate (I) bed mobility, facilitation of postural control and strengthening activities to increase functional task performance. supine <> sit TD. sit <> stand using side rail to increase independence during ADL tasks with TD+.

97535 97535: Patient completed UB dressing such as doffing gown/don overhead shirt using hemi dressing technique with mod (a). LB dressing don pants at bed level with TD+. Don socks with TD assist.

Response to Tx Response to Treatment: Tolerated treatment well with rest breaks as needed.

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = Unable

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Mod (A)

LB Dressing LB Dressing = Total Dependence w/attempts to initiate

Toileting Toileting = DNT

Transfers Shower Chair Transfers = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Nazakath Kargar, COTA 7/29/2023 02:39:08 PM PDT
Date

Cosignature: _____ Electronically co-signed by Josephine Tuvera, OTR 7/31/2023 10:39:20 AM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V
MRN: 2020530 **DOB:** 2/1/1943

Date of Service: 7/28/2023 **Completed Date: 7/28/2023**

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley, NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97110 97110: R UE PROM and L UE AROM completed in all available planes as tolerated to increase strength, ROM and endurance needed for ADL tasks. Rest breaks provided as needed to increase endurance.

97112 97112: bilateral integration techniques, facilitation of patterned movements and facilitation of crossing mid-line to increase independence with functional tasks.

97530 97530: Therapeutic Activities: facilitation of postural control, reaching for cones in multiple planes seated wc level to increase postural control, hand-eye coordination, ROM and strength needed for ADL tasks.

Response to Tx Response to Treatment: Patient endorsed with daughter at end of treatment with all needs met. Tolerated treatment well with increase rest breaks due to sleepiness/low endurance.

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = Unable

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Mod (A)

LB Dressing LB Dressing = DNT

Toileting Toileting = DNT

Transfers Shower Chair Transfers = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Nazakath Kargar, COTA 7/28/2023 02:29:07 PM PDT
 Date

Cosignature: _____ Electronically co-signed by Josephine Tuvera, OTR 7/28/2023 04:19:09 PM PDT
 Date

Revision Signature: _____ Electronically signed by Nazakath Kargar, COTA 7/29/2023 06:56:58 AM PDT
 Date

[HO CAO] : Treatment Encounter Note(s)
Discipline: OT

Changes For: 7/29/2023 6:56:58 AM

Assessment

Changes	Modified By
97530 Ther Act : Current Value changed from "Therapeutic Activities: facilitation of postural control, reaching for cones in multiple seated wc level to increase postural control, hand-eye, ROM and strength needed for ADL tasks. " to "Therapeutic Activities: facilitation of postural control, reaching for cones in multiple planes seated wc level to increase postural control, hand-eye coordination, ROM and strength needed for ADL tasks. "	Kargar, Nazakath

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/27/2023

Completed Date: 7/28/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97110 97110: Pt completed self-ROM ie elbow flexion and (R) UE PROM exercises 3 sets x 10 reps to increase strength, flexibility and endurance while seated in w/c.

97112 97112: Pt completed sitting balance activity ie reaching for cones to improve postural control/alignment, increase sitting balance and tolerance in preparation for ADLs. Pt also completed static standing balance in the parallel bars x 3 reps to increase standing balance and tolerance.

97535 97535: Pt required mod A to doff/don gown while seated in w/c.

Response to Tx Response to Treatment: Fair. BP: 143/86 mmHg, HR 71 bpm. Left Pt sitting up in w/c in dining with activities post tx. Pt was endorsed to activity assistant, Cristobal.

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = Unable

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Mod (A)

LB Dressing LB Dressing = DNT

Toileting Toileting = DNT

Original Signature: _____

Electronically signed by Colleen Lew, OTR/L _____

7/28/2023 01:13:30 PM PDT

Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/26/2023

Completed Date: 7/26/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97110 97110: Patient engaged in RUE PROM in multiple planes to maintain ROM and prevent contractures

97530 97530: Patient found in supine, transitioned to EOB with TD+ x2, transferred to the w/c with TDx2

97535 97535: Patient did UBD with mod assist and LBD with TD+

Response to Tx Response to Treatment: Cooperative. Tx tolerance F d/t being compliant and trying. At end left patient in w/c eating breakfast with CNA aware and taking over care

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = Unable

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Mod (A)

LB Dressing LB Dressing = Total Dependence w/attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Transfers Shower Chair Transfers = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Marina Armendariz, COTA 7/26/2023 08:54:09 AM PDT
Date

Cosignature: _____ Electronically co-signed by Mohammed Saeed Mohammed Hussein, OT 7/28/2023 01:47:51 PM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/25/2023

Completed Date: 7/25/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97110 97110: Pt performed LUE therex in all planes tolerated while seated semi fowlers position utilizing AROM to increase strength and endurance in prep for ADLs.

97112 97112: Pt performed dynamic sitting balance task while in semi fowlers position utilizing funxl reach, weight shifting, and right self ability to increase trunk control, sitting balance, and facilitate normal movement patterns in prep for ADLs. Pt able to cross midline with LUE, able to weight shift and reach all targets with good tolerance.

Response to Tx Response to Treatment: Pt was compliant with most (refused ADLs today) skilled instruction and treatment today, however required increased time to complete tasks. Pt remained in semi fowlers position with call light and needs met.

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = Unable

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Mod (A)

LB Dressing LB Dressing = Total Dependence w/attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Transfers Shower Chair Transfers = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Jacob Wong, COTA 7/25/2023 03:36:24 PM PDT
Date

Cosignature: _____ Electronically co-signed by Josephine Tuvera, OTR 7/28/2023 04:19:09 PM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/24/2023

Completed Date: 7/24/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97110 97110: Patient engaged in RUE PROM to maintain ROM and prevent contractures

97530 97530: Patient found in supine, log roll to the R with mod assist and to the L with TD+, transitioned to EOB with TD+, transfer to the w/c with TD+ x2.

97535 97535: Patient did UBD with mod assist and LBD with TD+

Response to Tx Response to Treatment: Cooperative. Tx tolerance Poor d/t being weak. At end left patient in the activities room with needs met

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = Unable

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Mod (A)

LB Dressing LB Dressing = Total Dependence w/ attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Transfers Shower Chair Transfers = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Marina Armendariz, COTA 7/24/2023 11:51:23 AM PDT
Date

Cosignature: _____ Electronically co-signed by Kassandra Casino, OTR 7/25/2023 07:06:56 AM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/23/2023

Completed Date: 7/23/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97110 97110: Pt engaged in BUE exercises to increase strength and endurance for self care tasks. Pt was given breaks as needed.

97535 97535: Pt participated in Self Feeding utilizing plate guard with MinA, however pt required VCs for initiation and an extended period of time to complete task.

Response to Tx Response to Treatment: Pt participated in all activities. Pt was left in room with call light, all needs were met.

BO 121/75, Pulse 76

Functional Status as a Result of Skilled Interventions

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Mod (A)

LB Dressing LB Dressing = Total Dependence w/ attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Transfers Shower Chair Transfers = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Ivette Resendiz, COTA 7/23/2023 12:55:27 PM PDT
Date

Cosignature: _____ Electronically co-signed by Julie Bergh, OTR 8/1/2023 10:58:07 AM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/22/2023

Completed Date: 7/22/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97110 97110: Facilitated AROM therex to (L) UE and self-AAROM to (R) UE while seated in a w/c to promote concentric muscle contraction, increase muscle strength, and to overall improve functional activity tolerance needed for greater ADL (I).

97112 97112: Post-therex, patient engaged in a seated balance training w/ during table top activity and emphasis on object placement/release techniques to promote bilateral integration/manipulation, improve kinesthetic awareness needed for carryover to seated ADL tasks.

97535 97535: SELF-FEEDING: Min (A) to scoop/load food onto spoon requiring HOH and > 35% verbal/visual cues for proper technique w/ adult grasp pattern and min spillage noted; patient also had dropped spoon.

UPPER BODY DRESSING: Mod (A) to donn/doff shirt while seated upright in a w/c requiring > 35% verbal/visual cues for use of one handed technique and threading sequence.

LOWER BODY DRESSING: DNT d/t patient requesting to go BTB and w/ poor activity tolerance

Response to Tx Response to Treatment: Fair. Patient tolerated tx well, required MOD verbal cues for redirection and overall safety awareness d/t reduced level of alertness.

Additional Skill Additional Skilled Services: BP 140/83 mmHg, HR 95

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = Unable

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Mod (A)

LB Dressing LB Dressing = Total Dependence w/attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Transfers Shower Chair Transfers = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Andrew Pimentel, COTA 7/22/2023 06:14:09 PM PDT
Date

Cosignature: _____ Electronically co-signed by Colleen Lew, OTR/L 7/27/2023 01:54:37 PM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/21/2023

Completed Date: 7/21/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97110 97110: Patient performed BUE ther ex doing AROM on LUE and PROM on RUE to increase strength and prevent contractures

97530 97530: Patient found in supine, transitioned to EOB with TD+, engaged in EOB sitting balance with poor sitting balance, transfered to shower chair with TDx2

Response to Tx Response to Treatment: Cooperative but sleepy. Tx tolerance poor. At end left patient in the shower chair with CNA taking over

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = Unable

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Max (A)

LB Dressing LB Dressing = Total Dependence w/attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Transfers Shower Chair Transfers = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Marina Armendariz, COTA 7/21/2023 03:15:37 PM PDT
Date

Cosignature: _____ Electronically co-signed by Kassandra Casino, OTR 7/22/2023 07:14:14 AM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB: 2/1/1943

Date of Service: 7/20/2023

Completed Date: 7/20/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97530 97530: Therapeutic Activities: bed mobility activities to increase functional skills and training in rolling, scooting, bridging to facilitate (I) bed mobility training in log rolling technique to increase independence in bed mobility tasks, instruction in use of handrails to facilitate rolling to side(s) to come to sitting, instruction in crossing midline, rolling and coming to sit while in bed and instruction in scooting forward, backward, side to side in sitting.

97535 97535: SELF-FEEDING: Min (A) during cup management, followed by reaching to grasp for standard utensil and HOH for initial grasping pattern to scoop/load food onto spoon. Minimal spillage noted.

UPPER BODY DRESSING: DNT at this time d/t IV

LOWER BODY DRESSING: TD+/Max (A) to don/doff pants while supine in bed requiring physical assistance to thread bilateral LEs, requiring > 75% multi-sensory cues for use of compensatory technique (bridging), threading sequence, and overall proper technique needed to complete task.

Response to Tx Response to Treatment: Fair. Patient stated that he has been feeling good, is overall receptive and agreeable to OT tx interventions this afternoon. During tx interventions, patient does require MOD multi-sensory cueing d/t reduced attention skills, poor voluntary muscle control, and noted mild forgetfulness when instructing patient proper UE hand placement needed to maintain a seated upright posture. Patient later requested to go BTB do feeling fatigued. Patient tolerated tx well, no c/o pain or any s/s of discomfort noted throughout.

Additional Skill Additional Skilled Services: Initial tx encounter; BP 122/73 mmHg, HR 78 bpm.

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = DNT

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Max (A)

LB Dressing LB Dressing = Total Dependence w/attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Andrew Pimentel, COTA 7/21/2023 12:03:36 PM PDT
Date

Cosignature: _____ Electronically co-signed by Colleen Lew, OTR/L 7/22/2023 03:00:15 PM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/19/2023

Completed Date: 7/19/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam". IV on RUE.

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97112 97112: Pt tolerated repositioning while seated in w/c to facilitate proper body alignment, upright posture, improve proprioception, and to improve time out of bed. Pt may benefit from reclining w/c with removable arm rests.

97530 97530: Pt completed bed mobility task for rolling L<>R during care and for hoyer sling placement, requiring TD+. Pt tolerated hoyer transfer to w/c with TD.

97535 97535: Pt completed self-feeding task while seated in w/c with min A for placement of food items within reach and verbal reminders for smaller bites during meals. Pt may benefit from plate guard to assist with scooping food onto utensil d/t decreased coordination. Pt tolerated pants application at bed level with TD+, pt able to assist with hiking garment via bridging given mod verbal cues for sequencing.

Response to Tx Response to Treatment: Fair given rest breaks. Pt remained seated in w/c with breakfast tray, CNA notified and made aware regarding pt requiring additional assistance for duration of meal. Call light within reach, needs met.

Vitals seated in w/c: 127/79 Hg, HR 56 bpm

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = DNT

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Max (A)

LB Dressing LB Dressing = Total Dependence w/attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Original Signature: _____

Electronically signed by Kassandra Casino, OTR

7/20/2023 07:13:31 AM PDT

Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB: 2/1/1943

Date of Service: 7/18/2023

Completed Date: 7/18/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam"

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97530 97530: Pt completed bed mobility activities to increase functional skills, training in rolling, scooting, bridging to facilitate (l) bed mobility requiring TD for rolling and BLE management OOB. Pt completed functional transfer training from EOB <> w/c requiring TD for lift and safety balance for transfer to increase functional task performance.

97535 97535: Pt completed donning t-shirt at EOB requiring max A for threading overhead and BUE. Pt completed donning pants in supine requiring TD for initial threading over B feet and pulling pants over hips.

Response to Tx Response to Treatment: Pt was seen in room. BP was noted 136/76mmHg, Hr 87bpm, O2 95 (room air). Pt had poor tolerance of OT session. Following OT session pt participated with PT.

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = DNT

Self Feeding Self Feeding = Min (A)

UB Dressing UB Dressing = Max (A)

LB Dressing LB Dressing = Total Dependence w/o attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Jane Pham, COTA 7/18/2023 05:41:29 PM PDT
Date

Cosignature: _____ Electronically co-signed by Kassandra Casino, OTR 7/19/2023 07:23:14 AM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/17/2023

Completed Date: 7/17/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam"

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97110 97110: Pt completed PROM of RUE and AROM of LUE for all available planes to increase strength and functional endurance necessary for self-care participation.

97535 97535: Pt completed oral hygiene and grooming in long sitting bed with CGA.

Response to Tx Response to Treatment: Pt was seen in room. BP was noted 136/76mmHg, Hr 89bpm, O2 95 (room air). Pt had poor tolerance of OT session and was lethargic during activities. Pt remained in long sitting bed post-tx. Call light within reach. Needs met.

Functional Status as a Result of Skilled Interventions

Self Feeding Self Feeding = Mod (A)

UB Dressing UB Dressing = Max (A)

LB Dressing LB Dressing = Total Dependence w/o attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Jane Pham, COTA 7/17/2023 05:21:02 PM PDT
Date

Cosignature: _____ Electronically co-signed by Kassandra Casino, OTR 7/18/2023 07:25:47 AM PDT
Date

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V
MRN: 2020530 **DOB:** 2/1/1943

Date of Service: 7/16/2023 **Completed Date: 7/16/2023**

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam"

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

97110 97110: Pt completed PROM of RUE and AROM of LUE for all available planes to increase strength and functional endurance necessary for self-care participation.

97112 97112: Pt was repositioned in bed to increase upright posture, pressure distribution, prevent skin breakdown and musculature/postural control in transitional task for self-care activities.

97535 97535: Pt completed self-feeding task while long sitting in bed with mod A for utilizing utensil for scooping food items, however was able to bring hand to mouth with CGA. Pt requires verbal cues for slower pacing during food intake.

Response to Tx Response to Treatment: Pt was seen in room with his daughter present. BP was noted 138/76mmHg, hr 89bpm, O2 95 (room air). Pt had poor tolerance of OT session and was lethargic during activities. Pt remained in long sitting bed post-tx. Call light within reach. Needs met.

Functional Status as a Result of Skilled Interventions

Sitting Balance Sitting During ADLs = Poor

Standing Balance Standing During ADLs = DNT

Self Feeding Self Feeding = Mod (A)

UB Dressing UB Dressing = Max (A)

LB Dressing LB Dressing = Total Dependence w/o attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Original Signature: _____ Electronically signed by Jane Pham, COTA 7/16/2023 04:26:09 PM PDT
 Date

Cosignature: _____ Electronically co-signed by Kassandra Casino, OTR 7/19/2023 07:23:14 AM PDT
 Date

Revision Signature: _____ Electronically signed by Jane Pham, COTA 7/18/2023 01:35:30 PM PDT
 Date

[HO CAO] : Treatment Encounter Note(s)
Discipline: OT

Changes For: 7/18/2023 1:35:30 PM

Assessment	
Changes	Modified By
97535 Self Care : Current Value changed from "Pt completed self-feeding in long sitting bed requiring mod A verbal cues for reminding to swallow slowly and mod A for utilizing utensils to scoop food in plate then he was able to hold spoon to bring food to mouth with CGA. " to "Pt completed self-feeding task while long sitting in bed with mod A for utilizing utensil for scooping food items, however was able to bring hand to mouth with CGA. Pt requires verbal cues for slower pacing during food intake."	Pham, Jane

**Occupational Therapy
Treatment Encounter Note(s)**

Provider: The Pavilion at Sunny Hills

CAO, HO V

Identification Information

Patient: CAO, HO V

MRN: 2020530

DOB:

2/1/1943

Date of Service: 7/15/2023

Completed Date: 7/15/2023

Summary of Daily Skilled Services

Precautions Precautions: Fall risk. Check vitals. (+) foley. NTL/Puree. Coordinate with PT d/t low endurance, 2 person assist for safety. RUE flaccid, sling for OOB. Please have hoyer sling in w/c. R lap tray on w/c. Likes to go by "Sam"

Pain Assessment Pain = No pain present, per patient verbal and nonverbal communication

Response to Tx Response to Treatment: Pt had F tolerance of eval, agreeable to POC. At end of session, pt was returned to bed per request, call light within reach, needs met.

Vitals at rest: 123/83 mmHg, HR 86 bpm, O2 sat 96% on room air

Vitals after activities: 138/87 mmHg, HR 69 bpm, O2 sat 96% on room air

Functional Status as a Result of Skilled Interventions

Self Feeding Self Feeding = Max (A)

UB Dressing UB Dressing = Max (A)

LB Dressing LB Dressing = Total Dependence w/o attempts to initiate

Toileting Toileting = Total Dependence w/o attempts to initiate

Original Signature:

Electronically signed by Kassandra Casino, OTR

7/15/2023 01:29:48 PM PDT

Date