INSTITUTO TECNOLÓGICO CAMPUS VILLAHERMOSA

ALUMNO:

Victor Raúl García García

MATERIA:

Administración de redes

DOCENTE:

Jesús Junior Canales Obeso

CARRERA:

Ing. Sistemas Computacionales

TOPOLOGÍA


Server-PT
HP_MAIN
192.168.1.3
Server-PT
HP_ESPEJO
192.168.1.4
192.168.0.0
2960-24TT
COMPUTO
192.168.1.2
192.168.1.1
192.168.2.1
2911
ACADEMICO
192.168.3.1
PC-PT
PC2
192.168.2.3
PC-PT
PC0
192.168.3.3
2960-24TT
ADMINISTRACION
192,168.2.2
192.168.3.2
2960-24TT
BASICAS
PC-PT
PC3
192.168.2.4
PC-PT
PC1
192.168.3.4
Laptop-PT
Laptop2
192.168.2.5
AccessPoint-PT-A
ADMINISTRACION WIFI 2.4
AccessPoint-PT-N
BASICAS WIFI 5.0
Laptop-PT
192.168.3.5
Victor Raúl García García
Laptop-PT
Laptop3
192.168.2.6
Laptop-PT
192.168.3.6

PING 192.168.1.1 / 1.4

Physical | Config | Services | Desktop | Programming | Attributes

Command Prompt

```
Cisco Packet Tracer SERVER Command Line 1.0
C:\>ping 192.168.1.1

Pinging 192.168.1.1 with 32 bytes of data:

Reply from 192.168.1.1: bytes=32 time<1ms TTL=255
Reply from 192.168.1.1: bytes=32 time<1ms TTL=255
Reply from 192.168.1.1: bytes=32 time<1ms TTL=255
Reply from 192.168.1.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.1.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.1.2

Pinging 192.168.1.2 with 32 bytes of data:

Request timed out.
Reply from 192.168.1.2: bytes=32 time<1ms TTL=255
Reply from 192.168.1.2: bytes=32 time<1ms TTL=255
Reply from 192.168.1.2: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.1.2:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.1.2

Pinging 192.168.1.2 with 32 bytes of data:

Reply from 192.168.1.2: bytes=32 time<1ms TTL=255
Reply from 192.168.1.2: bytes=32 time<1ms TTL=255
Reply from 192.168.1.2: bytes=32 time<1ms TTL=255
Reply from 192.168.1.2: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.1.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
```

```
C:\>ping 192.168.1.3

Pinging 192.168.1.3 with 32 bytes of data:

Reply from 192.168.1.3: bytes=32 time<1ms TTL=128
Reply from 192.168.1.3: bytes=32 time<1ms TTL=128
Reply from 192.168.1.3: bytes=32 time<1ms TTL=128
Reply from 192.168.1.3: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.1.4

Pinging 192.168.1.4 with 32 bytes of data:

Reply from 192.168.1.4: bytes=32 time=4ms TTL=128
Reply from 192.168.1.4: bytes=32 time=4ms TTL=128
Reply from 192.168.1.4: bytes=32 time<1ms TTL=128
Reply from 192.168.1.4: bytes=32 time=4ms TTL=128

Ping statistics for 192.168.1.4:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 4ms, Average = 3ms

C:\>
```

PING 192.168.2.1 / 2.6

Command Prompt

```
    Minimum = 14ms, Maximum = 26ms, Average = 20ms

C:\>ping 192.168.2.1

Pinging 192.168.2.1 with 32 bytes of data:

Reply from 192.168.2.1: bytes=32 time<1ms TTL=255
Reply from 192.168.2.1: bytes=32 time<1ms TTL=255
Reply from 192.168.2.1: bytes=32 time<1ms TTL=255
Reply from 192.168.2.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.2.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.2.2

Pinging 192.168.2.2 with 32 bytes of data:

Reply from 192.168.2.2: bytes=32 time<1ms TTL=254
Reply from 192.168.2.2: bytes=32 time<1ms TTL=254
Reply from 192.168.2.2: bytes=32 time<1ms TTL=254
Reply from 192.168.2.2: bytes=32 time<1ms TTL=254

Ping statistics for 192.168.2.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.2.3

Pinging 192.168.2.3 with 32 bytes of data:

Reply from 192.168.2.3: bytes=32 time<1ms TTL=127
Reply from 192.168.2.3: bytes=32 time<1ms TTL=127
Reply from 192.168.2.3: bytes=32 time<1ms TTL=127
Reply from 192.168.2.3: bytes=32 time<1ms TTL=127

Ping statistics for 192.168.2.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

Command Prompt

```
C:\>ping 192.168.2.4

Pinging 192.168.2.4 with 32 bytes of data:

Reply from 192.168.2.4: bytes=32 time<1ms TTL=127
Reply from 192.168.2.4: bytes=32 time<1ms TTL=127
Reply from 192.168.2.4: bytes=32 time<1ms TTL=127
Reply from 192.168.2.4: bytes=32 time<1ms TTL=127

Ping statistics for 192.168.2.4:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.2.5

Pinging 192.168.2.5 with 32 bytes of data:

Reply from 192.168.2.5: bytes=32 time=38ms TTL=127
Reply from 192.168.2.5: bytes=32 time=16ms TTL=127
Reply from 192.168.2.5: bytes=32 time=22ms TTL=127
Reply from 192.168.2.5: bytes=32 time=14ms TTL=127

Ping statistics for 192.168.2.5:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 14ms, Maximum = 38ms, Average = 22ms

C:\>ping 192.168.2.6

Pinging 192.168.2.6 with 32 bytes of data:

Reply from 192.168.2.6: bytes=32 time=17ms TTL=127
Reply from 192.168.2.6: bytes=32 time=21ms TTL=127
Reply from 192.168.2.6: bytes=32 time=20ms TTL=127
Reply from 192.168.2.6: bytes=32 time=23ms TTL=127

Ping statistics for 192.168.2.6:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 17ms, Maximum = 23ms, Average = 20ms

C:\>
```

PING 192.168.3.1 / 3.6

Command Prompt

```
C:\>ping 192.168.3.1

Pinging 192.168.3.1 with 32 bytes of data:

Reply from 192.168.3.1: bytes=32 time<1ms TTL=255
Reply from 192.168.3.1: bytes=32 time<1ms TTL=255
Reply from 192.168.3.1: bytes=32 time<1ms TTL=255
Reply from 192.168.3.1: bytes=32 time=1ms TTL=255

Ping statistics for 192.168.3.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.3.2

Pinging 192.168.3.2 with 32 bytes of data:

Reply from 192.168.3.2: bytes=32 time<1ms TTL=254
Reply from 192.168.3.2: bytes=32 time<1ms TTL=254
Reply from 192.168.3.2: bytes=32 time<1ms TTL=254
Reply from 192.168.3.2: bytes=32 time<1ms TTL=254

Ping statistics for 192.168.3.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.3.3

Pinging 192.168.3.3 with 32 bytes of data:

Reply from 192.168.3.3: bytes=32 time<1ms TTL=127
Reply from 192.168.3.3: bytes=32 time<1ms TTL=127
Reply from 192.168.3.3: bytes=32 time<1ms TTL=127
Reply from 192.168.3.3: bytes=32 time<1ms TTL=127

Ping statistics for 192.168.3.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

Command Prompt

```
C:\>ping 192.168.3.4

Pinging 192.168.3.4 with 32 bytes of data:

Reply from 192.168.3.4: bytes=32 time<1ms TTL=127
Reply from 192.168.3.4: bytes=32 time<1ms TTL=127
Reply from 192.168.3.4: bytes=32 time<1ms TTL=127
Reply from 192.168.3.4: bytes=32 time<1ms TTL=127

Ping statistics for 192.168.3.4:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.3.5

Pinging 192.168.3.5 with 32 bytes of data:

Reply from 192.168.3.5: bytes=32 time=16ms TTL=127
Reply from 192.168.3.5: bytes=32 time=22ms TTL=127
Reply from 192.168.3.5: bytes=32 time=18ms TTL=127
Reply from 192.168.3.5: bytes=32 time=11ms TTL=127

Ping statistics for 192.168.3.5:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 11ms, Maximum = 22ms, Average = 16ms

C:\>ping 192.168.3.6

Pinging 192.168.3.6 with 32 bytes of data:

Reply from 192.168.3.6: bytes=32 time=25ms TTL=127
Reply from 192.168.3.6: bytes=32 time=9ms TTL=127
Reply from 192.168.3.6: bytes=32 time=9ms TTL=127
Reply from 192.168.3.6: bytes=32 time=12ms TTL=127

Ping statistics for 192.168.3.6:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 9ms, Maximum = 25ms, Average = 13ms

C:\>
```