CSCE 548

Task Manager Service Frontend

Project 3 web client that exercises all available GET service methods.

API Base URL

http://localhost:8080/api

Apply

Run Full GET Demo

Complete

Users

Get All Users

1

Get User By ID

```
[
  "userId": 1,
  "name": "Alice"
]
```

Categories

Get All Categories

1

Get Category By ID

```
[
  "categoryId": 1,
  "name": "School"
]
```

Tasks

Get All Tasks

Get Tasks With User/Category Names

1

Get Task By ID

```
[
  "1) [Alice] (School) - Study for midterm",
  "2) [Alice] (Work) - Finish project report",
  "3) [Alice] (Personal) - Clean room [DONE]",
  "4) [Alice] (Health) - Go for a run",
  "5) [Alice] (Errands) - Buy groceries [DONE]",
  "6) [Bob] (School) - Read chapter 5 [DONE]",
  "7) [Bob] (Work) - Prepare slides",
  "8) [Bob] (Personal) - Call mom [DONE]",
  "9) [Bob] (Health) - Doctor appointment",
  "10) [Bob] (Errands) - Pick up laundry [DONE]",
  "11) [Charlie] (School) - Submit homework [DONE]",
  "12) [Charlie] (Work) - Team meeting",
  "13) [Charlie] (Personal) - Watch a movie [DONE]",
  "14) [Charlie] (Health) - Gym workout",
  "15) [Charlie] (Errands) - Post office visit [DONE]",
  "16) [Dana] (School) - Group study",
```

Activity Log

Each line shows the endpoint call and HTTP status.

```
[9:27:10 PM] Full GET demo complete
[9:27:10 PM] GET /tasks/with-names -> HTTP 200 (10 ms)
[9:27:10 PM] GET /tasks/1 -> HTTP 200 (10 ms)
[9:27:10 PM] GET /tasks -> HTTP 200 (10 ms)
[9:27:10 PM] GET /categories/1 -> HTTP 200 (10 ms)
[9:27:10 PM] GET /categories -> HTTP 200 (10 ms)
[9:27:10 PM] GET /users/1 -> HTTP 200 (10 ms)
[9:27:10 PM] GET /users -> HTTP 200 (367 ms)
[9:27:09 PM] Starting full GET demo
[9:27:09 PM] Client initialized
```

http://localhost:8080/api

Apply

Run Full GET Demo

Complete

Users

Get All Users

1

Get User By ID


```
{
  "userId": 1,
  "name": "Alice"
}
```


Categories

Get All Categories

1

Get Category By ID


```
{
  "categoryId": 1,
  "name": "School"
}
```


Tasks

Get All Tasks

Get Tasks With User/Category Names

1

Get Task By ID


```
[
  "1) [Alice] (School) - Study for midterm",
  "2) [Alice] (Work) - Finish project report",
  "3) [Alice] (Personal) - Clean room [DONE]",
  "4) [Alice] (Health) - Go for a run",
  "5) [Alice] (Errands) - Buy groceries [DONE]",
  "6) [Bob] (School) - Read chapter 5 [DONE]",
  "7) [Bob] (Work) - Prepare slides",
  "8) [Bob] (Personal) - Call mom [DONE]",
  "9) [Bob] (Health) - Doctor appointment",
  "10) [Bob] (Errands) - Pick up laundry [DONE]",
  "11) [Charlie] (School) - Submit homework [DONE]",
  "12) [Charlie] (Work) - Team meeting",
  "13) [Charlie] (Personal) - Watch a movie [DONE]",
  "14) [Charlie] (Health) - Gym workout",
  "15) [Charlie] (Errands) - Post office visit [DONE]",
  "16) [Dana] (School) - Group study",
```


Activity Log

Each line shows the endpoint call and HTTP status.

```
[9:27:20 PM] Full GET demo complete
[9:27:20 PM] GET /tasks/with-names -> HTTP 200 (33 ms)
[9:27:20 PM] GET /tasks/1 -> HTTP 200 (29 ms)
[9:27:20 PM] GET /tasks -> HTTP 200 (39 ms)
[9:27:20 PM] GET /categories/1 -> HTTP 200 (41 ms)
[9:27:20 PM] GET /categories -> HTTP 200 (46 ms)
[9:27:20 PM] GET /users/1 -> HTTP 200 (95 ms)
```

Users

Get All Users

1 | Get User By ID


```
{
  "userId": 1,
  "name": "Alice"
}
```


Categories

Get All Categories

1 | Get Category By ID


```
{
  "categoryId": 1,
  "name": "School"
}
```


Tasks

Get All Tasks

Get Tasks With User/Category Names

1 | Get Task By ID


```
[
  "1) [Alice] (School) - Study for midterm",
  "2) [Alice] (Work) - Finish project report",
  "3) [Alice] (Personal) - Clean room [DONE]",
  "4) [Alice] (Health) - Go for a run",
  "5) [Alice] (Errands) - Buy groceries [DONE]",
  "6) [Bob] (School) - Read chapter 5 [DONE]",
  "7) [Bob] (Work) - Prepare slides",
  "8) [Bob] (Personal) - Call mom [DONE]",
  "9) [Bob] (Health) - Doctor appointment",
  "10) [Bob] (Errands) - Pick up laundry [DONE]",
  "11) [Charlie] (School) - Submit homework [DONE]",
  "12) [Charlie] (Work) - Team meeting",
  "13) [Charlie] (Personal) - Watch a movie [DONE]",
  "14) [Charlie] (Health) - Gym workout",
  "15) [Charlie] (Errands) - Post office visit [DONE]",
  "16) [Dana] (School) - Group study",
```


Activity Log