

REV2 REFERENCE / REDESIGN IN PROGRESS

22 September 2026: the current print order is N1 nose only.

Use Manufacturing/Nose_Print_N1/A59_Nose_N1_mm.stl and Nose_N1_Print_Guide.pdf. Quantity one, millimetres, 100%.

The following pages retain the old Rev2 design for reference. They are not the current full-aircraft manufacturing instructions. Their original page numbers remain unchanged; this notice is an additional page.

Superseded for the new design

Landing gear and steering system; the old 42-piece print order; A59 cover screw holes, columns, spacers and shaped washers; the large nose pitot-access notch. Do not fabricate these from the old instructions.


N1 restores the original upper nose shell. It uses a proposed simple ledge/tape attachment and a probe passage drilled to actual hardware during assembly. It retains the original rear mating envelope.

The rest of the aircraft will be simplified around the plywood skeleton and foamboard. Remaining mounts, control construction, belly protection, installation details and mass/CG estimates still require that redesign. Do not use the old mass, CG or gear clearance numbers for the new configuration.


Existing cutting templates are retained until a reuse/change list is complete. The N1 release is a nose-only handoff, not a completed redesign of every file in this manual.

MQ9 | developed foam patterns | overview only


Not to scale. 5mm board; preserved outer paper forming method. All numerical edge strains below 0.5%.




F01 Developed skin
wing_inner_A
443.1 x 455.6 mm | max strain 0.341%




F02 Developed skin
wing_inner_B
443.1 x 455.6 mm | max strain 0.341%




F03 Developed skin
wing_outer_A
237.1 x 514.7 mm | max strain 0.357%



F04 Developed skin
wing_outer_B
237.1 x 514.7 mm | max strain 0.366%




F05 Developed skin
tail_A_rootcollar1
177.4 x 290.5 mm | max strain 0.278%



F06 Developed skin
tail_B_rootcollar1
177.4 x 290.5 mm | max strain 0.278%

MQ9 | developed foam patterns | overview only


Not to scale. 5mm board; preserved outer paper forming method. All numerical edge strains below 0.5%.



F07 Developed skin

tail_A_rootcollar2

83.6 x 192.9 mm | max strain 0.174%



F08 Developed skin

tail_B_rootcollar2


83.6 x 192.9 mm | max strain 0.174%



F09 Developed skin

fuselage_forward_A

61.6 x 205.0 mm | max strain 0.023%



F10 Developed skin

fuselage_forward_B

61.6 x 205.0 mm | max strain 0.023%



F11 Developed skin

fuselage_middle_A

61.6 x 368.7 mm | max strain 0.023%



F12 Developed skin

fuselage_middle_B

61.6 x 368.6 mm | max strain 0.023%

MQ9 | developed foam patterns | overview only

Not to scale. 5mm board; preserved outer paper forming method. All numerical edge strains below 0.5%.



F13 Developed skin

fuselage_src3_face8
14.4 x 205.0 mm | max strain 0.018%



F14 Developed skin

fuselage_src3_face10
5.3 x 205.0 mm | max strain 0.000%



F15 Developed skin

fuselage_src3_face12
14.4 x 205.0 mm | max strain 0.019%



F16 Developed skin

fuselage_src21_face2
14.4 x 368.7 mm | max strain 0.018%



F17 Developed skin

fuselage_src21_face16
14.4 x 368.7 mm | max strain 0.019%

F18 Developed skin

fuselage_src21_face18
5.3 x 368.7 mm | max strain 0.000%


MQ9 | developed foam patterns | overview only

Not to scale. 5mm board; preserved outer paper forming method. All numerical edge strains below 0.5%.



F19 Developed skin

fuselage_src10_face16
14.6 x 151.0 mm | max strain 0.000%



F20 Developed skin

fuselage_src10_face17
61.6 x 151.1 mm | max strain 0.037%




F21 Developed skin

fuselage_src10_face19
61.8 x 151.4 mm | max strain 0.035%




F22 Developed skin

fuselage_src10_face20
14.8 x 151.0 mm | max strain 0.000%



F23 Developed skin

fuselage_src22_face11
79.3 x 156.2 mm | max strain 0.030%




F24 Developed skin

fuselage_src22_face13
78.8 x 156.4 mm | max strain 0.037%


MQ9 | developed foam patterns | overview only

Not to scale. 5mm board; preserved outer paper forming method. All numerical edge strains below 0.5%.




F25 Developed skin

fuselage_src25_face6
78.4 x 130.0 mm | max strain 0.000%




F26 Developed skin

fuselage_src25_face8
78.4 x 130.0 mm | max strain 0.000%




F27 Developed skin

fuselage_src18_face14_axis1_strip1of4
55.2 x 150.2 mm | max strain 0.287%




F28 Developed skin

fuselage_src18_face14_axis1_strip2of4
55.9 x 144.4 mm | max strain 0.295%



F29 Developed skin

fuselage_src18_face14_axis1_strip3of4
56.5 x 132.3 mm | max strain 0.336%



F30 Developed skin

fuselage_src18_face14_axis1_strip4of4
57.0 x 113.9 mm | max strain 0.321%

MQ9 | developed foam patterns | overview only

Not to scale. 5mm board; preserved outer paper forming method. All numerical edge strains below 0.5%.



F31 Control blank

tail_control_blank_A
45.0 x 275.0 mm | max strain 0.000%



F32 Control blank

tail_control_blank_B
45.0 x 275.0 mm | max strain 0.000%



F33 Developed skin

fuselage_src10_face18
5.3 x 151.1 mm | max strain 0.000%