## Reporte instalación de Arch Linux

Rafael García Damián 313103591 Carmona Mendoza Martín 313075977

Barajas Figueroa José de Jusús 314341015

Vazquez Aguilar Lisandro 314272117

 $08/\mathrm{Febrero}/2019$ 



Figure 1:

Figure 2:

```
root@archiso # mkswap /dev/sda3
Setting up swapspace version 1, size = 1024 MiB (1073737728 bytes)
no label, UUID=030d51ab-2300-4eda-a7d0-5c0e?ec8790a
root@archiso # swapon /dev/sda3
root@archiso # # swapon /dev/sda3
```

Figure 3:

```
root@archiso # mkswap /dev/sda3
Setting up swapspace version 1, size = 1024 MiB (1073737728 bytes)
no label, UUID=030451ab=2300-4eda-a7d0-5c0e7ec8790a
root@archiso # swapon /dev/sda3
root@archiso # mkdir /mnt/bone
root@archiso # mkdir /mnt/boot
root@archiso # mkdir /mt/boot
root@archiso # mount /dev/sda1 /mt/boot
root@archiso # mount /dev/sda4 /mtt/home
root@archiso # mount /dev/sda4 /mtt/home
root@archiso # mount /dev/sda4 /mtt/home
```

Figure 4:

Figure 5:

```
Arch Linux 4.20.6-arch1-1-ARCH (tty1)
archiso login: root (automatic login)
root@archiso ** loadkeys la-latin1
root@archiso ** __
```

Figure 6:




Figure 7:

Figure 8: