

Training Tutorial

Phase 2: Using Behavior Scales

Note: Your Nursing Coordinator will alert you when a resident has an Behavior Scale available.

When Behavior event occurs/occurred:

1. Login with your own Login.
2. On the caregiver home page, choose either the appropriate behavior classification button - left, or the "Log Behavior Episode" button - right (red arrows, figure 1).




Figure 1

3. Choose your resident (figure 2).

Demo logged in | [logout](#)

ABAIT Home Behavior Scales Contact ABAIT Logout

Residents of Demo CareProvider

Choose resident for Anxiety Scale

Click Choice	First Name	Last Name
<input type="radio"/>	Alex	Twist
<input checked="" type="radio"/>	Jane	Doe
<input type="radio"/>	John	Smith

Submit Resident Choice

Figure 2

4. Choose appropriate Scale to match behavior. (figure 3).

Demo logged in | [logout](#)

ABAIT Home Behavior Scales Contact ABAIT Logout

Demo CareProvider's Caregiver Home Page

Choose Behavior Class

☐ Anxiety

☐ Resistance to Care

☐ Vocalizations

☐ Aggression

Submit Behavior Choice

Figure 3

5. Select the trigger that matches with your event. Note: If you observed a new trigger, click on "New Trigger" (figure 4).

Demo logged in | [logout](#)

ABAIT Home Behavior Scales Contact ABAIT Logout

Anxiety Scale Triggers for Jane Doe

Select Trigger
<input type="radio"/> Demo Trigger
<input checked="" type="radio"/> New Trigger

Figure 4

6. To Record a behavior episode, please see figure 5 for steps a-h:

Demo logged in | [logout](#)

ABAIT Home	Behavior Scales	Contact ABAIT	Logout
------------	-----------------	---------------	--------

Anxiety Scale for Jane Doe75

Date and Time Information

Select if episode is taking place now	Or select date and time	Duration of episode
Select if now	a Touch to enter	b Choose Minutes

Select Intervention Data

Intervention 1	Intervention 2	Intervention 3	Intervention 4	Intervention 5	PRN Given
<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #00b050; color: white; padding: 2px;"> <div style="display: flex; justify-content: space-between;"> ✓ Take to personal room Provide comfort item </div> <div style="background-color: #00b050; color: white; padding: 2px;"> Offer snacks </div> <div>Offer hand- palm up</div> <div>Decrease noise</div> <div>Cues with instructions</div> <div>New Intervention</div> </div> </div>					NO i

Behavior Intensity **BEFORE** then **AFTER** Intervention

Behavior Intensity	BEFORE Intervention	AFTER 1st Intervention	AFTER 2nd	3rd	4th	5th	PRN
Significantly Present	c	e	g				
Pacing or moving at a specific rate, looking for someone.							
Increased rate of movement mildly intrusive and easily redirectable							
Rapid movement, moderately intrusive, or disruptive and difficult to redirect.							
Intense movement and extremely disruptive, not redirectable.							

Submit Resident Scale Data

Figure 5

- a. "Select now" if event happened within 15 minutes or select Date and Time of event. Today's date is already highlighted in blue.
- b. Click Duration and choose duration of event in minutes.
- c. Click on appropriate intensity BEFORE intervention.
- d. Click intervention to use/used first.
- e. Record intensity after 1st Intervention.
- f. If behavior continues/continued choose a second Intervention to try.
- g. Record intensity after 2nd Intervention. Continue to repeat process and click each intervention to use/used then record intensity after each trial of intervention until behavior diminishes- **REMEMBER to record Improved Intensity**. If no new intervention was tried or PRN given then, **Click Submit**.

- h. If you try/tried a new individualized intervention not listed and it works
–Click New Intervention – this will take you to the Observation Record to record event and new intervention.

7. If a PRN must be administered, see figure 6, steps a, b.

Demo logged in | [logout](#)

ABAIT Home	Behavior Scales	Contact ABAIT	Logout
------------	-----------------	---------------	--------

Anxiety Scale for Jane Doe75

Date and Time Information

Select if episode is taking place now	Or select date and time	Duration of episode
Select if now	Touch to enter	Choose Minutes

Select Intervention Data

Intervention 1	Intervention 2	Intervention 3	Intervention 4	Intervention 5	PRN
Take to personal r					<div style="display: flex; justify-content: space-between;"> NO a </div> <div style="border: 1px solid black; padding: 2px; width: 100px;"> <input checked="" type="checkbox"/> YES </div>

Enter specific description of behavior which required PRN in yellow text-box.

b

Behavior Intensity **BEFORE** then **AFTER** Intervention

Behavior Intensity	BEFORE Intervention	AFTER 1st Intervention	AFTER 2nd	3rd	4th	5th	PRN
Slightly Present	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pacing or moving at a specific rate, looking for someone.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Increased rate of movement mildly intrusive and easily redirectable	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rapid movement, moderately intrusive, or disruptive and difficult to redirect.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Intense movement and extremely disruptive, not redirectable.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Submit Resident Scale Data

Figure 6

- a. * IF PRN was given- Click PRN- YES.
- b. When yellow box appears, type in exact behavior seen when PRN needed. Click Submit.

8. To Record 30 minute PRN effect for resident navigate to ABAIT Home:

- a. Click Record Post PRN Observation for Resident on left side of Home page list (figure 7).




Figure 7

b. Click the bubble next the correct episode and resident (figure 8).

Demo logged in | [logout](#)

[ABAIT Home](#) [Behavior Scales](#) [Contact ABAIT](#) [Logout](#)

Thirty Minute Post PRN Response Report

Residents Receiving PRNs Within the Last Thirty Days

Choose Episode	Episode Date	Episode Time	Resident Name	Behavior Description
<input checked="" type="radio"/>	2018-02-18	20:40:36	Jane Doe	Demo PRN description

[Tap for more Info](#)
[Print Page](#)

Enter specific description of post PRN response in the yellow text box below.

Submit

Figure 8

c. Record 30 minute post PRN effect in **yellow highlighted box**.

9. Click Submit