```
<#
     ____    ____________________________________________________________________________________________________
    //--\\__//----------------------------------------------------------------------------------------------\\___
    \\__//---  [FightingEntropy(π)][2023.8.0]: 2023-08-09 16:43:09                                          ___//--\\
     ---\\_____________________________________________________________________________________________//--\\__//
         ------------------------------------------------------------------------------------------------   ----

\_____________________________________________________________________________________________________________/
  About /-------------------------------------------------------------------------------------------------------\
/-------

    ____________________________________________________________________________
    | https://github.com/mcc85s/FightingEntropy/blob/main/Version/2023.8.0/FightingEntropy.ps1 |
    ----------------------------------------------------------------------------

    [FightingEntropy(π)] is a modification for [Windows PowerShell] that is meant for various tasks related to:

    [+] [system administration]
    [+] [networking]
    [+] [virtualization]
    [+] [security]
    [+] [graphic design]
    [+] [system management/maintenance]

    ...it'll eventually be usable on ALL platforms where [PowerShell] is able to be deployed.

    ____________________________________________________________________________________________
    //--------------------------------------------------------------------------------------\\
    \\ [Demo]                                                                               //
    //--------------------------------------------------------------------------------------\\
    \\----------||-------------------------------------------||-------------------------------//
    // Date     || Name                                      || Url                            \\
    \\__________||___________________________________________||_____________________________//
    //----------||-------------------------------------------||-------------------------------\\
    \\ 10/28/22 || [FightingEntropy(π)][2022.10.1]            || https://youtu.be/S7k4lZdPE-I //
    // 04/03/23 || Virtual Lab - TCP Session                 || https://youtu.be/09c-fFbEQrU \\
    \\ 03/20/23 || Virtual Lab - Desktop Deployment          || https://youtu.be/i2_fafoIx6I //
    // 01/31/23 || New-VmController [Flight Test v2.0] Part I || https://youtu.be/nqTOmNIilxw \\
    \\ 01/12/23 || Virtualization Lab - FEDCPromo            || https://youtu.be/9v7uJHF-cGQ //
    //__________||___________________________________________||_____________________________\\
    ----------------------------------------------------------------------------------------

    This module is rather [experimental] and incorporates [a lot of moving parts],
    so it has [many areas of development].

    The [end goal] of this [module], is to provide [heightened security] and [protection] against:

    [+] [identity theft]
    [+] [cybercriminals]
    [+] [douchebags]
    [+] [malware]
    [+] [viruses]
    [+] [ransomware]
    [+] [hackers who have malicious intent]

    Many of the tools in the wild are able to be circumvented by some of these [hackers] and [cybercriminals].
    If you don't believe me...? That's fine.

    That's why this link to a particular website about a particular event, exists.

    ____________________________________________________________________________
    | https://en.wikipedia.org/wiki/2020_United_States_federal_government_data_breach |
    ----------------------------------------------------------------------------

    Even the experts make mistakes.

    [FightingEntropy(π)] is meant to extend many of the capabilities that come with [Windows].

    This file acts as the [installation/removal] process as well as for performing [validation] and [testing] purposes.

    It is effectively a [shell] of the [entire module], and can be used to implement [updates] to the [module itself],
    in a similar manner to how (Continuous Integration/Continuous Development) works (still a work in progress).

    ____________________________________________________________________
    | [FightingEntropy(π)][2023.8.0]                                   |
    |==================================================================|
    | Version    | Date                | Guid                          |
    |------------|---------------------|-------------------------------|
    | 2023.8.0   | 08/07/2023 20:52:08 | 4b564727-b84b-4033-a716-36d1c5e3e62d |
    | 2023.4.0   | 04/03/2023 18:53:49 | 75f64b43-3b02-46b1-b6a2-9e86cccf4811 |
    --------------------------------------------------------------------

    _________________
    | Prerequisites |
    -----------------
```

```
    1) A system running [Windows PowerShell] on:
       - [Windows 10/11]
       - [Windows Server 2016/2019/2021]

    2) [Execution Policy] must be set to [bypass]

    3) Must be running a [PowerShell] session with [administrative privileges]

    ----------------
    | Installation |
    ----------------

    1) [Load the module into memory], which can be done be using this command:

    ------------------------------------------------------------------------------------------------------
    | irm https://github.com/mcc85s/FightingEntropy/blob/main/FightingEntropy.ps1?raw=true | iex |
    ------------------------------------------------------------------------------------------------------

    ...or just (copying + pasting) the content of the file...

    ------------------------------------------------------------------------------------------
    | https://github.com/mcc85s/FightingEntropy/blob/main/Version/2023.8.0/FightingEntropy.ps1 |
    ------------------------------------------------------------------------------------------

    ...into the [PowerShell] session, and pressing <enter>

    2) Once the [module is loaded into memory], enter the following:

    ----------------------------------
    | Operation   | Instructions       |
    |=============|====================|
    | Install     | $Module.Install()  |
    | Remove      | $Module.Remove()   |
    ----------------------------------

    ------------------------------------------------------------------------------------------------------
    | Todo                                                                                               |
    |----------------------------------------------------------------------------------------------------|
    | PS Core          | Filter out stuff for PS Core, by building a different manifest                  |
    | PS Server        | Filter out stuff for PS Server, **                                              |
    ------------------------------------------------------------------------------------------------------

                                                                                                    _______/
\___________________________________________________________________________________________________/ About
  Function /-------------------------------------------------------------------------------------------------\
/----------
#>

Function FightingEntropy.Module
{
    [CmdLetBinding()]Param([Parameter()][UInt32]$Mode=0)

    # // ======================================================
    # // | Used to track console logging, similar to Stopwatch |
    # // ======================================================

    Class ConsoleTime
    {
        [String]   $Name
        [DateTime] $Time
        [UInt32]    $Set
        ConsoleTime([String]$Name)
        {
            $This.Name = $Name
            $This.Time = [DateTime]::MinValue
            $This.Set  = 0
        }
        Toggle()
        {
            $This.Time = [DateTime]::Now
            $This.Set  = 1
        }
        [String] ToString()
        {
            Return $This.Time.ToString()
        }
    }

    # // ======================================
    # // | Single object that displays a status |
    # // ======================================

    Class ConsoleEntry
    {
        [UInt32]         $Index
        [String]       $Elapsed
```

```
        [Int32]          $State
        [String]        $Status
        Hidden [String] $String
        ConsoleEntry([UInt32]$Index,[String]$Time,[Int32]$State,[String]$Status)
        {
            $This.Index   = $Index
            $This.Elapsed = $Time
            $This.State   = $State
            $This.Status  = $Status
            $This.String  = $This.ToString()
        }
        [String] ToString()
        {
            Return "[{0}] (State: {1}/Status: {2})" -f $This.Elapsed, $This.State, $This.Status
        }
    }

    # // ============================================================================
    # // | A collection of status objects, uses itself to create/update messages |
    # // ============================================================================

    Class ConsoleController
    {
        [Object]  $Start
        [Object]    $End
        [String]   $Span
        [Object] $Status
        [Object] $Output
        ConsoleController()
        {
            $This.Reset()
        }
        [String] Elapsed()
        {
            Return @(Switch ($This.End.Set)
            {
                0 { [Timespan]([DateTime]::Now-$This.Start.Time) }
                1 { [Timespan]($This.End.Time-$This.Start.Time) }
            })
        }
        [Object] ConsoleTime([String]$Name)
        {
            Return [ConsoleTime]::New($Name)
        }
        [Object] ConsoleEntry([UInt32]$Index,[String]$Time,[Int32]$State,[String]$Status)
        {
            Return [ConsoleEntry]::New($Index,$Time,$State,$Status)
        }
        [Object] Collection()
        {
            Return [System.Collections.ObjectModel.ObservableCollection[Object]]::New()
        }
        [Void] SetStatus()
        {
            $This.Status = $This.ConsoleEntry($This.Output.Count,
                                              $This.Elapsed(),
                                              $This.Status.State,
                                              $This.Status.Status)
        }
        [Void] SetStatus([Int32]$State,[String]$Status)
        {
            $This.Status = $This.ConsoleEntry($This.Output.Count,
                                              $This.Elapsed(),
                                              $State,
                                              $Status)
        }
        Initialize()
        {
            If ($This.Start.Set -eq 1)
            {
                $This.Update(-1,"Start [!] Error: Already initialized, try a different operation or reset.")
            }
            $This.Start.Toggle()
            $This.Update(0,"Running [~] ($($This.Start))")
        }
        Finalize()
        {
```

```
            If ($This.End.Set -eq 1)
            {
                $This.Update(-1,"End [!] Error: Already initialized, try a different operation or reset.")
            }
            $This.End.Toggle()
            $This.Span = $This.Elapsed()
            $This.Update(100,"Complete [+] ($($This.End)), Total: ($($This.Span))")
        }
        Reset()
        {
            $This.Start  = $This.ConsoleTime("Start")
            $This.End    = $This.ConsoleTime("End")
            $This.Span   = $Null
            $This.Status = $Null
            $This.Output = $This.Collection()
        }
        Write()
        {
            $This.Output.Add($This.Status)
        }
        [Object] Update([Int32]$State,[String]$Status)
        {
            $This.SetStatus($State,$Status)
            $This.Write()
            Return $This.Last()
        }
        [Object] Current()
        {
            $This.Update($This.Status.State,$This.Status.Status)
            Return $This.Last()
        }
        [Object] Last()
        {
            Return $This.Output[$This.Output.Count-1]
        }
        [Object] DumpConsole()
        {
            Return $This.Output | % ToString
        }
        [String] ToString()
        {
            If (!$This.Span)
            {
                Return $This.Elapsed()
            }
            Else
            {
                Return $This.Span
            }
        }
    }

    # // ===================================================================
    # // | This is a 1x[track] x 4[char] chunk of information for Write-Host |
    # // ===================================================================

    Class ThemeBlock
    {
        [UInt32]  $Index
        [Object] $String
        [UInt32]   $Fore
        [UInt32]   $Back
        [UInt32]   $Last
        ThemeBlock([Int32]$Index,[String]$String,[Int32]$Fore,[Int32]$Back)
        {
            $This.Index  = $Index
            $This.String = $String
            $This.Fore   = $Fore
            $This.Back   = $Back
            $This.Last   = 1
        }
        Write([UInt32]$0,[UInt32]$1,[UInt32]$2,[UInt32]$3)
        {
            $Splat = @{

                Object          = $This.String
                ForegroundColor = @($0,$1,$2,$3)[$This.Fore]
```

```
                BackgroundColor = $This.Back
                NoNewLine       = $This.Last
            }

            Write-Host @Splat
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.Theme[Block]>"
        }
    }

    # // ================================================
    # // | Represents a 1x[track] in a stack of tracks |
    # // ================================================

    Class ThemeTrack
    {
        [UInt32]   $Index
        [Object] $Content
        ThemeTrack([UInt32]$Index,[Object]$Track)
        {
            $This.Index   = $Index
            $This.Content = $Track
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.Theme[Track]>"
        }
    }

    # // ================================================
    # // | Generates an actionable write-host object |
    # // ================================================

    Class ThemeStack
    {
        Hidden [Object]  $Face
        Hidden [Object] $Track
        ThemeStack([UInt32]$Slot,[String]$Message)
        {
            $This.Main($Message)
            $Object = $This.Palette($Slot)
            $This.Write($Object)
        }
        ThemeStack([String]$Message)
        {
            $This.Main($Message)
            $Object = $This.Palette(0)
            $This.Write($Object)
        }
        Main([String]$Message)
        {
            $This.Face = $This.Mask()
            $This.Reset()
            $This.Insert($Message)
        }
        [UInt32[]] Palette([UInt32]$Slot)
        {
            If ($Slot -gt 35)
            {
                Throw "Invalid entry"
            }

            Return @( Switch ($Slot)
            {
                00 {10,12,15,00} 01 {12,04,15,00} 02 {10,02,15,00} # Default, R*/Error,   G*/Success
                03 {01,09,15,00} 04 {03,11,15,00} 05 {13,05,15,00} # B*/Info, C*/Verbose, M*/Feminine
                06 {14,06,15,00} 07 {00,08,15,00} 08 {07,15,15,00} # Y*/Warn, K*/Evil,    W*/Host
                09 {04,12,15,00} 10 {12,12,15,00} 11 {04,04,15,00} # R!,      R+,         R-
                12 {02,10,15,00} 13 {10,10,15,00} 14 {02,02,15,00} # G!,      G+,         G-
                15 {09,01,15,00} 16 {09,09,15,00} 17 {01,01,15,00} # B!,      B+,         B-
                18 {11,03,15,00} 19 {11,11,15,00} 20 {03,03,15,00} # C!,      C+,         C-
                21 {05,13,15,00} 22 {13,13,15,00} 23 {05,05,15,00} # M!,      M+,         M-
                24 {06,14,15,00} 25 {14,14,15,00} 26 {06,06,15,00} # Y!,      Y+,         Y-
                27 {08,00,15,00} 28 {08,08,15,00} 29 {00,00,15,00} # K!,      K+,         K-
                30 {15,07,15,00} 31 {15,15,15,00} 32 {07,07,15,00} # W!,      W+,         W-
```

```
            33 {11,06,15,00} 34 {06,11,15,00} 35 {11,12,15,00} # Steel*,  Steel!,     C+R+
        })
    }
    [Object] Mask()
    {
        Return ("20202020 5F5F5F5F AFAFAFAF 2020202F 5C202020 2020205C 2F202020 5C5F5F2F "+
        "2FAFAF5C 2FAFAFAF AFAFAF5C 5C5F5F5F 5F5F5F2F 205F5F5F" -Split " ") | % { $This.Convert($_) }
    }
    [String] Convert([String]$Line)
    {
        Return [Char[]]@(0,2,4,6 | % { "0x$($Line.Substring($_,2))" | IEX }) -join ''
    }
    Add([String]$Mask,[String]$Fore)
    {
        # // ----------------------------
        # // | Expands the mask strings |
        # // ----------------------------

        $Object        = Invoke-Expression $Mask | % { $This.Face[$_] }
        $FG            = Invoke-Expression $Fore
        $BG            = @(0)*30

        # // ----------------------------
        # // | Generates a track object |
        # // ----------------------------

        $Hash          = @{ }
        ForEach ($X in 0..($Object.Count-1))
        {
            $Item      = [ThemeBlock]::New($X,$Object[$X],$FG[$X],$BG[$X])
            If ($X -eq $Object.Count-1)
            {
                $Item.Last = 0
            }
            $Hash.Add($Hash.Count,$Item)
        }
        $This.Track  += [ThemeTrack]::New($This.Track.Count,$Hash[0..($Hash.Count-1)])
    }
    [Void] Reset()
    {
        $This.Track = @( )

        # // ----------------------------
        # // | Generates default tracks |
        # // ----------------------------

        $This.Add("0,1,0+@(1)*25+0,0","@(0)*30")
        $This.Add("3,8,7,9+@(2)*23+10,11,0","0,1,0+@(1)*25+0,0")
        $This.Add("5,7,9,13+@(0)*23+12,8,4","0,1,1+@(2)*24+1,1,0")
        $This.Add("0,10,11+@(1)*23+12+8,7,6","0,0+@(1)*25+0,1,0")
        $This.Add("0,0+@(2)*25+0,2,0","@(0)*30")
    }
    Insert([String]$String)
    {
        $This.Reset()
        $String = " $String"
        Switch ($String.Length)
        {
            {$_ -lt 84}
            {
                $String += (@(" ") * (84 - ($String.Length+1)) -join '' )
            }
            {$_ -ge 84}
            {
                $String  = $String.Substring(0,84) + "..."
            }
        }
        $Array = [Char[]]$String
        $Hash  = @{ }
        $Block = ""
        ForEach ($X in 0..($Array.Count-1))
        {
            If ($X % 4 -eq 0 -and $Block -ne "")
            {
                $Hash.Add($Hash.Count,$Block)
                $Block = ""
            }
```

```
                $Block += $Array[$X]
            }

            ForEach ($X in 0..($Hash.Count-1))
            {
                $This.Track[2].Content[$X+3].String = $Hash[$X]
            }
        }
        [Void] Write([UInt32[]]$Palette)
        {
            $0,$1,$2,$3 = $Palette
            ForEach ($Track in $This.Track)
            {
                ForEach ($Item in $Track.Content)
                {
                   $Item.Write($0,$1,$2,$3)
                }
            }
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.Theme[Stack]>"
        }
    }

    # // ================================================
    # // | Property object which includes source and index |
    # // ================================================

    Class OSProperty
    {
        [String]       $Source
        Hidden [UInt32] $Index
        [String]         $Name
        [Object]        $Value
        OSProperty([String]$Source,[UInt32]$Index,[String]$Name,[Object]$Value)
        {
            $This.Source = $Source
            $This.Index  = $Index
            $This.Name   = $Name
            $This.Value  = $Value
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.OS[Property]>"
        }
    }

    # // ============================================================
    # // | Container object for indexed OS (property/value) pairs |
    # // ============================================================

    Class OSPropertySet
    {
        Hidden [UInt32] $Index
        [String]       $Source
        [Object]     $Property
        OSPropertySet([UInt32]$Index,[String]$Source)
        {
            $This.Index     = $Index
            $This.Source    = $Source
            $This.Property  = @( )
        }
        Add([String]$Name,[Object]$Value)
        {
```

```
            $This.Property += [OSProperty]::New($This.Source,$This.Property.Count,$Name,$Value)
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.OS[PropertySet]>"
        }
    }

    # // ================================================================================================
    # // | Collects various details about the operating system specifically for cross-platform compatibility |
    # // ================================================================================================

    Class OSController
    {
        Hidden [String] $Name
        [Object]     $Caption
        [Object]    $Platform
        [Object]   $PSVersion
        [Object]        $Type
        [Object]      $Output
        OSController()
        {
            $This.Name    = "Operating System"
            $This.Output = @( )

            # // ________________
            # // | Environment |
            # // ----------------

            $This.AddPropertySet("Environment")

            Get-ChildItem Env:              | % { $This.Add(0,$_.Key,$_.Value) }

            # // ____________
            # // | Variable |
            # // ------------

            $This.AddPropertySet("Variable")

            Get-ChildItem Variable:         | % { $This.Add(1,$_.Name,$_.Value) }

            # // ________
            # // | Host |
            # // --------

            $This.AddPropertySet("Host")

            (Get-Host).PSObject.Properties  | % { $This.Add(2,$_.Name,$_.Value) }

            # // ______________
            # // | PowerShell |
            # // --------------

            $This.AddPropertySet("PowerShell")

            (Get-Variable PSVersionTable | % Value).GetEnumerator() | % { $This.Add(3,$_.Name,$_.Value) }

            If ($This.Tx("PowerShell","PSEdition") -eq "Desktop")
            {
                Get-CimInstance Win32_OperatingSystem | % { $This.Add(3,"OS","Microsoft Windows $($_.Version)") }
                $This.Add(3,"Platform","Win32NT")
            }

            # // ___________________________________
            # // | Assign hashtable to output array |
            # // -----------------------------------

            $This.Caption    = $This.Tx("PowerShell","OS")
            $This.Platform   = $This.Tx("PowerShell","Platform")
            $This.PSVersion = $This.Tx("PowerShell","PSVersion")
            $This.Type       = $This.GetOSType()
        }
        [Object] Tx([String]$Source,[String]$Name)
        {
            Return $This.Output | ? Source -eq $Source | % Property | ? Name -eq $Name | % Value
        }
        Add([UInt32]$Index,[String]$Name,[Object]$Value)
```

```
        {
            $This.Output[$Index].Add($Name,$Value)
        }
        AddPropertySet([String]$Name)
        {
            $This.Output += $This.OSPropertySet($This.Output.Count,$Name)
        }
        [Object] OSPropertySet([UInt32]$Index,[String]$Name)
        {
            Return [OSPropertySet]::New($Index,$Name)
        }
        [String] GetWinCaption()
        {
            Return "[wmiclass]'Win32_OperatingSystem' | % GetInstances | % Caption"
        }
        [String] GetWinType()
        {
            Return @(Switch -Regex (Invoke-Expression $This.GetWinCaption())
            {
                "Windows (10|11)" { "Win32_Client" } "Windows Server" { "Win32_Server" }
            })
        }
        [String] GetOSType()
        {
            If ($This.Version.Major -gt 5)
            {
                If (Get-Item Variable:\IsLinux | % Value)
                {
                    $Item = (hostnamectl | ? { $_ -match "Operating System" }).Split(":")[1].TrimStart(" ")
                }
                Else
                {
                    $Item = $This.GetWinType()
                }
            }

            Else
            {
                $Item = $This.GetWinType()
            }

            Return $Item
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.OS[Controller]>"
        }
    }

    # // ======================================
    # // | Enumerates the manifest item types |
    # // ======================================

    Enum ManifestListType
    {
        Control
        Function
        Graphic
    }

    # // ============================================================
    # // | Meant to determine longest file name and provide spacing |
    # // ============================================================

    Class ManifestListItem
    {
        [UInt32]  $Index
        [String] $Source
        [String]   $Name
        [String]   $Hash
```

```
        ManifestListItem([UInt32]$Index,[String]$Source,[String]$Name,[String]$Hash)
        {
            $This.Index  = $Index
            $This.Source = $Source
            $This.Name   = $Name
            $This.Hash   = $Hash
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.Manifest[ListItem]>"
        }
    }

    # // ================================================================
    # // | Manifest file -> filesystem object (collection/validation) |
    # // ================================================================

    Class ManifestFileEntry
    {
        Hidden [UInt32]    $Index
        Hidden [UInt32]     $Mode
        [String]            $Type
        [String]            $Name
        [String]            $Hash
        [UInt32]          $Exists
        Hidden [String] $Fullname
        Hidden [String]   $Source
        Hidden [UInt32]    $Match
        Hidden [Object]  $Content
        ManifestFileEntry([Object]$Folder,[String]$Name,[String]$Hash,[String]$Source)
        {
            $This.Index    = $Folder.Item.Count
            $This.Mode     = 0
            $This.Type     = $Folder.Type
            $This.Name     = $Name
            $This.Fullname = "{0}\$Name" -f $Folder.Fullname
            $This.Source   = "{0}/{1}/{2}?raw=true" -f $Source, $Folder.Name, $Name
            $This.Hash     = $Hash
            $This.TestPath()
        }
        TestPath()
        {
            $This.Exists   = [System.IO.File]::Exists($This.Fullname)
        }
        [Void] Create()
        {
            $This.TestPath()

            If (!$This.Exists)
            {
                [System.IO.File]::Create($This.Fullname).Dispose()
                $This.Exists = 1
            }
        }
        [Void] Remove()
        {
            $This.TestPath()

            If ($This.Exists)
            {
                [System.IO.File]::Delete($This.Fullname)
                $This.Exists = 0
            }
        }
        Download()
        {
            Try
            {
                $xContent = Invoke-WebRequest $This.Source -UseBasicParsing | % Content

                Switch -Regex ($This.Name)
                {
                    "\.+(jpg|jpeg|png|bmp|ico)"
                    {
                        $This.Content = $xContent
                    }
                    "\.+(txt|xml|cs)"
```

```
                {
                    $Array = $xContent -Split "`n"
                    $Ct    = $Array.Count
                    Do
                    {
                        If ($Array[$Ct] -notmatch "\w")
                        {
                            $Ct --
                        }
                    }
                    Until ($Array[$Ct] -match "\w")

                    $This.Content = $Array[0..($Ct)] -join "`n"
                }
                Default
                {
                    $This.Content = $xContent
                }
            }
        }
        Catch
        {
            Throw "Exception [!] An unspecified error occurred"
        }
    }
    Write()
    {
        If (!$This.Content)
        {
            Throw "Exception [!] Content not assigned, cannot (write/set) content."
        }

        If (!$This.Exists)
        {
            $This.Create()
        }

        Try
        {
            Switch -Regex ($This.Name)
            {
                "\.+(jpg|jpeg|png|bmp|ico)"
                {
                    [System.IO.File]::WriteAllBytes($This.Fullname,[Byte[]]$This.Content)
                }
                "\.+(xml|txt|cs)"
                {
                    [System.IO.File]::WriteAllText($This.Fullname,$This.Content)
                }
                Default
                {
                    [System.IO.File]::WriteAllText($This.Fullname,$This.Content,[System.Text.UTF8Encoding]$False)
                }
            }
        }
        Catch
        {
            Throw "Exception [!] An unspecified error has occurred"
        }
    }
    GetContent()
    {
        If (!$This.Exists)
        {
            Throw "Exception [!] File does not exist, it needs to be created first."
        }

        Try
        {
            Switch -Regex ($This.Name)
            {
                "\.+(jpg|jpeg|png|bmp|ico)"
                {
                    [System.IO.File]::ReadAllBytes($This.Fullname)
                }
                "\.+(xml|txt|cs)"
                {
```

```
                    [System.IO.File]::ReadAllText($This.Fullname,[System.Text.UTF8Encoding]$False)
                }
                Default
                {
                    [System.IO.File]::ReadAllLines($This.Fullname,[System.Text.UTF8Encoding]$False)
                }
            }
        }
        Catch
        {
            Throw "Exception [!] An unspecified error has occurred"
        }
    }
    [String] ToString()
    {
        Return "<FightingEntropy.Module.Manifest[FileEntry]>"
    }
}

# // ========================================
# // | Manifest folder -> filesystem object |
# // ========================================

Class ManifestFolderEntry
{
    Hidden [UInt32]    $Index
    Hidden [UInt32]     $Mode
    [String]            $Type
    [String]            $Name
    [String]        $Fullname
    [UInt32]          $Exists
    Hidden [Object]     $Item
    Hidden [String]   $Source
    ManifestFolderEntry([UInt32]$Index,[String]$Type,[String]$Parent,[String]$Name)
    {
        $This.Index     = $Index
        $This.Mode      = 1
        $This.Type      = $Type
        $This.Name      = $Name
        $This.Fullname  = "$Parent\$Name"
        $This.Item      = @( )
        $This.TestPath()
    }
    Add([Object]$File)
    {
        If ($File.Exists)
        {
            $Hash       = Get-FileHash $File.Fullname | % Hash
            If ($Hash -eq $File.Hash)
            {
                $File.Match = 1
            }
            If ($Hash -ne $File.Hash)
            {
                $File.Match = 0
            }
        }

        $This.Item     += $File
    }
    [Object] Get([String]$Name)
    {
        Return $This.Output | ? Name -eq $Name
    }
    TestPath()
```

```
        {
            If (!$This.Fullname)
            {
                Throw "Exception [!] Resource path not set"
            }

            $This.Exists = [System.IO.Directory]::Exists($This.Fullname)
        }
        [Void] Create()
        {
            $This.TestPath()

            If (!$This.Exists)
            {
                [System.IO.Directory]::CreateDirectory($This.Fullname)
                $This.Exists = 1
            }
        }
        [Void] Remove()
        {
            $This.TestPath()

            If ($This.Exists)
            {
                [System.IO.Directory]::Delete($This.Fullname)
                $This.Exists = 0
            }
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.Manifest[FolderEntry]>"
        }
    }

    # // ================================================================
    # // | File manifest container, laid out for hash (insertion+validation) |
    # // ================================================================

    Class ManifestController
    {
        Hidden [String]    $Name
        [String]         $Source
        [String]       $Resource
        Hidden [UInt32]   $Depth
        Hidden [UInt32]   $Total
        [Object]         $Output
        ManifestController([String]$Source,[String]$Resource)
        {
            $This.Name     = "Module Manifest"
            $This.Source   = $Source
            $This.Resource = $Resource
            $This.Output   = @( )
        }
        [Object] Get([String]$Name)
        {
            Return $This.Output | ? Name -eq $Name | % Output
        }
        [Object[]] Refresh()
        {
            $Out = @( )
            ForEach ($List in $This.Output)
            {
                $List.TestPath()
                $Out += $List
                If ($List.Exists)
                {
                    ForEach ($Item in $List.Item)
                    {
                        $Item.TestPath()
                        $Out += $Item
                    }
                }
            }

            Return $Out
        }
        [Object] Files([UInt32]$Index)
```

```
        {
            Return $This.Output[$Index] | % Item
        }
        [Object] Full()
        {
            $D = "Index Type Name Hash Exists Fullname Source Match" -Split " "
            Return $This.Output | % Item | Select-Object $D
        }
        Validate()
        {
            ForEach ($Folder in $This.Output)
            {
                $Folder.Exists = [System.IO.Directory]::Exists($Folder.Fullname)
                If ($Folder.Exists)
                {
                    ForEach ($File in $Folder.Item)
                    {
                        $File.Exists = [System.IO.File]::Exists($File.Fullname)
                        If ($File.Exists)
                        {
                            $File.GetContent()
                        }
                    }
                }
            }
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.Manifest[Controller]>"
        }
    }

    # // ===================================
    # // | Template for registry injection |
    # // ===================================

    Class RegistryTemplate
    {
        [String]      $Source
        [String]        $Name
        [String] $Description
        [String]      $Author
        [String]     $Company
        [String]   $Copyright
        [Guid]          $Guid
        [DateTime]      $Date
        [String]     $Version
        [String]     $Caption
        [String]    $Platform
        [String]        $Type
        [String]    $Registry
        [String]    $Resource
        [String]      $Module
        [String]        $File
        [String]    $Manifest
        RegistryTemplate([Object]$Module)
        {
            $This.Source      = $Module.Source
            $This.Name        = $Module.Name
            $This.Description = $Module.Description
            $This.Author      = $Module.Author
            $This.Company     = $Module.Company
            $This.Copyright   = $Module.Copyright
            $This.Guid        = $Module.Guid
            $This.Date        = $Module.Date
            $This.Version     = $Module.Version
            $This.Caption     = $Module.OS.Caption
            $This.Platform    = $Module.OS.Platform
            $This.Type        = $Module.OS.Type
            $This.Registry    = $Module.Root.Registry
            $This.Resource    = $Module.Root.Resource
            $This.Module      = $Module.Root.Module
            $This.File        = $Module.Root.File
            $This.Manifest    = $Module.Root.Manifest
        }
        [String] ToString()
        {
```

```
            Return "<FightingEntropy.Module.Registry[Template]>"
        }
    }

    # // ========================================
    # // | Works as a PowerShell Registry provider |
    # // ========================================

    Class RegistryKeyTemp
    {
        Hidden [Microsoft.Win32.RegistryKey]    $Key
        Hidden [Microsoft.Win32.RegistryKey] $Subkey
        [String]                             $Enum
        [String]                             $Hive
        [String]                             $Path
        [String]                             $Name
        Hidden [String]                  $Fullname
        RegistryKeyTemp([String]$Path)
        {
            $This.Fullname = $Path
            $Split         = $Path -Split "\\"
            $This.Hive     = $Split[0]
            $This.Name     = $Split[-1]
            $This.Enum     = Switch -Regex ($This.Hive)
            {
                HKLM: {"LocalMachine"} HKCU: {"CurrentUser"} HKCR: {"ClassesRoot"}
            }
            $This.Path     = $Path -Replace "$($This.Hive)\\", "" | Split-Path -Parent
        }
        Open()
        {
            $X             = $This.Enum
            $This.Key      = [Microsoft.Win32.Registry]::$X.CreateSubKey($This.Path)
        }
        Create()
        {
            If (!$This.Key)
            {
                Throw "Must open the key first."
            }

            $This.Subkey = $This.Key.CreateSubKey($This.Name)
        }
        Add([String]$Name,[Object]$Value)
        {
            If (!$This.Subkey)
            {
                Throw "Must create the subkey first."
            }

            $This.Subkey.SetValue($Name,$Value)
        }
        [Void] Remove()
        {
            If ($This.Key)
            {
                $This.Key.DeleteSubKeyTree($This.Name)
            }
        }
        [Void] Dispose()
        {
            If ($This.Subkey)
            {
                $This.Subkey.Flush()
                $This.Subkey.Dispose()
            }

            If ($This.Key)
            {
                $This.Key.Flush()
                $This.Key.Dispose()
            }
        }
        [String] ToString()
```

```
        {
            Return "<FightingEntropy.Module.Registry[KeyTemp]>"
        }
    }

    # // ========================================================
    # // | Represents an individual registry key for the module |
    # // ========================================================

    Class RegistryKeyProperty
    {
        Hidden [UInt32] $Index
        [String]         $Name
        [Object]        $Value
        [UInt32]       $Exists
        RegistryKeyProperty([UInt32]$Index,[Object]$Property)
        {
            $This.Index = $Index
            $This.Name  = $Property.Name
            $This.Value = $Property.Value
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.Registry[KeyProperty]>"
        }
    }

    # // ============================================================
    # // | Represents a collection of registry keys for the module |
    # // ============================================================

    Class RegistryKey
    {
        Hidden [String] $Name
        [String]        $Path
        [UInt32]      $Exists
        [Object]    $Property
        RegistryKey([Object]$Module)
        {
            $This.Name         = "Module Registry"
            $This.Path         = $Module.Root.Registry.Path
            $This.TestPath()
            If ($This.Exists)
            {
                $Object        = Get-ItemProperty $This.Path
                $This.Property = $This.Inject($Object)
            }
            Else
            {
                $Object        = $Module.Template()
                $This.Property = $This.Inject($Object)
            }
        }
        [Object] Inject([Object]$Object)
        {
            $Hash              = @{ }
            ForEach ($Property in $Object.PSObject.Properties | ? Name -notmatch ^PS)
            {
                $Item          = $This.Key($Hash.Count,$Property)
                $Item.Exists   = $This.Exists
                $Hash.Add($Hash.Count,$Item)
            }

            Return $Hash[0..($Hash.Count-1)]
        }
        TestPath()
        {
            $This.Exists = Test-Path $This.Path
        }
        Create()
        {
            $This.TestPath()

            If ($This.Exists)
            {
                Throw "Exception [!] Path already exists"
            }
```

```
            $Key            = $This.RegistryKeyTemp($This.Path)
            $Key.Open()
            $Key.Create()

            $This.Exists    = 1

            ForEach ($X in 0..($This.Property.Count-1))
            {
                $Item        = $This.Property[$X]
                $Key.Add($Item.Name,$Item.Value)
                $Item.Exists = 1
            }
            $Key.Dispose()
        }
        Remove()
        {
            $This.TestPath()

            If (!$This.Exists)
            {
                Throw "Exception [!] Registry path does not exist"
            }

            $Key             = $This.RegistryKeyTemp($This.Path)
            $Key.Open()
            $Key.Create()
            $Key.Delete()

            ForEach ($Item in $This.Property)
            {
                $Item.Exists = 0
            }

            $This.Exists     =   0
            $Key.Dispose()
        }
        [Object[]] List()
        {
            Return $This.Output
        }
        [Object] Key([UInt32]$Index,[Object]$Property)
        {
            Return [RegistryKeyProperty]::New($Index,$Property)
        }
        [Object] KeyTemp([String]$Path)
        {
            Return [RegistryKeyTemp]::New($Path)
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.Registry[Key]>"
        }
    }

    # // ================================================
    # // | Represents individual paths to the module root |
    # // ================================================

    Class RootProperty
    {
        Hidden [UInt32] $Index
        [String]         $Type
        [String]         $Name
        [String]     $Fullname
        [UInt32]       $Exists
        Hidden [String]  $Path
        RootProperty([UInt32]$Index,[String]$Name,[UInt32]$Type,[String]$Fullname)
        {
            $This.Index    = $Index
            $This.Type     = Switch ($Type) { 0 { "Directory" } 1 { "File" } }
            $This.Name     = $Name
            $This.Fullname = $Fullname
            $This.Path     = $Fullname
            $This.TestPath()
        }
        TestPath()
```

```
        {
            $This.Exists   = Test-Path $This.Path
        }
        Create()
        {
            $This.TestPath()

            If (!$This.Exists)
            {
                Switch ($This.Name)
                {
                    {$_ -in "Resource","Module"}
                    {
                        [System.IO.Directory]::CreateDirectory($This.Fullname)
                    }
                    {$_ -in "File","Manifest"}
                    {
                        [System.IO.File]::Create($This.Fullname).Dispose()
                    }
                }

                $This.TestPath()
            }
        }
        Remove()
        {
            $This.TestPath()

            If ($This.Exists)
            {
                Switch ($This.Name)
                {
                    {$_ -in "Resource","Module"}
                    {
                        [System.IO.Directory]::Delete($This.Fullname)
                    }
                    {$_ -in "File","Manifest","Shortcut"}
                    {
                        [System.IO.File]::Delete($This.Fullname)
                    }
                }

                $This.Exists = 0
            }
        }
        [String] ToString()
        {
            Return $This.Path
        }
    }

    # // ========================================================
    # // | Represents a collection of paths for the module root |
    # // ========================================================

    Class RootController
    {
        Hidden [String] $Name
        [Object]    $Registry
        [Object]    $Resource
        [Object]      $Module
        [Object]        $File
        [Object]    $Manifest
        [Object]    $Shortcut
        RootController([String]$Version,[String]$Resource,[String]$Path)
        {
            $This.Name     = "Module Root"
            $SDP           = "Secure Digits Plus LLC"
            $FE            = "FightingEntropy"
            $This.Registry = $This.Set(0,0,"HKLM:\Software\Policies\$SDP\$FE\$Version")
            $This.Resource = $This.Set(1,0,"$Resource")
            $This.Module   = $This.Set(2,0,"$Path\$FE")
            $This.File     = $This.Set(3,1,"$Path\$FE\$FE.psm1")
```

```
            $This.Manifest = $This.Set(4,1,"$Path\$FE\$FE.psd1")
            $This.Shortcut = $This.Set(5,1,"$Env:Public\Desktop\$FE.lnk")
        }
        [String] Slot([UInt32]$Type)
        {
            Return @("Registry","Resource","Module","File","Manifest","Shortcut")[$Type]
        }
        [Object] Set([UInt32]$Index,[UInt32]$Type,[String]$Path)
        {
            Return [RootProperty]::New($Index,$This.Slot($Index),$Type,$Path)
        }
        [Void] Refresh()
        {
            $This.List() | % { $_.TestPath() }
        }
        [Object[]] List()
        {
            Return $This.PSObject.Properties.Name | % { $This.$_ }
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.Root[Controller]>"
        }
    }

    # // ============================================
    # // | Collects/creates versions of the module |
    # // ============================================

    Class FEVersion
    {
        [Version]      $Version
        Hidden [DateTime] $Time
        [String]          $Date
        [Guid]            $Guid
        FEVersion([String]$Line)
        {
            $This.Version = $This.Tx(0,$Line)
            $This.Time    = $This.Tx(1,$Line)
            $This.Date    = $This.MilitaryTime()
            $This.Guid    = $This.Tx(2,$Line)
        }
        FEVersion([Switch]$New,[String]$Version)
        {
            $This.Version = $Version
            $This.Time    = [DateTime]::Now
            $This.Date    = $This.MilitaryTime()
            $This.Guid    = [Guid]::NewGuid()
        }
        [String] MilitaryTime()
        {
            Return $This.Time.ToString("MM/dd/yyyy HH:mm:ss")
        }
        [String] Tx([UInt32]$Type,[String]$Line)
        {
            $Pattern = Switch ($Type)
            {
                0 { "\d{4}\.\d{1,}\.\d{1,}" }
                1 { "\d{2}\/\d{2}\/\d{4} \d{2}:\d{2}:\d{2}" }
                2 { @(8,4,4,4,12 | % { "[a-f0-9]{$_}" }) -join '-' }
            }

            Return [Regex]::Matches($Line,$Pattern).Value
        }
        [String] ToString()
        {
            Return "| {0} | {1} | {2} |" -f $This.Version,
                                           $This.Date.ToString("MM/dd/yyyy HH:mm:ss"),
                                           $This.Guid
        }
    }

    # // ============================================================
    # // | Specifically used for file hash validation/integrity |
    # // ============================================================

    Class ValidateFile
```

```
    {
        [UInt32]           $Index
        [String]            $Type
        [String]            $Name
        [String]            $Hash
        [String]         $Current
        Hidden [String] $Fullname
        Hidden [String]   $Source
        [UInt32]          $Exists
        [UInt32]           $Match
        ValidateFile([Object]$File)
        {
            $This.Index    = $File.Index
            $This.Type     = $File.Type
            $This.Name     = $File.Name
            $This.Hash     = $File.Hash
            $This.Current  = $This.GetFileHash($File.Fullname)
            $This.Exists   = $File.Exists
            $This.Fullname = $File.Fullname
            $This.Source   = $File.Source
            $This.Match    = [UInt32]($This.Hash -eq $This.Current)
            $File.Match    = $This.Match
        }
        [String] GetFileHash([String]$Path)
        {
            If (![System.IO.File]::Exists($Path))
            {
                [System.IO.File]::Create($Path).Dispose()
            }

            Return Get-FileHash $Path | % Hash
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.Validate[File]>"
        }
    }

    # // ================================================================
    # // | Specifically meant to categorize available version archives |
    # // ================================================================

    Class MarkdownArchiveEntry
    {
        Hidden [DateTime]   $Real
        [String]            $Date
        [String]            $Name
        [String]            $Link
        Hidden [String] $NameLink
        [String]            $Hash
        MarkdownArchiveEntry([String]$Date,[String]$Name,[String]$Hash,[String]$Link)
        {
            $This.Date     = $Date
            $This.Real     = [DateTime]$This.Date
            $This.Name     = $Name
            $This.Link     = $Link
            $This.NameLink = "[**{0}**]({1})" -f $This.Name,$This.Link
            $This.Hash     = $Hash
        }
        MarkdownArchiveEntry([String]$Line)
        {
            $This.Date     = [Regex]::Matches($Line,"\d{4}\-\d{2}\-\d{2} \d{2}\:\d{2}\:\d{2}").Value
            $This.Real     = [DateTime]$This.Date
            $This.Name     = [Regex]::Matches($Line,"\*\*\d{4}\-\d{2}\-\d{2}_\d{6}.zip\*\*").Value.Trim("*")
            $This.Link     = [Regex]::Matches($Line,"https.+.zip").Value
            $This.NameLink = "[**{0}**]({1})" -f $This.Name,$This.Link
            $This.Hash     = [Regex]::Matches($Line,"[A-F0-9]{64}").Value
        }
        [String] Prop([String]$Property,[String]$Char)
        {
            $Prop = $This.$Property
            Return $Prop.PadRight($Prop.Length,$Char)
        }
        [String[]] GetOutput()
        {
            Return "| {0} | {1} | {2} |" -f $This.Prop("Date"," "),
                                            $This.Prop("NameLink"," "),
```

```
                                        $This.Prop("Hash"," ")
    }
    [String] ToString()
    {
        Return "<FightingEntropy.Module.MarkdownArchive[Entry]>"
    }
}

# // ===============================================================
# // | Factory class to control all of the aforementioned classes |
# // ===============================================================

Class InstallController
{
    Hidden [UInt32]    $Mode
    Hidden [Object] $Console
    [String]         $Source = "https://www.github.com/mcc85s/FightingEntropy"
    [String]           $Name = "[FightingEntropy($([Char]960))]"
    [String]    $Description = "Beginning the fight against ID theft and cybercrime"
    [String]         $Author = "Michael C. Cook Sr."
    [String]        $Company = "Secure Digits Plus LLC"
    [String]      $Copyright = "(c) 2023 (mcc85s/mcc85sx/sdp). All rights reserved."
    [Guid]             $Guid = "4b564727-b84b-4033-a716-36d1c5e3e62d"
    [DateTime]         $Date = "08/07/2023 20:52:08"
    [Version]       $Version = "2023.8.0"
    [Object]             $OS
    [Object]           $Root
    [Object]       $Manifest
    [Object]       $Registry
    InstallController([Switch]$Flags)
    {
        $This.Mode = 0
        $This.Main()
    }
    InstallController()
    {
        $This.Mode = 0
        $This.Main()
    }
    InstallController([UInt32]$Mode)
    {
        $This.Mode = $Mode
        $This.Main()
    }
    Main()
    {
        # Initialize console
        $This.StartConsole()

        # Display module
        $This.Display()

        # Operating system
        $This.OS       = $This.New("OS")

        # Root
        $This.Root     = $This.New("Root")

        # Manifest
        $This.Manifest = $This.New("Manifest")

        # Registry
        $This.Registry = $This.New("Registry")

        $This.Update(0," ".PadLeft(102," "))

        # Load the manifest
        $This.LoadManifest()
    }
    StartConsole()
    {
        # Instantiates and initializes the console
        $This.Console = [ConsoleController]::New()
        $This.Console.Initialize()
        $This.Status()
    }
    [Void] Status()
```

```
{
    # If enabled, shows the last item added to the console
    If ($This.Mode -eq 0)
    {
        [Console]::WriteLine($This.Console.Last().Status)
    }
}
[Void] Update([Int32]$State,[String]$Status)
{
    # Updates the console
    $This.Console.Update($State,$Status)
    $This.Status()
}
[Void] Write([String]$Message)
{
    # Writes a standard stylized message to the console
    [ThemeStack]::New($Message)
}
[Void] Write([UInt32]$Slot,[String]$Message)
{
    # Writes a selected stylized message to the console
    [ThemeStack]::New($Slot,$Message)
}
Display()
{
    If ($This.Mode -eq 0)
    {
        $This.Update(0,"Loading [~] $($This.Label())")
        $This.Write($This.Console.Last().Status)
    }
}
[String] Now()
{
    Return [DateTime]::Now.ToString("yyyy-MMdd_HHmmss")
}
[String] ProgramData()
{
    Return [Environment]::GetEnvironmentVariable("ProgramData")
}
[String] Label()
{
    # Returns the module name and version as a string
    Return "{0}[{1}]" -f $This.Name, $This.Version.ToString()
}
[String] SourceUrl()
{
    # Returns the (base url + version) as a string
    Return "{0}/blob/main/Version/{1}" -f $This.Source, $This.Version
}
[String] Env([String]$Name)
{
    # Returns named environment variable as a string
    Return [Environment]::GetEnvironmentVariable($Name)
}
[String] GetResource()
{
    # Returns the resource path as a string
    Return $This.Env("ProgramData"), $This.Company, "FightingEntropy", $This.Version.ToString() -join "\"
}
[String] GetRootPath()
{
    # Selects and returns the root module path as a string
    $Path     = Switch -Regex ($This.OS.Type)
    {
        ^Win32_ { $This.Env("PSModulePath") -Split ";" -match [Regex]::Escape($This.Env("Windir")) }
        Default { $This.Env("PSModulePath") -Split ":" -match "PowerShell"                         }
    }

    Return $Path
}
[Object] GetFEVersion()
{
    # Returns parsed FEModule version object
    Return [FEVersion]::New("| $($This.Version) | $($This.Date) | $($This.Guid) |")
}
[Object] ManifestFolderEntry([UInt32]$Index,[String]$Type,[String]$Resource,[String]$Name)
{
```

```
        # Instantiates a new manifest folder, and can be used externally
        Return [ManifestFolderEntry]::New($Index,$Type,$Resource,$Name)
    }
    [Object] ManifestFileEntry([Object]$Folder,[String]$Name,[String]$Hash)
    {
        # Instantiates a new manifest file, and can be used externally
        Return [ManifestFileEntry]::New($Folder,$Name,$Hash,$This.SourceUrl())
    }
    [Object] NewVersion([String]$Version)
    {
        # Tests a version input string, and if it passes, returns a version object
        If ($Version -notmatch "\d{4}\.\d{1,}\.\d{1,}")
        {
            Throw "Invalid version entry"
        }

        Return [FEVersion]::New($True,$Version)
    }
    [Object[]] Versions()
    {
        # Obtains the available versions from the project site
        $Markdown = Invoke-RestMethod "$($This.Source)/blob/main/readme.md?raw=true"
        Return $Markdown -Split "`n" | ? { $_ -match "^\|\s\*\*\d{4}\.\d{1,}\.\d{1,}\*\*" } | % { [FEVersion]$_ }
    }
    [Object] Template()
    {
        # Instantiates a new registry template to generate a registry key set
        Return [RegistryTemplate]::New($This)
    }
    [Object] New([String]$Name)
    {
        # (Selects/instantiates) selected object
        $Item = Switch ($Name)
        {
            OS
            {
                [OSController]::New()
            }
            Root
            {
                [RootController]::New($This.Version,$This.GetResource(),$This.GetRootPath())
            }
            Manifest
            {
                [ManifestController]::New($This.Source,$This.Root.Resource)
            }
            Registry
            {
                [RegistryKey]::New($This)
            }
        }

        # Logs the instantiation of the named (function/class)
        Switch ([UInt32]!!$Item)
        {
            0 { $This.Update(-1,"[!] <$($Item.Name)> ") }
            1 { $This.Update( 1,"[+] <$($Item.Name)> ") }
        }

        Return $Item
    }
    [Object] GetFolder([String]$Type)
    {
        # Returns the named folder from the manifest controller
        Return $This.Manifest.Output | ? Type -eq $Type
    }
```

```
        [Object] GetFolder([UInt32]$Index)
        {
            # Returns the indexed folder from the manifest controller
            Return $This.Manifest.Output | ? Index -eq $Index
        }
        [String] GetFolderName([String]$Type)
        {
            # Returns the formal name of a given (type/folder) as a string
            $xName = Switch ($Type)
            {
                Control  {   "Control" }
                Function { "Functions" }
                Graphic  {  "Graphics" }
            }

            Return $xName
        }
        [Object] ManifestListItem([UInt32]$Index,[String]$Source,[String]$Name,[String]$Hash)
        {
            Return [ManifestListItem]::New($Index,$Source,$Name,$Hash)
        }
        [Object[]] GetManifestList([String]$Name)
        {
            $List = Switch ($Name)
            {
                Control
                {
                 ("Computer.png"                    , "87EAB4F74B38494A960BEBF69E472AB0764C3C7E782A3F74111F993EA31D1075") ,
                 ("DefaultApps.xml"                 , "EEC0F0DFEAC1B4172880C9094E997C8A5C5507237EB70A241195D7F16B06B035") ,
                 ("down.png"                        , "0F14F2184720CC89911DD0FB234954D83275672D5DBA3F48CBDAFA070C0376B4") ,
                 ("failure.png"                     , "59D479A0277CFFDD57AD8B9733912EE1F3095404D65AB630F4638FA1F40D4E99") ,
                 ("FEClientMod.xml"                 , "326C8D3852895A3135144ACCBB4715D2AE49101DCE9E64CA6C44D62BD4F33D02") ,
                 ("FEServerMod.xml"                 , "3EA9AF3FFFB5812A3D3D42E5164A58EF2FC744509F2C799CE7ED6D0B0FF9016D") ,
                 ("header-image.png"                , "38F1E2D061218D31555F35C729197A32C9190999EF548BF98A2E2C2217BBCB88") ,
                 ("left.png"                        , "BE62B17A91BDCC936122557397BD90AA3D81F56DDA43D62B5FDBCEDD10C7AFFB") ,
                 ("MDTClientMod.xml"                , "B2BA25AEB67866D17D8B22BFD31281AFFF0FFE1A7FE921A97C51E83BF46F8603") ,
                 ("MDTServerMod.xml"                , "C4B12E67357B54563AB042617CEC2B56128FD03A9C029D913BB2B6CC65802189") ,
                 ("MDT_LanguageUI.xml"              , "8968A07D56B4B2A56F15C07FC556432430CB1600B8B6BBB13C332495DEE95503") ,
                 ("PSDClientMod.xml"                , "C90146EECF2696539ACFDE5C2E08CFD97548E639ED7B1340A650C27F749AC9CE") ,
                 ("PSDServerMod.xml"                , "C90146EECF2696539ACFDE5C2E08CFD97548E639ED7B1340A650C27F749AC9CE") ,
                 ("right.png"                       , "A596F8859E138FA362A87E3253F64116368C275CEE0DA3FDD6A686CBE7C7069A") ,
                 ("success.png"                     , "46757AB0E2D3FFFFDBA93558A34AC8E36F972B6F33D00C4ADFB912AE1F6D6CE2") ,
                 ("up.png"                          , "09319D3535B26451D5B7A7F5F6F6897431EBDC6AED261288F13C2C65D50C4346") ,
                 ("vendorlist.txt"                  , "A37B6652014467A149AC6277D086B4EEE7580DDB548F81B0B2AA7AC78C240874") ,
                 ("warning.png"                     , "CC05A590DE7AD32AEB47E117AA2DD845F710080F9A3856FBCDC9BC68106C562F") ,
                 ("Wifi.cs"                         , "405226234D7726180C0F9C97DF3C663CA0028A36CBCD00806D6517575A6F549F") ,
                 ("zipcode.txt"                     , "E471E887F537FA295A070AB41E21DEE978181A92CB204CA1080C6DC32CBBE0D8")
                }
                Function
                {
                 ("Copy-FileStream.ps1"             , "937CD4B7A4BB187330BD52A2C245E13AECD926A05CEC4A2A47E4AD284C84801B") ,
                 ("Get-AssemblyList.ps1"            , "4F18F529AFC479D7F55F9E3F4E53754678723D3A9CCB6F1BFD9D6C011C526A6F") ,
                 ("Get-ControlExtension.ps1"        , "0E0BE40DDC1F4E4B74BB30E4340C3794A84D59B49945BCB5288ADB01474C9029") ,
                 ("Get-DcomSecurity.ps1"            , "26F688DE75910CEA3B6D875F77CBCBE76088B596623D4E09E9A6745D3652CE41") ,
                 ("Get-EnvironmentKey.ps1"          , "B747B32DF346738A307190C9410F1164FD2A784AE79810CC9BB3B909A09A9CE8") ,
                 ("Get-EventLogArchive.ps1"         , "2186A9E48DC343CD0AED8DDBA13F9B8B22EC98BD8E245D6866517A3E4BC58810") ,
                 ("Get-EventLogConfigExtension.ps1" , "63C5D428EB635BA5555C67DF3004574AA21CD526C6828544D6ADEA280B9021A4") ,
                 ("Get-EventLogController.ps1"      , "312491AE3C3D7CED28E204C3029CFA5DB0EB75420D95BCC6445593B2135A95F9") ,
                 ("Get-EventLogProject.ps1"         , "5412F53D7807B489FE2297B0EEC6B39A13A22DA4E786DBBEEA70F78D6D1301EC") ,
                 ("Get-EventLogRecordExtension.ps1" , "C8FFD53CB25CBEC83994BE2D781761DAA8FDAF1F5052677F8B9DB36650CC0D36") ,
                 ("Get-EventLogXaml.ps1"            , "513EC10454C110B5647D6715CFB5DCAF48D23B2719A817B2B3804F83B0250C55") ,
                 ("Get-FEADLogin.ps1"               , "2071B499D0172A478FCCC5059FD4BC80CD3303DCECFA02CDFF1E33FB9F5C7396") ,
                 ("Get-FEDCPromo.ps1"               , "A3720DC7E7E77C1E806A0331C6E42D4FDDD5AD09ED4ADD98E6092C02BD27686E") ,
                 ("Get-FEDevice.ps1"                , "6FFA1AA2974B903A44015438CC89E7B4E9179BA2EE6AE54916D41F12974C5E14") ,
                 ("Get-FEImageManifest.ps1"         , "AC02A718807CC18C3514B4BD341A5C0F17F32A735FC870DAFECFBC6DDA3BB093") ,
                 ("Get-FEModule.ps1"                , "F3415E8061EEFE1904D1F2285A674207E340DEDC6A0F9C97D09DA19398EDD599") ,
                 ("Get-FENetwork.ps1"               , "D9C810171D4C854D76AD97B0C8050E29778B1A739525113254315D87C0254391") ,
                 ("Get-FEProcess.ps1"               , "C2ADA73AEC1EC1F336FDF59813B0B1A202EEDA8C5CCDFE3B8105AB16C47A3904") ,
                 ("Get-FESystem.ps1"                , "19540FEE9CC21B10294125C0AECF3022123A066BF297D8149BBF9B7C8B153E3D") ,
                 ("Get-MdtModule.ps1"               , "FF36B14E4FC6059655696E6E8D09E29B21F1AE49BC1AC2307F63C402B93E75EB") ,
```

```
            ("Get-PowerShell.ps1"              , "68D8C072720D0B6FA867502417BEF2ED3B70408E7C6A2F840C8243423AA5BC68") ,
            ("Get-PropertyItem.ps1"            , "1DC6E15A16936CF0C3B31962E50967FFD584349F1B0FCB86AED6E8EBD1B4D05F") ,
            ("Get-PropertyObject.ps1"          , "33A34DE2CACAE0FC73BC2A18B96F86CE0A9C8FC9E2C3D28D896AB884911ECAA1") ,
            ("Get-PsdLog.ps1"                  , "790A41B5B4D0D96DF555B9440E8A57DA56949568465658D7FDD18F303D65BEF6") ,
            ("Get-PsdLogGUI.ps1"               , "E299F666C8711E1FB45DD2C572744DA230BE094D5427C373F5F3E765F6EE3CC2") ,
            ("Get-PsdModule.ps1"               , "CA5C728289FC3DB475E85AA121CB77589F28503AB7EF0388E96684D1F87B75B6") ,
            ("Get-ThreadController.ps1"        , "0BA299EB6DEC71D001C5302FF8EC3537C5A7D52E02999BC1BD475C57C0700D47") ,
            ("Get-UserProfile.ps1"             , "2526A58A29CFD7F1EFBB15DDF151F96AE1083778217785D9A30A5674DE8FD9A") ,
            ("Get-ViperBomb.ps1"               , "874154837B8D682905F967D139FF1CF148326D48052402752E4448DDE9BEE920") ,
            ("Get-WhoisUtility.ps1"            , "F112A4EC6A359A54BFEC3A9F7BDC695C53F1833BA10A86ED926E08BCC42C402F") ,
            ("Initialize-FeAdInstance.ps1"     , "D9B22E6BBB27AB16F705D6925DB2CACA878B75A71DD74FF054F68C5099D94547") ,
            ("Install-BossMode.ps1"            , "EBAF7B18203D152828FF416918573FDF564E180EAF5AC7AA244FA4927E51E8CE") ,
            ("Install-IISServer.ps1"           , "5B46F674291E4454C1D9BC0870005332571582E3099B8EFAF62FC01EB3F0958E") ,
            ("Install-Psd.ps1"                 , "F1CF595E447A5486D9009D1D5EA86E114CAC62DEF97B61AFA4C6810D87264476") ,
            ("Invoke-cimdb.ps1"                , "AD12DE4772D2CCA77F8C411FDF3A6010AD99FEA9DAB31556F896EFB1ACA71238") ,
            ("New-Document.ps1"                , "7E9A320A2A048559EDCFA073B85204C152297F22FE13021CCDF8A6D5451F018F") ,
            ("New-EnvironmentKey.ps1"          , "C6835E2230076ED16B1D8C68765DC33F7D3B8BC07892862988704 4D4906EAD87") ,
            ("New-FEConsole.ps1"               , "033C065671462D5960F49E017D651C98A963AC85C12487E2B673C6DA255F47AA") ,
            ("New-FEFormat.ps1"                , "C23A53F4669ED1CC72ADD10CA18A57C8EB2575E7A2F26B3D2168DFA9970F7D2B") ,
            ("New-FEInfrastructure.ps1"        , "469A8F95A22D233B1E22A389E58855D970B94D185A537F90440BEF8D1BB5DF03") ,
            ("New-MarkdownFile.ps1"            , "5C6DA1A6C5C3245BBC61E1FB51761AD4043F7A162002A8655DEB770574E56F1F") ,
            ("New-TranscriptionCollection.ps1" , "AD7A21A568AD907E1739C47EBA84977AAAE4DD7E1ED9DA606FCF937F0495A85E") ,
            ("New-VmController.ps1"            , "52D50925A41C80D650093952B82E8FB0078AD75AF1A10B8560E2100D515C37C3") ,
            ("Search-WirelessNetwork.ps1"      , "AF7E3BDBF9B133309827B9DA28478680E864B8609AD26A184B449D21937C5146") ,
            ("Set-AdminAccount.ps1"            , "00E4270ECA4B1A85C451659CD4D7DF2D1F442A88809E7F46EF7FAE2DD7D3DA1A") ,
            ("Set-ScreenResolution.ps1"        , "868E0D0A21A096CA60E738FB92C0C40F633E861384ACA674D225033859D88EA0") ,
            ("Show-ToastNotification.ps1"      , "81FF3C1DB929701D5AD2B0128C1ADF35A1A2D5B1C022EE6939E30EF7B46AFEAA") ,
            ("Start-TCPSession.ps1"            , "FD6C55AB2109385ACA7054BA522293C22FB54E724489E6C9D3A26A31A2931FD8") ,
            ("Update-PowerShell.ps1"           , "7503EC8FBC94BBDC517ED97641E3B28B8165F4FA49A9A754CB239DA1B18FA758") ,
            ("Write-Element.ps1"               , "2A9BA592965DF81FFD9946D2F17F21708E75E2B650D4E4B2B38EE04344B7EDF2") ,
            ("Write-Theme.ps1"                 , "3E836D3CE85CD1EFB32341AEB455628081B52E78D5CB4FB94D8F9FD0E102D629") ,
            ("Write-Xaml.ps1"                  , "C97F1B4C6916994356D92F0F5B803893E0887F2D249200B412901AE6B43FE1D7")
        }
        Graphic
        {
            ("background.jpg"                  , "94FD6CB32F8FF9DD360B4F98CEAA046B9AFCD717DA532AFEF2E230C981DAFEB5") ,
            ("banner.png"                      , "057AF2EC2B9EC35399D3475AE42505CDBCE314B9945EF7C7BCB91374A8116F37") ,
            ("icon.ico"                        , "594DAAFF448F5306B8B46B8DB1B420C1EE53FFD55EC65D17E2D361830659E58E") ,
            ("OEMbg.jpg"                       , "D4331207D471F799A520D5C7697E84421B0FA0F9B574737EF06FC95C92786A32") ,
            ("OEMlogo.bmp"                     , "98BF79CAE27E85C77222564A3113C52D1E75BD63283988 71873072F6B363D1A8") ,
            ("PSDBackground.bmp"               , "05ABBABDC9F67A95D5A4AF466149681C2F5E8ECD68F11433D32F4C0D04446F7E") ,
            ("sdplogo.png"                     , "87C2B016401CA3F8F8FAD5F629AFB3553C4762E14CD60792823D388F87E2B16C")
        }
    }

    Return $List
}
[String[]] ManifestEnum()
{
    Return [System.Enum]::GetNames([ManifestListType])
}
LoadManifest()
{
    $Out = @( )

    # Collects all of the files and names
    ForEach ($Type in $This.ManifestEnum())
    {
        ForEach ($Item in $This.GetManifestList($Type))
        {
            $Out += $This.ManifestListItem($Out.Count,$Type,$Item[0],$Item[1])
        }
    }

    # Determines maximum name length
    $Max = ($Out.Name | Sort-Object Length)[-1]

    ForEach ($Type in $This.ManifestEnum())
```

```
        {
            # Adds + selects specified folder object
            $This.LoadFolder($Type)
            $Folder = $This.GetFolder($Type)

            # Loads each file + hash
            ForEach ($File in $Out | ? Source -eq $Type)
            {
                $This.LoadFile($Folder,$Max.Length,$File)
            }

            $This.Update(0," ".PadLeft(102," "))
        }
    }
    LoadFolder([String]$Type)
    {
        # Selects the correct folder name
        $ID   = $This.GetFolderName($Type)

        # Instantiates the specified folder
        $Item = $This.ManifestFolderEntry($This.Manifest.Output.Count,$Type,$This.Root.Resource,$ID)

        # Logs validation of its existence, and adds if it does not
        Switch ([UInt32]!!$Item)
        {
            0
            {
                $This.Update( 0,"-".PadLeft(102,"-"))
                $This.Update( 0,("[!] {0} : {1}" -f $Item.Type.PadLeft(8," "), $Item.Fullname))
                $This.Update( 0,"-".PadLeft(102,"-"))
                $This.Update( 0," ".PadLeft(102," "))
            }
            1
            {
                $This.Manifest.Output += $Item
                $This.Update( 0,"-".PadLeft(102,"-"))
                $This.Update( 0,("[+] {0} : {1}" -f $Item.Type.PadLeft(8," "), $Item.Fullname))
                $This.Update( 0,"-".PadLeft(102,"-"))
                $This.Update( 0," ".PadLeft(102," "))
            }
        }
    }
    LoadFile([Object]$Folder,[UInt32]$Max,[Object]$File)
    {
        $ID   = $File.Name
        $Hash = $File.Hash

        # Adds a specified file + hash into a specified folder object
        If ($ID -in $Folder.Item.Name)
        {
            Throw "Item already added"
        }

        # Instantiates the specified file
        $Item   = $This.ManifestFileEntry($Folder,$ID,$Hash)
        $Label  = $ID.PadRight($Max," ")

        # Logs validation of its existence, and adds if it does not
        Switch ([UInt32]($ID -notin $Folder.Item.Name))
        {
            0
            {
                $This.Update(-1,"[!] $Label")
            }
            1
            {
                $Folder.Add($Item)
                $This.Update( 1,"[o] $Label | $Hash ")
            }
        }
    }
    [Object] File([String]$Type,[String]$Name)
    {
        Return $This.GetFolder($Type).Item | ? Name -eq $Name
    }
    [Object] File([UInt32]$Index,[String]$Name)
    {
```

```
        Return $This.GetFolder($Index).Item | ? Name -eq $Name
    }
    [Object] _Control([String]$Name)
    {
        Return $This.File("Control",$Name)
    }
    [Object] _Function([String]$Name)
    {
        Return $This.File("Function",$Name)
    }
    [Object] _Graphic([String]$Name)
    {
        Return $This.File("Graphic",$Name)
    }
    [Void] WriteAllLines([String]$Path,[Object]$Object)
    {
        [System.IO.File]::WriteAllLines($Path,$Object,[System.Text.UTF8Encoding]$False)
    }
    [Void] Refresh()
    {
        # // ------------------------------------------
        # // | Tests all manifest (folder/file) entries |
        # // ------------------------------------------

        ForEach ($Item in $This.Module.Root.List() | Sort-Object Index -Descending)
        {
            Switch ($Item.Name)
            {
                Registry
                {
                    $This.Registry.TestPath()
                    $This.Root.Registry.Exists = $This.Registry.Exists
                }
                Resource
                {
                    $This.Root.Resource.TestPath()
                    $This.Manifest.Refresh() | Out-Null
                }
                Module
                {
                    $This.Root.Module.TestPath()
                }
                File
                {
                    $This.Root.File.TestPath()
                }
                Manifest
                {
                    $This.Root.Manifest.TestPath()
                }
                Shortcut
                {
                    $This.Root.Shortcut.TestPath()
                }
            }
        }
    }
    InstallItem([Object]$Item)
    {
        $Item.TestPath()

        Switch ($Item.Exists)
        {
            0
            {
                Switch ($Item.Name)
                {
                    Resource
                    {
                        $Item.Create()

                        $List       = $This.Manifest.Output | % Item

                        $Max        = ($List.Name | Sort-Object Length)[-1]
                        $C          = $List.Count + $This.Manifest.Output.Count
                        $I          = -1
```

```
                $This.Update(1,"[@] Resource : $($Item.Fullname) ")
                $This.Update(1,"               ($C) [directories/files] ")

                ForEach ($Sx in $This.Manifest.Output)
                {
                    $Sx.TestPath()
                    If (!$Sx.Exists)
                    {
                        $I ++
                        $St = "{0:p}" -f ($I/$C)

                        $Sx.Create()

                        $This.Update( 1,"-".PadLeft(102,"-"))
                        $This.Update( 1,("[~] {0} : {1} [$St] " -f $Sx.Type.PadRight(9," "), $Sx.FullName))
                        $This.Update( 1,"-".PadLeft(102,"-"))
                        $This.Update( 0," ".PadLeft(102," "))
                    }

                    ForEach ($File in $Sx.Item)
                    {
                        $I ++
                        $St = "{0:p}" -f ($I/$C)

                        Switch ($File.Exists)
                        {
                            0
                            {
                                $File.Create()
                                $File.Download()
                                $File.Write()
                                $This.Update(1,("[+] {0} [$St] " -f $File.Name.PadRight($Max.Length," ")))
                            }

                            1
                            {
                                $This.Update(0,("[!] {0} [$St] " -f $File.Name.PadRight($Max.Length," ")))
                            }
                        }
                    }

                    $This.Update(0," ".PadLeft(102," "))
                }
            }
            Registry
            {
                $This.Update(1,"[@] Registry : $($Item.Fullname) ")
                $This.Update(0," ".PadLeft(102," "))

                $Key = $This.Registry.KeyTemp($Item.Fullname)
                $Key.Open()
                $Key.Create()

                $Max = @{

                    Name = ($This.Registry.Property.Name | Sort-Object Length)[-1].Length
                }

                ForEach ($X in 0..($This.Registry.Property.Count-1))
                {
                    $Prop        = $This.Registry.Property[$X]
                    $Key.Add($Prop.Name,$Prop.Value)

                    $This.Update(1,"[+] $($Prop.Name.PadRight($Max.Name," ")) : $($Prop.Value)")
                    $Item.Exists = 1
                }

                $Key.Dispose()
                $Item.TestPath()
                $This.Update(0," ".PadLeft(102," "))
            }
            Module
            {
                $Item.Create()

                $This.Update(1,"[+] PSModule : $($Item.Fullname) ")
            }
```

```
                    File
                    {
                        $Item.Create()
                        $This.WriteAllLines($Item.Fullname,$This.Psm())
                        $Item.TestPath()
                        $This.Update(1,"[+] *.psm1   : $($Item.Fullname) ")
                    }
                    Manifest
                    {
                        $Splat = $This.PSDParam()
                        New-ModuleManifest @Splat
                        $Item.TestPath()
                        $This.Update(1,"[+] *.psd1   : $($Item.Fullname) ")
                    }
                    Shortcut
                    {
                        $Com                = New-Object -ComObject WScript.Shell
                        $Object             = $Com.CreateShortcut($Item.Fullname)
                        $Object.TargetPath  = "PowerShell"
                        $Object.Arguments   = "-NoExit -ExecutionPolicy Bypass -Command `"Get-FEModule -Mode 1`""
                        $Object.Description = $This.Description
                        $Object.IconLocation = $This._Graphic("icon.ico").Fullname
                        $Object.Save()

                        $Bytes              = [System.IO.File]::ReadAllBytes($Item.Fullname)
                        $Bytes[0x15]        = $Bytes[0x15] -bor 0x20

                        [System.IO.File]::WriteAllBytes($Item.Fullname,$Bytes)

                        $Item.TestPath()
                        $This.Update(1,"[+] *.lnk    : $($Item.Fullname) ")
                    }
                }
            }
            1
            {
                Switch ($Item.Name)
                {
                    Resource
                    {
                        $This.Update(-1,"[!] Resource : $($Item.Fullname) [exists]")
                    }
                    Registry
                    {
                        $This.Update(-1,"[!] Registry : $($Item.Fullname) [exists]")
                    }
                    Module
                    {
                        $This.Update(-1,"[!] PSModule : $($Item.Fullname) [exists]")
                    }
                    File
                    {
                        $This.Update(-1,"[!] *.psm1   : $($Item.Fullname) [exists]")
                    }
                    Manifest
                    {
                        $This.Update(-1,"[!] *.psd1   : $($Item.Fullname) [exists]")
                    }
                    Shortcut
                    {
                        $This.Update(-1,"[!] *.lnk    : $($Item.Fullname) exists")
                    }
                }
            }
        }
    }
    [Void] Install()
    {
        $This.Write(2,"Installing [~] $($This.Label())")

        $Setting = [System.Net.ServicePointManager]::SecurityProtocol
                   [System.Net.ServicePointManager]::SecurityProtocol = 3072

        $This.Update(0,"=".PadLeft(102,"="))
        $This.InstallItem($This.Root.Resource)
        $This.Update(0,"-".PadLeft(102,"-"))
```

```
            $This.InstallItem($This.Root.Registry)
            $This.Update(0,"-".PadLeft(102,"-"))
            $This.InstallItem($This.Root.Module)
            $This.InstallItem($This.Root.File)
            $This.InstallItem($This.Root.Manifest)
            $This.InstallItem($This.Root.Shortcut)
            $This.Update(0,"=".PadLeft(102,"="))

            [System.Net.ServicePointManager]::SecurityProtocol = $Setting

            $This.Write(2,"Installed [+] $($This.Label())")
        }
        RemoveItem([Object]$Item)
        {
            $Item.TestPath()

            Switch ($Item.Exists)
            {
                0
                {
                    Switch ($Item.Name)
                    {
                        Resource
                        {
                            $This.Update(1,"[_] Resource : $($Item.Fullname) ")
                        }
                        Registry
                        {
                            $This.Update(0,"[_] Registry : $($Item.Fullname) ")

                        }
                        Module
                        {
                            $This.Update(0,"[_] PSModule : $($Item.Fullname) ")
                        }
                        File
                        {
                            $This.Update(0,"[_] *.psm1   : $($Item.Fullname) ")
                        }
                        Manifest
                        {
                            $This.Update(0,"[_] *.psd1   : $($Item.Fullname) ")
                        }
                        Shortcut
                        {
                            $This.Update(0,"[_] *.lnk    : $($Item.Fullname)")
                        }
                    }
                }
                1
                {
                    Switch ($Item.Name)
                    {
                        Resource
                        {
                            $List       = $This.Manifest.Refresh()

                            $Max        = ($List.Name | Sort-Object Length)[-1]
                            $C          = $List.Count
                            $I          = -1

                            $This.Update(1,"[_] Resource : $($Item.Fullname) ")
                            $This.Update(1,"               ($C) [directories/files] ")

                            ForEach ($Sx in $This.Manifest.Output)
                            {
                                $I ++
                                $St = "{0:p}" -f ($I/$C)

                                $This.Update(1,"-".PadLeft(102,"-"))
                                $This.Update(1,("[_] {0} : {1} [$St] " -f $Sx.Type.PadRight(9," "), $Sx.FullName))
                                $This.Update(1,"-".PadLeft(102,"-"))
                                $This.Update(0," ".PadLeft(102," "))

                                ForEach ($File in $Sx.Item)
                                {
                                    $I ++
```

```
                                $St = "{0:p}" -f ($I/$C)

                                $File.Remove()
                                $This.Update($File.Exists,("[_] {0} [$St] " -f $File.Name.PadRight($Max.Length," ")))
                            }

                            $This.Update(0," ".PadLeft(102," "))
                            $Sx.Remove()
                        }

                        $Item.Remove()
                    }
                    Registry
                    {
                        $Object         = $This.Registry

                        $This.Update(1,"[ ] Registry : $($Item.Fullname) ")
                        $This.Update(0," ".PadLeft(102," "))

                        $Key            = $This.Registry.KeyTemp($Object.Path)
                        $Key.Open()
                        $Key.Create()
                        $Key.Remove()

                        $Max = @{

                            Name = ($This.Registry.Property.Name | Sort-Object Length)[-1].Length
                        }

                        ForEach ($Property in $Object.Property)
                        {
                            $This.Update(1,"[ ] $($Property.Name.PadRight($Max.Name," ")) : $($Property.Value)")
                            $Property.Exists = 0
                        }

                        $Object.Exists   = 0
                        $Key.Dispose()
                        $Item.Remove()

                        $This.Update(0," ".PadLeft(102," "))

                    }
                    Module
                    {
                        $Item.Remove()
                        $This.Update(1,"[_] PSModule : $($Item.Fullname) ")
                    }
                    File
                    {
                        $Item.Remove()
                        $This.Update(1,"[_] *.psm1   : $($Item.Fullname)")
                    }
                    Manifest
                    {
                        $Item.Remove()
                        $This.Update(1,"[_] *.psd1   : $($Item.Fullname)")
                    }
                    Shortcut
                    {
                        $Item.Remove()
                        $This.Update(1,"[_] *.lnk    : $($Item.Fullname)")
                    }
                }
            }
        }
    }
    [Void] Remove()
    {
        $This.Update(0,"Removing [~] $($This.Label())")
        $This.Write(1,$This.Console.Last().Status)

        $This.Update(0,"=".PadLeft(102,"="))
        ForEach ($Item in "Shortcut","Manifest","File","Module")
        {
            $This.RemoveItem($This.Root.$Item)
        }
        $This.Update(0,"-".PadLeft(102,"-"))
```

```
        $This.RemoveItem($This.Root.Registry)
        $This.Update(0,"-".PadLeft(102,"-"))
        $This.RemoveItem($This.Root.Resource)
        $This.Update(0,"=".PadLeft(102,"="))

        $This.Write(1,"Removed [+] $($This.Label())")
    }
    [String] Psm()
    {
        $F      = @( )
        $Member = @( )

        # // ----------
        # // | Header |
        # // ----------

        $F += "# Downloaded from {0}" -f $This.Source
        $F += "# {0}" -f $This.Resource
        $F += "# {0}" -f $This.Version.ToString()
        $F += "# <Types>"
        $This.Binaries() | % { $F += "Add-Type -AssemblyName $_" }

        # // -------------
        # // | Functions |
        # // -------------

        $F += "# <Functions>"
        ForEach ($File in $This.GetFolder("Function").Item)
        {
            $Base = $File.Name -Replace ".ps1",""
            If ($Member.Count -eq 0)
            {
                $Member += "Export-ModuleMember -Function $Base,"
            }
            ElseIf ($Member.Count -gt 0)
            {
                $Member += "$Base,"
            }

            $F += "# <{0}/{1}>" -f $File.Type, $File.Name
            $F += "# {0}" -f $File.Fullname
            If (!$File.Content)
            {
                $File.GetContent()
            }
            $F += $File.Content
            $F += "# </{0}/{1}>" -f $File.Type, $File.Name
        }
        $Member[-1] = $Member[-1].TrimEnd(",")

        $F += "# </Functions>"
        $F += ""
        $Member | % { $F += $_ }
        $F += ""
        $F += "Write-Theme -InputObject `"Module [+] [FightingEntropy(`$([char]960))][$($This.Version)]`" -Palette 2"

        Return $F -join "`n"
    }
    [String[]] Binaries()
    {
        $Out = "PresentationFramework",
        "System.Runtime.WindowsRuntime",
        "System.IO.Compression",
        "System.IO.Compression.Filesystem",
        "System.Windows.Forms"

        Return $Out
    }
    [Hashtable] PSDParam()
    {
        Return @{

            GUID                = $This.GUID
            Path                = $This.Root.Manifest
            ModuleVersion       = $This.Version
            Copyright           = $This.Copyright
```

```
            CompanyName          = $This.Company
            Author               = $This.Author
            Description          = $This.Description
            RootModule           = $This.Root.File
            RequiredAssemblies   = $This.Binaries()
        }
    }
    Latest()
    {
        $This.Write(2,"Installing [~] $($This.Label())")

        If (![System.IO.Directory]::Exists($This.Root.Resource))
        {
            $This.Root.Resource.Create()
        }

        $String    = "{0}/blob/main/Version/{1}/readme.md?raw=true" -f $This.Source, $This.Version.ToString()
        $Content   = (Invoke-RestMethod $String).Split("`n")
        $List      = @( )

        ForEach ($Line in $Content)
        {
            If ($Line -match "https.+\.zip")
            {
                $List += $This.ArchiveEntry($Line)
            }
        }

        $Item      = ($List | Sort-Object Real)[-1]

        $This.Update(0,"====[Downloading Latest Archive]====".PadRight(102,"="))
        $This.Update(0,"")
        $This.Update(0,"    Date : $($Item.Date)")
        $This.Update(0,"    Name : $($Item.Name)")
        $This.Update(0,"    Link : $($Item.Link)")
        $This.Update(0,"    Hash : $($Item.Hash)")
        $This.Update(0,"")

        $Src       = "{0}?raw=true" -f $Item.Link
        $Target    = "{0}\{1}" -f $This.Root.Resource.Fullname, $Item.Name

        Start-BitsTransfer -Source $Src -Destination $Target

        $Hash      = Get-FileHash $Target | % Hash
        If ($Item.Hash -notmatch $Hash)
        {
            $This.Update(-1,"Error       [!] Invalid hash")
            [System.IO.File]::Delete($Target)
            Throw $This.Console.Status
        }

        Expand-Archive $Target -DestinationPath $This.Root.Resource -Force
        [System.IO.File]::Delete($Target)
        $This.Manifest.Validate()

        $This.Update(0,"=".PadLeft(102,"="))
        $This.Update(0,"[@] Resource : $($This.Root.Resource)")
        $Ct = $This.Manifest | % { $_.Output.Count + $_.Full().Count }
        $This.Update(0,"               ($Ct) [directories/files]")
        ForEach ($Folder in $This.Manifest.Output)
        {
            $This.Update(0,"-".PadLeft(102,"-"))
            $This.Update(0,("[~] {0} : {1}" -f $Folder.Type.PadRight(9," "), $Folder.Fullname))
            $This.Update(0,"-".PadLeft(102,"-"))
            $This.Update(0," ".PadLeft(102," "))

            ForEach ($File in $Folder.Item)
            {
                $This.Update(0,"[+] $($File.Name)")
            }

            $This.Update(0," ".PadLeft(102," "))
        }

        $This.Update(0,"-".PadLeft(102,"-"))

        If ($This.Root.Registry.Exists -eq 0)
```

```
            {
                $This.InstallItem($This.Root.Registry)
            }

            $This.Update(0,"-".PadLeft(102,"-"))

            $This.UpdateManifest()

            $This.Update(0,"=".PadLeft(102,"="))
            $This.Write(2,"Installed [+] $($This.Label())")
        }
        UpdateManifest()
        {
            $List = $This.Validation()
            $Pull = $List | ? Match -eq 0

            If ($Pull.Count -ne 0)
            {
                ForEach ($ID in "Shortcut","Manifest","File","Module")
                {
                    $Item = $This.Root.$ID
                    If ($Item.Exists)
                    {
                        $This.RemoveItem($Item)
                    }
                }

                ForEach ($File in $Pull)
                {
                    $Folder = $This.Manifest.Output | ? Type -eq $File.Type
                    $Item   = $Folder.Item | ? Name -eq $File.Name
                    $Item.Download()
                    $Item.Write()
                    $Item.Exists = 1
                }

                ForEach ($Item in "Module","File","Manifest","Shortcut")
                {
                    $This.InstallItem($This.Root.$Item)
                }
            }
        }
        [Object] ArchiveEntry([String]$Line)
        {
            Return [MarkdownArchiveEntry]::New($Line)
        }
        [Object] ValidateFile([Object]$File)
        {
            Return [ValidateFile]::New($File)
        }
        [Object[]] Validation()
        {
            Return $This.Manifest.Full() | % { $This.ValidateFile($_) }
        }
        Validate()
        {
            $xList = $This.Validation()
            $This.Validate($xList)
        }
        Validate([Object[]]$xList)
        {
            $This.Write(3,"Validation [~] Module manifest")
            $Ct   = $xList | ? Match -eq 0

            Switch ($Ct.Count)
            {
                {$_ -eq 0}
                {
                    $This.Write(3,"Validation [+] All files passed validation")
                }
                {$_ -ne 0}
                {
                    $This.Write(1,"Validation [!] ($($Ct.Count)) files failed validation")
                }
            }
        }
        [String] DateTime()
```

```
        {
            Return [DateTime]::Now.ToString("yyyy-MM-dd HH:mm:ss")
        }
        [String] ToString()
        {
            Return "<FightingEntropy.Module.Installer[Controller]>"
        }
    }

    [InstallController]::New($Mode)
}

$Module = FightingEntropy.Module -Mode 0

    # // ____________________________________________________________________________________
    # // | Note: (FightingEntropy.Module -Mode 1) loads without writing stuff to the screeen |
    # // ¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯
<#                                                                                            __________/
\___________________________________________________________________________________________/ Function
  Output /¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯\
/¯¯¯¯¯¯¯¯

    ____________________________________________________________________
    | Here is the output of the function above                         | [Visual Studio]
    |==================================================================|
    | PS Prompt:\> $Module                                             |
    |                                                                  |
    | Source      : https://www.github.com/mcc85s/FightingEntropy      |
    | Name        : [FightingEntropy(π)]                               |
    | Description : Beginning the fight against ID theft and cybercrime |
    | Author      : Michael C. Cook Sr.                                 |
    | Company     : Secure Digits Plus LLC                             |
    | Copyright   : (c) 2023 (mcc85s/mcc85sx/sdp). All rights reserved. |
    | Guid        : 4b564727-b84b-4033-a716-36d1c5e3e62d               |
    | Date        : 8/7/2023 8:52:08 PM                                |
    | Version     : 2023.8.0                                           |
    | OS          : <FightingEntropy.Module.OS[Controller]>            |
    | Root        : <FightingEntropy.Module.Root[Controller]>          |
    | Manifest    : <FightingEntropy.Module.Manifest[Controller]>      |
    | Registry    : <FightingEntropy.Module.Registry[Key]>             |
    ¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯

    ______________________________________________________________________________________
    | Suppose I'd like to see the current version of the module based on the script above...? |
    ¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯

    PS Prompt:\> $Module.GetFEVersion()

    Version  Date                Guid
    -------  ----                ----
    2023.8.0 08/07/2023 20:52:08 4b564727-b84b-4033-a716-36d1c5e3e62d
                                                                                               _________/
\_____________________________________________________________________________________________/ Example
  Signature /¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯\
/¯¯¯¯¯¯¯¯¯¯

    _____________________________________________________________________________________
    | Michael C. Cook Sr. | Security Engineer | Secure Digits Plus LLC | 2023-08-09 16:43:09 |
    ¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯
                                                                                           __________/
\__________________________________________________________________________________________/ Signature
/¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯\

   ________________________________________________________
   |¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯|
   |                                 Michael C. Cook Sr. |
   |                                   Security Engineer |
   |                              Secure Digits Plus LLC |
   |______________________________________________________|
   ¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯¯

#>
```