

Description and choice data for the domain “Beer”

Description of the choice domain 22, Beer

The prompt question and the universe of five response options in the choice domain **Beer** are as follows. The labels *a*, *b*, *c*, *d* and *e* were not displayed during the experiment and are indicated here to allow cross-referencing with data tables and visualizations below and results in the paper.

This domain is from an experiment reported in Huber et al. (1982) used to illustrate an asymmetric dominance effect. The prices are multiplied by 5 and we added choice objects d and e to allow for two more asymmetric dominance effects and two similarity effects. The first panel of Figure ?? show the choice objects in attribute space. Table ?? shows the relations of dominance, similarity and betweenness among objects associated with context effects. The most commonly used domains to illustrate the attraction effect involve Beer, Cars, Apartments, Computers, Restaurants and Televisions.

Below you will find three brands of beer. You know only the price per sixpack and the average quality ratings made by respondents in a blind taste test. Given that you had to choose one brand to buy on this information alone, which one would you choose?

Price/sixpack	Average quality rating (100 = Best; 0 = Worst)
\$9.00	50
\$13.00	70
\$15.00	70
\$14.00	75
\$15.00	80

The following figure is a screenshot from the actual experiment, with one of the 26 possible menus for this domain.

Beer

Below you will find three brands of beer. You know only the price per sixpack and the average quality ratings made by subjects in a blind taste test. Given that you had to choose one brand to buy on this information alone, which one would you choose?

	Price/Sixpack	Average quality rating (100=Best; 0=Worst)
☐	\$9.00	50
☐	\$15.00	80
☐	\$14.00	75
☐	\$15.00	70

>>

Figure 1: Screenshot for domain Beer

Menu A	Choice counts					Choice proportions				
	$N_A(a)$	$N_A(b)$	$N_A(c)$	$N_A(d)$	$N_A(e)$	$\hat{P}_A(a)$	$\hat{P}_A(b)$	$\hat{P}_A(c)$	$\hat{P}_A(d)$	$\hat{P}_A(e)$
$\{a, b\}$	16	24	-	-	-	0.400	0.600	-	-	-
$\{a, c\}$	19	-	21	-	-	0.475	-	0.525	-	-
$\{b, c\}$	-	36	4	-	-	-	0.900	0.100	-	-
$\{a, b, c\}$	7	31	2	-	-	0.175	0.775	0.050	-	-
$\{a, d\}$	22	-	-	18	-	0.550	-	-	0.450	-
$\{b, d\}$	-	19	-	21	-	-	0.475	-	0.525	-
$\{a, b, d\}$	13	17	-	10	-	0.325	0.425	-	0.250	-
$\{c, d\}$	-	-	5	35	-	-	-	0.125	0.875	-
$\{a, c, d\}$	13	-	2	25	-	0.325	-	0.050	0.625	-
$\{b, c, d\}$	-	17	2	21	-	-	0.425	0.050	0.525	-
$\{a, b, c, d\}$	14	9	1	16	-	0.350	0.225	0.025	0.400	-
$\{a, e\}$	17	-	-	-	23	0.425	-	-	-	0.575
$\{b, e\}$	-	24	-	-	17	-	0.585	-	-	0.415
$\{a, b, e\}$	13	14	-	-	13	0.325	0.350	-	-	0.325
$\{c, e\}$	-	-	3	-	37	-	-	0.075	-	0.925
$\{a, c, e\}$	8	-	6	-	26	0.200	-	0.150	-	0.650
$\{b, c, e\}$	-	10	1	-	29	-	0.250	0.025	-	0.725
$\{a, b, c, e\}$	12	13	2	-	13	0.300	0.325	0.050	-	0.325
$\{d, e\}$	-	-	-	19	21	-	-	-	0.475	0.525
$\{a, d, e\}$	11	-	-	12	17	0.275	-	-	0.300	0.425
$\{b, d, e\}$	-	12	-	13	16	-	0.293	-	0.317	0.390
$\{a, b, d, e\}$	12	7	-	4	17	0.300	0.175	-	0.100	0.425
$\{c, d, e\}$	-	-	0	14	26	-	-	0.000	0.350	0.650
$\{a, c, d, e\}$	10	-	0	12	18	0.250	-	0.000	0.300	0.450
$\{b, c, d, e\}$	-	9	1	10	20	-	0.225	0.025	0.250	0.500
$\{a, b, c, d, e\}$	4	12	1	11	12	0.100	0.300	0.025	0.275	0.300

Table 1: Observed choice counts and proportions.

Choice data for domain 22, Beer

Table 1 shows choice counts and choice proportions for this choice domain. For each menu A and each object $x \in \{a, b, c, d, e\}$, $N_A(x)$ is the number of participants who chose object x from menu A and $\hat{P}_A(x)$ is the corresponding proportion of participants who chose x from A . When $x \notin A$, a dash is displayed.

The following figure displays choice proportions for all doubleton and tripleton menus in Barycentric coordinates. See a full description of this graphical representation in the paper. Each panel shows choice proportions for all doubleton and tripleton menus of a different tripleton subset of $\{a, b, c, d, e\}$. The downward-pointed (blue) triangle shows the set of ternary choice proportions that are compatible with regularity and the three binary choice proportions, on the corresponding tripleton. The upward-pointed (red) triangle shows the set of ternary choice proportions compatible with the multiplicative inequality and the three binary choice proportions.

References

Joel Huber, John W. Payne, and Christopher Puto. Adding asymmetrically dominated alternatives: Violations of regularity and the similarity hypothesis. *Journal of Consumer Research*, 9:90–98, 1982.