

Description and choice data for the domain “Layovers”

Description of the choice domain 25, Layovers

The prompt question and the universe of five response options in the choice domain **Layovers** are as follows. The labels *a*, *b*, *c*, *d* and *e* were not displayed during the experiment and are indicated here to allow cross-referencing with data tables and visualizations below and results in the paper.

The fourth panel of Figure ?? shows the choice objects in attribute space. Table ?? shows the relations of dominance, similarity and betweenness among objects associated with context effects. The name for this domain used in data files and documents, “Layovers” is an abbreviation of the title seen by participants, “Flight layovers”.

Which one of the following flight itineraries would you choose? All involve two flights, with one layover between them.		
Total inflight time	Layover time	Total itinerary time
4:00	1:00	5:00
3:24	1:48	5:12
3:15	2:00	5:15
3:06	2:12	5:18
2:30	3:00	5:30

The following figure is a screenshot from the actual experiment, with one of the 26 possible menus for this domain.

Flight Layovers

Which one of the following flight itineraries would you choose? All involve two flights, with one layover between them.

	Total inflight time	Layover time	Total itinerary time
☐	3:06	2:12	5:18
☐	4:00	1:00	5:00

>>

Figure 1: Screenshot for domain Layovers

Menu A	Choice counts					Choice proportions				
	$N_A(a)$	$N_A(b)$	$N_A(c)$	$N_A(d)$	$N_A(e)$	$\hat{P}_A(a)$	$\hat{P}_A(b)$	$\hat{P}_A(c)$	$\hat{P}_A(d)$	$\hat{P}_A(e)$
$\{a, b\}$	23	17	-	-	-	0.575	0.425	-	-	-
$\{a, c\}$	28	-	12	-	-	0.700	-	0.300	-	-
$\{b, c\}$	-	24	16	-	-	-	0.600	0.400	-	-
$\{a, b, c\}$	22	10	8	-	-	0.550	0.250	0.200	-	-
$\{a, d\}$	25	-	-	15	-	0.625	-	-	0.375	-
$\{b, d\}$	-	32	-	8	-	-	0.800	-	0.200	-
$\{a, b, d\}$	20	6	-	14	-	0.500	0.150	-	0.350	-
$\{c, d\}$	-	-	24	16	-	-	-	0.600	0.400	-
$\{a, c, d\}$	29	-	6	6	-	0.707	-	0.146	0.146	-
$\{b, c, d\}$	-	23	4	13	-	-	0.575	0.100	0.325	-
$\{a, b, c, d\}$	23	6	8	3	-	0.575	0.150	0.200	0.075	-
$\{a, e\}$	29	-	-	-	11	0.725	-	-	-	0.275
$\{b, e\}$	-	28	-	-	12	-	0.700	-	-	0.300
$\{a, b, e\}$	18	13	-	-	9	0.450	0.325	-	-	0.225
$\{c, e\}$	-	-	31	-	9	-	-	0.775	-	0.225
$\{a, c, e\}$	22	-	9	-	9	0.550	-	0.225	-	0.225
$\{b, c, e\}$	-	24	11	-	5	-	0.600	0.275	-	0.125
$\{a, b, c, e\}$	19	4	6	-	11	0.475	0.100	0.150	-	0.275
$\{d, e\}$	-	-	-	29	12	-	-	-	0.707	0.293
$\{a, d, e\}$	26	-	-	7	7	0.650	-	-	0.175	0.175
$\{b, d, e\}$	-	20	-	10	10	-	0.500	-	0.250	0.250
$\{a, b, d, e\}$	21	7	-	5	7	0.525	0.175	-	0.125	0.175
$\{c, d, e\}$	-	-	25	7	8	-	-	0.625	0.175	0.200
$\{a, c, d, e\}$	19	-	13	2	6	0.475	-	0.325	0.050	0.150
$\{b, c, d, e\}$	-	23	7	3	7	-	0.575	0.175	0.075	0.175
$\{a, b, c, d, e\}$	18	7	2	5	8	0.450	0.175	0.050	0.125	0.200

Table 1: Observed choice counts and proportions.

Choice data for domain 25, Layovers

Table 1 shows choice counts and choice proportions for this choice domain. For each menu A and each object $x \in \{a, b, c, d, e\}$, $N_A(x)$ is the number of participants who chose object x from menu A and $\hat{P}_A(x)$ is the corresponding proportion of participants who chose x from A . When $x \notin A$, a dash is displayed.

The following figure displays choice proportions for all doubleton and tripleton menus in Barycentric coordinates. See a full description of this graphical representation in the paper. Each panel shows choice proportions for all doubleton and tripleton menus of a different tripleton subset of $\{a, b, c, d, e\}$. The downward-pointed (blue) triangle shows the set of ternary choice proportions that are compatible with regularity and the three binary choice proportions, on the corresponding tripleton. The upward-pointed (red) triangle shows the set of ternary choice proportions compatible with the multiplicative inequality and the three binary choice proportions.

