




Moving Optics

- Velocity selector
- Disk Chopper
- Fermi Chopper




Velocity Selectors

-


Select the neutron energy you want

VELOCITY SELECTORS



2025 ISIS
McStas
School

VELOCITY SELECTORS




2025 ISIS
McStas
School

VELOCITY SELECTORS



‘broad’ monochromatization $\delta\lambda/\lambda \approx 10\%$




ILL.FR



Astrum

2025 ISIS
McStas
School

VELOCITY SELECTORS



INPUT PARAMETERS

xwidth	[m]	width entry aperture	] housing
yheight	[m]	height entry aperture	
zdepth	[m]	housing! length	
length	[m]	blade length	
d	[m]	blade thickness	
alpha	[deg]	twisting angle	
radius	[m]	distance rotation axis – aperture centre	
nu	[Hz]	rotation speed, counterclockwise	
nsplit	[]	number of blades	



DISK CHOPPER





Define time structure of the beam

Time Of Flight (TOF) measurements

2025 ISIS
McStas
School

DISK CHOPPER



2025 ISIS
McStas
School



EUROPEAN
SPALLATION
SOURCE

DISK CHOPPER

INPUT PARAMETERS

nu	[Hz]	frequency
yheight	[m]	slit height (if 0, yheight = radius)
radius	[m]	disk radius
theta_0	[deg]	angular width of slits
xwidth	[m]	horizontal slit width opening, beam center
jitter	[s]	jitter in time phase
delay	[s]	time delay
phase	[deg]	angular delay, overrides time
Isfirst	[0/1]	several choppers, defines first chopper
npulse	[1]	number of pulses if isfirst=true
verbose	[1]	display disk chopper config




DISK CHOPPER_S





Irregularly spaced chopper-openings may be realised using either

- * A group of DiskChoppers
- * The MultiDiskChopper



2025 ISIS
McStas
School



2025 ISIS
McStas
School