



Colorado State Committee Meeting – February 10, 2026

Agenda Regular Session

Meeting Place: Colorado State Office
Denver Federal Center
Lakewood, CO 80225

Meeting Time: 9:00 a.m. (All times are approximate)

Guests: None Scheduled

1. Call to Order
2. State Executive Director Report (10 min)
3. District Director Report (20 min)
 - a. District 1: Scott Brase
 - b. District 2: Jon Weishaar
 - c. District 3: Woody Woods
 - d. District 4: Sam Montoya
4. Senior Leadership Reports (10 min)
 - a. Acting Farm Loan Chief: Kim Lacy
 - b. Farm Program Chief: Cindy Vukasin
 - c. Farm Program Chief: Corey Pelton
5. Noninsured Crop Disaster Assistance Program (NAP):
Presented by: Janae Rader, Farm Program Specialist
 - a. 2025 Independent Assessment Grazing Losses (15 min) (Action Item) (Page 14)
6. Agriculture Risk Coverage and Price Loss Coverage Program (ARCPLC):
Presented by: Doug Andresen, Farm Program Specialist
 - a. 2025 DAFP Yield Solicitation (30 min) (Action item) (Page 178)
7. State Committee Field Discussion update (20 min)
8. Adjourn Regular Session (Action Item)

Regular Session

Leadership Reports

SED Update
Jerry Sonnenberg
February 10, 2026

Our STC has been announced and we have completed the onboarding documents.

I was able to put together an interview team with SED's from other states to question the DSED applicants and they made their recommendation. We have hired deputy and I am excited to begin working next to Jon Weishaar. He officially starts at the STO on Monday which will leave a vacancy in the District 2 Director position. I will be working with the other DD's and Jon to figure out the best way to proceed.

Last week we did interviews for an AO. Those interviews were conducted by our DD's along with the DSED from Utah. Our EEO on all the interviews has been Brandi who has been a lifesaver for us here in Colorado. We have selected an applicant to move forward as our AO and HR is in that process now.

Once we have the new Admin team in place, we will look to share responsibilities and build some redundancy so that we have a better team to help the rest of the state.

The Weld County temporary office is close to being finalized. I have had multiple conversations with the Acting Director of the Business Center regarding the escalating costs and the potential waste of money when the build out of the permanent lease can be done in a few months. There is too much political pressure so we will have an office in Weld this month.

We still don't have a budget back so I am still monitoring our travel and making sure that we don't put ourselves in a bind. I am hoping to do in-person trainings but right now I should about \$13,000 left in the GS travel budget. The STC meeting will probably take \$2,500 of that so hopefully we will have answers soon.

We cancelled the January DD only call as I was on the road in SW Colorado. We will have the next DD call on February 24th.

I have not had a CED call yet and actually put that on the back burner with everything that is going on. I hope to have our first meeting before the next STC meeting.

Not much has changed as I continue my battle for the producers in Western Colorado that were affected by the fires. Our ECP requirements have made it impossible for anyone to receive help. We received a waiver on having to apply before we rebuild or fix fences but then found out that any new fence that is built has to use both smooth wire and barbed with the top wire at a maximum height of 42" which is the average height of a 5 year-old child. The top and bottom wire are smooth so that they don't damage the wildlife.

I sent a letter asking for a waiver from those requirements and pointed out that bureaucrats that think they know more about building fences than families that have been on the land for decades is the height of arrogance. I also pointed out that we are here to help the producer and when did we become a wildlife agency. Congressman Hurd is starting to get impatient which may be a good thing to accelerate this process.

I also continue to work on the prevent plant issue that is prevalent in Otero County but not exclusive to even the state of Colorado.

I sent a letter to FPAC asking for millet to be included as a Specialty Crop in the FBA Program payments. I continue working on why USDA doesn't recognize millet as a commodity crop. Many farmers in Colorado, Nebraska, and South Dakota use millet in their crop rotation and if they use a three-year rotation, and our programs don't change, they don't receive government assistance for two of those three years assuming they use a wheat, millet, fallow rotation. Colorado is the number one producer of millet in the country and our farmers deserve better so I will go to battle on that as well.

I spent some time traveling in January both for outreach as well as visiting offices. As mentioned earlier, I took a two-day, 860 mile trip to visit the office in Center and then Durango. I spent the night in Dove Creek and was able to sit in on a great meeting that Kacey put on for both her counties. I want to explore that option more regarding possible regional meetings. I then went to Grand Junction and spent a couple of hours there as well.

I spent some time at the Stock Show which is a great place to meet people and talk agriculture. There was also a day at the Colorado Farm Show and the High Plains No-till Conference. I still have monthly groups I attend when I can in my capacity.

All-in-all, a very good month, even with the butt-chewings and reprimands. I am blessed to be the SED in Colorado and still trying to learn my limits.

District 1 Update
Scott Brase
February 10, 2026

Program Updates:

- **ARC/PLC**- Offices are working on farm history research and the filling holes in preparation for updates to base acreage.
- **Acreage Reporting**- Acreage reporting has been completed, including any registers for FBA.
- **NAP**- Offices are continuing to process producer's production and update APH information.
- **CRP**- Numerous revisions are being processed as well as grazing requests for contract maintenance.
- **SDRP 1**- Offices are working to process the remaining applications, which are predominantly those that additional information was requested of the producers.
- **SDRP Phase 2**- Activity has increased with producers submitting applications. Most of the applications so far have not resulted in payment.
- **FBA**- Offices continue to receive numerous producer inquiries about this program.

Staffing Updates:

- Temporary PAs are doing well and have been a tremendous help.
- The FLOT start date in Pueblo- February 9th.
- Currently there are numerous PA vacancies throughout the district.

Farm Loan

New loan application activity has increased in both the Pueblo office and the Lamar Office. Both offices are working on servicing activities which have increased and is expected to continue increasing. Crop producers are the main focus for servicing currently. Most of the new loan requests are cattle producers.


There has been a notable increase in local farm ground and machinery being offered for sale. Low commodity prices, high input cost, and interest rates are causing major concern with producers as well as commercial banks. The one bright spot remains to be cattle prices which continue to do well.

Crop Conditions, Livestock, and Weather:


Weather conditions have continued to be very dry and warm over most of the district. There was a brief period of cold weather coupled with a little snow; however, the winter has been dominated by warmer than average and dry conditions. Winter wheat and triticale remain fair to good in most areas but will need moisture soon.

Livestock is doing well, and there are a few producers that have started calving.

Drought conditions continue to spread over the district over the past month in both affected areas and intensity, especially on the western edge of the district. Snowpack continues to be at record lows for the new water year with the Arkansas at 46% of normal.



February 5, 2026



District 2 Update
Jon Weishaar
February 10, 2026

Program Updates:

- **SDRP Stage 2** – Not a lot of progress on SDRP Stage 2 applications. Many producers who apply are seeing a zero payment or a small payment. We're waiting on the data pull and producers are getting antsy to see if the RMA data has been corrected in certain cases.
- **ARC/PLC** – Offices have done a great job the past month on the history dig. It's been a lot of work, but most offices are in a good spot. The dashboard can't show 100% completion due to "new" farm holes which has led to more of a manual check-in process.
- **FBA** – Offices are continuing to get a lot of questions coming in regarding FBA. The first phase seems clear at this point, the second phase is causing concern amongst producers. They don't think the \$1 billion will go very far.
- **ECP & EFRP** – As policy answers are coming back, offices are feeling more optimistic and are working to get applications in and approved. Questions about (1) BLM fencing reimbursement and (2) FSA/NRCS fencing policies are still causing delays and concerns in Rio Blanco.
- **ELAP & LFP** – We don't foresee any issues with completing 2025 ELAP and LFP by March 1st in Moffat, Rio Blanco, Larimer, or Boulder. Routt/Grand/Jackson/Summit are anticipating a register.

Crop Conditions, Livestock, and Weather:

Despite some modest mountain snowfall late in December, statewide snowpack remains well below normal, around 55-60%. Temperatures are still several degrees above normal as well. The U.S. Drought Monitor is showing parts of the mountains as D4 and D2 is spreading along the western slope. If these patterns continue, I expect to see a lot of activity in LFP, ELAP, and NAP for 2026. This could cause workload issues as offices process ECP and EFRP applications while also implementing disaster programs and OBBBA policy.

Hot Topics:

- **Farm Loans** – Notice FSA-983 came out due to high input costs combined with low commodity prices for many types of agricultural operations. FBA payments are being added to current year projections which is allowing for certain loan applications to show feasibility.

**District 3 Update
Woody Woods
February 10, 2026**

Program Updates:

- FBAP – Counties anxiously await official notification of this program to be able to respond to producer inquiries.
- SDRP 1 – Much progress has been made on SDRP 1. Most counties only have stragglers remaining or are waiting on a future data pull.
- SDRP 2 – Counties are fully into SDRP 2. Payments are rolling out but many applications are resulting in a zero payment..
- ARCPLC – Counties have begun the data dig with varying progress. All are working on it.
- Farm Loan – Workload remains high. The Sterling office continues to process applications and servicing to the best of their ability. Concern still exists about repayment ability due to high production costs and current commodity prices. Guaranteed loan activity is expected to increase.

Staffing Updates:

- Still waiting to re-announce CED vacancies in Phillips, Sedgwick, and Weld,
- Sterling FLOT position – Selection made with Heather Meakins onboarding 2/22/26
- The majority of the temporary employees are working out very well.
- Short staffing and additional programs are taking a toll on employees. As the hiring freeze continues, they are wondering if any relief will ever be provided.

Crop Conditions, Livestock, and Weather:

Weather continues to be warm, dry and windy. Surface water farmers are concerned about the snowpack. Winter wheat really needs some moisture. The only good thing with the weather so far is that it has been easy on livestock.

Hot Topics:

- Weld County has been instructed to find temporary space in Greeley. It has been a nightmare with multiple changes in direction. I cannot reduce the story to writing and would appreciate the opportunity to share verbally. SED Sonnenberg may also have details to add.

**District 4 Update
Sam Montoya
February 10, 2026**

Program Updates:

- NAP – Finalizing 2025 forage losses, grazing losses will be completed upon State Committee approval of loss percentages. Fruit production payment processing ongoing.
- LFP – Counties are wrapping up 2025 applications.
- ELAP – Finalizing 2025 water and hay hauling applications.
- SDRP2 – Counties are accepting applications
- ECP – Flood applications under review in Montrose and La Plata Counties. Mesa requested implementation of flood ECP for burn scar impacts. Fire-related implementation request in Garfield County.
- DMC – Counties are processing applications.
- ARCPLC – Acreage history dig ongoing

Farm Loan Updates:

- Farm Loan activity across the district remains steady with multiple loans closed or in processing in Mesa, Montezuma, and Alamosa Counties. Several servicing actions are underway, including civil rights reviews and debt settlement processing. Some applications are pending appraisals. Inquiries remain consistent across the offices.

Staffing Updates:

- Vacancies
 - CED – Saguache/Rio Grande
 - CED – Mesa/Garfield
 - PA – Saguache/Rio Grande
 - FLOT - Alamosa
- Recognition
 - Saguache/Rio Grande: Sony Yund is serving as Acting CED; Savannah Ayers maintaining daily operations and office coverage; Mickaela Gronsten assisting with APHs; Megan Colletti and Ramon Zamora have offered additional support if needed.
 - Mesa: Kacey Riedel provided one-week onsite support; Natalie Parker has traveled to assist; Shad Butler, Tia Alexander, and Andrea Maneotis provide assistance with disaster programs and continue operational support. Andrea Maneotis and Tia Alexander (Moffat County) assisted with LFP, ELAP, NAP processing and ARCPLC data dig.
 - Garfield: Shad assisting with 2nd part reviews

Crop Conditions, Livestock, and Weather:

- District wide concerns regarding low precipitation and reduced snowpack. While some areas experienced limited fall moisture, drought conditions remain a concern moving into the 2026 production season. Producers are beginning to adjust cropping and livestock management decisions in response to anticipated water limitations

Hot Topics:

- Multiple vacancies across the district, combined with disaster workload and ongoing ad hoc program demands, are placing operational strain on the county offices.

Acting Farm Loan Chief's Update
Kim Lacy
February 10, 2026

Upcoming Announcements: N/A

Colorado Loan Data:

Loan Portfolio: Total loans obligated in FY 2026 (10/1/2025 to 01/28/2026) by service center.

Servicing Office	Direct Loans Obligated	Dollars Obligated	Guaranteed Loans Obligated	Dollars Obligated
Alamosa	6	\$241,000.00	0	\$0
Prowers	15	\$1,428,630.00	1	\$100,000.00
Pueblo	4	\$465,000.00	0	\$0
Adams	6	\$554,300.00	0	\$0
Lincoln	7	\$779,000.00	0	\$0
Logan	5	\$410,280.00	0	\$0
Mesa	4	\$354,000.00	0	\$0
Montezuma	2	\$221,780.00	0	\$0
Total	49	\$4,453,990.00	1	\$100,000.00

Hot Topics:

- FLP Restart from lapse of funding: Direct Loan Delinquency: Borrowers who had payments due between October 1, 2025, and November 12, 2025, will be considered 90 calendar days past due on Wednesday, February 11, 2026, and the appropriate notices will be sent at that time.
- Notice FLP-983: Provides guidance on when and how program payments should be included in farm operating plans of applicants and borrowers. Also allows the ability to utilize a 24-month repayment period for direct annual operating loans when production or marketing exceeds 12-month period.
- Routine Loan Servicing: Letters have been or will be sent to those who are due for an operational review. Full operational reviews are completed at least every 3 years. Those accounts identified as being impacted by disasters, distressed accounts, or accounts that have been over 90 days past due throughout the year, will require additional reviews.
- Special Servicing: There are options for loan customers during financial stress. If a borrower is unable to make payments on a loan, recommend they contact the local FSA Farm Loan Manager to learn about options.
- Disaster Set-Aside and Distressed Borrower Set-Aside Program: The set-aside programs are intended to help distressed borrowers as well as borrowers impacted by natural disasters. Both DSA and DBSA are intended to provide short-term relief for situations where borrowers anticipate the ability to resume paying their full annual installment(s) in the following year. FSA is required to publish a govD in January of each year.

- FLOT Updates: Anticipate to have Joseph Lujan's (Adams County FLOT) approval authority completed by the end of February. Sterling FLOT hired. Pueblo FLOT hired.
- Vacancies: FLC, Sterling FLOT, Sterling PT/LA, Pueblo PT/LA, Alamosa PT/LA

Farm Program Chief's Update
Corey Pelton
February 10, 2026

The division is focused on our upcoming deadlines and providing support to offices and getting answers to questions that arise.

With regards to our SDRP program, we are awaiting an upcoming data pull from national office, which we feel will resolve several of our outstanding issues. This data pull is anticipated to bring over updated RMA data that hopefully will fill in some gaps that producers are seeing on their applications.

We have not received word on upcoming CRP General or Grassland sign-ups; we hope that those dates will be announced sooner than later to give our offices as much time as possible to complete all aspects of the process. In the meantime, we are providing assistance to offices to help train and clean up any outstanding work to get them best prepared to hit the ground running when sign-ups are announced.

Program Updates:

Supplemental Disaster Assistance Program (SDRP):

- **Stage 1:**
Sign Up Period – July 10, 2025 – April 30, 2026
6,481 approved applications - \$98,698,882 disbursed
- **Stage 2:**
Sign Up Period – November 24, 2025 – April 30, 2026
395 approved applications - \$847,327 disbursed
With the SDRP deadline a little less than three months away offices are continuing to work through the application process.

Conservation Reserve Program (CRP):

- 15,586 payments for \$67,949,019
- We have not received authorization to start 2026 continuous sign-ups and are still awaiting new general and grassland sign-up dates.

Emergency Assistance for Livestock, Honeybees, and Farm Raised Fish (ELAP)

- 63 payments for \$826,940
- Final Date to Submit an Application for Payment is March 1st

Livestock Indemnity Program (LIP):

- 7 payments for \$104,967
- Final Date Submit a Notice of Loss and Final Date to Submit an Application for Payment is March 1st

Regular Session

Noninsured Crop Disaster Assistance Program (NAP)

2025 Independent Grazing Losses

Regular Session

State Committee Discussion Record

Program: Noninsured Crop Disaster Assistance Program (NAP)

Date: 02.05.26

Staff Member Presenting: Janae Rader, Farm Program Specialist

Matter for Consideration: State Committee (STC) review and concur or non-concur with the 2025 grazing loss percentages as required by notice NAP-235 and CO NAP-69 and notification of COC approved actions under NAP-235 and CO NAP-69

STC Recommended Action:

- 1) Concur with the COC recommended percent loss for 2025 non-irrigated grass and improved grass for producers using Independent Assessments.
- 2) Concur with the COC recommended percent loss for 2025 non-irrigated grass and improved grass for producers using Independent Assessments

County	COC Recommended % Loss	
Archuleta	65.00	Ni
Chaffee	30.00	Ni
Custer	22.00	Ni
Delta	60.00	Ni
Delta	50.00	Ir
Fremont	8.00	Ni
La Plata	60.00	Ni
Lake	40.00	Ni
Moffat	70.00	Ni
Montezuma	30.00	Ni
Park	20.00	Ni
Rio Blanco	75.00	Ni
Teller	15.00	Ni

Background:

Grazing loss percentage will be used when no similar forage acreage on the same unit, or similar units in the area are available and the producer elects to use independent assessment.

A grazing loss will be established for a specified area. Colorado defined the area to be the county 1-NAP (Rev. 2) subparagraph 804K

Each counties' grazing period was previously established by the STC. 1-NAP (Rev. 2) CO Exhibit 4

COC is required to establish a grazing loss percentage after the end of the grazing period on grazed forage acreage for each program year. This grazing loss percentage historically required STC review and concurrence. Notice NAP-235 updated policy giving authority for COC to establish grazing loss percentages as well as alternative options when 2 independent assessments

are not available. County Offices are required to submit the approved COC loss percentages on the Colorado SharePoint to allow STC to continue to monitor the determinations.

Notice NAP-235 also required COC members to recuse themselves if COC members have a financial interest in the grazing loss being established. If the remaining voting COC members do not represent a quorum, the STC must review and either concur or non-concur with the recommendation.

In addition STC set oversight conditions published in notice CO NAP-69 that would require STC review and concurrence or non-concurrence with the COC recommendation prior to approving any application for payment. These are the following conditions requiring STC concurrence

- If the county approved percent loss has more than a 15 percent difference from a contiguous county;
- If the county approved percent loss is greater than 50% for 2 consecutive years;
- If the county hits an LFP payment factor of 4 or more and the approved percent loss is less than 50%;
- If the county hits an LFP payment factor of 3 or less and the approved percent loss is greater than 50%.

COF are required to submit documentation for review by December 15 (1-NAP (Rev. 2) subparagraph 804J.

The following information has been submitted.

County	Commodity	Acting Authority	% of Loss Approved	Source 1	% Loss S1	Source 2	% Loss S2	Source 3	% Loss S3
Delta	Grass Ir	STC	50	CSU Extension	70	NRCS	10		
Grand	Grass Ir	COC	50	CSU Extension	55	Other	Oct-50	NRCS	25
Jackson	Grass Ir	COC	65	CSU Extension	60	CSU Extension	60-65	NRCS	0
Routt	Grass Ir	COC	40	CSU Extension	40	CSU Extension	35-40	Other	25-35
Summit	Grass Ir	COC	25	CSU Extension	55	Other	10-50	NRCS	25
Archuleta	Grass Ni	STC	65	CSU Extension	65	NRCS	40		
Chaffee	Grass Ni	STC	30	State Land Board	40	NRCS	25	RAP	19.08
Custer	Grass Ni	STC	22	State Land Board	25	NRCS	3	RAP	21.94

County	Commodity	Acting Authority	% of Loss Approved	Source 1	% Loss S1	Source 2	% Loss S2	Source 3	% Loss S3
Delta	Grass Ni	STC	60	CSU Extension	60	NRCS	25-35		
Dolores	Grass Ni	COC	32.5	NRCS	30%	CSU Extension	35%		
Douglas	Grass Ni	COC	9	NRCS	0	State Land Board	10	RAP	
El Paso	Grass Ni	COC	10	State Land Board	10	NRCS	0	RAP	
Elbert	Grass Ni	COC	0	NRCS	0	State Land Board	9	RAP	
Fremont	Grass Ni	STC	8	State Land Board	10	NRCS	5	RAP	12.69
Grand	Grass Ni	COC	50	CSU Extension	55	Other	Oct-50	NRCS	35
Huerfano	Grass Ni	COC	17	NRCS	17	RAP	10.56		
Jackson	Grass Ni	COC	70	CSU Extension	60	CSU Extension	70	NRCS	20-30
Kiowa	Grass Ni	COC	5	CSU Extension	5	NRCS	28		
La Plata	Grass Ni	STC	60	CSU Extension	60	NRCS	45		
Lake	Grass Ni	STC	40	NRCS	49	RAP	30.46		
Las Animas	Grass Ni	COC	5	NRCS	5	RAP	5.56		
Mesa	Grass Ni	COC	70	CSU Extension	70	NRCS	30-45		
Moffat	Grass Ni	STC	70	CSU Extension	60	NRCS	70	RAP	
Montezuma	Grass Ni	STC	30	NRCS	25%	CSU Extension	30%		
Morgan	Grass Ni	COC	4	NRCS	-7	RAP	11		
Park	Grass Ni	STC	20	State Land Board	30	NRCS	11	RAP	15.68
Pueblo	Grass Ni	COC	13	State Land Board	25	NRCS	0	RAP	17.04
Rio Blanco	Grass Ni	STC	75	CSU Extension	75	NRCS	70	RAP	
Routt	Grass Ni	COC	35	CSU Extension	30	CSU Extension	30-35	Other	40-60
San Miguel	Grass Ni	COC	50	NRCS	30%	CSU Extension	70%		

County	Commodity	Acting Authority	% of Loss Approved	Source 1	% Loss S1	Source 2	% Loss S2	Source 3	% Loss S3
Sedgwick	Grass Ni	COC	0	NRCS	0	Other	0		
Summit	Grass Ni	COC	35	CSU Extension	55	Other	Oct-50	NRCS	35
Teller	Grass Ni	STC	15	State Land Board	15	NRCS	0	RAP	29.65
Yuma	Grass Ni	COC	5	NRCS	7	Other	0		

Action Requested: The STC shall review the grazing loss percentage determined by COC and ensure their recommendation is in alignment with policy and reasonable. For Counties that require STC concurrence, STC will either concur or not concur and remand the recommendation back to COC for further review, clearly identifying the reason for non-concurrence.

The following counties require STC concurrence:

- Archuleta
 - No quorum
- Chaffee
 - No quorum
 - LFP factor of 4 or more, loss less than 50%
- Custer
 - No quorum
- Fremont
 - No quorum
- La Plata
 - No quorum
- Lake
 - No quorum
 - LFP factor of 4 or more, loss less than 50%
- Moffat
 - No quorum
- Montezuma
 - No quorum
- Park
 - No quorum
 - LFP factor of 4 or more, loss less than 50%
- Rio Blanco
 - No quorum
- Teller
 - No quorum

Discussion:

See Exhibit for individual county rangeland analysis platform (RAP) data; current year and 20 year historical production. Counties highlighted in red have an approved loss more than 50% different than 2025 RAP calculated gain/loss.

County	Current	Avg thru 12/2	Historical Production RAP	Current Year % of Avg	RAP Loss %	COC Loss
Archuleta	295	298	298	99	1	65
Chaffee	177	202	206	88	12	30
Custer	279	336	338	83	17	22
Delta	407	389	390	105	-5	60
Dolores	319	311	310	103	-3	32.5
Douglas	476	531	534	90	10	9
Elbert	1320	1191	1196	111	-11	0
El Paso	851	823	829	103	-3	10
Fremont	311	338	340	92	8	8
Grand	269	275	275	98	2	50
Huerfano	537	604	605	89	11	17
Jackson	281	304	303	92	8	70
Kiowa	871	861	865	101	-1	5
Lake	143	185	184	77	23	40
La Plata	371	331	329	112	-12	60
Las Animas	728	783	789	93	7	5
Mesa	340	320	320	106	-6	70
Moffat	415	435	435	95	5	70
Montezuma	261	267	269	98	2	30
Morgan	966	1115	1118	87	13	4
Park	239	279	280	86	14	20
Pueblo	646	763	768	85	15	13
Rio Blanco	346	335	335	103	-3	75
Routt	454	463	466	98	2	35
San Miguel	265	273	274	97	3	50
Sedgwick	1364	1332	1334	102	-2	0
Summit	190	208	209	91	9	35


County	Current	Avg thru 12/2	Historical Production RAP	Current Year % of Avg	RAP Loss %	COC Loss
Teller	202	272	275	74	26	15
Yuma	1264	1295	1301	98	2	5

Counties with an approved loss 50% or more prior year (2024)

- Bent – 55
- Kiowa – 50
- Otero – 68

Counties that triggered for LFP in 2025 and their payment factor

County Name	Payment Factor	County Name	Payment Factor	County Name	Payment Factor
Archuleta	4	Hinsdale	4	Ouray	4
Boulder	1	Jackson	4	Park	4
Chaffee	4	Lake	4	Pitkin	5
Conejos	4	La Plata	4	Rio Blanco	4
Delta	4	Larimer	3	Rio Grande	4
Dolores	4	Mesa	4	Routt	4
Eagle	5	Mineral	4	Saguache	1
Garfield	5	Moffat	4	San Juan	4
Grand	4	Montezuma	4	San Miguel	4
Gunnison	4	Montrose	4	Summit	4



County	Current	Avg thru 12/2	Historical Production RAP	Current Year % of Avg	RAP Loss %	COC Loss
Adams	808	959	963	84	16	
Alamosa	202	237	236	85	15	
Arapahoe	1080	1108	1112	97	3	
Archuleta	295	298	298	99	1	65
Baca	1204	1086	1092	111	-11	
Bent	981	986	989	99	1	
Boulder	323	348	349	93	7	
Broomfield	1122	1229	1235	91	9	
Chaffee	177	202	206	88	12	30
Cheyenne	1083	1026	1029	106	-6	
Clear Creek	137	164	165	84	16	
Conejos	331	335	335	99	1	
Costilla	285	296	295	96	4	
Crowley	831	806	812	103	-3	
Custer	279	336	338	83	17	22
Delta	407	389	390	105	-5	60
Denver	657	847	854	78	22	
Dolores	319	311	310	103	-3	32.5
Douglas	476	531	534	90	10	9
Eagle	272	301	301	90	10	
Elbert	1320	1191	1196	111	-11	0
El Paso	851	823	829	103	-3	10
Fremont	311	338	340	92	8	8
Garfield	418	384	383	109	-9	
Gilpin	146	191	194	76	24	
Grand	269	275	275	98	2	50
Gunnison	338	342	342	99	1	
Hinsdale	270	270	270	100	0	
Huerfano	537	604	605	89	11	17
Jackson	281	304	303	92	8	70
Jefferson	290	324	323	90	10	
Kiowa	871	861	865	101	-1	5

County	Current	Avg thru 12/2	Historical Production RAP	Current Year % of Avg	RAP Loss %	COC Loss
Kit Carson	980	1055	1060	93	7	
Lake	143	185	184	77	23	40
La Plata	371	331	329	112	-12	60
Larimer	335	338	341	99	1	
Las Animas	728	783	789	93	7	5
Lincoln	1061	979	983	108	-8	
Logan	1154	1201	1207	96	4	
Mesa	340	320	320	106	-6	70
Mineral	283	271	272	104	-4	
Moffat	415	435	435	95	5	70
Montezuma	261	267	269	98	2	30
Montrose	400	350	351	114	-14	
Morgan	966	1115	1118	87	13	4
Otero	656	810	813	81	19	
Ouray	310	278	280	112	-12	
Park	239	279	280	86	14	20
Phillips	1001	1033	1037	97	3	
Pitkin	264	284	285	93	7	
Prowers	1170	1102	1105	106	-6	
Pueblo	646	763	768	85	15	13
Rio Blanco	346	335	335	103	-3	75
Rio Grande	292	326	328	90	10	
Routt	454	463	466	98	2	35
Saguache	245	273	273	90	10	
San Miguel	265	273	274	97	3	50
San Juan	230	254	254	91	9	
Sedgwick	1364	1332	1334	102	-2	0
Summit	190	208	209	91	9	35
Teller	202	272	275	74	26	15
Washington	1135	1141	1146	99	1	
Weld	908	1034	1039	88	12	
Yuma	1264	1295	1301	98	2	5

Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Adams
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 808lbs/acre

Long-term averages

Average production through Dec 02: 959lbs/acre
150% of average production through Dec 02: 1438lbs/acre
125% of average production through Dec 02: 1199lbs/acre
75% of average production through Dec 02: 719lbs/acre
50% of average production through Dec 02: 480lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	0%
02/01/2025	1	1	20%
02/17/2025	1	2	22.22%
03/05/2025	7	9	60%
03/21/2025	10	19	65.52%
04/06/2025	14	33	66%
04/22/2025	24	57	67.06%
05/08/2025	45	102	70.83%
05/24/2025	68	170	72.96%
06/09/2025	97	267	77.39%
06/25/2025	88	355	79.24%
07/11/2025	76	431	79.81%
07/27/2025	67	498	80.19%
08/12/2025	65	563	80.2%
08/28/2025	61	624	80.21%
09/13/2025	55	679	80.83%
09/29/2025	49	728	81.71%
10/15/2025	40	768	83.12%
10/31/2025	20	788	83.56%
11/16/2025	13	801	83.96%
12/02/2025	7	808	84.25%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Adams

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 963 lbs/acre
 150% of average annual production 1444 lbs/acre
 125% of average annual production 1204 lbs/acre
 75% of average annual production 722 lbs/acre
 50% of average annual production 482 lbs/acre


gSSURGO production estimates

Normal 1334 lbs/acre
 Favorable 1812 lbs/acre
 Unfavorable 759 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	968	100.5%
2006	757	78.6%
2007	1099	114.1%
2008	818	84.9%
2009	1196	124.2%
2010	1064	110.5%
2011	886	92%
2012	784	81.4%
2013	916	95.1%
2014	1188	123.3%
2015	1324	137.5%
2016	1247	129.5%
2017	1104	114.6%
2018	876	91%
2019	990	102.8%
2020	684	71%
2021	960	99.7%
2022	687	71.3%
2023	1187	123.2%
2024	683	70.9%
2025	808	83.9%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Alamosa
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 202lbs/acre

Long-term averages

Average production through Dec 02: 237lbs/acre
 150% of average production through Dec 02: 356lbs/acre
 125% of average production through Dec 02: 296lbs/acre
 75% of average production through Dec 02: 178lbs/acre
 50% of average production through Dec 02: 118lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	1	1	Inf%
03/05/2025	1	2	200%
03/21/2025	1	3	100%
04/06/2025	2	5	83.33%
04/22/2025	5	10	100%
05/08/2025	7	17	94.44%
05/24/2025	11	28	87.5%
06/09/2025	18	46	86.79%
06/25/2025	22	68	86.08%
07/11/2025	24	92	85.19%
07/27/2025	23	115	83.94%
08/12/2025	20	135	81.82%
08/28/2025	21	156	81.68%
09/13/2025	17	173	81.99%
09/29/2025	13	186	83.04%
10/15/2025	9	195	84.42%
10/31/2025	4	199	84.68%
11/16/2025	2	201	84.81%
12/02/2025	1	202	85.23%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Alamosa

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 236 lbs/acre
 150% of average annual production 354 lbs/acre
 125% of average annual production 295 lbs/acre
 75% of average annual production 177 lbs/acre
 50% of average annual production 118 lbs/acre


gSSURGO production estimates

Normal 858 lbs/acre
 Favorable 1114 lbs/acre
 Unfavorable 608 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	237	100.3%
2006	216	91.5%
2007	265	112.2%
2008	218	92.3%
2009	265	112.2%
2010	252	106.7%
2011	168	71.1%
2012	209	88.5%
2013	186	78.8%
2014	235	99.5%
2015	267	113%
2016	252	106.7%
2017	273	115.6%
2018	197	83.4%
2019	228	96.5%
2020	231	97.8%
2021	306	129.6%
2022	291	123.2%
2023	239	101.2%
2024	223	94.4%
2025	202	85.5%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Arapahoe
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 1080lbs/acre

Long-term averages

Average production through Dec 02: 1108lbs/acre
150% of average production through Dec 02: 1662lbs/acre
125% of average production through Dec 02: 1385lbs/acre
75% of average production through Dec 02: 831lbs/acre
50% of average production through Dec 02: 554lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	50%
02/01/2025	2	3	50%
02/17/2025	3	6	54.55%
03/05/2025	10	16	88.89%
03/21/2025	14	30	88.24%
04/06/2025	18	48	82.76%
04/22/2025	33	81	81.82%
05/08/2025	59	140	84.34%
05/24/2025	92	232	86.89%
06/09/2025	134	366	92.66%
06/25/2025	128	494	95.74%
07/11/2025	113	607	97.28%
07/27/2025	94	701	97.63%
08/12/2025	78	779	96.17%
08/28/2025	70	849	94.75%
09/13/2025	63	912	94.31%
09/29/2025	59	971	94.73%
10/15/2025	51	1022	96.05%
10/31/2025	29	1051	96.69%
11/16/2025	19	1070	97.18%
12/02/2025	10	1080	97.47%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Arapahoe

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1112 lbs/acre
 150% of average annual production 1668 lbs/acre
 125% of average annual production 1390 lbs/acre
 75% of average annual production 834 lbs/acre
 50% of average annual production 556 lbs/acre


gSSURGO production estimates

Normal 1203 lbs/acre
 Favorable 1600 lbs/acre
 Unfavorable 785 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1049	94.3%
2006	901	81%
2007	1208	108.6%
2008	837	75.3%
2009	1337	120.2%
2010	1139	102.4%
2011	946	85.1%
2012	892	80.2%
2013	912	82%
2014	1409	126.7%
2015	1559	140.2%
2016	1347	121.1%
2017	1244	111.9%
2018	1034	93%
2019	1233	110.9%
2020	832	74.8%
2021	1143	102.8%
2022	816	73.4%
2023	1515	136.2%
2024	919	82.6%
2025	1080	97.1%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Archuleta
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 295lbs/acre

Long-term averages

Average production through Dec 02: 298lbs/acre
 150% of average production through Dec 02: 447lbs/acre
 125% of average production through Dec 02: 372lbs/acre
 75% of average production through Dec 02: 224lbs/acre
 50% of average production through Dec 02: 149lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	0	0	0%
04/22/2025	3	3	75%
05/08/2025	7	10	76.92%
05/24/2025	14	24	80%
06/09/2025	25	49	84.48%
06/25/2025	36	85	91.4%
07/11/2025	39	124	95.38%
07/27/2025	36	160	96.97%
08/12/2025	33	193	96.98%
08/28/2025	29	222	96.52%
09/13/2025	25	247	96.11%
09/29/2025	20	267	96.74%
10/15/2025	15	282	97.92%
10/31/2025	8	290	98.64%
11/16/2025	4	294	98.99%
12/02/2025	1	295	98.99%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Archuleta

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 298 lbs/acre
 150% of average annual production 447 lbs/acre
 125% of average annual production 372 lbs/acre
 75% of average annual production 224 lbs/acre
 50% of average annual production 149 lbs/acre


gSSURGO production estimates

Normal 873 lbs/acre
 Favorable 1099 lbs/acre
 Unfavorable 669 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	321	107.9%
2006	361	121.3%
2007	390	131.1%
2008	296	99.5%
2009	371	124.7%
2010	385	129.4%
2011	285	95.8%
2012	309	103.8%
2013	252	84.7%
2014	276	92.8%
2015	314	105.5%
2016	288	96.8%
2017	262	88%
2018	258	86.7%
2019	257	86.4%
2020	257	86.4%
2021	248	83.3%
2022	245	82.3%
2023	254	85.4%
2024	325	109.2%
2025	295	99.1%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Baca
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 1204lbs/acre

Long-term averages

Average production through Dec 02: 1086lbs/acre
 150% of average production through Dec 02: 1629lbs/acre
 125% of average production through Dec 02: 1358lbs/acre
 75% of average production through Dec 02: 814lbs/acre
 50% of average production through Dec 02: 543lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	3	3	75%
02/01/2025	3	6	66.67%
02/17/2025	3	9	60%
03/05/2025	10	19	79.17%
03/21/2025	16	35	87.5%
04/06/2025	24	59	92.19%
04/22/2025	40	99	95.19%
05/08/2025	62	161	96.41%
05/24/2025	101	262	102.75%
06/09/2025	134	396	110.61%
06/25/2025	135	531	116.7%
07/11/2025	125	656	119.06%
07/27/2025	108	764	118.63%
08/12/2025	92	856	115.21%
08/28/2025	84	940	111.64%
09/13/2025	73	1013	109.75%
09/29/2025	72	1085	109.71%
10/15/2025	56	1141	110.24%
10/31/2025	32	1173	110.56%
11/16/2025	20	1193	110.77%
12/02/2025	11	1204	110.87%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Baca

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1092 lbs/acre
 150% of average annual production 1638 lbs/acre
 125% of average annual production 1365 lbs/acre
 75% of average annual production 819 lbs/acre
 50% of average annual production 546 lbs/acre


gSSURGO production estimates

Normal 1279 lbs/acre
 Favorable 1803 lbs/acre
 Unfavorable 680 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1095	100.3%
2006	974	89.2%
2007	1232	112.8%
2008	888	81.3%
2009	1169	107.1%
2010	1221	111.8%
2011	626	57.3%
2012	918	84.1%
2013	835	76.5%
2014	888	81.3%
2015	1288	118%
2016	1317	120.6%
2017	1460	133.7%
2018	1135	104%
2019	1156	105.9%
2020	816	74.7%
2021	1214	111.2%
2022	987	90.4%
2023	1518	139%
2024	986	90.3%
2025	1204	110.3%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Bent
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 981lbs/acre

Long-term averages

Average production through Dec 02: 986lbs/acre
150% of average production through Dec 02: 1479lbs/acre
125% of average production through Dec 02: 1232lbs/acre
75% of average production through Dec 02: 740lbs/acre
50% of average production through Dec 02: 493lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	50%
02/01/2025	2	3	60%
02/17/2025	2	5	55.56%
03/05/2025	8	13	81.25%
03/21/2025	14	27	90%
04/06/2025	20	47	88.68%
04/22/2025	32	79	85.87%
05/08/2025	52	131	84.52%
05/24/2025	80	211	87.19%
06/09/2025	110	321	94.69%
06/25/2025	105	426	99.77%
07/11/2025	99	525	102.34%
07/27/2025	88	613	102.85%
08/12/2025	79	692	100.58%
08/28/2025	74	766	98.58%
09/13/2025	64	830	97.65%
09/29/2025	58	888	97.8%
10/15/2025	44	932	98.52%
10/31/2025	26	958	98.97%
11/16/2025	15	973	99.29%
12/02/2025	8	981	99.49%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Bent

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 989 lbs/acre
 150% of average annual production 1484 lbs/acre
 125% of average annual production 1236 lbs/acre
 75% of average annual production 742 lbs/acre
 50% of average annual production 494 lbs/acre


gSSURGO production estimates

Normal 938 lbs/acre
 Favorable 1397 lbs/acre
 Unfavorable 515 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	919	92.9%
2006	959	96.9%
2007	1298	131.2%
2008	756	76.4%
2009	1029	104%
2010	1024	103.5%
2011	629	63.6%
2012	693	70%
2013	532	53.8%
2014	775	78.3%
2015	1290	130.4%
2016	1006	101.7%
2017	1459	147.5%
2018	921	93.1%
2019	1075	108.7%
2020	812	82.1%
2021	1250	126.3%
2022	1061	107.2%
2023	1568	158.5%
2024	740	74.8%
2025	981	99.2%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Boulder
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 323lbs/acre

Long-term averages

Average production through Dec 02: 348lbs/acre
150% of average production through Dec 02: 522lbs/acre
125% of average production through Dec 02: 435lbs/acre
75% of average production through Dec 02: 261lbs/acre
50% of average production through Dec 02: 174lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	1	1	100%
02/17/2025	1	2	100%
03/05/2025	2	4	100%
03/21/2025	4	8	100%
04/06/2025	5	13	92.86%
04/22/2025	9	22	91.67%
05/08/2025	15	37	92.5%
05/24/2025	24	61	92.42%
06/09/2025	32	93	93%
06/25/2025	34	127	92.7%
07/11/2025	34	161	92%
07/27/2025	33	194	91.51%
08/12/2025	28	222	90.24%
08/28/2025	26	248	89.86%
09/13/2025	23	271	90.03%
09/29/2025	19	290	90.34%
10/15/2025	14	304	91.02%
10/31/2025	9	313	91.52%
11/16/2025	7	320	92.49%
12/02/2025	3	323	92.82%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Boulder

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 349 lbs/acre
 150% of average annual production 524 lbs/acre
 125% of average annual production 436 lbs/acre
 75% of average annual production 262 lbs/acre
 50% of average annual production 174 lbs/acre


gSSURGO production estimates

Normal 1348 lbs/acre
 Favorable 1780 lbs/acre
 Unfavorable 932 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	392	112.4%
2006	361	103.6%
2007	391	112.2%
2008	345	99%
2009	402	115.3%
2010	459	131.7%
2011	405	116.2%
2012	334	95.8%
2013	283	81.2%
2014	335	96.1%
2015	358	102.7%
2016	333	95.5%
2017	332	95.2%
2018	320	91.8%
2019	317	90.9%
2020	294	84.3%
2021	354	101.5%
2022	304	87.2%
2023	357	102.4%
2024	322	92.4%
2025	323	92.7%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Broomfield
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 1122lbs/acre

Long-term averages

Average production through Dec 02: 1229lbs/acre
 150% of average production through Dec 02: 1844lbs/acre
 125% of average production through Dec 02: 1536lbs/acre
 75% of average production through Dec 02: 922lbs/acre
 50% of average production through Dec 02: 614lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	2	2	50%
02/01/2025	3	5	50%
02/17/2025	4	9	52.94%
03/05/2025	13	22	78.57%
03/21/2025	21	43	86%
04/06/2025	25	68	81.93%
04/22/2025	44	112	82.35%
05/08/2025	69	181	81.53%
05/24/2025	108	289	84.01%
06/09/2025	138	427	88.04%
06/25/2025	115	542	88.85%
07/11/2025	98	640	89.14%
07/27/2025	88	728	89.88%
08/12/2025	76	804	89.63%
08/28/2025	70	874	89.37%
09/13/2025	64	938	89.16%
09/29/2025	57	995	89%
10/15/2025	50	1045	89.62%
10/31/2025	35	1080	90.15%
11/16/2025	28	1108	90.97%
12/02/2025	14	1122	91.29%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Broomfield

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1235 lbs/acre
 150% of average annual production 1852 lbs/acre
 125% of average annual production 1544 lbs/acre
 75% of average annual production 926 lbs/acre
 50% of average annual production 618 lbs/acre


gSSURGO production estimates

Normal 1128 lbs/acre
 Favorable 1515 lbs/acre
 Unfavorable 705 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1216	98.4%
2006	846	68.5%
2007	1318	106.7%
2008	1064	86.1%
2009	1357	109.8%
2010	1399	113.2%
2011	1148	92.9%
2012	1035	83.8%
2013	1181	95.6%
2014	1467	118.7%
2015	1615	130.7%
2016	1410	114.1%
2017	1307	105.8%
2018	1114	90.2%
2019	1203	97.4%
2020	1101	89.1%
2021	1394	112.8%
2022	1049	84.9%
2023	1482	120%
2024	1116	90.3%
2025	1122	90.8%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Chaffee
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 177lbs/acre

Long-term averages

Average production through Dec 02: 202lbs/acre
150% of average production through Dec 02: 303lbs/acre
125% of average production through Dec 02: 252lbs/acre
75% of average production through Dec 02: 152lbs/acre
50% of average production through Dec 02: 101lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	1	1	Inf%
03/21/2025	1	2	Inf%
04/06/2025	1	3	300%
04/22/2025	2	5	166.67%
05/08/2025	4	9	112.5%
05/24/2025	8	17	94.44%
06/09/2025	13	30	85.71%
06/25/2025	20	50	84.75%
07/11/2025	22	72	84.71%
07/27/2025	22	94	83.93%
08/12/2025	21	115	83.94%
08/28/2025	19	134	84.28%
09/13/2025	16	150	84.75%
09/29/2025	11	161	85.19%
10/15/2025	8	169	86.22%
10/31/2025	4	173	86.5%
11/16/2025	3	176	87.13%
12/02/2025	1	177	87.62%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Chaffee

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 206 lbs/acre
 150% of average annual production 309 lbs/acre
 125% of average annual production 258 lbs/acre
 75% of average annual production 154 lbs/acre
 50% of average annual production 103 lbs/acre


gSSURGO production estimates

Normal 696 lbs/acre
 Favorable 856 lbs/acre
 Unfavorable 531 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	234	113.9%
2006	241	117.3%
2007	267	129.9%
2008	198	96.3%
2009	268	130.4%
2010	283	137.7%
2011	206	100.2%
2012	204	99.3%
2013	163	79.3%
2014	193	93.9%
2015	225	109.5%
2016	206	100.2%
2017	189	92%
2018	176	85.6%
2019	184	89.5%
2020	184	89.5%
2021	200	97.3%
2022	183	89%
2023	157	76.4%
2024	178	86.6%
2025	177	86.1%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Cheyenne
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 1083lbs/acre

Long-term averages

Average production through Dec 02: 1026lbs/acre
 150% of average production through Dec 02: 1539lbs/acre
 125% of average production through Dec 02: 1282lbs/acre
 75% of average production through Dec 02: 770lbs/acre
 50% of average production through Dec 02: 513lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	50%
02/01/2025	1	2	40%
02/17/2025	1	3	33.33%
03/05/2025	7	10	66.67%
03/21/2025	10	20	74.07%
04/06/2025	15	35	77.78%
04/22/2025	25	60	78.95%
05/08/2025	48	108	83.08%
05/24/2025	77	185	85.65%
06/09/2025	112	297	90.55%
06/25/2025	110	407	93.35%
07/11/2025	104	511	95.34%
07/27/2025	107	618	98.1%
08/12/2025	113	731	100.14%
08/28/2025	103	834	101.21%
09/13/2025	85	919	102.45%
09/29/2025	72	991	103.99%
10/15/2025	49	1040	105.16%
10/31/2025	23	1063	105.25%
11/16/2025	14	1077	105.48%
12/02/2025	6	1083	105.56%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Cheyenne

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1029 lbs/acre
 150% of average annual production 1544 lbs/acre
 125% of average annual production 1286 lbs/acre
 75% of average annual production 772 lbs/acre
 50% of average annual production 514 lbs/acre


gSSURGO production estimates

Normal 1425 lbs/acre
 Favorable 1940 lbs/acre
 Unfavorable 812 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1057	102.7%
2006	905	87.9%
2007	1208	117.4%
2008	973	94.5%
2009	1259	122.3%
2010	1158	112.5%
2011	856	83.2%
2012	778	75.6%
2013	922	89.6%
2014	914	88.8%
2015	1412	137.2%
2016	1124	109.2%
2017	1328	129%
2018	961	93.4%
2019	1070	104%
2020	687	66.8%
2021	1159	112.6%
2022	780	75.8%
2023	1248	121.3%
2024	730	70.9%
2025	1083	105.2%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Clear Creek
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 137lbs/acre

Long-term averages

Average production through Dec 02: 164lbs/acre
 150% of average production through Dec 02: 246lbs/acre
 125% of average production through Dec 02: 205lbs/acre
 75% of average production through Dec 02: 123lbs/acre
 50% of average production through Dec 02: 82lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	0	0	NaN%
04/22/2025	1	1	100%
05/08/2025	2	3	75%
05/24/2025	5	8	72.73%
06/09/2025	9	17	70.83%
06/25/2025	15	32	74.42%
07/11/2025	19	51	78.46%
07/27/2025	20	71	79.78%
08/12/2025	18	89	80.18%
08/28/2025	16	105	80.77%
09/13/2025	13	118	81.38%
09/29/2025	8	126	81.82%
10/15/2025	6	132	82.5%
10/31/2025	3	135	82.82%
11/16/2025	2	137	83.54%
12/02/2025	0	137	83.54%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Clear Creek

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 165 lbs/acre
 150% of average annual production 248 lbs/acre
 125% of average annual production 206 lbs/acre
 75% of average annual production 124 lbs/acre
 50% of average annual production 82 lbs/acre


gSSURGO production estimates

Normal 574 lbs/acre
 Favorable 780 lbs/acre
 Unfavorable 420 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	206	125.2%
2006	197	119.7%
2007	217	131.9%
2008	173	105.2%
2009	237	144.1%
2010	271	164.7%
2011	231	140.4%
2012	190	115.5%
2013	125	76%
2014	138	83.9%
2015	159	96.6%
2016	143	86.9%
2017	131	79.6%
2018	135	82.1%
2019	133	80.8%
2020	124	75.4%
2021	132	80.2%
2022	128	77.8%
2023	117	71.1%
2024	131	79.6%
2025	137	83.3%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Conejos
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 331lbs/acre

Long-term averages

Average production through Dec 02: 335lbs/acre
 150% of average production through Dec 02: 502lbs/acre
 125% of average production through Dec 02: 419lbs/acre
 75% of average production through Dec 02: 251lbs/acre
 50% of average production through Dec 02: 168lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	2	2	Inf%
03/05/2025	1	3	300%
03/21/2025	1	4	133.33%
04/06/2025	2	6	100%
04/22/2025	6	12	109.09%
05/08/2025	10	22	104.76%
05/24/2025	16	38	95%
06/09/2025	28	66	97.06%
06/25/2025	38	104	99.05%
07/11/2025	41	145	100%
07/27/2025	38	183	98.39%
08/12/2025	36	219	96.48%
08/28/2025	34	253	95.83%
09/13/2025	28	281	95.58%
09/29/2025	21	302	96.18%
10/15/2025	16	318	97.55%
10/31/2025	7	325	97.89%
11/16/2025	4	329	98.5%
12/02/2025	2	331	98.81%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Conejos

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 335 lbs/acre
 150% of average annual production 502 lbs/acre
 125% of average annual production 419 lbs/acre
 75% of average annual production 251 lbs/acre
 50% of average annual production 168 lbs/acre


gSSURGO production estimates

Normal 822 lbs/acre
 Favorable 1065 lbs/acre
 Unfavorable 560 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	325	97%
2006	346	103.2%
2007	399	119.1%
2008	298	88.9%
2009	348	103.8%
2010	360	107.4%
2011	255	76.1%
2012	296	88.3%
2013	256	76.4%
2014	276	82.4%
2015	370	110.4%
2016	338	100.9%
2017	345	102.9%
2018	300	89.5%
2019	352	105%
2020	272	81.2%
2021	368	109.8%
2022	475	141.7%
2023	364	108.6%
2024	364	108.6%
2025	331	98.8%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Costilla
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 285lbs/acre

Long-term averages

Average production through Dec 02: 296lbs/acre
150% of average production through Dec 02: 444lbs/acre
125% of average production through Dec 02: 370lbs/acre
75% of average production through Dec 02: 222lbs/acre
50% of average production through Dec 02: 148lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	3	3	Inf%
03/05/2025	1	4	400%
03/21/2025	2	6	200%
04/06/2025	3	9	150%
04/22/2025	6	15	125%
05/08/2025	11	26	113.04%
05/24/2025	17	43	104.88%
06/09/2025	26	69	102.99%
06/25/2025	33	102	102%
07/11/2025	32	134	100%
07/27/2025	29	163	97.6%
08/12/2025	28	191	95.02%
08/28/2025	26	217	93.53%
09/13/2025	24	241	93.41%
09/29/2025	19	260	94.2%
10/15/2025	14	274	95.47%
10/31/2025	6	280	95.89%
11/16/2025	3	283	95.93%
12/02/2025	2	285	96.28%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Costilla

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 295 lbs/acre
 150% of average annual production 442 lbs/acre
 125% of average annual production 369 lbs/acre
 75% of average annual production 221 lbs/acre
 50% of average annual production 148 lbs/acre


gSSURGO production estimates

Normal 1049 lbs/acre
 Favorable 1353 lbs/acre
 Unfavorable 752 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	306	103.8%
2006	301	102.1%
2007	353	119.8%
2008	275	93.3%
2009	299	101.4%
2010	319	108.2%
2011	215	72.9%
2012	250	84.8%
2013	227	77%
2014	282	95.7%
2015	351	119.1%
2016	309	104.8%
2017	337	114.3%
2018	269	91.3%
2019	288	97.7%
2020	235	79.7%
2021	339	115%
2022	370	125.5%
2023	284	96.3%
2024	296	100.4%
2025	285	96.7%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Crowley
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 831lbs/acre

Long-term averages

Average production through Dec 02: 806lbs/acre
 150% of average production through Dec 02: 1209lbs/acre
 125% of average production through Dec 02: 1008lbs/acre
 75% of average production through Dec 02: 604lbs/acre
 50% of average production through Dec 02: 403lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	0%
02/01/2025	1	1	33.33%
02/17/2025	1	2	33.33%
03/05/2025	5	7	63.64%
03/21/2025	9	16	76.19%
04/06/2025	13	29	80.56%
04/22/2025	21	50	80.65%
05/08/2025	35	85	80.95%
05/24/2025	55	140	81.4%
06/09/2025	89	229	89.11%
06/25/2025	93	322	95.83%
07/11/2025	85	407	99.03%
07/27/2025	80	487	100.83%
08/12/2025	79	566	100.71%
08/28/2025	77	643	100.63%
09/13/2025	64	707	101%
09/29/2025	53	760	101.74%
10/15/2025	37	797	102.71%
10/31/2025	19	816	102.9%
11/16/2025	10	826	102.99%
12/02/2025	5	831	103.1%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Crowley

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 812 lbs/acre
 150% of average annual production 1218 lbs/acre
 125% of average annual production 1015 lbs/acre
 75% of average annual production 609 lbs/acre
 50% of average annual production 406 lbs/acre


gSSURGO production estimates

Normal 1036 lbs/acre
 Favorable 1490 lbs/acre
 Unfavorable 537 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	626	77.1%
2006	845	104.1%
2007	1146	141.2%
2008	620	76.4%
2009	795	97.9%
2010	991	122.1%
2011	559	68.9%
2012	486	59.9%
2013	608	74.9%
2014	685	84.4%
2015	1147	141.3%
2016	956	117.8%
2017	1180	145.4%
2018	591	72.8%
2019	866	106.7%
2020	582	71.7%
2021	970	119.5%
2022	823	101.4%
2023	1121	138.1%
2024	620	76.4%
2025	831	102.4%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Custer
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 279lbs/acre

Long-term averages

Average production through Dec 02: 336lbs/acre
 150% of average production through Dec 02: 504lbs/acre
 125% of average production through Dec 02: 420lbs/acre
 75% of average production through Dec 02: 252lbs/acre
 50% of average production through Dec 02: 168lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	1	1	Inf%
03/05/2025	1	2	200%
03/21/2025	2	4	133.33%
04/06/2025	2	6	100%
04/22/2025	5	11	91.67%
05/08/2025	9	20	86.96%
05/24/2025	16	36	83.72%
06/09/2025	23	59	80.82%
06/25/2025	32	91	81.98%
07/11/2025	34	125	82.78%
07/27/2025	32	157	82.2%
08/12/2025	29	186	80.52%
08/28/2025	28	214	80.15%
09/13/2025	23	237	80.34%
09/29/2025	17	254	80.89%
10/15/2025	13	267	81.9%
10/31/2025	6	273	82.23%
11/16/2025	4	277	82.69%
12/02/2025	2	279	83.04%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Custer

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 338 lbs/acre
 150% of average annual production 507 lbs/acre
 125% of average annual production 422 lbs/acre
 75% of average annual production 254 lbs/acre
 50% of average annual production 169 lbs/acre


gSSURGO production estimates

Normal 1112 lbs/acre
 Favorable 1379 lbs/acre
 Unfavorable 868 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	410	121.3%
2006	392	115.9%
2007	415	122.7%
2008	354	104.7%
2009	445	131.6%
2010	439	129.8%
2011	366	108.2%
2012	387	114.4%
2013	272	80.4%
2014	293	86.6%
2015	331	97.9%
2016	295	87.2%
2017	348	102.9%
2018	313	92.6%
2019	296	87.5%
2020	260	76.9%
2021	345	102%
2022	312	92.3%
2023	270	79.8%
2024	279	82.5%
2025	279	82.5%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Delta
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 407lbs/acre

Long-term averages

Average production through Dec 02: 389lbs/acre
150% of average production through Dec 02: 584lbs/acre
125% of average production through Dec 02: 486lbs/acre
75% of average production through Dec 02: 292lbs/acre
50% of average production through Dec 02: 194lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	1	1	100%
03/05/2025	2	3	100%
03/21/2025	2	5	83.33%
04/06/2025	4	9	81.82%
04/22/2025	7	16	80%
05/08/2025	14	30	83.33%
05/24/2025	23	53	84.13%
06/09/2025	36	89	88.12%
06/25/2025	48	137	93.84%
07/11/2025	50	187	97.4%
07/27/2025	47	234	99.57%
08/12/2025	40	274	100%
08/28/2025	36	310	100.32%
09/13/2025	35	345	101.77%
09/29/2025	25	370	102.49%
10/15/2025	17	387	103.2%
10/31/2025	10	397	103.66%
11/16/2025	7	404	104.39%
12/02/2025	3	407	104.63%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Delta

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 390 lbs/acre
 150% of average annual production 585 lbs/acre
 125% of average annual production 488 lbs/acre
 75% of average annual production 292 lbs/acre
 50% of average annual production 195 lbs/acre


gSSURGO production estimates

Normal 1319 lbs/acre
 Favorable 1750 lbs/acre
 Unfavorable 936 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	406	104.2%
2006	370	95%
2007	466	119.6%
2008	370	95%
2009	420	107.8%
2010	482	123.7%
2011	334	85.7%
2012	306	78.5%
2013	344	88.3%
2014	431	110.6%
2015	428	109.9%
2016	357	91.6%
2017	343	88%
2018	314	80.6%
2019	457	117.3%
2020	392	100.6%
2021	346	88.8%
2022	356	91.4%
2023	416	106.8%
2024	436	111.9%
2025	407	104.5%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Denver
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 657lbs/acre

Long-term averages

Average production through Dec 02: 847lbs/acre
150% of average production through Dec 02: 1270lbs/acre
125% of average production through Dec 02: 1059lbs/acre
75% of average production through Dec 02: 635lbs/acre
50% of average production through Dec 02: 424lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	33.33%
02/01/2025	2	3	42.86%
02/17/2025	3	6	54.55%
03/05/2025	9	15	83.33%
03/21/2025	13	28	84.85%
04/06/2025	16	44	80%
04/22/2025	25	69	76.67%
05/08/2025	39	108	74.48%
05/24/2025	58	166	74.11%
06/09/2025	77	243	76.18%
06/25/2025	70	313	77.48%
07/11/2025	61	374	77.75%
07/27/2025	50	424	77.23%
08/12/2025	41	465	75.73%
08/28/2025	38	503	74.63%
09/13/2025	37	540	74.28%
09/29/2025	37	577	74.64%
10/15/2025	33	610	75.68%
10/31/2025	22	632	76.42%
11/16/2025	16	648	77.14%
12/02/2025	9	657	77.57%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Denver

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 854 lbs/acre
 150% of average annual production 1281 lbs/acre
 125% of average annual production 1068 lbs/acre
 75% of average annual production 640 lbs/acre
 50% of average annual production 427 lbs/acre


gSSURGO production estimates

Normal 1373 lbs/acre
 Favorable 1875 lbs/acre
 Unfavorable 738 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	896	104.9%
2006	643	75.3%
2007	1037	121.4%
2008	774	90.6%
2009	1145	134.1%
2010	996	116.6%
2011	902	105.6%
2012	774	90.6%
2013	797	93.3%
2014	1000	117.1%
2015	1065	124.7%
2016	948	111%
2017	904	105.9%
2018	737	86.3%
2019	764	89.5%
2020	673	78.8%
2021	865	101.3%
2022	674	78.9%
2023	1026	120.2%
2024	655	76.7%
2025	657	76.9%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Dolores
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 319lbs/acre

Long-term averages

Average production through Dec 02: 311lbs/acre
150% of average production through Dec 02: 466lbs/acre
125% of average production through Dec 02: 389lbs/acre
75% of average production through Dec 02: 233lbs/acre
50% of average production through Dec 02: 156lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	1	1	Inf%
03/21/2025	1	2	200%
04/06/2025	1	3	100%
04/22/2025	4	7	87.5%
05/08/2025	9	16	84.21%
05/24/2025	16	32	80%
06/09/2025	29	61	84.72%
06/25/2025	41	102	92.73%
07/11/2025	41	143	96.62%
07/27/2025	38	181	98.37%
08/12/2025	33	214	98.62%
08/28/2025	29	243	98.78%
09/13/2025	28	271	99.63%
09/29/2025	21	292	100.69%
10/15/2025	15	307	101.99%
10/31/2025	7	314	102.28%
11/16/2025	4	318	102.58%
12/02/2025	1	319	102.57%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Dolores

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 310 lbs/acre
 150% of average annual production 465 lbs/acre
 125% of average annual production 388 lbs/acre
 75% of average annual production 232 lbs/acre
 50% of average annual production 155 lbs/acre


gSSURGO production estimates

Normal 1266 lbs/acre
 Favorable 1646 lbs/acre
 Unfavorable 941 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	350	112.9%
2006	337	108.7%
2007	325	104.8%
2008	277	89.3%
2009	364	117.4%
2010	427	137.7%
2011	292	94.2%
2012	258	83.2%
2013	246	79.3%
2014	350	112.9%
2015	354	114.2%
2016	285	91.9%
2017	271	87.4%
2018	234	75.5%
2019	368	118.7%
2020	292	94.2%
2021	269	86.8%
2022	227	73.2%
2023	311	100.3%
2024	355	114.5%
2025	319	102.9%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Douglas
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 476lbs/acre

Long-term averages

Average production through Dec 02: 531lbs/acre
150% of average production through Dec 02: 796lbs/acre
125% of average production through Dec 02: 664lbs/acre
75% of average production through Dec 02: 398lbs/acre
50% of average production through Dec 02: 266lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	0%
02/01/2025	0	0	0%
02/17/2025	1	1	33.33%
03/05/2025	4	5	83.33%
03/21/2025	5	10	83.33%
04/06/2025	7	17	80.95%
04/22/2025	13	30	83.33%
05/08/2025	22	52	86.67%
05/24/2025	33	85	85.86%
06/09/2025	49	134	88.16%
06/25/2025	54	188	90.38%
07/11/2025	53	241	91.29%
07/27/2025	48	289	91.17%
08/12/2025	42	331	89.46%
08/28/2025	38	369	88.07%
09/13/2025	34	403	87.8%
09/29/2025	28	431	87.96%
10/15/2025	22	453	88.82%
10/31/2025	11	464	89.06%
11/16/2025	8	472	89.39%
12/02/2025	4	476	89.64%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Douglas

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 534 lbs/acre
 150% of average annual production 801 lbs/acre
 125% of average annual production 668 lbs/acre
 75% of average annual production 400 lbs/acre
 50% of average annual production 267 lbs/acre


gSSURGO production estimates

Normal 1035 lbs/acre
 Favorable 1425 lbs/acre
 Unfavorable 690 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	581	108.8%
2006	514	96.2%
2007	662	124%
2008	487	91.2%
2009	689	129%
2010	646	121%
2011	587	109.9%
2012	530	99.2%
2013	427	80%
2014	552	103.4%
2015	623	116.7%
2016	550	103%
2017	550	103%
2018	474	88.8%
2019	482	90.3%
2020	400	74.9%
2021	536	100.4%
2022	414	77.5%
2023	572	107.1%
2024	463	86.7%
2025	476	89.1%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Eagle
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 272lbs/acre

Long-term averages

Average production through Dec 02: 301lbs/acre
150% of average production through Dec 02: 452lbs/acre
125% of average production through Dec 02: 376lbs/acre
75% of average production through Dec 02: 226lbs/acre
50% of average production through Dec 02: 150lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	1	1	100%
04/22/2025	2	3	100%
05/08/2025	5	8	88.89%
05/24/2025	11	19	76%
06/09/2025	23	42	79.25%
06/25/2025	36	78	84.78%
07/11/2025	40	118	87.41%
07/27/2025	37	155	87.57%
08/12/2025	31	186	86.92%
08/28/2025	27	213	86.94%
09/13/2025	24	237	87.78%
09/29/2025	16	253	88.46%
10/15/2025	10	263	89.15%
10/31/2025	5	268	89.63%
11/16/2025	3	271	90.03%
12/02/2025	1	272	90.37%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Eagle

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 301 lbs/acre
 150% of average annual production 452 lbs/acre
 125% of average annual production 376 lbs/acre
 75% of average annual production 226 lbs/acre
 50% of average annual production 150 lbs/acre


gSSURGO production estimates

Normal 1348 lbs/acre
 Favorable 1819 lbs/acre
 Unfavorable 938 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	367	121.9%
2006	361	119.9%
2007	381	126.6%
2008	288	95.7%
2009	404	134.2%
2010	438	145.5%
2011	282	93.7%
2012	281	93.4%
2013	248	82.4%
2014	287	95.3%
2015	321	106.6%
2016	273	90.7%
2017	258	85.7%
2018	261	86.7%
2019	285	94.7%
2020	270	89.7%
2021	256	85%
2022	248	82.4%
2023	258	85.7%
2024	282	93.7%
2025	272	90.4%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: El Paso
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 851lbs/acre

Long-term averages

Average production through Dec 02: 823lbs/acre
 150% of average production through Dec 02: 1234lbs/acre
 125% of average production through Dec 02: 1029lbs/acre
 75% of average production through Dec 02: 617lbs/acre
 50% of average production through Dec 02: 412lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	50%
02/01/2025	1	2	50%
02/17/2025	2	4	57.14%
03/05/2025	6	10	83.33%
03/21/2025	9	19	90.48%
04/06/2025	13	32	94.12%
04/22/2025	21	53	94.64%
05/08/2025	34	87	93.55%
05/24/2025	55	142	94.04%
06/09/2025	86	228	99.13%
06/25/2025	88	316	101.61%
07/11/2025	85	401	102.3%
07/27/2025	83	484	102.33%
08/12/2025	80	564	100.53%
08/28/2025	76	640	99.22%
09/13/2025	68	708	99.58%
09/29/2025	59	767	100.92%
10/15/2025	43	810	102.4%
10/31/2025	21	831	102.85%
11/16/2025	13	844	103.18%
12/02/2025	7	851	103.4%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: El Paso

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 829 lbs/acre
 150% of average annual production 1244 lbs/acre
 125% of average annual production 1036 lbs/acre
 75% of average annual production 622 lbs/acre
 50% of average annual production 414 lbs/acre


gSSURGO production estimates

Normal 1257 lbs/acre
 Favorable 1693 lbs/acre
 Unfavorable 772 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	733	88.4%
2006	812	98%
2007	997	120.3%
2008	625	75.4%
2009	892	107.6%
2010	830	100.1%
2011	668	80.6%
2012	627	75.6%
2013	674	81.3%
2014	736	88.8%
2015	1265	152.6%
2016	938	113.2%
2017	1025	123.7%
2018	767	92.5%
2019	859	103.6%
2020	564	68%
2021	899	108.5%
2022	771	93%
2023	1122	135.4%
2024	751	90.6%
2025	851	102.7%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Elbert
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 1320lbs/acre

Long-term averages

Average production through Dec 02: 1191lbs/acre
150% of average production through Dec 02: 1786lbs/acre
125% of average production through Dec 02: 1489lbs/acre
75% of average production through Dec 02: 893lbs/acre
50% of average production through Dec 02: 596lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	50%
02/01/2025	1	2	40%
02/17/2025	2	4	44.44%
03/05/2025	10	14	93.33%
03/21/2025	14	28	100%
04/06/2025	19	47	97.92%
04/22/2025	34	81	96.43%
05/08/2025	61	142	96.6%
05/24/2025	98	240	97.96%
06/09/2025	153	393	104.24%
06/25/2025	153	546	107.69%
07/11/2025	143	689	109.54%
07/27/2025	128	817	110.41%
08/12/2025	113	930	109.03%
08/28/2025	104	1034	107.71%
09/13/2025	91	1125	107.76%
09/29/2025	79	1204	108.66%
10/15/2025	61	1265	110.1%
10/31/2025	29	1294	110.41%
11/16/2025	17	1311	110.63%
12/02/2025	9	1320	110.83%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Elbert

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1196 lbs/acre
 150% of average annual production 1794 lbs/acre
 125% of average annual production 1495 lbs/acre
 75% of average annual production 897 lbs/acre
 50% of average annual production 598 lbs/acre


gSSURGO production estimates

Normal 1344 lbs/acre
 Favorable 1851 lbs/acre
 Unfavorable 803 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1091	91.2%
2006	1078	90.1%
2007	1321	110.4%
2008	835	69.8%
2009	1408	117.7%
2010	1240	103.7%
2011	960	80.3%
2012	939	78.5%
2013	1025	85.7%
2014	1270	106.2%
2015	1726	144.3%
2016	1398	116.9%
2017	1355	113.3%
2018	1035	86.5%
2019	1361	113.8%
2020	828	69.2%
2021	1187	99.2%
2022	943	78.8%
2023	1693	141.5%
2024	1104	92.3%
2025	1320	110.4%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Fremont
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 311lbs/acre

Long-term averages

Average production through Dec 02: 338lbs/acre
 150% of average production through Dec 02: 507lbs/acre
 125% of average production through Dec 02: 422lbs/acre
 75% of average production through Dec 02: 254lbs/acre
 50% of average production through Dec 02: 169lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	0%
02/17/2025	1	1	50%
03/05/2025	2	3	75%
03/21/2025	3	6	85.71%
04/06/2025	4	10	83.33%
04/22/2025	8	18	85.71%
05/08/2025	13	31	86.11%
05/24/2025	21	52	86.67%
06/09/2025	29	81	88.04%
06/25/2025	33	114	89.76%
07/11/2025	34	148	91.36%
07/27/2025	31	179	91.33%
08/12/2025	29	208	90.04%
08/28/2025	27	235	89.02%
09/13/2025	25	260	89.35%
09/29/2025	21	281	90.35%
10/15/2025	15	296	91.36%
10/31/2025	8	304	91.57%
11/16/2025	5	309	91.96%
12/02/2025	2	311	92.01%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Fremont

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 340 lbs/acre
 150% of average annual production 510 lbs/acre
 125% of average annual production 425 lbs/acre
 75% of average annual production 255 lbs/acre
 50% of average annual production 170 lbs/acre


gSSURGO production estimates

Normal 838 lbs/acre
 Favorable 1110 lbs/acre
 Unfavorable 552 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	337	99.1%
2006	336	98.8%
2007	420	123.5%
2008	329	96.8%
2009	408	120%
2010	401	117.9%
2011	344	101.2%
2012	306	90%
2013	272	80%
2014	328	96.5%
2015	427	125.6%
2016	320	94.1%
2017	379	111.5%
2018	299	87.9%
2019	327	96.2%
2020	269	79.1%
2021	360	105.9%
2022	303	89.1%
2023	354	104.1%
2024	310	91.2%
2025	311	91.5%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Garfield
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 418lbs/acre

Long-term averages

Average production through Dec 02: 384lbs/acre
150% of average production through Dec 02: 576lbs/acre
125% of average production through Dec 02: 480lbs/acre
75% of average production through Dec 02: 288lbs/acre
50% of average production through Dec 02: 192lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	1	1	100%
03/21/2025	2	3	100%
04/06/2025	3	6	100%
04/22/2025	5	11	91.67%
05/08/2025	12	23	92%
05/24/2025	22	45	88.24%
06/09/2025	40	85	94.44%
06/25/2025	52	137	99.28%
07/11/2025	55	192	102.13%
07/27/2025	50	242	103.42%
08/12/2025	42	284	103.27%
08/28/2025	37	321	103.55%
09/13/2025	35	356	105.01%
09/29/2025	26	382	106.11%
10/15/2025	17	399	106.97%
10/31/2025	10	409	107.63%
11/16/2025	6	415	108.36%
12/02/2025	3	418	108.85%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Garfield

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 383 lbs/acre
 150% of average annual production 574 lbs/acre
 125% of average annual production 479 lbs/acre
 75% of average annual production 287 lbs/acre
 50% of average annual production 192 lbs/acre


gSSURGO production estimates

Normal 1265 lbs/acre
 Favorable 1750 lbs/acre
 Unfavorable 893 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	422	110.3%
2006	386	100.8%
2007	397	103.7%
2008	361	94.3%
2009	404	105.5%
2010	489	127.8%
2011	378	98.8%
2012	300	78.4%
2013	311	81.3%
2014	421	110%
2015	401	104.8%
2016	326	85.2%
2017	312	81.5%
2018	336	87.8%
2019	416	108.7%
2020	360	94.1%
2021	345	90.1%
2022	371	96.9%
2023	445	116.3%
2024	439	114.7%
2025	418	109.2%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Gilpin
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 146lbs/acre

Long-term averages

Average production through Dec 02: 191lbs/acre
150% of average production through Dec 02: 286lbs/acre
125% of average production through Dec 02: 239lbs/acre
75% of average production through Dec 02: 143lbs/acre
50% of average production through Dec 02: 96lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	1	1	100%
04/22/2025	2	3	100%
05/08/2025	4	7	87.5%
05/24/2025	8	15	83.33%
06/09/2025	11	26	76.47%
06/25/2025	16	42	76.36%
07/11/2025	19	61	76.25%
07/27/2025	19	80	75.47%
08/12/2025	17	97	74.62%
08/28/2025	15	112	74.17%
09/13/2025	13	125	74.4%
09/29/2025	9	134	74.86%
10/15/2025	6	140	75.27%
10/31/2025	3	143	75.66%
11/16/2025	2	145	75.92%
12/02/2025	1	146	76.44%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Gilpin

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 194 lbs/acre
 150% of average annual production 291 lbs/acre
 125% of average annual production 242 lbs/acre
 75% of average annual production 146 lbs/acre
 50% of average annual production 97 lbs/acre


gSSURGO production estimates

Normal 658 lbs/acre
 Favorable 890 lbs/acre
 Unfavorable 497 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	270	139.4%
2006	255	131.6%
2007	258	133.2%
2008	201	103.8%
2009	269	138.9%
2010	330	170.4%
2011	279	144%
2012	224	115.6%
2013	150	77.4%
2014	170	87.8%
2015	187	96.5%
2016	155	80%
2017	153	79%
2018	146	75.4%
2019	150	77.4%
2020	131	67.6%
2021	164	84.7%
2022	144	74.3%
2023	139	71.8%
2024	147	75.9%
2025	146	75.4%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Grand
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 269lbs/acre

Long-term averages

Average production through Dec 02: 275lbs/acre
150% of average production through Dec 02: 412lbs/acre
125% of average production through Dec 02: 344lbs/acre
75% of average production through Dec 02: 206lbs/acre
50% of average production through Dec 02: 138lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	0	0	0%
04/22/2025	2	2	50%
05/08/2025	5	7	70%
05/24/2025	11	18	72%
06/09/2025	22	40	80%
06/25/2025	34	74	87.06%
07/11/2025	39	113	90.4%
07/27/2025	38	151	92.07%
08/12/2025	31	182	91.92%
08/28/2025	29	211	93.36%
09/13/2025	23	234	94.35%
09/29/2025	15	249	95.04%
10/15/2025	11	260	96.3%
10/31/2025	5	265	96.72%
11/16/2025	3	268	97.45%
12/02/2025	1	269	97.82%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Grand

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 275 lbs/acre
 150% of average annual production 412 lbs/acre
 125% of average annual production 344 lbs/acre
 75% of average annual production 206 lbs/acre
 50% of average annual production 138 lbs/acre


gSSURGO production estimates

Normal 1254 lbs/acre
 Favorable 1595 lbs/acre
 Unfavorable 957 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	279	101.4%
2006	288	104.7%
2007	332	120.7%
2008	290	105.4%
2009	333	121%
2010	335	121.8%
2011	251	91.2%
2012	243	88.3%
2013	230	83.6%
2014	265	96.3%
2015	315	114.5%
2016	284	103.2%
2017	259	94.1%
2018	257	93.4%
2019	263	95.6%
2020	235	85.4%
2021	241	87.6%
2022	255	92.7%
2023	277	100.7%
2024	276	100.3%
2025	269	97.8%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Gunnison
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 338lbs/acre

Long-term averages

Average production through Dec 02: 342lbs/acre
 150% of average production through Dec 02: 513lbs/acre
 125% of average production through Dec 02: 428lbs/acre
 75% of average production through Dec 02: 256lbs/acre
 50% of average production through Dec 02: 171lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	0	0	0%
04/22/2025	2	2	50%
05/08/2025	6	8	66.67%
05/24/2025	15	23	74.19%
06/09/2025	30	53	82.81%
06/25/2025	46	99	90.83%
07/11/2025	48	147	93.63%
07/27/2025	45	192	94.58%
08/12/2025	38	230	94.26%
08/28/2025	33	263	94.27%
09/13/2025	29	292	95.11%
09/29/2025	21	313	96.31%
10/15/2025	14	327	97.61%
10/31/2025	6	333	97.94%
11/16/2025	4	337	98.54%
12/02/2025	1	338	98.83%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Gunnison

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 342 lbs/acre
 150% of average annual production 513 lbs/acre
 125% of average annual production 428 lbs/acre
 75% of average annual production 256 lbs/acre
 50% of average annual production 171 lbs/acre

gSSURGO production estimates

Normal 1788 lbs/acre
 Favorable 2298 lbs/acre
 Unfavorable 1245 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	332	97%
2006	360	105.2%
2007	393	114.8%
2008	304	88.8%
2009	414	121%
2010	456	133.2%
2011	318	92.9%
2012	306	89.4%
2013	294	85.9%
2014	351	102.5%
2015	395	115.4%
2016	322	94.1%
2017	320	93.5%
2018	310	90.6%
2019	347	101.4%
2020	326	95.2%
2021	316	92.3%
2022	301	87.9%
2023	324	94.7%
2024	361	105.5%
2025	338	98.7%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Hinsdale
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 270lbs/acre

Long-term averages

Average production through Dec 02: 270lbs/acre
150% of average production through Dec 02: 405lbs/acre
125% of average production through Dec 02: 338lbs/acre
75% of average production through Dec 02: 202lbs/acre
50% of average production through Dec 02: 135lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	0	0	NaN%
04/22/2025	1	1	Inf%
05/08/2025	2	3	100%
05/24/2025	7	10	83.33%
06/09/2025	17	27	81.82%
06/25/2025	33	60	89.55%
07/11/2025	38	98	93.33%
07/27/2025	39	137	94.48%
08/12/2025	36	173	95.05%
08/28/2025	33	206	96.26%
09/13/2025	26	232	96.67%
09/29/2025	18	250	97.66%
10/15/2025	12	262	98.87%
10/31/2025	5	267	99.26%
11/16/2025	3	270	100%
12/02/2025	0	270	100%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Hinsdale

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 270 lbs/acre
 150% of average annual production 405 lbs/acre
 125% of average annual production 338 lbs/acre
 75% of average annual production 202 lbs/acre
 50% of average annual production 135 lbs/acre


gSSURGO production estimates

Normal 930 lbs/acre
 Favorable 1188 lbs/acre
 Unfavorable 695 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	277	102.7%
2006	285	105.6%
2007	308	114.2%
2008	247	91.5%
2009	319	118.2%
2010	329	121.9%
2011	239	88.6%
2012	259	96%
2013	200	74.1%
2014	217	80.4%
2015	291	107.9%
2016	293	108.6%
2017	263	97.5%
2018	260	96.4%
2019	284	105.3%
2020	274	101.6%
2021	245	90.8%
2022	249	92.3%
2023	263	97.5%
2024	294	109%
2025	270	100.1%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Huerfano
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 537lbs/acre

Long-term averages

Average production through Dec 02: 604lbs/acre
 150% of average production through Dec 02: 906lbs/acre
 125% of average production through Dec 02: 755lbs/acre
 75% of average production through Dec 02: 453lbs/acre
 50% of average production through Dec 02: 302lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	50%
02/01/2025	1	2	50%
02/17/2025	2	4	57.14%
03/05/2025	5	9	81.82%
03/21/2025	7	16	88.89%
04/06/2025	7	23	79.31%
04/22/2025	15	38	80.85%
05/08/2025	27	65	83.33%
05/24/2025	43	108	85.71%
06/09/2025	59	167	89.78%
06/25/2025	62	229	93.09%
07/11/2025	56	285	93.75%
07/27/2025	49	334	92.78%
08/12/2025	45	379	90.67%
08/28/2025	43	422	89.22%
09/13/2025	38	460	88.8%
09/29/2025	31	491	88.79%
10/15/2025	22	513	88.91%
10/31/2025	11	524	88.66%
11/16/2025	9	533	88.83%
12/02/2025	4	537	88.91%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Huerfano

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 605 lbs/acre
 150% of average annual production 908 lbs/acre
 125% of average annual production 756 lbs/acre
 75% of average annual production 454 lbs/acre
 50% of average annual production 302 lbs/acre


gSSURGO production estimates

Normal 966 lbs/acre
 Favorable 1299 lbs/acre
 Unfavorable 632 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	715	118.2%
2006	571	94.4%
2007	781	129.1%
2008	568	93.9%
2009	646	106.8%
2010	741	122.5%
2011	453	74.9%
2012	505	83.5%
2013	494	81.6%
2014	589	97.3%
2015	805	133%
2016	599	99%
2017	756	124.9%
2018	506	83.6%
2019	585	96.7%
2020	405	66.9%
2021	745	123.1%
2022	591	97.7%
2023	588	97.2%
2024	528	87.3%
2025	537	88.7%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Jackson
 Date of report: January 14 2026
 Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 281lbs/acre

Long-term averages

Average production through Dec 02: 304lbs/acre
 150% of average production through Dec 02: 456lbs/acre
 125% of average production through Dec 02: 380lbs/acre
 75% of average production through Dec 02: 228lbs/acre
 50% of average production through Dec 02: 152lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	1	1	100%
04/06/2025	1	2	66.67%
04/22/2025	4	6	85.71%
05/08/2025	7	13	81.25%
05/24/2025	14	27	79.41%
06/09/2025	25	52	82.54%
06/25/2025	36	88	85.44%
07/11/2025	39	127	85.81%
07/27/2025	40	167	86.98%
08/12/2025	29	196	85.96%
08/28/2025	27	223	87.11%
09/13/2025	21	244	88.09%
09/29/2025	15	259	89%
10/15/2025	11	270	90.3%
10/31/2025	6	276	91.09%
11/16/2025	4	280	92.11%
12/02/2025	1	281	92.43%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Jackson

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 303 lbs/acre
 150% of average annual production 454 lbs/acre
 125% of average annual production 379 lbs/acre
 75% of average annual production 227 lbs/acre
 50% of average annual production 152 lbs/acre


gSSURGO production estimates

Normal 1189 lbs/acre
 Favorable 1560 lbs/acre
 Unfavorable 834 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	318	104.8%
2006	315	103.8%
2007	351	115.7%
2008	298	98.2%
2009	333	109.7%
2010	366	120.6%
2011	278	91.6%
2012	272	89.6%
2013	268	88.3%
2014	342	112.7%
2015	347	114.3%
2016	299	98.5%
2017	296	97.5%
2018	285	93.9%
2019	302	99.5%
2020	268	88.3%
2021	270	89%
2022	286	94.2%
2023	303	99.8%
2024	295	97.2%
2025	281	92.6%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Jefferson
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 290lbs/acre

Long-term averages

Average production through Dec 02: 324lbs/acre
150% of average production through Dec 02: 486lbs/acre
125% of average production through Dec 02: 405lbs/acre
75% of average production through Dec 02: 243lbs/acre
50% of average production through Dec 02: 162lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	0%
02/17/2025	1	1	50%
03/05/2025	2	3	100%
03/21/2025	3	6	100%
04/06/2025	4	10	90.91%
04/22/2025	7	17	89.47%
05/08/2025	12	29	87.88%
05/24/2025	21	50	89.29%
06/09/2025	28	78	89.66%
06/25/2025	32	110	90.16%
07/11/2025	32	142	89.87%
07/27/2025	30	172	89.58%
08/12/2025	27	199	88.44%
08/28/2025	25	224	87.84%
09/13/2025	22	246	87.86%
09/29/2025	17	263	87.96%
10/15/2025	13	276	88.75%
10/31/2025	7	283	88.99%
11/16/2025	5	288	89.44%
12/02/2025	2	290	89.51%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Jefferson

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 323 lbs/acre
 150% of average annual production 484 lbs/acre
 125% of average annual production 404 lbs/acre
 75% of average annual production 242 lbs/acre
 50% of average annual production 162 lbs/acre

gSSURGO production estimates

Normal 906 lbs/acre
 Favorable 1216 lbs/acre
 Unfavorable 632 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	362	112.1%
2006	308	95.4%
2007	392	121.4%
2008	317	98.2%
2009	419	129.8%
2010	406	125.7%
2011	407	126%
2012	313	96.9%
2013	273	84.5%
2014	299	92.6%
2015	328	101.6%
2016	303	93.8%
2017	320	99.1%
2018	288	89.2%
2019	288	89.2%
2020	261	80.8%
2021	333	103.1%
2022	278	86.1%
2023	309	95.7%
2024	287	88.9%
2025	290	89.8%

Figure 1: Historical production



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Kiowa

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 865 lbs/acre
 150% of average annual production 1298 lbs/acre
 125% of average annual production 1081 lbs/acre
 75% of average annual production 649 lbs/acre
 50% of average annual production 432 lbs/acre


gSSURGO production estimates

Normal 1127 lbs/acre
 Favorable 1601 lbs/acre
 Unfavorable 603 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	878	101.5%
2006	886	102.4%
2007	1143	132.1%
2008	728	84.1%
2009	952	110%
2010	1008	116.5%
2011	663	76.6%
2012	593	68.5%
2013	703	81.2%
2014	648	74.9%
2015	1152	133.1%
2016	899	103.9%
2017	1174	135.7%
2018	723	83.5%
2019	946	109.3%
2020	544	62.9%
2021	995	115%
2022	843	97.4%
2023	1238	143.1%
2024	587	67.8%
2025	871	100.6%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Kit Carson
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 980lbs/acre

Long-term averages

Average production through Dec 02: 1055lbs/acre
 150% of average production through Dec 02: 1582lbs/acre
 125% of average production through Dec 02: 1319lbs/acre
 75% of average production through Dec 02: 791lbs/acre
 50% of average production through Dec 02: 528lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	50%
02/01/2025	2	3	50%
02/17/2025	1	4	40%
03/05/2025	8	12	70.59%
03/21/2025	12	24	80%
04/06/2025	16	40	81.63%
04/22/2025	29	69	83.13%
05/08/2025	51	120	85.11%
05/24/2025	76	196	85.22%
06/09/2025	105	301	87.25%
06/25/2025	97	398	87.09%
07/11/2025	88	486	86.63%
07/27/2025	82	568	86.45%
08/12/2025	86	654	86.51%
08/28/2025	86	740	87.06%
09/13/2025	75	815	88.39%
09/29/2025	67	882	90.18%
10/15/2025	49	931	91.72%
10/31/2025	26	957	92.29%
11/16/2025	16	973	92.76%
12/02/2025	7	980	92.89%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Kit Carson

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1060 lbs/acre
 150% of average annual production 1590 lbs/acre
 125% of average annual production 1325 lbs/acre
 75% of average annual production 795 lbs/acre
 50% of average annual production 530 lbs/acre


gSSURGO production estimates

Normal 1570 lbs/acre
 Favorable 2142 lbs/acre
 Unfavorable 891 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1087	102.5%
2006	889	83.9%
2007	1154	108.9%
2008	997	94.1%
2009	1338	126.2%
2010	1217	114.8%
2011	997	94.1%
2012	884	83.4%
2013	965	91%
2014	1079	101.8%
2015	1343	126.7%
2016	1195	112.7%
2017	1276	120.4%
2018	1084	102.3%
2019	1011	95.4%
2020	768	72.5%
2021	1160	109.4%
2022	813	76.7%
2023	1233	116.3%
2024	790	74.5%
2025	980	92.5%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: La Plata
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 371lbs/acre

Long-term averages

Average production through Dec 02: 331lbs/acre
 150% of average production through Dec 02: 496lbs/acre
 125% of average production through Dec 02: 414lbs/acre
 75% of average production through Dec 02: 248lbs/acre
 50% of average production through Dec 02: 166lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	1	1	100%
03/21/2025	1	2	100%
04/06/2025	2	4	80%
04/22/2025	6	10	90.91%
05/08/2025	11	21	91.3%
05/24/2025	18	39	88.64%
06/09/2025	32	71	94.67%
06/25/2025	45	116	102.65%
07/11/2025	46	162	106.58%
07/27/2025	42	204	107.94%
08/12/2025	38	242	107.56%
08/28/2025	35	277	107.36%
09/13/2025	32	309	108.04%
09/29/2025	26	335	109.48%
10/15/2025	18	353	110.66%
10/31/2025	10	363	111.35%
11/16/2025	6	369	111.82%
12/02/2025	2	371	112.08%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: La Plata

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 329 lbs/acre
 150% of average annual production 494 lbs/acre
 125% of average annual production 411 lbs/acre
 75% of average annual production 247 lbs/acre
 50% of average annual production 164 lbs/acre


gSSURGO production estimates

Normal 1066 lbs/acre
 Favorable 1402 lbs/acre
 Unfavorable 759 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	360	109.5%
2006	375	114.1%
2007	370	112.6%
2008	314	95.5%
2009	350	106.5%
2010	381	115.9%
2011	307	93.4%
2012	287	87.3%
2013	251	76.4%
2014	309	94%
2015	322	98%
2016	300	91.3%
2017	291	88.5%
2018	282	85.8%
2019	354	107.7%
2020	325	98.9%
2021	303	92.2%
2022	298	90.7%
2023	340	103.4%
2024	413	125.6%
2025	371	112.9%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Lake
 Date of report: January 14 2026
 Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 143lbs/acre

Long-term averages

Average production through Dec 02: 185lbs/acre
 150% of average production through Dec 02: 278lbs/acre
 125% of average production through Dec 02: 231lbs/acre
 75% of average production through Dec 02: 139lbs/acre
 50% of average production through Dec 02: 92lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	0	0	NaN%
04/22/2025	1	1	100%
05/08/2025	1	2	66.67%
05/24/2025	4	6	66.67%
06/09/2025	9	15	65.22%
06/25/2025	16	31	67.39%
07/11/2025	20	51	69.86%
07/27/2025	22	73	72.28%
08/12/2025	20	93	73.23%
08/28/2025	18	111	74.5%
09/13/2025	14	125	75.3%
09/29/2025	9	134	76.14%
10/15/2025	6	140	76.92%
10/31/2025	2	142	77.17%
11/16/2025	1	143	77.3%
12/02/2025	0	143	77.3%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Lake

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 184 lbs/acre
 150% of average annual production 276 lbs/acre
 125% of average annual production 230 lbs/acre
 75% of average annual production 138 lbs/acre
 50% of average annual production 92 lbs/acre


gSSURGO production estimates

Normal 1258 lbs/acre
 Favorable 1567 lbs/acre
 Unfavorable 935 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	217	117.8%
2006	203	110.2%
2007	245	133%
2008	178	96.6%
2009	217	117.8%
2010	262	142.2%
2011	191	103.7%
2012	184	99.9%
2013	146	79.2%
2014	168	91.2%
2015	209	113.4%
2016	184	99.9%
2017	166	90.1%
2018	178	96.6%
2019	168	91.2%
2020	182	98.8%
2021	162	87.9%
2022	169	91.7%
2023	139	75.4%
2024	158	85.8%
2025	143	77.6%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Larimer
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 335lbs/acre

Long-term averages

Average production through Dec 02: 338lbs/acre
 150% of average production through Dec 02: 507lbs/acre
 125% of average production through Dec 02: 422lbs/acre
 75% of average production through Dec 02: 254lbs/acre
 50% of average production through Dec 02: 169lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	0%
02/17/2025	1	1	50%
03/05/2025	2	3	100%
03/21/2025	3	6	100%
04/06/2025	4	10	100%
04/22/2025	7	17	100%
05/08/2025	12	29	96.67%
05/24/2025	21	50	92.59%
06/09/2025	31	81	92.05%
06/25/2025	39	120	93.75%
07/11/2025	41	161	95.27%
07/27/2025	39	200	96.15%
08/12/2025	33	233	95.49%
08/28/2025	29	262	95.62%
09/13/2025	24	286	95.97%
09/29/2025	19	305	96.52%
10/15/2025	14	319	97.55%
10/31/2025	8	327	98.2%
11/16/2025	6	333	99.11%
12/02/2025	2	335	99.11%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Larimer

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 341 lbs/acre
 150% of average annual production 512 lbs/acre
 125% of average annual production 426 lbs/acre
 75% of average annual production 256 lbs/acre
 50% of average annual production 170 lbs/acre


gSSURGO production estimates

Normal 960 lbs/acre
 Favorable 1247 lbs/acre
 Unfavorable 674 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	358	105%
2006	298	87.4%
2007	345	101.1%
2008	314	92.1%
2009	399	117%
2010	431	126.4%
2011	381	111.7%
2012	313	91.8%
2013	286	83.8%
2014	360	105.5%
2015	375	109.9%
2016	322	94.4%
2017	321	94.1%
2018	314	92.1%
2019	314	92.1%
2020	283	83%
2021	340	99.7%
2022	324	95%
2023	422	123.7%
2024	328	96.2%
2025	335	98.2%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Las Animas
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 728lbs/acre

Long-term averages

Average production through Dec 02: 783lbs/acre
 150% of average production through Dec 02: 1174lbs/acre
 125% of average production through Dec 02: 979lbs/acre
 75% of average production through Dec 02: 587lbs/acre
 50% of average production through Dec 02: 392lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	50%
02/01/2025	1	2	40%
02/17/2025	2	4	44.44%
03/05/2025	6	10	66.67%
03/21/2025	9	19	76%
04/06/2025	11	30	75%
04/22/2025	19	49	75.38%
05/08/2025	31	80	74.77%
05/24/2025	50	130	76.47%
06/09/2025	75	205	83%
06/25/2025	79	284	88.47%
07/11/2025	77	361	92.09%
07/27/2025	69	430	93.28%
08/12/2025	63	493	92.32%
08/28/2025	63	556	91.6%
09/13/2025	55	611	91.47%
09/29/2025	47	658	91.9%
10/15/2025	34	692	92.51%
10/31/2025	17	709	92.56%
11/16/2025	12	721	92.79%
12/02/2025	7	728	92.98%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Las Animas

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 789 lbs/acre
 150% of average annual production 1184 lbs/acre
 125% of average annual production 986 lbs/acre
 75% of average annual production 592 lbs/acre
 50% of average annual production 394 lbs/acre


gSSURGO production estimates

Normal 1079 lbs/acre
 Favorable 1574 lbs/acre
 Unfavorable 571 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	944	119.7%
2006	780	98.9%
2007	1081	137.1%
2008	644	81.6%
2009	799	101.3%
2010	884	112.1%
2011	499	63.3%
2012	614	77.8%
2013	554	70.2%
2014	648	82.2%
2015	1116	141.5%
2016	862	109.3%
2017	1091	138.3%
2018	678	86%
2019	787	99.8%
2020	492	62.4%
2021	985	124.9%
2022	848	107.5%
2023	918	116.4%
2024	612	77.6%
2025	728	92.3%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Lincoln
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 1061lbs/acre

Long-term averages

Average production through Dec 02: 979lbs/acre
150% of average production through Dec 02: 1468lbs/acre
125% of average production through Dec 02: 1224lbs/acre
75% of average production through Dec 02: 734lbs/acre
50% of average production through Dec 02: 490lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	0%
02/01/2025	1	1	25%
02/17/2025	1	2	28.57%
03/05/2025	6	8	66.67%
03/21/2025	9	17	77.27%
04/06/2025	14	31	83.78%
04/22/2025	24	55	85.94%
05/08/2025	43	98	86.73%
05/24/2025	71	169	88.02%
06/09/2025	119	288	96%
06/25/2025	120	408	100.49%
07/11/2025	110	518	102.57%
07/27/2025	102	620	103.85%
08/12/2025	99	719	103.6%
08/28/2025	96	815	103.56%
09/13/2025	83	898	104.54%
09/29/2025	72	970	106.24%
10/15/2025	50	1020	107.82%
10/31/2025	23	1043	108.2%
11/16/2025	12	1055	108.32%
12/02/2025	6	1061	108.38%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Lincoln

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 983 lbs/acre
 150% of average annual production 1474 lbs/acre
 125% of average annual production 1229 lbs/acre
 75% of average annual production 737 lbs/acre
 50% of average annual production 492 lbs/acre


gSSURGO production estimates

Normal 1246 lbs/acre
 Favorable 1750 lbs/acre
 Unfavorable 643 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	923	93.9%
2006	880	89.5%
2007	1147	116.7%
2008	809	82.3%
2009	1114	113.3%
2010	990	100.7%
2011	786	79.9%
2012	672	68.3%
2013	804	81.8%
2014	896	91.1%
2015	1478	150.3%
2016	1085	110.4%
2017	1238	125.9%
2018	875	89%
2019	1049	106.7%
2020	642	65.3%
2021	1140	115.9%
2022	886	90.1%
2023	1411	143.5%
2024	761	77.4%
2025	1061	107.9%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Logan
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 1154lbs/acre

Long-term averages

Average production through Dec 02: 1201lbs/acre
150% of average production through Dec 02: 1802lbs/acre
125% of average production through Dec 02: 1501lbs/acre
75% of average production through Dec 02: 901lbs/acre
50% of average production through Dec 02: 600lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	50%
02/01/2025	2	3	50%
02/17/2025	1	4	40%
03/05/2025	9	13	76.47%
03/21/2025	12	25	80.65%
04/06/2025	16	41	80.39%
04/22/2025	29	70	79.55%
05/08/2025	52	122	79.74%
05/24/2025	71	193	75.1%
06/09/2025	103	296	74.75%
06/25/2025	117	413	77.05%
07/11/2025	126	539	81.54%
07/27/2025	120	659	85.7%
08/12/2025	119	778	88.51%
08/28/2025	108	886	90.32%
09/13/2025	90	976	91.99%
09/29/2025	70	1046	93.14%
10/15/2025	57	1103	95%
10/31/2025	27	1130	95.52%
11/16/2025	16	1146	95.9%
12/02/2025	8	1154	96.09%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Logan

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1207 lbs/acre
 150% of average annual production 1810 lbs/acre
 125% of average annual production 1509 lbs/acre
 75% of average annual production 905 lbs/acre
 50% of average annual production 604 lbs/acre


gSSURGO production estimates

Normal 1645 lbs/acre
 Favorable 2219 lbs/acre
 Unfavorable 952 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1221	101.2%
2006	817	67.7%
2007	1177	97.5%
2008	1024	84.8%
2009	1402	116.1%
2010	1307	108.3%
2011	1258	104.2%
2012	978	81%
2013	1048	86.8%
2014	1415	117.2%
2015	1466	121.4%
2016	1370	113.5%
2017	1326	109.9%
2018	1305	108.1%
2019	1333	110.4%
2020	944	78.2%
2021	1331	110.3%
2022	803	66.5%
2023	1598	132.4%
2024	1072	88.8%
2025	1154	95.6%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Mesa
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 340lbs/acre

Long-term averages

Average production through Dec 02: 320lbs/acre
150% of average production through Dec 02: 480lbs/acre
125% of average production through Dec 02: 400lbs/acre
75% of average production through Dec 02: 240lbs/acre
50% of average production through Dec 02: 160lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	1	1	100%
03/05/2025	2	3	100%
03/21/2025	3	6	85.71%
04/06/2025	4	10	76.92%
04/22/2025	8	18	81.82%
05/08/2025	14	32	84.21%
05/24/2025	21	53	85.48%
06/09/2025	32	85	90.43%
06/25/2025	40	125	96.15%
07/11/2025	41	166	100%
07/27/2025	37	203	102.01%
08/12/2025	31	234	102.18%
08/28/2025	27	261	102.35%
09/13/2025	27	288	103.6%
09/29/2025	21	309	104.39%
10/15/2025	14	323	104.87%
10/31/2025	8	331	105.08%
11/16/2025	6	337	105.64%
12/02/2025	3	340	106.25%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Mesa

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 320 lbs/acre
 150% of average annual production 480 lbs/acre
 125% of average annual production 400 lbs/acre
 75% of average annual production 240 lbs/acre
 50% of average annual production 160 lbs/acre


gSSURGO production estimates

Normal 1030 lbs/acre
 Favorable 1427 lbs/acre
 Unfavorable 738 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	382	119.3%
2006	306	95.6%
2007	343	107.1%
2008	301	94%
2009	346	108.1%
2010	399	124.6%
2011	310	96.8%
2012	238	74.3%
2013	267	83.4%
2014	370	115.6%
2015	334	104.3%
2016	299	93.4%
2017	283	88.4%
2018	228	71.2%
2019	364	113.7%
2020	288	90%
2021	257	80.3%
2022	297	92.8%
2023	403	125.9%
2024	368	114.9%
2025	340	106.2%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Mineral
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 283lbs/acre

Long-term averages

Average production through Dec 02: 271lbs/acre
 150% of average production through Dec 02: 406lbs/acre
 125% of average production through Dec 02: 339lbs/acre
 75% of average production through Dec 02: 203lbs/acre
 50% of average production through Dec 02: 136lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	0	0	NaN%
04/22/2025	1	1	100%
05/08/2025	3	4	100%
05/24/2025	8	12	85.71%
06/09/2025	18	30	85.71%
06/25/2025	35	65	95.59%
07/11/2025	40	105	99.06%
07/27/2025	40	145	100%
08/12/2025	37	182	100%
08/28/2025	33	215	100.47%
09/13/2025	26	241	100.42%
09/29/2025	19	260	101.17%
10/15/2025	14	274	103.01%
10/31/2025	5	279	103.33%
11/16/2025	3	282	104.06%
12/02/2025	1	283	104.43%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Mineral

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 272 lbs/acre
 150% of average annual production 408 lbs/acre
 125% of average annual production 340 lbs/acre
 75% of average annual production 204 lbs/acre
 50% of average annual production 136 lbs/acre


gSSURGO production estimates

Normal 470 lbs/acre
 Favorable 608 lbs/acre
 Unfavorable 344 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	278	102.2%
2006	286	105.1%
2007	331	121.6%
2008	233	85.6%
2009	331	121.6%
2010	336	123.5%
2011	229	84.1%
2012	256	94.1%
2013	206	75.7%
2014	225	82.7%
2015	301	110.6%
2016	303	111.3%
2017	277	101.8%
2018	260	95.5%
2019	280	102.9%
2020	267	98.1%
2021	242	88.9%
2022	241	88.6%
2023	249	91.5%
2024	301	110.6%
2025	283	104%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Moffat
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 415lbs/acre

Long-term averages

Average production through Dec 02: 435lbs/acre
150% of average production through Dec 02: 652lbs/acre
125% of average production through Dec 02: 544lbs/acre
75% of average production through Dec 02: 326lbs/acre
50% of average production through Dec 02: 218lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	1	1	100%
03/05/2025	4	5	250%
03/21/2025	6	11	157.14%
04/06/2025	8	19	111.76%
04/22/2025	13	32	94.12%
05/08/2025	26	58	92.06%
05/24/2025	35	93	88.57%
06/09/2025	46	139	90.26%
06/25/2025	45	184	90.64%
07/11/2025	42	226	90.76%
07/27/2025	38	264	91.67%
08/12/2025	32	296	91.64%
08/28/2025	28	324	91.53%
09/13/2025	27	351	92.13%
09/29/2025	23	374	92.8%
10/15/2025	17	391	93.54%
10/31/2025	11	402	93.93%
11/16/2025	8	410	94.69%
12/02/2025	5	415	95.4%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Moffat

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 435 lbs/acre
 150% of average annual production 652 lbs/acre
 125% of average annual production 544 lbs/acre
 75% of average annual production 326 lbs/acre
 50% of average annual production 218 lbs/acre


gSSURGO production estimates

Normal 842 lbs/acre
 Favorable 1111 lbs/acre
 Unfavorable 570 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	453	104.2%
2006	314	72.2%
2007	498	114.6%
2008	433	99.6%
2009	413	95%
2010	402	92.5%
2011	360	82.8%
2012	271	62.3%
2013	330	75.9%
2014	545	125.4%
2015	553	127.2%
2016	523	120.3%
2017	531	122.2%
2018	430	98.9%
2019	511	117.6%
2020	408	93.9%
2021	341	78.5%
2022	441	101.5%
2023	515	118.5%
2024	441	101.5%
2025	415	95.5%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Montezuma
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 261lbs/acre

Long-term averages

Average production through Dec 02: 267lbs/acre
 150% of average production through Dec 02: 400lbs/acre
 125% of average production through Dec 02: 334lbs/acre
 75% of average production through Dec 02: 200lbs/acre
 50% of average production through Dec 02: 134lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	1	1	100%
03/05/2025	1	2	100%
03/21/2025	2	4	80%
04/06/2025	3	7	77.78%
04/22/2025	6	13	76.47%
05/08/2025	11	24	80%
05/24/2025	16	40	80%
06/09/2025	24	64	84.21%
06/25/2025	29	93	89.42%
07/11/2025	29	122	92.42%
07/27/2025	27	149	94.3%
08/12/2025	24	173	94.54%
08/28/2025	22	195	94.2%
09/13/2025	22	217	95.18%
09/29/2025	17	234	95.9%
10/15/2025	13	247	96.86%
10/31/2025	7	254	96.95%
11/16/2025	5	259	97.37%
12/02/2025	2	261	97.75%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Montezuma

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 269 lbs/acre
 150% of average annual production 404 lbs/acre
 125% of average annual production 336 lbs/acre
 75% of average annual production 202 lbs/acre
 50% of average annual production 134 lbs/acre


gSSURGO production estimates

Normal 787 lbs/acre
 Favorable 1019 lbs/acre
 Unfavorable 564 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	333	124%
2006	285	106.1%
2007	276	102.7%
2008	227	84.5%
2009	274	102%
2010	362	134.8%
2011	267	99.4%
2012	215	80%
2013	212	78.9%
2014	284	105.7%
2015	299	111.3%
2016	264	98.3%
2017	281	104.6%
2018	213	79.3%
2019	318	118.4%
2020	265	98.7%
2021	209	77.8%
2022	206	76.7%
2023	302	112.4%
2024	288	107.2%
2025	261	97.2%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Montrose
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 400lbs/acre

Long-term averages

Average production through Dec 02: 350lbs/acre
 150% of average production through Dec 02: 525lbs/acre
 125% of average production through Dec 02: 438lbs/acre
 75% of average production through Dec 02: 262lbs/acre
 50% of average production through Dec 02: 175lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	1	1	Inf%
03/05/2025	1	2	200%
03/21/2025	1	3	100%
04/06/2025	2	5	71.43%
04/22/2025	6	11	78.57%
05/08/2025	14	25	86.21%
05/24/2025	24	49	89.09%
06/09/2025	38	87	95.6%
06/25/2025	50	137	103.79%
07/11/2025	49	186	108.14%
07/27/2025	44	230	110.05%
08/12/2025	38	268	110.29%
08/28/2025	34	302	110.22%
09/13/2025	34	336	111.26%
09/29/2025	26	362	112.07%
10/15/2025	19	381	113.06%
10/31/2025	10	391	113.33%
11/16/2025	7	398	114.04%
12/02/2025	2	400	114.29%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Montrose

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 351 lbs/acre
 150% of average annual production 526 lbs/acre
 125% of average annual production 439 lbs/acre
 75% of average annual production 263 lbs/acre
 50% of average annual production 176 lbs/acre


gSSURGO production estimates

Normal 952 lbs/acre
 Favorable 1284 lbs/acre
 Unfavorable 674 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	375	106.8%
2006	328	93.4%
2007	360	102.5%
2008	313	89.1%
2009	384	109.4%
2010	448	127.6%
2011	337	96%
2012	280	79.7%
2013	298	84.9%
2014	405	115.3%
2015	409	116.5%
2016	333	94.8%
2017	313	89.1%
2018	247	70.3%
2019	407	115.9%
2020	314	89.4%
2021	296	84.3%
2022	303	86.3%
2023	397	113.1%
2024	427	121.6%
2025	400	113.9%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Morgan
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 966lbs/acre

Long-term averages

Average production through Dec 02: 1115lbs/acre
 150% of average production through Dec 02: 1672lbs/acre
 125% of average production through Dec 02: 1394lbs/acre
 75% of average production through Dec 02: 836lbs/acre
 50% of average production through Dec 02: 558lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	0%
02/01/2025	1	1	25%
02/17/2025	1	2	25%
03/05/2025	8	10	66.67%
03/21/2025	12	22	73.33%
04/06/2025	16	38	73.08%
04/22/2025	27	65	72.22%
05/08/2025	50	115	74.68%
05/24/2025	74	189	74.41%
06/09/2025	107	296	77.08%
06/25/2025	101	397	77.84%
07/11/2025	96	493	79.13%
07/27/2025	93	586	81.16%
08/12/2025	89	675	82.22%
08/28/2025	78	753	82.66%
09/13/2025	68	821	83.6%
09/29/2025	57	878	84.42%
10/15/2025	46	924	85.87%
10/31/2025	21	945	86.14%
11/16/2025	13	958	86.38%
12/02/2025	8	966	86.64%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Morgan

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1118 lbs/acre
 150% of average annual production 1677 lbs/acre
 125% of average annual production 1398 lbs/acre
 75% of average annual production 838 lbs/acre
 50% of average annual production 559 lbs/acre


gSSURGO production estimates

Normal 1631 lbs/acre
 Favorable 2340 lbs/acre
 Unfavorable 886 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1187	106.2%
2006	787	70.4%
2007	1182	105.7%
2008	930	83.2%
2009	1357	121.4%
2010	1180	105.6%
2011	1068	95.5%
2012	904	80.9%
2013	1037	92.8%
2014	1338	119.7%
2015	1477	132.1%
2016	1379	123.4%
2017	1288	115.2%
2018	1115	99.7%
2019	1095	98%
2020	789	70.6%
2021	1182	105.7%
2022	796	71.2%
2023	1605	143.6%
2024	813	72.7%
2025	966	86.4%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Otero
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 656lbs/acre

Long-term averages

Average production through Dec 02: 810lbs/acre
150% of average production through Dec 02: 1215lbs/acre
125% of average production through Dec 02: 1012lbs/acre
75% of average production through Dec 02: 608lbs/acre
50% of average production through Dec 02: 405lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	0%
02/01/2025	1	1	20%
02/17/2025	1	2	22.22%
03/05/2025	5	7	46.67%
03/21/2025	8	15	55.56%
04/06/2025	12	27	60%
04/22/2025	18	45	60%
05/08/2025	30	75	60.48%
05/24/2025	45	120	62.18%
06/09/2025	68	188	68.61%
06/25/2025	70	258	74.14%
07/11/2025	67	325	77.75%
07/27/2025	62	387	79.47%
08/12/2025	58	445	79.04%
08/28/2025	57	502	78.81%
09/13/2025	49	551	79.05%
09/29/2025	42	593	79.6%
10/15/2025	30	623	80.28%
10/31/2025	17	640	80.6%
11/16/2025	10	650	80.75%
12/02/2025	6	656	80.99%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Otero

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 813 lbs/acre
 150% of average annual production 1220 lbs/acre
 125% of average annual production 1016 lbs/acre
 75% of average annual production 610 lbs/acre
 50% of average annual production 406 lbs/acre


gSSURGO production estimates

Normal 897 lbs/acre
 Favorable 1369 lbs/acre
 Unfavorable 490 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	718	88.3%
2006	689	84.8%
2007	1249	153.7%
2008	610	75%
2009	873	107.4%
2010	991	121.9%
2011	516	63.5%
2012	573	70.5%
2013	422	51.9%
2014	782	96.2%
2015	1114	137%
2016	832	102.4%
2017	1355	166.7%
2018	676	83.2%
2019	828	101.9%
2020	594	73.1%
2021	1067	131.3%
2022	775	95.3%
2023	1223	150.5%
2024	527	64.8%
2025	656	80.7%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Ouray
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 310lbs/acre

Long-term averages

Average production through Dec 02: 278lbs/acre
150% of average production through Dec 02: 417lbs/acre
125% of average production through Dec 02: 348lbs/acre
75% of average production through Dec 02: 208lbs/acre
50% of average production through Dec 02: 139lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	1	1	100%
04/22/2025	3	4	100%
05/08/2025	8	12	92.31%
05/24/2025	16	28	90.32%
06/09/2025	29	57	95%
06/25/2025	40	97	102.11%
07/11/2025	40	137	104.58%
07/27/2025	37	174	106.1%
08/12/2025	32	206	106.19%
08/28/2025	29	235	106.33%
09/13/2025	28	263	107.35%
09/29/2025	20	283	108.43%
10/15/2025	15	298	109.96%
10/31/2025	7	305	110.51%
11/16/2025	4	309	111.15%
12/02/2025	1	310	111.51%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Ouray

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 280 lbs/acre
 150% of average annual production 420 lbs/acre
 125% of average annual production 350 lbs/acre
 75% of average annual production 210 lbs/acre
 50% of average annual production 140 lbs/acre


gSSURGO production estimates

Normal 1395 lbs/acre
 Favorable 1841 lbs/acre
 Unfavorable 1046 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	296	105.8%
2006	288	102.9%
2007	299	106.9%
2008	255	91.1%
2009	368	131.5%
2010	400	143%
2011	255	91.1%
2012	226	80.8%
2013	224	80.1%
2014	299	106.9%
2015	295	105.4%
2016	248	88.6%
2017	244	87.2%
2018	226	80.8%
2019	319	114%
2020	266	95.1%
2021	235	84%
2022	242	86.5%
2023	259	92.6%
2024	321	114.7%
2025	310	110.8%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Park
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 239lbs/acre

Long-term averages

Average production through Dec 02: 279lbs/acre
150% of average production through Dec 02: 418lbs/acre
125% of average production through Dec 02: 349lbs/acre
75% of average production through Dec 02: 209lbs/acre
50% of average production through Dec 02: 140lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	1	1	Inf%
03/21/2025	1	2	200%
04/06/2025	2	4	133.33%
04/22/2025	4	8	114.29%
05/08/2025	7	15	107.14%
05/24/2025	12	27	96.43%
06/09/2025	19	46	90.2%
06/25/2025	27	73	90.12%
07/11/2025	28	101	87.83%
07/27/2025	28	129	84.87%
08/12/2025	26	155	82.45%
08/28/2025	24	179	81.36%
09/13/2025	21	200	81.63%
09/29/2025	16	216	82.76%
10/15/2025	12	228	84.13%
10/31/2025	6	234	84.78%
11/16/2025	4	238	85.61%
12/02/2025	1	239	85.66%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Park

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 280 lbs/acre
 150% of average annual production 420 lbs/acre
 125% of average annual production 350 lbs/acre
 75% of average annual production 210 lbs/acre
 50% of average annual production 140 lbs/acre


gSSURGO production estimates

Normal 825 lbs/acre
 Favorable 1085 lbs/acre
 Unfavorable 535 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	311	111%
2006	362	129.2%
2007	381	135.9%
2008	282	100.6%
2009	346	123.4%
2010	353	125.9%
2011	297	106%
2012	280	99.9%
2013	225	80.3%
2014	253	90.3%
2015	320	114.2%
2016	283	101%
2017	268	95.6%
2018	238	84.9%
2019	245	87.4%
2020	207	73.9%
2021	270	96.3%
2022	267	95.3%
2023	221	78.8%
2024	238	84.9%
2025	239	85.3%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Phillips
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 1001lbs/acre

Long-term averages

Average production through Dec 02: 1033lbs/acre
150% of average production through Dec 02: 1550lbs/acre
125% of average production through Dec 02: 1291lbs/acre
75% of average production through Dec 02: 775lbs/acre
50% of average production through Dec 02: 516lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	50%
02/01/2025	2	3	60%
02/17/2025	1	4	44.44%
03/05/2025	8	12	80%
03/21/2025	12	24	88.89%
04/06/2025	16	40	88.89%
04/22/2025	28	68	87.18%
05/08/2025	49	117	87.97%
05/24/2025	66	183	84.72%
06/09/2025	88	271	82.87%
06/25/2025	93	364	82.54%
07/11/2025	103	467	85.06%
07/27/2025	101	568	88.06%
08/12/2025	103	671	90.07%
08/28/2025	94	765	91.29%
09/13/2025	77	842	92.73%
09/29/2025	63	905	94.07%
10/15/2025	51	956	95.98%
10/31/2025	24	980	96.46%
11/16/2025	14	994	96.79%
12/02/2025	7	1001	96.9%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Phillips

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1037 lbs/acre
 150% of average annual production 1556 lbs/acre
 125% of average annual production 1296 lbs/acre
 75% of average annual production 778 lbs/acre
 50% of average annual production 518 lbs/acre


gSSURGO production estimates

Normal 1632 lbs/acre
 Favorable 2163 lbs/acre
 Unfavorable 938 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	905	87.3%
2006	767	73.9%
2007	1083	104.4%
2008	1067	102.9%
2009	1185	114.3%
2010	1113	107.3%
2011	1046	100.8%
2012	941	90.7%
2013	974	93.9%
2014	1228	118.4%
2015	1195	115.2%
2016	1319	127.2%
2017	1103	106.3%
2018	1039	100.2%
2019	1010	97.4%
2020	902	87%
2021	1166	112.4%
2022	672	64.8%
2023	1059	102.1%
2024	1006	97%
2025	1001	96.5%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Pitkin
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 264lbs/acre

Long-term averages

Average production through Dec 02: 284lbs/acre
150% of average production through Dec 02: 426lbs/acre
125% of average production through Dec 02: 355lbs/acre
75% of average production through Dec 02: 213lbs/acre
50% of average production through Dec 02: 142lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	0	0	NaN%
04/22/2025	1	1	100%
05/08/2025	3	4	80%
05/24/2025	9	13	72.22%
06/09/2025	21	34	77.27%
06/25/2025	36	70	84.34%
07/11/2025	40	110	88%
07/27/2025	38	148	89.16%
08/12/2025	31	179	88.61%
08/28/2025	27	206	88.79%
09/13/2025	24	230	89.84%
09/29/2025	16	246	90.77%
10/15/2025	11	257	92.11%
10/31/2025	5	262	92.58%
11/16/2025	2	264	92.96%
12/02/2025	0	264	92.96%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Pitkin

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 285 lbs/acre
 150% of average annual production 428 lbs/acre
 125% of average annual production 356 lbs/acre
 75% of average annual production 214 lbs/acre
 50% of average annual production 142 lbs/acre


gSSURGO production estimates

Normal 1393 lbs/acre
 Favorable 2024 lbs/acre
 Unfavorable 996 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	357	125.4%
2006	350	122.9%
2007	374	131.3%
2008	254	89.2%
2009	387	135.9%
2010	460	161.5%
2011	281	98.7%
2012	272	95.5%
2013	239	83.9%
2014	271	95.2%
2015	284	99.7%
2016	234	82.2%
2017	216	75.9%
2018	251	88.1%
2019	255	89.5%
2020	251	88.1%
2021	236	82.9%
2022	237	83.2%
2023	233	81.8%
2024	274	96.2%
2025	264	92.7%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Prowers
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 1170lbs/acre

Long-term averages

Average production through Dec 02: 1102lbs/acre
 150% of average production through Dec 02: 1653lbs/acre
 125% of average production through Dec 02: 1378lbs/acre
 75% of average production through Dec 02: 826lbs/acre
 50% of average production through Dec 02: 551lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	2	2	66.67%
02/01/2025	3	5	71.43%
02/17/2025	3	8	66.67%
03/05/2025	9	17	85%
03/21/2025	16	33	91.67%
04/06/2025	24	57	93.44%
04/22/2025	38	95	90.48%
05/08/2025	62	157	89.71%
05/24/2025	94	251	92.96%
06/09/2025	118	369	98.14%
06/25/2025	117	486	102.1%
07/11/2025	112	598	103.82%
07/27/2025	106	704	104.92%
08/12/2025	101	805	104.14%
08/28/2025	86	891	102.41%
09/13/2025	76	967	101.9%
09/29/2025	79	1046	103.26%
10/15/2025	59	1105	104.64%
10/31/2025	34	1139	105.37%
11/16/2025	21	1160	105.94%
12/02/2025	10	1170	106.17%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Prowers

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1105 lbs/acre
 150% of average annual production 1658 lbs/acre
 125% of average annual production 1381 lbs/acre
 75% of average annual production 829 lbs/acre
 50% of average annual production 552 lbs/acre


gSSURGO production estimates

Normal 1172 lbs/acre
 Favorable 1673 lbs/acre
 Unfavorable 683 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1133	102.5%
2006	1042	94.3%
2007	1398	126.5%
2008	900	81.4%
2009	1143	103.4%
2010	1088	98.5%
2011	738	66.8%
2012	815	73.7%
2013	738	66.8%
2014	854	77.3%
2015	1320	119.4%
2016	1225	110.9%
2017	1529	138.4%
2018	1144	103.5%
2019	1213	109.8%
2020	911	82.4%
2021	1348	122%
2022	1058	95.7%
2023	1524	137.9%
2024	916	82.9%
2025	1170	105.9%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Pueblo
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 646lbs/acre

Long-term averages

Average production through Dec 02: 763lbs/acre
150% of average production through Dec 02: 1144lbs/acre
125% of average production through Dec 02: 954lbs/acre
75% of average production through Dec 02: 572lbs/acre
50% of average production through Dec 02: 382lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	0%
02/01/2025	1	1	20%
02/17/2025	2	3	33.33%
03/05/2025	6	9	60%
03/21/2025	9	18	69.23%
04/06/2025	12	30	71.43%
04/22/2025	21	51	73.91%
05/08/2025	34	85	75.22%
05/24/2025	49	134	75.28%
06/09/2025	69	203	79.3%
06/25/2025	68	271	82.62%
07/11/2025	60	331	83.59%
07/27/2025	56	387	83.95%
08/12/2025	56	443	83.27%
08/28/2025	55	498	82.86%
09/13/2025	47	545	82.95%
09/29/2025	42	587	83.74%
10/15/2025	28	615	84.25%
10/31/2025	15	630	84.34%
11/16/2025	10	640	84.54%
12/02/2025	6	646	84.67%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Pueblo

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 768 lbs/acre
 150% of average annual production 1152 lbs/acre
 125% of average annual production 960 lbs/acre
 75% of average annual production 576 lbs/acre
 50% of average annual production 384 lbs/acre


gSSURGO production estimates

Normal 923 lbs/acre
 Favorable 1353 lbs/acre
 Unfavorable 543 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	679	88.5%
2006	716	93.3%
2007	1115	145.3%
2008	637	83%
2009	745	97.1%
2010	872	113.6%
2011	511	66.6%
2012	514	67%
2013	491	64%
2014	700	91.2%
2015	1235	160.9%
2016	855	111.4%
2017	1152	150.1%
2018	673	87.7%
2019	876	114.1%
2020	488	63.6%
2021	984	128.2%
2022	704	91.7%
2023	912	118.8%
2024	613	79.9%
2025	646	84.2%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Rio Blanco
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 346lbs/acre

Long-term averages

Average production through Dec 02: 336lbs/acre
 150% of average production through Dec 02: 504lbs/acre
 125% of average production through Dec 02: 420lbs/acre
 75% of average production through Dec 02: 252lbs/acre
 50% of average production through Dec 02: 168lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	1	1	100%
03/21/2025	2	3	100%
04/06/2025	4	7	100%
04/22/2025	7	14	93.33%
05/08/2025	14	28	93.33%
05/24/2025	22	50	89.29%
06/09/2025	35	85	92.39%
06/25/2025	41	126	94.74%
07/11/2025	43	169	96.57%
07/27/2025	39	208	98.11%
08/12/2025	33	241	98.37%
08/28/2025	27	268	98.17%
09/13/2025	26	294	98.99%
09/29/2025	21	315	100%
10/15/2025	14	329	100.92%
10/31/2025	8	337	101.51%
11/16/2025	6	343	102.39%
12/02/2025	3	346	102.98%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Rio Blanco

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 335 lbs/acre
 150% of average annual production 502 lbs/acre
 125% of average annual production 419 lbs/acre
 75% of average annual production 251 lbs/acre
 50% of average annual production 168 lbs/acre


gSSURGO production estimates

Normal 1418 lbs/acre
 Favorable 1785 lbs/acre
 Unfavorable 1096 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	375	112.1%
2006	311	92.9%
2007	366	109.4%
2008	333	99.5%
2009	392	117.1%
2010	430	128.5%
2011	311	92.9%
2012	246	73.5%
2013	277	82.8%
2014	383	114.4%
2015	355	106.1%
2016	331	98.9%
2017	312	93.2%
2018	299	89.3%
2019	360	107.6%
2020	298	89%
2021	285	85.2%
2022	309	92.3%
2023	352	105.2%
2024	357	106.7%
2025	346	103.4%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Rio Grande
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 292lbs/acre

Long-term averages

Average production through Dec 02: 326lbs/acre
 150% of average production through Dec 02: 489lbs/acre
 125% of average production through Dec 02: 408lbs/acre
 75% of average production through Dec 02: 244lbs/acre
 50% of average production through Dec 02: 163lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	1	1	Inf%
03/05/2025	1	2	Inf%
03/21/2025	1	3	300%
04/06/2025	2	5	166.67%
04/22/2025	4	9	128.57%
05/08/2025	7	16	106.67%
05/24/2025	13	29	93.55%
06/09/2025	23	52	88.14%
06/25/2025	33	85	88.54%
07/11/2025	37	122	89.05%
07/27/2025	36	158	87.78%
08/12/2025	34	192	86.88%
08/28/2025	32	224	86.49%
09/13/2025	26	250	86.51%
09/29/2025	19	269	87.34%
10/15/2025	13	282	88.4%
10/31/2025	6	288	88.89%
11/16/2025	3	291	89.26%
12/02/2025	1	292	89.57%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Rio Grande

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 328 lbs/acre
 150% of average annual production 492 lbs/acre
 125% of average annual production 410 lbs/acre
 75% of average annual production 246 lbs/acre
 50% of average annual production 164 lbs/acre


gSSURGO production estimates

Normal 605 lbs/acre
 Favorable 788 lbs/acre
 Unfavorable 402 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	374	114.1%
2006	382	116.5%
2007	403	122.9%
2008	310	94.6%
2009	397	121.1%
2010	400	122%
2011	288	87.9%
2012	319	97.3%
2013	265	80.8%
2014	275	83.9%
2015	354	108%
2016	342	104.3%
2017	328	100.1%
2018	300	91.5%
2019	316	96.4%
2020	287	87.6%
2021	315	96.1%
2022	327	99.8%
2023	296	90.3%
2024	314	95.8%
2025	292	89.1%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Routt
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 454lbs/acre

Long-term averages

Average production through Dec 02: 463lbs/acre
150% of average production through Dec 02: 694lbs/acre
125% of average production through Dec 02: 579lbs/acre
75% of average production through Dec 02: 347lbs/acre
50% of average production through Dec 02: 232lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	1	1	50%
04/22/2025	3	4	57.14%
05/08/2025	10	14	66.67%
05/24/2025	22	36	69.23%
06/09/2025	42	78	77.23%
06/25/2025	60	138	84.66%
07/11/2025	66	204	88.7%
07/27/2025	63	267	91.44%
08/12/2025	51	318	92.17%
08/28/2025	43	361	92.8%
09/13/2025	38	399	94.55%
09/29/2025	25	424	95.71%
10/15/2025	16	440	96.7%
10/31/2025	8	448	97.18%
11/16/2025	5	453	97.84%
12/02/2025	1	454	98.06%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Routt

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 466 lbs/acre
 150% of average annual production 699 lbs/acre
 125% of average annual production 582 lbs/acre
 75% of average annual production 350 lbs/acre
 50% of average annual production 233 lbs/acre


gSSURGO production estimates

Normal 1821 lbs/acre
 Favorable 2356 lbs/acre
 Unfavorable 1403 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	454	97.5%
2006	462	99.2%
2007	503	108%
2008	448	96.2%
2009	568	122%
2010	616	132.3%
2011	430	92.4%
2012	376	80.8%
2013	388	83.3%
2014	468	100.5%
2015	504	108.3%
2016	418	89.8%
2017	414	88.9%
2018	467	100.3%
2019	491	105.5%
2020	458	98.4%
2021	448	96.2%
2022	464	99.7%
2023	464	99.7%
2024	482	103.5%
2025	454	97.5%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Saguache
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 245lbs/acre

Long-term averages

Average production through Dec 02: 273lbs/acre
150% of average production through Dec 02: 410lbs/acre
125% of average production through Dec 02: 341lbs/acre
75% of average production through Dec 02: 205lbs/acre
50% of average production through Dec 02: 136lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	1	1	Inf%
03/05/2025	1	2	Inf%
03/21/2025	1	3	300%
04/06/2025	2	5	166.67%
04/22/2025	4	9	128.57%
05/08/2025	6	15	100%
05/24/2025	11	26	86.67%
06/09/2025	20	46	86.79%
06/25/2025	28	74	88.1%
07/11/2025	31	105	88.98%
07/27/2025	30	135	88.24%
08/12/2025	27	162	86.63%
08/28/2025	26	188	86.64%
09/13/2025	21	209	86.72%
09/29/2025	16	225	87.55%
10/15/2025	11	236	88.72%
10/31/2025	5	241	88.93%
11/16/2025	3	244	89.38%
12/02/2025	1	245	89.74%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Saguache

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 273 lbs/acre
 150% of average annual production 410 lbs/acre
 125% of average annual production 341 lbs/acre
 75% of average annual production 205 lbs/acre
 50% of average annual production 136 lbs/acre


gSSURGO production estimates

Normal 980 lbs/acre
 Favorable 1245 lbs/acre
 Unfavorable 677 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	273	100.1%
2006	290	106.3%
2007	334	122.4%
2008	240	88%
2009	316	115.8%
2010	312	114.4%
2011	219	80.3%
2012	246	90.2%
2013	219	80.3%
2014	245	89.8%
2015	355	130.1%
2016	311	114%
2017	291	106.7%
2018	244	89.4%
2019	280	102.6%
2020	234	85.8%
2021	280	102.6%
2022	270	99%
2023	258	94.6%
2024	267	97.9%
2025	245	89.8%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: San Juan
 Date of report: January 14 2026
 Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 230lbs/acre

Long-term averages

Average production through Dec 02: 254lbs/acre
 150% of average production through Dec 02: 381lbs/acre
 125% of average production through Dec 02: 318lbs/acre
 75% of average production through Dec 02: 190lbs/acre
 50% of average production through Dec 02: 127lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	0	0	NaN%
04/22/2025	0	0	NaN%
05/08/2025	1	1	50%
05/24/2025	4	5	55.56%
06/09/2025	12	17	65.38%
06/25/2025	27	44	75.86%
07/11/2025	32	76	80%
07/27/2025	34	110	81.48%
08/12/2025	32	142	83.04%
08/28/2025	29	171	84.65%
09/13/2025	24	195	85.9%
09/29/2025	16	211	87.19%
10/15/2025	12	223	89.2%
10/31/2025	4	227	89.72%
11/16/2025	3	230	90.55%
12/02/2025	0	230	90.55%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: San Juan

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 254 lbs/acre
 150% of average annual production 381 lbs/acre
 125% of average annual production 318 lbs/acre
 75% of average annual production 190 lbs/acre
 50% of average annual production 127 lbs/acre


gSSURGO production estimates

Normal 930 lbs/acre
 Favorable 1205 lbs/acre
 Unfavorable 692 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	271	106.7%
2006	260	102.3%
2007	293	115.3%
2008	244	96%
2009	292	114.9%
2010	325	127.9%
2011	240	94.5%
2012	253	99.6%
2013	197	77.5%
2014	233	91.7%
2015	268	105.5%
2016	270	106.3%
2017	250	98.4%
2018	266	104.7%
2019	243	95.7%
2020	249	98%
2021	233	91.7%
2022	246	96.8%
2023	208	81.9%
2024	264	103.9%
2025	230	90.5%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: San Miguel
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 265lbs/acre

Long-term averages

Average production through Dec 02: 273lbs/acre
 150% of average production through Dec 02: 410lbs/acre
 125% of average production through Dec 02: 341lbs/acre
 75% of average production through Dec 02: 205lbs/acre
 50% of average production through Dec 02: 136lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	1	1	Inf%
03/05/2025	1	2	200%
03/21/2025	1	3	100%
04/06/2025	2	5	83.33%
04/22/2025	6	11	84.62%
05/08/2025	10	21	80.77%
05/24/2025	16	37	80.43%
06/09/2025	24	61	83.56%
06/25/2025	32	93	89.42%
07/11/2025	31	124	92.54%
07/27/2025	28	152	93.83%
08/12/2025	25	177	94.15%
08/28/2025	22	199	93.87%
09/13/2025	22	221	94.44%
09/29/2025	17	238	94.82%
10/15/2025	13	251	95.8%
10/31/2025	7	258	95.91%
11/16/2025	5	263	96.69%
12/02/2025	2	265	97.07%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: San Miguel

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 274 lbs/acre
 150% of average annual production 411 lbs/acre
 125% of average annual production 342 lbs/acre
 75% of average annual production 206 lbs/acre
 50% of average annual production 137 lbs/acre


gSSURGO production estimates

Normal 949 lbs/acre
 Favorable 1256 lbs/acre
 Unfavorable 691 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	325	118.4%
2006	279	101.7%
2007	310	113%
2008	241	87.8%
2009	308	112.3%
2010	349	127.2%
2011	244	88.9%
2012	222	80.9%
2013	234	85.3%
2014	336	122.5%
2015	332	121%
2016	292	106.4%
2017	253	92.2%
2018	186	67.8%
2019	336	122.5%
2020	251	91.5%
2021	224	81.6%
2022	204	74.3%
2023	278	101.3%
2024	293	106.8%
2025	265	96.6%

Figure 1: Historical production



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Sedgwick

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1334 lbs/acre
 150% of average annual production 2001 lbs/acre
 125% of average annual production 1668 lbs/acre
 75% of average annual production 1000 lbs/acre
 50% of average annual production 667 lbs/acre


gSSURGO production estimates

Normal 1704 lbs/acre
 Favorable 2259 lbs/acre
 Unfavorable 979 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1270	95.2%
2006	896	67.2%
2007	1498	112.3%
2008	1317	98.8%
2009	1477	110.8%
2010	1322	99.1%
2011	1342	100.6%
2012	1131	84.8%
2013	1168	87.6%
2014	1371	102.8%
2015	1551	116.3%
2016	1490	111.7%
2017	1380	103.5%
2018	1491	111.8%
2019	1446	108.4%
2020	1066	79.9%
2021	1578	118.3%
2022	849	63.7%
2023	1608	120.6%
2024	1390	104.2%
2025	1364	102.3%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Summit
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 190lbs/acre

Long-term averages

Average production through Dec 02: 208lbs/acre
150% of average production through Dec 02: 312lbs/acre
125% of average production through Dec 02: 260lbs/acre
75% of average production through Dec 02: 156lbs/acre
50% of average production through Dec 02: 104lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	0	0	NaN%
04/06/2025	0	0	NaN%
04/22/2025	1	1	100%
05/08/2025	2	3	100%
05/24/2025	6	9	81.82%
06/09/2025	13	22	78.57%
06/25/2025	24	46	83.64%
07/11/2025	28	74	86.05%
07/27/2025	28	102	87.18%
08/12/2025	24	126	86.9%
08/28/2025	22	148	87.57%
09/13/2025	18	166	88.77%
09/29/2025	11	177	89.39%
10/15/2025	8	185	90.69%
10/31/2025	3	188	90.82%
11/16/2025	2	190	91.35%
12/02/2025	0	190	91.35%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Summit

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 209 lbs/acre
 150% of average annual production 314 lbs/acre
 125% of average annual production 261 lbs/acre
 75% of average annual production 157 lbs/acre
 50% of average annual production 104 lbs/acre


gSSURGO production estimates

Normal 1576 lbs/acre
 Favorable 1991 lbs/acre
 Unfavorable 1174 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	233	111.3%
2006	232	110.8%
2007	281	134.2%
2008	223	106.5%
2009	305	145.7%
2010	323	154.3%
2011	207	98.9%
2012	202	96.5%
2013	167	79.8%
2014	181	86.5%
2015	221	105.6%
2016	199	95.1%
2017	171	81.7%
2018	183	87.4%
2019	179	85.5%
2020	186	88.9%
2021	175	83.6%
2022	179	85.5%
2023	168	80.3%
2024	191	91.2%
2025	190	90.8%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Teller
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 202lbs/acre

Long-term averages

Average production through Dec 02: 272lbs/acre
150% of average production through Dec 02: 408lbs/acre
125% of average production through Dec 02: 340lbs/acre
75% of average production through Dec 02: 204lbs/acre
50% of average production through Dec 02: 136lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	NaN%
02/01/2025	0	0	NaN%
02/17/2025	0	0	NaN%
03/05/2025	0	0	NaN%
03/21/2025	1	1	100%
04/06/2025	1	2	66.67%
04/22/2025	3	5	71.43%
05/08/2025	6	11	78.57%
05/24/2025	10	21	75%
06/09/2025	16	37	74%
06/25/2025	23	60	75.95%
07/11/2025	25	85	75.89%
07/27/2025	24	109	74.66%
08/12/2025	23	132	72.93%
08/28/2025	22	154	72.64%
09/13/2025	18	172	72.57%
09/29/2025	13	185	73.12%
10/15/2025	9	194	73.76%
10/31/2025	4	198	73.88%
11/16/2025	3	201	74.17%
12/02/2025	1	202	74.26%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Teller

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 275 lbs/acre
 150% of average annual production 412 lbs/acre
 125% of average annual production 344 lbs/acre
 75% of average annual production 206 lbs/acre
 50% of average annual production 138 lbs/acre


gSSURGO production estimates

Normal 716 lbs/acre
 Favorable 931 lbs/acre
 Unfavorable 456 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	339	123.5%
2006	333	121.3%
2007	355	129.3%
2008	255	92.9%
2009	382	139.1%
2010	379	138%
2011	342	124.6%
2012	278	101.2%
2013	208	75.8%
2014	242	88.1%
2015	285	103.8%
2016	265	96.5%
2017	286	104.2%
2018	282	102.7%
2019	228	83%
2020	206	75%
2021	267	97.2%
2022	232	84.5%
2023	198	72.1%
2024	202	73.6%
2025	202	73.6%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Washington
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 1135lbs/acre

Long-term averages

Average production through Dec 02: 1141lbs/acre
 150% of average production through Dec 02: 1712lbs/acre
 125% of average production through Dec 02: 1426lbs/acre
 75% of average production through Dec 02: 856lbs/acre
 50% of average production through Dec 02: 570lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	0%
02/01/2025	2	2	33.33%
02/17/2025	1	3	30%
03/05/2025	9	12	70.59%
03/21/2025	13	25	80.65%
04/06/2025	18	43	82.69%
04/22/2025	30	73	82.02%
05/08/2025	57	130	84.97%
05/24/2025	84	214	84.58%
06/09/2025	119	333	86.72%
06/25/2025	113	446	87.11%
07/11/2025	110	556	88.82%
07/27/2025	108	664	91.46%
08/12/2025	110	774	93.37%
08/28/2025	100	874	94.49%
09/13/2025	83	957	95.7%
09/29/2025	70	1027	96.89%
10/15/2025	56	1083	98.54%
10/31/2025	27	1110	99.02%
11/16/2025	16	1126	99.29%
12/02/2025	9	1135	99.47%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Washington

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1146 lbs/acre
 150% of average annual production 1719 lbs/acre
 125% of average annual production 1432 lbs/acre
 75% of average annual production 860 lbs/acre
 50% of average annual production 573 lbs/acre


gSSURGO production estimates

Normal 1565 lbs/acre
 Favorable 2201 lbs/acre
 Unfavorable 837 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1138	99.3%
2006	879	76.7%
2007	1193	104.1%
2008	960	83.8%
2009	1322	115.4%
2010	1147	100.1%
2011	1101	96.1%
2012	919	80.2%
2013	1054	92%
2014	1342	117.1%
2015	1436	125.3%
2016	1410	123.1%
2017	1264	110.3%
2018	1187	103.6%
2019	1091	95.2%
2020	823	71.8%
2021	1194	104.2%
2022	886	77.3%
2023	1538	134.3%
2024	1039	90.7%
2025	1135	99.1%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Weld
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 908lbs/acre

Long-term averages

Average production through Dec 02: 1034lbs/acre
150% of average production through Dec 02: 1551lbs/acre
125% of average production through Dec 02: 1292lbs/acre
75% of average production through Dec 02: 776lbs/acre
50% of average production through Dec 02: 517lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	0	0	0%
02/01/2025	1	1	20%
02/17/2025	1	2	25%
03/05/2025	8	10	71.43%
03/21/2025	10	20	76.92%
04/06/2025	13	33	76.74%
04/22/2025	23	56	76.71%
05/08/2025	38	94	74.6%
05/24/2025	59	153	71.16%
06/09/2025	91	244	72.19%
06/25/2025	102	346	74.89%
07/11/2025	96	442	77%
07/27/2025	93	535	79.61%
08/12/2025	90	625	81.59%
08/28/2025	78	703	82.71%
09/13/2025	67	770	83.97%
09/29/2025	55	825	85.14%
10/15/2025	43	868	86.71%
10/31/2025	20	888	87.14%
11/16/2025	13	901	87.56%
12/02/2025	7	908	87.81%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Weld

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1039 lbs/acre
 150% of average annual production 1558 lbs/acre
 125% of average annual production 1299 lbs/acre
 75% of average annual production 779 lbs/acre
 50% of average annual production 520 lbs/acre


gSSURGO production estimates

Normal 1429 lbs/acre
 Favorable 1942 lbs/acre
 Unfavorable 842 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1052	101.3%
2006	731	70.4%
2007	984	94.7%
2008	880	84.7%
2009	1183	113.9%
2010	1116	107.4%
2011	974	93.8%
2012	814	78.4%
2013	892	85.9%
2014	1320	127.1%
2015	1407	135.4%
2016	1176	113.2%
2017	1181	113.7%
2018	1087	104.6%
2019	1089	104.8%
2020	778	74.9%
2021	1144	110.1%
2022	796	76.6%
2023	1528	147.1%
2024	774	74.5%
2025	908	87.4%

Figure 1: Historical production



Production Report for 2025 using Rangeland Analysis Platform (RAP) data

Land unit name: Yuma
Date of report: January 14 2026
Long-term period: 2005-2025

Current year

Production through Dec 02 of 2025: 1264lbs/acre

Long-term averages

Average production through Dec 02: 1295lbs/acre
 150% of average production through Dec 02: 1942lbs/acre
 125% of average production through Dec 02: 1619lbs/acre
 75% of average production through Dec 02: 971lbs/acre
 50% of average production through Dec 02: 648lbs/acre

Table 1: Current year data

Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2025	0	0	NA%
01/16/2025	1	1	33.33%
02/01/2025	3	4	50%
02/17/2025	2	6	46.15%
03/05/2025	11	17	77.27%
03/21/2025	17	34	89.47%
04/06/2025	21	55	88.71%
04/22/2025	38	93	89.42%
05/08/2025	67	160	91.95%
05/24/2025	95	255	90.43%
06/09/2025	127	382	90.31%
06/25/2025	120	502	89.17%
07/11/2025	123	625	90.19%
07/27/2025	121	746	92.1%
08/12/2025	120	866	93.02%
08/28/2025	113	979	93.77%
09/13/2025	92	1071	94.78%
09/29/2025	75	1146	95.58%
10/15/2025	58	1204	96.71%
10/31/2025	31	1235	97.09%
11/16/2025	19	1254	97.44%
12/02/2025	10	1264	97.61%
12/18/2025			
12/31/2025			

Figure 1: 16-day production plot





Figure 2: Cumulative production plot



Historical (2005-2025) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Yuma

Date of report: January 14 2026

Long-term period: 2005-2025

Long-term averages

Average annual production 1301 lbs/acre
 150% of average annual production 1952 lbs/acre
 125% of average annual production 1626 lbs/acre
 75% of average annual production 976 lbs/acre
 50% of average annual production 650 lbs/acre


gSSURGO production estimates

Normal 1863 lbs/acre
 Favorable 2616 lbs/acre
 Unfavorable 962 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2005	1234	94.9%
2006	992	76.2%
2007	1349	103.7%
2008	1139	87.5%
2009	1434	110.2%
2010	1341	103.1%
2011	1217	93.5%
2012	1104	84.9%
2013	1121	86.2%
2014	1454	111.8%
2015	1566	120.4%
2016	1589	122.1%
2017	1517	116.6%
2018	1422	109.3%
2019	1274	97.9%
2020	1045	80.3%
2021	1426	109.6%
2022	1026	78.9%
2023	1655	127.2%
2024	1152	88.5%
2025	1264	97.2%

Figure 1: Historical production




			DATE OF					
			QUALIFYING		County		Payment	
	Year	PASTURE_TYPE	DROUGHT	State	Name	Start Date	Factor	
08	007	2025 NATIVE PASTURE	05-15-2025	08-CO	Archuleta	05-15-2025	4	
08	013	2025 NATIVE PASTURE	10-13-2025	08-CO	Boulder	05-01-2025	1	
08	015	2025 NATIVE PASTURE	07-15-2025	08-CO	Chaffee	05-01-2025	4	
08	021	2025 NATIVE PASTURE	05-01-2025	08-CO	Conejos	05-01-2025	4	
08	029	2025 NATIVE PASTURE	04-29-2025	08-CO	Delta	04-15-2025	4	
08	033	2025 NATIVE PASTURE	06-25-2025	08-CO	Dolores	05-01-2025	4	
08	037	2025 NATIVE PASTURE	07-01-2025	08-CO	Eagle	05-15-2025	5	
08	045	2025 NATIVE PASTURE	05-27-2025	08-CO	Garfield	04-15-2025	5	
08	049	2025 NATIVE PASTURE	08-18-2025	08-CO	Grand	05-15-2025	4	
08	051	2025 NATIVE PASTURE	05-27-2025	08-CO	Gunnison	05-15-2025	4	
08	053	2025 NATIVE PASTURE	07-09-2025	08-CO	Hinsdale	05-15-2025	4	
08	057	2025 NATIVE PASTURE	08-18-2025	08-CO	Jackson	05-15-2025	4	
08	065	2025 NATIVE PASTURE	08-05-2025	08-CO	Lake	05-15-2025	4	
08	067	2025 NATIVE PASTURE	06-25-2025	08-CO	La Plata	05-01-2025	4	
08	069	2025 NATIVE PASTURE	09-09-2025	08-CO	Larimer	05-01-2025	3	
08	077	2025 NATIVE PASTURE	04-29-2025	08-CO	Mesa	04-01-2025	4	
08	079	2025 NATIVE PASTURE	05-15-2025	08-CO	Mineral	05-15-2025	4	
08	081	2025 NATIVE PASTURE	07-01-2025	08-CO	Moffat	05-01-2025	4	
08	083	2025 NATIVE PASTURE	08-19-2025	08-CO	Montezuma	05-01-2025	4	
08	085	2025 NATIVE PASTURE	04-29-2025	08-CO	Montrose	04-15-2025	4	
08	091	2025 NATIVE PASTURE	06-25-2025	08-CO	Ouray	05-01-2025	4	
08	093	2025 NATIVE PASTURE	08-19-2025	08-CO	Park	05-15-2025	4	
08	097	2025 NATIVE PASTURE	05-27-2025	08-CO	Pitkin	05-15-2025	5	
08	103	2025 NATIVE PASTURE	06-25-2025	08-CO	Rio Blanco	05-01-2025	4	
08	105	2025 NATIVE PASTURE	05-15-2025	08-CO	Rio Grande	05-15-2025	4	
08	107	2025 NATIVE PASTURE	07-01-2025	08-CO	Routt	05-15-2025	4	
08	109	2025 NATIVE PASTURE	07-09-2025	08-CO	Saguache	05-15-2025	1	
08	111	2025 NATIVE PASTURE	07-10-2025	08-CO	San Juan	05-16-2025	4	
08	113	2025 NATIVE PASTURE	05-13-2025	08-CO	San Miguel	05-01-2025	4	
08	117	2025 NATIVE PASTURE	08-19-2025	08-CO	Summit	05-15-2025	4	

For: County Offices

2024 Approved Grazing Loss Assessments for Colorado

Approved by: State Executive Director



1 Overview

A Background

In accordance with 1-NAP (Rev. 2) paragraph 804, Notice NAP-235 and CO Notice NAP-69 County Committees (COC), with State Committee (STC) concurrence if applicable, will establish grazing loss percentages after the end of the grazing period using independent assessments for grazed forages.

B Purpose

The purpose of this notice is to provide county offices with a map (Exhibit 1 & Exhibit 2) and a table (Exhibit 3 & Exhibit 4) indicating the approved percent of grazing loss, by county, for program year 2024 in Colorado.

C Contact

Questions regarding this notice should be directed to Janae Rader, Farm Program Specialist, at sm.sa.co.fp@usda.gov.

2 2024 Grazing Percentage of Loss Established

Exhibits 1 through 4 of this notice list the percent of loss established by COC and concurred by STC, if applicable, for crop year 2024.

Counties listed as “N/A” did not provide the information required to establish a grazing loss.

Note: Loss percentage for counties located outside of Colorado will be posted on the Colorado SharePoint: [Farm Program/Safety Net/NAP/NAP Reports/Independent Assessment](#). If information is not posted, requests should be submitted to the state office.

Disposal Date	Distribution
December 31, 2025	County Offices

CO Notice NAP-70

3 County Office Action

The County Office **must**:


- Use CCC-770 NAP when an application for payment is filed.

Note: The CCC-770 NAP must be completed prior to issuing a NAP payment.

- Use loss percentage, carrying capacity, and grazing days established where land is physically located and contact the state office with any questions about the provisions of this notice.


NAP Grazing Loss Established in Colorado for 2024 - Non-Irrigated

2024 Independent Assessment Grass Non-Irrigated



NAP Grazing Loss Established in Colorado for 2024 - Irrigated

2024 Independent Assessment Grass Irrigated



NAP Grazing Loss Established in Colorado for 2024 - Non-Irrigated

County	Percent of Loss Concluded by STC
Adams	N/A
Alamosa	0
Arapahoe	N/A
Archuleta	20
Baca	45
Bent	55
Boulder	N/A
Broomfield	N/A
Chaffee	N/A
Cheyenne	30
Clear Creek	N/A
Conejos	0
Costilla	0
Crowley	35
Custer	N/A
Delta	10
Denver	N/A
Dolores	12.5
Douglas	10
Eagle	30
Elbert	10
El Paso	20
Fremont	N/A
Garfield	15
Gilpin	N/A
Grand	25
Gunnison	20
Hinsdale	N/A
Huerfano	27
Jackson	25
Jefferson	N/A
Kiowa	50
Kit Carson	27
Lake	N/A
La Plata	20
Larimer	N/A

NAP Grazing Loss Established in Colorado for 2024 - Non-Irrigated (Continued)

County	Percent of Loss Concluded by STC
Las Animas	30
Lincoln	N/A
Logan	20
Mesa	5
Mineral	N/A
Moffat	15
Montezuma	15
Montrose	20
Morgan	25
Otero	68
Ouray	20
Park	N/A
Phillips	15
Pitkin	30
Prowers	45
Pueblo	25
Rio Blanco	15
Rio Grande	N/A
Routt	25
Saguache	N/A
San Juan	N/A
San Miguel	15
Sedgwick	20
Summit	25
Teller	N/A
Washington	19
Weld	30
Yuma	20

NAP Grazing Loss Established in Colorado for 2024 - Irrigated

County	Percent of Loss Concurred by STC
Eagle	15
Garfield	10
Mesa	0
Pitkin	15

804 Grazed Forage Provisions (Continued)

Par. 804


K Establishing an Area

Clarification – Loss is not by individual field or specific ranch, but is on an area basis. For Colorado, an area will be defined as (1) county wide percent of loss determined by documentation submitted by 2 independent assessments.



NAP Grazing Dates, Grazing Days, Carrying Capacity

Map of NAP Grazing Dates, Grazing Days, Carrying Capacity



For: State and County Offices

Updated Policy for Establishing NAP Grazing Losses Effective for 2024 and Subsequent Years
Approved by: Acting Deputy Administrator, Farm Programs



1 Overview

A Background

NAP requires the COC, with STC concurrence, to establish the grazing loss percentage applied to the expected animal-unit-days (AUD's) value after the end of the coverage period on grazed forage acreage based on one of the following according to 1-NAP (Rev. 2), subparagraph 804 I:

- percentage of loss of similarly mechanical harvested forage acreage on the same unit, or similar units in the area, for which an approved yield has been calculated to determine loss
- two independent assessments
- other alternative collective percentage of loss methods approved and determined appropriate by DAFP:
 - collective percent of loss grazing worksheet (CPLGW)
 - information obtained from NAP loss adjustors using the Alternative Forage Weight Appraisal Method.

B Purpose

This notice provides updated policy based on recommendations from the NAP Advisory Committee and NAP Working Group, authorized by DAFP, providing additional flexibilities and options for establishing NAP grazing losses after the coverage period, effective for 2024 and subsequent years.

Disposal Date	Distribution
June 1, 2025 8-20-24	State Offices; State Offices relay to County Offices

2 DAFP Authorized Methods to Establish NAP Grazing Losses Effective Program Year 2024 and Subsequent Years

A Updated Policy for Establishing NAP Grazing Loss

State and County Offices have faced increasing difficulties in obtaining independent assessments. As a result, DAFP determined that additional flexibilities and options were needed to establish grazing loss levels, according to 1-NAP (Rev. 2), subparagraph 804 I. In some situations, limited options and data sources may result in a loss percentage that does not fully represent the disaster affected area.

For 2024 and subsequent years, after the coverage period ends, COC must establish a grazing loss percentage using one of the following options, according to 1-NAP (Rev.2):

- percentage of loss of similarly mechanical harvested forage acreage on the same unit, or similar units in the area, for which an approved yield has been calculated to determine loss
- two independent assessments
- CPLGW
- Forage Weight Appraisal Method.

If any of the options are not available, COC may use two of the following options that supports a collective grazing loss level established for the specific geographic area:

- one independent assessment
- approved insurance provider data from Comprehensive Information Management System (CIMS), pasture rangeland and forage (PRF) or annual forage (AF) loss level data that adequately represents the geographic region for which a loss is being established
- Systematic Tracking for Optimal Risk Management (STORM) data not already represented in other mentioned data sources
- one verifiable third-party weather data source, including but not limited to:
 - the United States Drought Monitor at www.droughtmonitor.unl.edu
 - the National Oceanic and Atmospheric Administration at www.noaa.gov
 - the Parameter-elevation Regressions on Independent Slopes Model at www.prism.oregonstate.edu
 - the Community Collaborative Rain, Hail & Snow Network at www.cocorahs.org
 - other state sponsored weather data source (such as Hydrometeorological Networks in the United States, NERain, MNGage, Rainlog, etc.)

2 DAFP Authorized Methods to Establish NAP Grazing Losses Effective Program Year 2024 and Subsequent Years (Continued)

A Updated Policy for Establishing NAP Grazing Loss (Continued)

- Information from NASS Surveys, USDA Climate Hub Rangeland Production Monitor, Moderate Resolution Imaging Spectroradiometer (MODIS) ORNL DAAC Net Primary Production (NPP), or Rangeland Analysis Platform, Universities, or other Federal Agencies (NRCS, BLM, BIA, FS, or USGS)
- ELAP participation data on additional feed purchases and feed transportation costs (such as. number of applicants, normal year versus disaster year comparison) not already represented in other mentioned data sources
- CRP managed and emergency haying and grazing data not already represented in other mentioned data sources.

Additional training will be provided by the National Office to review the updated policy and contents of this notice. A future 1-NAP (Rev. 2) amendment will incorporate this updated policy.

B COC Responsibilities

COC's must:

- ensure that an effective and cooperative working relationship with other Federal and State agencies and institutions is maintained at the county level and that at least 90 calendar days before the beginning date of the grazing period, have access to sources that can provide one or two independent assessments of grazed forage acreage conditions in the area or has determined if another alternative loss methods must be used
- only use options authorized by DAFP in this notice to establish a collective grazing loss for their administrative area(s)
- communicate with neighboring areas with similar weather conditions and crop characteristics to ensure there is consistency in the loss levels established; differences must be mitigated, or justification documented in COC minutes
- determine a collective percentage of loss for grazed forage no later than 60 days after the end of the coverage period
- recuse themselves if COC member(s) have a financial interest in the grazing loss established

Note: If remaining voting COC members do not represent a quorum, then the COC must submit their established grazing loss to the STC for concurrence.

- summarize forage losses to determine overall AUD losses and thoroughly document what data sources were used in determining a loss level in the COC minutes
- communicate and report the determined loss level established for their county to their STC. COC's must provide their documentation used in making their loss level determination to the STC upon request.

Notice NAP-235

2 DAFP Authorized Methods to Establish NAP Grazing Losses Effective Program Year 2024 and Subsequent Years (Continued)

C STC Oversight

Effective for 2024 and subsequent years, COC's are not required to obtain STC concurrence on the established grazing loss levels determined by the methods outlined in this notice. Each STC is responsible in creating their own oversight process such as a Share Point site to report grazing loss levels being established.

3 Action

A State Office Action

State Offices must:

- ensure that County Offices are aware of the contents of this notice
- assist County Offices with questions about this notice
- contact Kelly Breinig with questions on NAP forage policy by either of the following:
 - email to kelly.breinig@usda.gov
 - telephone at 202-720-1603.

B County Office Action


County Offices must:

- review the contents of this notice
- establish grazing losses at the end of the coverage period according to this notice for 2024 and subsequent years
- contact DD or State Office, as applicable, with questions about this notice.

For: County Offices

STC Oversight Policy for Establishing NAP Grazing Losses

Approved by: State Executive Director



1 Overview

A Background

In accordance with 1-NAP (Rev. 2) paragraph 804, County Committees (COC), with State Committee (STC) concurrence, will establish grazing loss percentages after the end of the grazing period using independent assessments for grazed forages. Notice NAP-235 provided additional flexibilities and options for establishing NAP grazing losses for 2024 and subsequent years. With the new flexibilities, STC's are responsible for creating oversight.

B Purpose

The purpose of this notice is to inform county offices of the established STC oversight policy for NAP grazing losses in accordance with Notice NAP-235 subparagraph 2C and the procedure to report the determined loss levels. This policy is effective for 2024 and subsequent years.

C Contact

Questions regarding this notice should be directed to Janae Rader, Farm Program Specialist, at SM.SA.CO.FP@usda.gov.

2 STC Oversight Policy for Establishing NAP Grazing Percentage of Loss

The following oversight policy was established by the Colorado State Committee:

- County offices must submit their approved percent grazing loss with supporting documentation through the Colorado SharePoint, using the [Independent Assessment Submission](#) link.
- COC must consider Rangeland Analysis Platform ([RAP](#)) information when establishing the county loss; however, COC's are not required to base the establishment only on RAP data.

Disposal Date	Distribution
December 31, 2025	County Offices

2 STC Oversight Policy for Establishing NAP Grazing Percentage of Loss (Continued)

- If any of the following conditions are met, COC must have concurrence of STC or a STC representative prior to approving any application for payment:
 - If the county approved percent loss has more than a 15 percent difference from a contiguous county;
 - If the county approved percent loss is greater than 50% for 2 consecutive years;
 - If the county hits an LFP payment factor of 4 or more and the approved percent loss is less than 50%;
 - If the county hits an LFP payment factor of 3 or less and the approved percent loss is greater than 50%.

Note: COC members must recuse themselves if they have a financial interest in the grazing loss established. If the remaining voting COC members do not represent a quorum, then the COC must submit their established grazing loss to the STC for concurrence, in accordance with Notice NAP-235 subparagraph 2B.


3 Submitting Determined Loss Levels

The following is guidance on how to submit the required approved independent assessment percent loss levels and request STC or STC representative concurrence.


Click [here](#) to go directly to the Independent Assessment Submission form or navigate through the Colorado Share Point using the following steps:

1. Go to the [Colorado Share Point](#)

2. Select the “Farm Programs” tab




3. Then select “Safety Net”




3 Submitting Determined Loss Levels (Continued)


4. Then select “Noninsured Disaster Assistance Program NAP”



5. Then select “NAP Submissions”



6. Then select “Independent Assessment Submission”



3 Submitting Determined Loss Levels (Continued)

- Then select “+ Add new item”. A separate loss percentage must be submitted for each county.

Independent Assessment Submission


+ Add new item Edit in grid view Share Export to Excel

Year	County	Commod...	Acting A...	Percent o...
2024	Cheyenne	Grass Ni	COC	30.00 N

4 Accessing and Using Rangeland Analysis Platform

Click [here](#) to go directly to the RAP production explorer or navigate through Rangeland Analysis Platform using the following steps.

- Go to <https://rangelands.app/>
- Select “Launch Production Explorer”



- Select import method – Choose “Upload Shapefile or KML”

Instructions

1 Import data

You can either A) upload a KML or zipped shapefile or B) Draw a feature interactively.

Select import method

Upload Shapefile or KML

Choose file

BROWSE... No file selected

4 Accessing and Using Rangeland Analysis Platform (Continued)

4. Browse to the zip file located at F/geodata/Rangeland Analysis Platform > Select: CO contiguous counties.zip > Open

Instructions

1 Import data

You can either A) upload a KML or zipped shapefile or B) Draw a feature interactively.

Select import method

Upload Shapefile or KML

Choose file

BROWSE... No file selected

5. Set analysis period to most recent 20 years.

2 Set analysis period

Use the slider below to control the start and end year of your long-term analysis period. This can be changed anytime during the analysis.

1988 2003 2023

6. Select the desired county on the map.



7. Select “Calculate Time-Series”

You have selected the feature below.


OBJECTID	STPO	FSA_Name	FSA_ST	FSA_STCOU	STATENAME	FIPS_C	COUNTYNAME	FIPSST	FIPSCO	NOTE	utm_lookup	state_coun	utm_zone_n	utm_zone
3138	CO	Las Animas	08	08071	Colorado	08071	Las Animas	08	071		251	08071	13	S

i Click below to analyze the selected feature. It may take a minute to calculate your results.

CALCULATE TIME-SERIES


4 Accessing and using Rangeland Analysis Platform (Continued)

8. If successful you will get the following message > Select Close




9. Select desired report tab at the top of the screen
Pull both Current Year Production and Historical Production reports repeating steps 11 and 12 to download and save the file.

- See Exhibit 1 and 2 for examples of each report.




Current Year Production Report

SITE SUMMARY



Historical Production Report

10. Enter name under “Land Unit Name” > Select Download



11. Save the Report to desired location

CO Notice NAP-69

5 County Office Action

County Offices **must**:

- Review contents of Notice NAP-235 and CO Notice NAP-69;
- Obtain STC concurrence, if required, prior to approving an application for payment using the independent assessment option;
- Use CCC-770 NAP according to 1-NAP (Rev. 2) Par 12. when an application for payment is filed. **Note:** The CCC-770 NAP must be completed prior to issuing a NAP payment;
- Use loss percentage, carrying capacity, and grazing days established where land is physically located; and
- Contact DD or State Office, as applicable, with questions about this policy.

Example of Current Year Production Report


Current Year (2024) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Example County
Date of report: November 22 2024
Long-term period: 2003-2023

Current year
Production through Oct 31 of 2024: 772lbs/acre

Long-term averages
Average production through Oct 31: 788lbs/acre
150% of average production through Oct 31: 1182lbs/acre
125% of average production through Oct 31: 985lbs/acre
75% of average production through Oct 31: 591lbs/acre
50% of average production through Oct 31: 394lbs/acre

Table 1: Current year data			
Date	16-day production (lbs/acre)	Cumulative production (lbs/acre)	Percent of average
01/01/2024	0	0	N/A%
01/16/2024	1	1	50%
02/01/2024	4	5	100%
02/17/2024	6	11	122.22%
03/04/2024	10	21	140%
03/20/2024	11	32	123.08%
04/05/2024	16	48	114.29%
04/21/2024	23	71	104.41%
05/07/2024	42	113	101.8%
05/23/2024	63	176	100%
06/08/2024	76	252	98.82%
06/24/2024	74	326	98.19%
07/10/2024	79	405	100%
07/26/2024	74	479	100.84%
08/11/2024	69	548	99.46%
08/27/2024	65	613	97.92%
09/12/2024	57	670	97.38%
09/28/2024	46	716	97.15%
10/14/2024	32	748	97.27%
10/30/2024	24	772	97.97%
11/15/2024			
12/01/2024			
12/17/2024			
12/30/2024			



Example of Historical Production Report

Historical (2003-2023) Production Report using Rangeland Analysis Platform (RAP) data

Land unit name: Example County
Date of report: November 22, 2024
Long-term period: 2003-2023


Long-term averages
Average annual production 808 lbs/acre
150% of average annual production 1212 lbs/acre
125% of average annual production 1010 lbs/acre
75% of average annual production 606 lbs/acre
50% of average annual production 404 lbs/acre

gsSU RGO production estimates
Normal 1079 lbs/acre
Favorable 1574 lbs/acre
Unfavorable 571 lbs/acre

Table 1: Historical data

Year	Annual production (lbs/acre)	Percent of average
2003	766	94.8%
2004	987	122.1%
2005	944	116.8%
2006	780	96.5%
2007	1081	133.7%
2008	644	79.7%
2009	799	98.8%
2010	884	109.3%
2011	499	61.7%
2012	614	75.9%
2013	554	68.5%
2014	648	80.2%
2015	1116	138%
2016	862	106.8%
2017	1091	135%
2018	678	83.9%
2019	787	97.3%
2020	492	60.9%
2021	985	121.8%
2022	848	104.9%
2023	918	113.6%

Figure 1: Historical production



Regular Session

Agriculture Risk Coverage/Price Loss Coverage (ARCPLC)

Missing ARCPLC Yields for Crop Year 2019-2023

State Committee Discussion Record

Program: Agriculture Risk Program and Price Loss Program (ARC/PLC) **Date:** 02.10.26

Staff Member Presenting: Doug Andresen, Farm Program Specialist

Matter for Consideration: Review and determine missing ARC-CO yields

Background: The National Office has asked State Committees to update missing yields by county for Crop Years 2019-2023. Crops included are barley, chickpeas, canola, dry peas, flaxseed, grain sorghum, oats, peanuts, safflower, soybeans, sunflower seed, and wheat. The information for review can be found in Exhibit 1.

- For ARC-CO the 2025 county yield is computed and used where the farm tract is physically located:
 - ❖ To calculate a current year ARC-CO revenue loss, if applicable.
 - ❖ As the 2025 county benchmark yield to establish ARC-CO benchmark and guarantee revenues.

The 2025 county yields for the 22 covered commodities are used for the ARC-CO and ARC-IC programs and have been compiled using Risk Management Agency (RMA) and National Agricultural Statistics Service (NASS) data when available.

However, there are instances when the 2025 county yields are not available from RMA or NASS. In those instances, State Committee's (STC's) are required to research and establish 2019-2023 yields for the counties missing yield data.

1-ARCPLC policy:

134 Other Yield Information

A STC Calculated Yields where RMA or NASS County Yield Data is Missing or NASS County Yield Data is Not Representative

In certain situations, RMA or NASS county yield data is not available or NASS county yield data does not represent the actual county yield. In order to establish either the benchmark--* yield or actual year yield, STC's must establish a county yield(s) in any year where the yield was not attainable, using the best available information, such as:

- yields from a contiguous county
- NAP yields that were established for the covered commodity
- in cases where STC's cannot find supporting yield data, STC can request the local COC to provide information/documentation at the local level that can be submitted and reviewed by STC
- State or district level NASS data
- State yield data from contiguous States.

Note: Some counties and covered commodities have been designated as both an irrigated and non-irrigated county (HIP). For these counties, STC's are required to provide both irrigated and non-irrigated yields. For other counties and covered commodities, yields are not broken out between irrigated and non-irrigated practices and are designated as "All".

When completing the yield for each covered commodity and year, the State Office **must** provide the county yield (that is 100 percent of the county yield).

134 Other Yield Information

B Missing T-Yields

T-yields are used as the substitute yield for low yields in the benchmark years for ARC-CO and ARC-IC. FSA presently has T-yields that are the weighted T-yields from RMA for covered commodities that were insured in the applicable county in the applicable year. When the covered commodity did **not** have crop insurance in the county in the year in question, the STC will be requested to assign a NAP T-yield that covered commodity in that county.

STC will first assign the NAP T-yield for the covered commodity in that county, as applicable. For counties that have both IR and NI yield data, STC will determine a T-yield for both practices. In cases where STC did **not** determine a NAP T-yield for the covered commodity or county, STC must follow policy in 1-NAP to establish a NAP county-expected T-yield for that covered commodity and county.

T-yields computed according to the policy in 1-NAP and used solely in the ARC and PLC programs are **not** required to be loaded into NCT.

STC's will be contacted by the National Office in any year where a missing yield or T-yield is required to complete the ARC-CO or ARC-IC benchmark and/or actual revenue.

STC assigned yields for calculating payments:

- Year specific yields (2025) will be used to calculate 2025 payments by multiplying the Actual Yield (RMA, NASS, or STC) x the 2025 National Price.

State Name	County Name	Sub Cou	Crop Name	Unit	ARC-CO Yield Designation	(county yield or 80% of T)	(county yield or 80% of T)	(county yield or 80% of T)	(county yield or 80% of T)	(county yield or 80% of T)
Colorado	Adams		Grain Sorghum	Bushel	All	38.86	21.40	22.05	20.84	30.93
Colorado	Arapahoe		Grain Sorghum	Bushel	All	39.33	16.80	20.93	17.24	33.00
Colorado	Baca		Grain Sorghum	Bushel	Irrigated	85.95	61.40	67.50	68.46	68.75
Colorado	Baca		Grain Sorghum	Bushel	Nonirrigated	44.25	21.35	28.85	21.13	22.62
Colorado	Bent		Grain Sorghum	Bushel	Irrigated	68.99	59.31	77.45	63.58	70.72
Colorado	Bent		Grain Sorghum	Bushel	Nonirrigated	38.30	15.20	37.77	31.00	25.00

2025 Bench Mark (2019-23 olympic a ▾)	2025 Bench Mark Price (2019-23 olympic a ▾)	2025 Benchmark Revenue ▾	2025 Guarantee Revenue ▾	2025 Maximum Payment Rate ▾	2025 Actual Yield ▾	2025 National Price ▾	2025 Actual Revent ▾	2025 Formula Payment Rate ▾
24.79	\$5.3000	\$131.39	\$113.00	\$13.14				
23.72	\$5.3000	\$125.72	\$108.12	\$12.57				
68.24	\$5.3000	\$361.67	\$311.04	\$36.17				
24.27	\$5.3000	\$128.63	\$110.62	\$12.86				
67.76	\$5.3000	\$359.13	\$308.85	\$35.91				
31.26	\$5.3000	\$165.68	\$142.48	\$16.57				

- The STC is completing 2019-2023 yields, which will be used for the 2025 program year benchmark yield, using yields from 2019-2023
- The yields assigned to each crop, for each county, by the STC will be used as the county yield. Which will then be used to calculate the benchmark yield
- STC will also assign T-yields, if not already established by RMA.
- If needed 80% of the T-yield will be used as a substitute yield
- If the substitute yield is greater than the County Yield, the substitute yield will be used in the benchmark calculation (80% of T-yield)

Grain Sorghum					
Yield <u>1</u> /	90	40	75	80	99
ARC Substitute Yield <u>2</u> /	60	60	60	60	60
MYA Price <u>3</u> /	\$3.22	\$5.02	\$5.99	\$6.33	\$4.25
Reference Price <u>4</u> /	\$3.95	\$3.95	\$3.95	\$3.95	\$3.95

- The benchmark yield is calculated using the Olympic average for the 5 crop years preceding the year prior to the program year.
ie: 2025 program payments will use yields from 2019 – 2023

Action Requested: The State Committee will review the missing yields for each county, along with the applicable policies and supporting documentation, and determine the appropriate yield to be entered. It is recommended that the yields are approved as presented.



2019-2023 Barley All Actual Yield

State Name	County Name	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Broomfield	BARLEY	Bushel	112.17	68.86	88.82	69.10	82.10	Avg Adams, Boulder, Weld
Colorado	Denver	BARLEY	Bushel	140.11	51.75	45.00	75.00	86.00	Average Arapahoe, Adams
Colorado	Ouray	BARLEY	Bushel	97.58	66.37	118.07	104.21	117.39	Average Montrose, Dolores, Saguache, La Plata
Colorado	San Miguel	BARLEY	Bushel	82.80	41.50	113.92	96.00	82.00	Average Montrose, Dolores
			State Avg	96.70	65.70	108.54	82.50	114.01	

2019-2023 Barley All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T- Yield	CY 2020 All T- Yield	CY 2021 All T- Yield	CY 2022 All T- Yield	CY 2023 All T- Yield	Decision Criteria
Colorado	Broomfield	BARLEY	Bushel	56.00	77.67	68.00	78.00	85.67	Avg Adams, Boulder, Weld
Colorado	Denver	BARLEY	Bushel	21.00	40.00	25.00	45.50	48.00	Average Arapahoe, Adams
Colorado	Ouray	BARLEY	Bushel	65.25	66.50	71.25	67.75	65.00	Average Montrose, Dolores, Saguache, La Plata
Colorado	San Miguel	BARLEY	Bushel	53.00	53.00	53.00	53.00	53.00	Average Montrose, Dolores
			State Average	52.24	55.45	54.45	54.98	57.28	

2019, 2021-2023 Chickpeas Large All Actual Yield

State Name	County Name	Crop Type	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Dolores	GAR	BEANS-LARGE CHICKPEAS	Pound	1,808.24	1,625.00	1,605.23	2,017.53	2,017.53	AZ Avg x 69.76%
				AZ Avg	2,592.00	2,329.33	2,301.00	2,892.00	2,892.00	

2019-2023 Chickpeas Large All T-Yield

State Name	County Name	Crop Type	Crop Name	Unit	CY 2019 All T- Yield	CY 2020 All T- Yield	CY 2021 All T- Yield	CY 2022 All T- Yield	CY 2023 All T- Yield	Decision Criteria
Colorado	Dolores	GAR	BEANS-LARGE CHICKPEAS	Pound	1,774.41	1,774.41	1,664.07	1,664.07	1,664.07	AZ Avg x 69.76%
				AZ Avg	2,543.50	2,543.50	2,385.33	2,385.33	2,385.33	

2019, 2021-2023 Canola All Actual Yield

State Name	County Name	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Conejos	CANOLA	Pound	1,157.67	1,790.00	1,339.69	841.00	1,500.00	Avg Alamosa, Rio Grande
Colorado	Logan	CANOLA	Pound	960.00	1,790.00	1,306.62	1,200.00	1,339.60	Avg Baca, Cheyenne, Kit Carson, Lincoln, Otero
Colorado	Saguache	CANOLA	Pound	1,157.67	1,790.00	1,339.69	841.00	1,500.00	Avg Alamosa, Rio Grande
Colorado	Washington	CANOLA	Pound	960.00	1,790.00	1,306.62	1,200.00	1,339.60	Avg Baca, Cheyenne, Kit Carson, Lincoln, Otero
			State Average	1,031.88	1,790.00	1,318.65	1,069.45	1,397.93	

2019-2023 Canola All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T-Yield	CY 2020 All T-Yield	CY 2021 All T-Yield	CY 2022 All T-Yield	CY 2023 All T-Yield	Decision Criteria
Colorado	Conejos	CANOLA	Pound	1,360.50	1,360.50	1,360.50	1,161.00	1,506.00	Avg Alamosa, Rio Grande
Colorado	Logan	CANOLA	Pound	1,430.00	1,430.00	1,395.85	1,340.80	1,340.80	Avg Baca, Cheyenne, Kit Carson, Lincoln, Otero
Colorado	Saguache	CANOLA	Pound	1,360.50	1,360.50	1,360.50	1,161.00	1,506.00	Avg Alamosa, Rio Grande
Colorado	Washington	CANOLA	Pound	1,430.00	1,430.00	1,395.85	1,340.80	1,340.80	Avg Baca, Cheyenne, Kit Carson, Lincoln, Otero
			State Average	1,404.73	1,404.73	1,383.00	1,275.42	1,400.87	

2019-2023 Corn All Actual Yield

State Name	County Name	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Costilla	CORN	Bushel	131.36	118.29	131.71	114.89	165.00	Avg Alamosa, Conejos, Huerfano
Colorado	Douglas	CORN	Bushel	69.25	118.29	43.74	37.29	45.13	Avg Arapahoe, Elbert, El Paso
Colorado	Fremont	CORN	Bushel	165.19	118.29	164.72	157.95	157.62	Avg Pueblo, Saguache
Colorado	Rio Grande	CORN	Bushel	120.54	118.29	131.71	114.89	171.00	Avg Alamosa, Conejos, Saguache
Colorado	San Miguel	CORN	Bushel	150.46	158.59	178.24	163.58	166.16	Avg Dolores, Montrose
			State Average	127.24	120.93	132.90	116.53	133.76	

2019-2023 Corn All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T-Yield	CY 2020 All T-Yield	CY 2021 All T-Yield	CY 2022 All T-Yield	CY 2023 All T-Yield	Decision Criteria
Colorado	Costilla	CORN	Bushel	149.33	149.33	149.33	149.33	149.33	Avg Alamosa, Conejos, Huerfano
Colorado	Douglas	CORN	Bushel	56.67	57.67	59.67	59.00	53.67	Avg Arapahoe, Elbert, El Paso
Colorado	Fremont	CORN	Bushel	183.00	204.50	204.00	204.00	204.50	Avg Pueblo, Saguache
Colorado	San Miguel	CORN	Bushel	158.50	174.50	174.50	174.50	175.50	Avg Dolores, Montrose
			State Average	124.73	129.83	132.77	129.12	130.76	

2019-2023 Flaxseed All Actual Yield

State Name	County Name	Crop Name	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Montezuma	FLAXSEED	17.16	19.30	8.58	18.23	17.16	Yuma x 1.0722
Colorado	Yuma	FLAXSEED	16.00	18.00	8.00	17.00	16.00	Deuel County, NE = Yuma

2019-2023 Flaxseed All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T- Yield	CY 2020 All T- Yield	CY 2021 All T- Yield	CY 2022 All T- Yield	CY 2023 All T- Yield	Decision Criteria
Colorado	Montezuma	FLAXSEED	Bushel	16.08	16.08	17.16	17.16	20.37	Yuma x 1.0722
Colorado	Yuma	FLAXSEED	Bushel	15.00	15.00	16.00	16.00	19.00	Deuel County, NE = Yuma

2019, 2021-2023 Dry Peas All Actual Yield

State Name	County Name	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Lincoln	DRY PEAS	Pound	1,925.66	1,400.00	1,586.74	1,702.00	1,133.33	Avg Cheyenne, Kit Carson, Washington
Colorado	Weld	DRY PEAS	Pound	1,925.66	1,400.00	1,520.49	1,702.00	1,100.00	Avg Morgan Logan
			State Average	1,922.81	1,279.87	1,590.44	1,525.05	1,394.70	

2019-2023 Dry Peas All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T- Yield	CY 2020 All T- Yield	CY 2021 All T- Yield	CY 2022 All T- Yield	CY 2023 All T- Yield	Decision Criteria
Colorado	Lincoln	DRY PEAS	Pound	1,025.67	1,114.00	1,156.33	1,156.33	1,156.33	Avg Cheyenne, Kit Carson, Washington
Colorado	Weld	DRY PEAS	Pound	1,021.40	1,126.20	1,321.90	1,100.00	1,100.00	Avg Morgan Logan
			State Average	1,021.87	1,124.84	1,205.11	1,143.37	1,150.70	

2019-2023 Grain Sorghum All Actual Yield

State Name	County Name	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Boulder	GRAIN SORGHUM	Bushel	38.00	9.33	25.00	37.00	48.95	Average Larimer, Adams Weld
Colorado	Denver	GRAIN SORGHUM	Bushel	38.26	9.33	20.93	12.21	31.69	Average Adams, Arapahoe
Colorado	Douglas	GRAIN SORGHUM	Bushel	39.89	14.28	30.76	17.35	29.67	Average Elbert, El Paso, Arapahoe
Colorado	Huerfano	GRAIN SORGHUM	Bushel	40.16	25.14	35.67	31.00	38.50	Average Las Animas, Pueblo
Colorado	Mesa	GRAIN SORGHUM	Bushel	46.57	57.51	35.67	31.00	67.00	Average Garfield, Delta
Colorado	Montrose	GRAIN SORGHUM	Bushel	46.57	57.51	35.67	31.00	67.00	Average Garfield, Delta
			State Average	42.74	22.17	34.90	21.96	44.63	

2019-2023 Grain Sorghum All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T-Yield	CY 2020 All T-Yield	CY 2021 All T-Yield	CY 2022 All T-Yield	CY 2023 All T-Yield	Decision Criteria
Colorado	Boulder	GRAIN SORGHUM	Bushel	48.00	53.00	53.00	53.00	31.67	Average Larimer, Adams Weld
Colorado	Denver	GRAIN SORGHUM	Bushel	22.50	23.00	22.00	23.00	23.50	Average Adams, Arapahoe
Colorado	Douglas	GRAIN SORGHUM	Bushel	30.67	30.67	30.67	30.67	30.67	Average Elbert, El Paso, Arapahoe
Colorado	Huerfano	GRAIN SORGHUM	Bushel	42.00	42.00	39.50	34.00	38.50	Average Las Animas, Pueblo
Colorado	Mesa	GRAIN SORGHUM	Bushel	34.00	34.00	34.00	34.00	34.00	Average Garfield, Delta
Colorado	Montrose	GRAIN SORGHUM	Bushel	34.00	34.00	34.00	34.00	34.00	Average Garfield, Delta
			State Average	34.34	36.54	35.97	36.14	36.68	

Exhibit 1

2019-2023 Oats All Actual Yield

State Name	County Name	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Denver	OATS	Bushel	50.00	57.50	53.00	50.00	62.00	Average Adams, Arapahoe, Boulder
Colorado	Grand	OATS	Bushel	50.00	57.50	53.00	50.00	61.33	Average Routt, Boulder, Larimer
Colorado	Huerfano	OATS	Bushel	85.21	57.50	53.00	50.00	89.18	Average Las Animas, Pueblo, Alamosa
Colorado	Ouray	OATS	Bushel	50.00	57.50	53.00	50.00	60.00	Average Montrose, Saguache
Colorado	Pitkin	OATS	Bushel	50.00	57.50	53.00	50.00	60.00	Average Eagle, Delta, Mesa
Colorado	San Miguel	OATS	Bushel	50.00	57.50	53.00	50.00	60.00	Average Dolores, Montrose
			State Average	53.32	56.65	53.00	49.24	61.47	

2019-2023 Oats All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T- Yield	CY 2020 All T- Yield	CY 2021 All T- Yield	CY 2022 All T- Yield	CY 2023 All T- Yield	Decision Criteria
Colorado	Denver	OATS	Bushel	52.67	52.67	52.67	52.67	52.67	Average Adams, Arapahoe, Boulder
Colorado	Grand	OATS	Bushel	48.67	48.67	48.67	48.67	48.67	Average Routt, Boulder, Larimer
Colorado	Huerfano	OATS	Bushel	65.33	65.33	71.33	71.33	71.33	Average Las Animas, Pueblo, Alamosa
Colorado	Ouray	OATS	Bushel	82.50	82.50	91.50	91.50	91.50	Average Montrose, Saguache
Colorado	Pitkin	OATS	Bushel	67.67	67.67	67.67	67.67	67.67	Average Eagle, Delta, Mesa
Colorado	San Miguel	OATS	Bushel	65.50	65.50	65.50	65.50	65.50	Average Dolores, Montrose
			State Average	55.80	56.52	58.29	58.23	58.25	

2019-2023 Peanuts All Actual Yield

State Name	County Name	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Weld	PEANUTS	Pound	2,788.00	2,468.00	2,365.36	2,844.59	1,660.01	Average Nebraska, New Mexico

2019-2023 Peanuts All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T- Yield	CY 2020 All T- Yield	CY 2021 All T- Yield	CY 2022 All T- Yield	CY 2023 All T- Yield	Decision Criteria
Colorado	Weld	PEANUTS	Pound	2,733.75	2,797.50	2,833.25	2,697.50	2,744.75	Average Nebraska, New Mexico

2019-2023 Safflower All Actual Yield

State Name	County Name	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Arapahoe	SAFFLOWER	Pound	1,128.67	820.00	507.72	750.00	691.67	State Average
Colorado	Elbert	SAFFLOWER	Pound	1,128.67	820.00	507.72	750.00	691.67	State Average
Colorado	Lincoln	SAFFLOWER	Pound	1,200.83	820.00	507.72	750.00	640.33	Average (State Ave, Kit Carson)
Colorado	Logan	SAFFLOWER	Pound	915.33	820.00	685.86	783.68	825.83	Average (State Ave, Nebraska Ave)
Colorado	Routt	SAFFLOWER	Pound	911.83	820.00	508.63	721.00	816.33	Average (State Ave, Wyoming Ave)
Colorado	San Miguel	SAFFLOWER	Pound	840.00	820.00	507.72	750.00	743.00	Average Montezuma, Dolores
Colorado	Weld	SAFFLOWER	Pound	841.89	820.00	627.08	753.12	864.22	Average (State Ave, Nebraska Ave, Wyoming Ave)
			State Average	1,128.67	822.50	507.72	750.00	691.67	
			Kansas Average	1,512.00	1,167.00	1,001.00	1,213.00	1,036.00	
			Nebraska Average	702.00	879.00	864.00	817.35	960.00	
			Utah Average	868.54	694.33	323.18	322.02	603.29	
			Wyoming Average	695.00	752.50	509.53	692.00	941.00	

2019-2023 Safflower All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T- Yield	CY 2020 All T- Yield	CY 2021 All T- Yield	CY 2022 All T- Yield	CY 2023 All T- Yield	Decision Criteria
Colorado	Elbert	SAFFLOWER	Pound	1,154.13	1,154.13	1,114.50	1,114.50	1,114.50	State Average
Colorado	Lincoln	SAFFLOWER	Pound	1,213.56	1,213.56	1,193.75	1,193.75	1,193.75	Average (State Ave, Kit Carson)
Colorado	Routt	SAFFLOWER	Pound	924.56	929.56	909.75	909.75	908.75	Average (State Ave, Wyoming Ave)
Colorado	San Miguel	SAFFLOWER	Pound	1,114.50	1,114.50	956.00	956.00	956.00	Average Montezuma, Dolores
Colorado	Weld	SAFFLOWER	Pound	912.38	915.71	894.40	894.40	893.83	Average (State Ave, Nebraska Ave, Wyoming Ave)
			State Average	1,154.13	1,154.13	1,114.50	1,114.50	1,114.50	
			Kansas Average	560.00	560.00	560.00	560.00	560.00	
			Nebraska Average	888.00	888.00	863.70	863.70	864.00	
			Utah Average	526.67	566.67	565.17	566.33	587.83	
			Wyoming Average	695.00	705.00	705.00	705.00	703.00	

2019, 2021-2023 Soybeans All Actual Yield

State Name	County Name	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Arapahoe	SOYBEANS	Bushel	44.18	48.80	49.00	47.63	48.00	Adams = Arapahoe
			State Average	44.18	46.71	54.79	49.71	50.62	

2019-2023 Soybeans All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T- Yield	CY 2020 All T- Yield	CY 2021 All T- Yield	CY 2022 All T- Yield	CY 2023 All T- Yield	Decision Criteria
Colorado	Arapahoe	SOYBEANS	Bushel	40.81	40.88	34.42	41.06	41.06	Adams = Arapahoe
			State Average	40.81	40.88	40.49	41.06	41.01	

Exhibit 1

2019-2023 Sunflower Seed All Actual Yield

State Name	County Name	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Crowley	SUNFLOWER SEED	Pound	856.21	560.00	982.60	434.47	744.72	Average Kiowa, Lincoln, Elbert
Colorado	Douglas	SUNFLOWER SEED	Pound	792.11	376.38	727.99	320.46	532.46	Average Arapahoe, Elbert,
Colorado	Las Animas	SUNFLOWER SEED	Pound	918.44	786.89	845.21	621.23	872.50	Average Baca, Bent
Colorado	Rio Grande	SUNFLOWER SEED	Pound	1,087.10	759.25	955.17	557.38	759.19	Average (State Ave. Montezuma, La Plata)
Colorado	Routt	SUNFLOWER SEED	Pound	1,104.09	742.50	978.90	561.59	817.28	Average (State Ave, Larimer)
			State Average	1,101.29	711.77	957.80	574.22	847.56	

2019-2023 Sunflower Seed All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T- Yield	CY 2020 All T- Yield	CY 2021 All T- Yield	CY 2022 All T- Yield	CY 2023 All T- Yield	Decision Criteria
Colorado	Douglas	SUNFLOWER SEED	Pound	747.00	747.00	747.00	634.50	590.00	Average Arapahoe, Elbert,
Colorado	Las Animas	SUNFLOWER SEED	Pound	919.50	859.00	933.00	829.00	844.50	Average Baca, Bent
Colorado	Rio Grande	SUNFLOWER SEED	Pound	1,018.53	1,024.40	996.86	960.07	965.15	Average (State Ave. Montezuma, La Plata)
Colorado	Routt	SUNFLOWER SEED	Pound	933.80	942.60	935.67	934.31	941.93	Average (State Ave, Larimer)
			State Average	895.60	913.20	899.33	896.62	911.86	

2019-2023 Wheat All Actual Yield

State Name	County Name	Crop Name	Unit	CY 2019 All Actual Yield	CY 2020 All Actual Yield	CY 2021 All Actual Yield	CY 2022 All Actual Yield	CY 2023 All Actual Yield	Decision Criteria
Colorado	Broomfield	WHEAT	Bushel	34.85	26.69	34.13	21.94	37.94	Average Boulder, Adam
Colorado	Grand	WHEAT	Bushel	38.76	30.60	35.83	32.77	36.15	Average Routt, Boulder, Larimer
Colorado	Ouray	WHEAT	Bushel	22.61	27.00	81.95	21.31	25.33	Average Montrose, San Miguel, Delta
Colorado	Pitkin	WHEAT	Bushel	35.81	27.00	117.06	27.50	17.50	Average Eagle, Delta
			State Average	47.64	31.33	37.55	28.00	32.44	

2019-2023 Wheat All T-Yield

State Name	County Name	Crop Name	Unit	CY 2019 All T- Yield	CY 2020 All T- Yield	CY 2021 All T- Yield	CY 2022 All T- Yield	CY 2023 All T- Yield	Decision Criteria
Colorado	Grand	WHEAT	Bushel	29.67	31.00	31.33	30.67	35.67	Average Routt, Boulder, Larimer
Colorado	Ouray	WHEAT	Bushel	59.00	57.33	57.33	57.33	59.00	Average Montrose, San Miguel, Delta
			State Average	37.73	39.71	40.06	40.31	40.76	