

**BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA
E VANIGLIA V2**

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: BLK0033-2
Product name: SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA E VANIGLIA V2
UFI: 1JUA-J3HY-KX04-SM29

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses	Industrial	Professional	Consumer
Air freshener	-	-	✓

Uses Advised Against

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

Name: Suarez Company
Full address: Via Pergolesi , 1 ang. Via Monteverdi
District and Country: 20811 Cesano Maderno
Italia
Tel. +39 0362 659766

www.suarezcompany.it

e-mail address of the competent person
responsible for the Safety Data Sheet

info@suarezcompany.it

1.4. Emergency telephone number

For urgent inquiries refer to

Suarez Company

+39 0362 659766

(8:30 - 12:30 13:30-17:30)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Flammable liquid, category 2	H225	Highly flammable liquid and vapour.
Eye irritation, category 2	H319	Causes serious eye irritation.

**BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA
E VANIGLIA V2**

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

EUH208 Contains: 2H-CHROMEN-2-ONE
May produce an allergic reaction.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice / attention.

P501 Dispose of contents / container in accordance with current regulations.

P302+P352 IF ON SKIN: Wash with plenty of water

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

**BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA
E VANIGLIA V2****3.2. Mixtures**

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
ETHANOL		
INDEX 603-002-00-5	$74 \leq x < 78$	Flam. Liq. 2 H225, Eye Irrit. 2 H319
EC 200-578-6		Eye Irrit. 2 H319: $\geq 50\%$
CAS 64-17-5		
REACH Reg. 01-2119457610-43		
ANISALDEHYDE		
INDEX -	$0,7 \leq x < 0,8$	Repr. 2 H361fd, Aquatic Chronic 3 H412
EC 204-602-6		
CAS 123-11-5		
REACH Reg. 01-2119977101-43		
2H-CHROMEN-2-ONE		
INDEX -	$0,4 \leq x < 0,45$	Acute Tox. 4 H302, Skin Sens. 1 H317, Aquatic Chronic 3 H412
EC 202-086-7		ATE Oral: 500 mg/kg
CAS 91-64-5		
REACH Reg. 01-2119943756-26		
2,6-di-tert-butyl-p-cresol		
INDEX -	$0,1 \leq x < 0,15$	Aquatic Chronic 1 H410 M=1
EC 204-881-4		
CAS 128-37-0		
REACH Reg. 01-2119565113-46		
toluene		
INDEX 601-021-00-3	$0 < x < 0,05$	Flam. Liq. 2 H225, Repr. 2 H361d, Asp. Tox. 1 H304, STOT RE 2 H373, Skin Irrit. 2 H315, STOT SE 3 H336
EC 203-625-9		
CAS 108-88-3		
REACH Reg. 01-2119471310-51-		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

Rescuer protection

**BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA
E VANIGLIA V2**

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

If symptoms occur, whether acute or delayed, consult a doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

Suarez Company

Revision nr. 2

Dated 14/02/2025

BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA E VANIGLIA V2

Printed on 14/02/2025

5/21

Replaced revision:1 (Dated: 01/09/2023)

Send away individuals who are not suitably equipped. Use explosion-proof equipment. Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany):

3

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	NAŘÍZENÍ VLÁDY ze dne 10. května 2021, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci
DEU	Deutschland	Forschungsgemeinschaft MAK- und BAT-Werte-Liste 2022 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe Mitteilung 58
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019

Suarez Company				Revision nr. 2	
BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA E VANIGLIA V2				Dated 14/02/2025	
				Printed on 14/02/2025	
				6/21	
				Replaced revision:1 (Dated: 01/09/2023)	
ESP	España	Límites de exposición profesional para agentes químicos en España 2023 Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021 HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH HÄLSOVÄRDSMINISTERIETS PUBLIKATIONER 2020:25 Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``» Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021) Decreto Legislativo 9 Aprile 2008, n.81 Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255 Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006 Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1) NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19) EH40/2005 Workplace exposure limits (Fourth Edition 2020) Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. ACGIH 2023			
FRA	France				
FIN	Suomi				
GRC	Ελλάδα				
HUN	Magyarország				
HRV	Hrvatska				
ITA	Italia				
NOR	Norge				
NLD	Nederland				
PRT	Portugal				
POL	Polska				
ROU	România				
SWE	Sverige				
SVK	Slovensko				
Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19)					
SVN	Slovenija				
GBR	United Kingdom				
EU	OEL EU				
	TLV-ACGIH				
ETHANOL					
Threshold Limit Value					
Type	Country	TWA/8h	STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm
TLV	BGR	1000			
TLV	CZE	1000		3000	
AGW	DEU	960	500	1920	1000
MAK	DEU	960	500	1920	1000
TLV	DNK	1900	1000		
VLA	ESP			1910	1000
VLEP	FRA	1900	1000	9500	5000
HTP	FIN	1900	1000	2500	1300
TLV	GRC	1900	1000		
AK	HUN	1900		7600	
GVI/KGVI	HRV	1900	1000		
TLV	NOR	950	500		
TGG	NLD	260		1900	
NDS/NDSch	POL	1900			
NGV/KGV	SWE	1000	500	1900	1000

Suarez Company					Revision nr. 2				
BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA E VANIGLIA V2					Dated 14/02/2025				
					Printed on 14/02/2025				
					7/21				
Replaced revision:1 (Dated: 01/09/2023)									
NPEL	SVK	960	500	1920					
WEL	GBR	1920	1000						
TLV-ACGIH				1884	1000				
Predicted no-effect concentration - PNEC									
Normal value in fresh water				0,96	mg/l				
Normal value in marine water				0,79	mg/l				
Normal value for fresh water sediment				3,6	mg/kg				
Normal value for marine water sediment				2,9	mg/kg				
Normal value for water, intermittent release				2,75	mg/l				
Normal value of STP microorganisms				580	mg/l				
Normal value for the food chain (secondary poisoning)				0,38	mg/kg				
Normal value for the terrestrial compartment				0,63	mg/kg				
Health - Derived no-effect level - DNEL / DMEL									
	Effects on consumers				Effects on workers				
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic	
Oral				87 mg/kg bw/d					
Inhalation				114 mg/m3	950 mg/m3				
Skin				206 mg/kg bw/d	343 mg/kg bw/d				
ANISALDEHYDE									
Predicted no-effect concentration - PNEC									
Normal value in fresh water				0,081	mg/l				
Normal value in marine water				0,008111	mg/l				
Normal value for fresh water sediment				0,409	mg/kg				
Normal value for marine water sediment				0,0409	mg/kg				
Normal value for water, intermittent release				0,8111	mg/l				
Normal value of STP microorganisms				4,5	mg/l				
Normal value for the terrestrial compartment				0,0967	mg/kg				
Health - Derived no-effect level - DNEL / DMEL									
	Effects on consumers				Effects on workers				
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic	
Oral				2,5 mg/kg bw/d					
Inhalation				4,35 mg/m3	14.7 mg/m3				
Skin				4,2 mg/kg bw/d	6,9 mg/kg bw/d				
2H-CHROMEN-2-ONE									
Predicted no-effect concentration - PNEC									
Normal value in fresh water				0,019	mg/l				
Normal value in marine water				0,0019	mg/l				
Normal value for fresh water sediment				0,15	mg/kg				
Normal value for marine water sediment				0,015	mg/kg				
Normal value for water, intermittent release				0,0142	mg/l				

Suarez Company						Revision nr. 2		
BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA E VANIGLIA V2						Dated 14/02/2025		
						Printed on 14/02/2025		
						8/21 Replaced revision:1 (Dated: 01/09/2023)		
Normal value of STP microorganisms				6,4		mg/l		
Normal value for the food chain (secondary poisoning)				30,7		mg/kg		
Normal value for the terrestrial compartment				0,018		mg/kg		
Health - Derived no-effect level - DNEL / DMEL								
		Effects on consumers			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,39 mg/kg bw/d				
Inhalation				1,69 mg/m3				6,78 mg/m3
Skin				0,39 mg/kg bw/d				0,79 mg/kg bw/d
2,6-di-tert-butyl-p-cresol								
Predicted no-effect concentration - PNEC								
Normal value in fresh water				0,000199		mg/l		
Normal value in marine water				0,02		µg/l		
Normal value for fresh water sediment				0,0996		mg/kg		
Normal value for marine water sediment				0,00996		mg/kg		
Normal value for water, intermittent release				0,00199		mg/l		
Normal value of STP microorganisms				0,17		mg/l		
Normal value for the food chain (secondary poisoning)				8,33		mg/kg		
Normal value for the terrestrial compartment				0,04769		mg/kg		
Health - Derived no-effect level - DNEL / DMEL								
		Effects on consumers			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,25 mg/kg bw/d				
Inhalation				0,86 mg/m3				3,5 mg/m3
Skin				0,25 mg/kg bw/d				0,5 mg/kg bw/d
toluene								
Threshold Limit Value								
Type	Country	TWA/8h		STEL/15min		Remarks / Observations		
		mg/m3	ppm	mg/m3	ppm			
TLV	BGR	150		300				
TLV	CZE	200		500		SKIN		
AGW	DEU	190	50	760	200	SKIN		
MAK	DEU	190	50	760	200			
TLV	DNK	94	25			SKIN		
VLA	ESP	192	50	384	100	SKIN		
VLEP	FRA	76,8	20	384	100	SKIN		
HTP	FIN	81	25	380	100	SKIN		
TLV	GRC	192	50	384	100			
AK	HUN	190		760				
GVI/KGVI	HRV	192	50	384	100	SKIN		

VLEP	ITA	192	50			SKIN		
TLV	NOR	94	25			SKIN		
TGG	NLD	150		384				
VLE	PRT	192	50	384	100	SKIN		
NDS/NDSch	POL	100		200				
TLV	ROU	192	50	384	100	SKIN		
NGV/KGV	SWE	192	50	384	100	SKIN		
NPEL	SVK	192	50	384		SKIN		
MV	SVN	192	50	384	100	SKIN		
WEL	GBR	191	50	384	100	SKIN		
OEL	EU	192	50	384	100	SKIN		
TLV-ACGIH		75,4	20					
Predicted no-effect concentration - PNEC								
Normal value in fresh water				0,68	mg/l			
Normal value in marine water				0,68	mg/l			
Normal value for fresh water sediment				16,39	mg/kg/d			
Normal value for marine water sediment				16,39	mg/kg/d			
Normal value for water, intermittent release				0,68	mg/l			
Normal value of STP microorganisms				13,61	mg/l			
Normal value for the food chain (secondary poisoning)				2,89	mg/kg soil dw			
Health - Derived no-effect level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				8,13 mg/kg bw/d				
Inhalation	226 mg/m3	226 mg/m3	56,5 mg/m3	56,5 mg/m3	384 mg/m3	384 mg/m3	192 mg/m3	192 mg/m3
Skin				226 mg/kg bw/d				384 mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

Suarez Company

Revision nr. 2

Dated 14/02/2025

BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA E VANIGLIA V2

Printed on 14/02/2025

10/21

Replaced revision:1 (Dated: 01/09/2023)

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

Consider the appropriateness of providing antistatic clothing in the case of working environments in which there is a risk of explosion.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	Temperature: 20 °C
Colour	pink	Temperature: 20 °C
Odour	characteristic	Method:internal
Melting point / freezing point	-114 °C	Method:not specified
		Remark:ACGIG, 2014; HSDB 2015; INRS, 2011
		Substance:ETHANOL
Initial boiling point	78,5 °C	Method:not specified
		Remark:ACGIH, 2014, at atmospheric pressure
		Substance:ETHANOL
		Initial boiling point: 78 °C
Flammability	flammable liquid	Method: ISO 3679:2015
Lower explosive limit	3,3 % (v/v)	Method:Not specified
		Remark:INAIL, 2018
		Substance:ETHANOL
		Temperature: 20 °C
Upper explosive limit	19 % (v/v)	Method:Not specified
		Remark:INAIL, 2018
		Substance:ETHANOL
		Temperature: 20 °C
Flash point	18,7 °C	Method: ISO 3679:2015

Suarez Company

Revision nr. 2

Dated 14/02/2025

BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA E VANIGLIA V2

Printed on 14/02/2025

11/21

Replaced revision:1 (Dated: 01/09/2023)

Auto-ignition temperature	363 °C	Method:not specified Substance:ETHANOL
Reason for missing data:It only applies to authoritative substances and mixtures, organic peroxides and other substances and mixtures that they can decompose		
Decomposition temperature	not available	Method:not specified
pH	5 - 8	Remark:64-17-5 10% in H2O
		Temperature: 20 °C
Kinematic viscosity	1,5	Method:Not specified
		Remark:64-17-5
		Temperature: 20 °C
Solubility	soluble in water	Method:not specified
		Substance:ETHANOL
		Temperature: 20 °C
Partition coefficient: n-octanol/water	-0,35	Method:not specified
		Substance:ETHANOL
		Temperature: 20 °C
Vapour pressure	5,9 kPa	Method:not specified
		Substance:ETHANOL
		Vapour pressure: 45 mmHg
		Temperature: 20 °C
Density and/or relative density	0,855 g/cm3	Method:internal
		Temperature: 20 °C
Relative vapour density	1,6	Method:HSDB, 2015; INRS, 2011
		Substance:ETHANOL
		Temperature: 20 °C

Particle characteristics

Median equivalent diameter

Remark: It only applies to solids

Size distribution

Remark: It only applies to solids

Dustiness

Remark: It only applies to solids

Specific surface area

Remark: It only applies to solids

Shape

Remark: It only applies to solids

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 0

VOC (volatile carbon) 0

Explosive properties not available

Reason for missing data:Absent chemical groups associated with explosive properties

**BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA
E VANIGLIA V2**

Oxidising properties

not available

in accordance with the provisions of Annex I,
Part 2, chap. 2.1.4.3 of Reg. (EC) 1272/2008
- CLP

Reason for missing data: Absent requirements
related to the presence of atoms or chemical
bonds associated with oxidizing properties in
the molecules of the components according
to Annex I, Part 2, 2.13.4 Reg. (CE)
1272/2008

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

toluene

Avoid exposure to: light.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

ETHANOL

Risk of explosion on contact with: alkaline metals,alkaline oxides,calcium hypochlorite,sulphur monofluoride,acetic anhydride,acids,concentrated hydrogen peroxide,perchlorates,perchloric acid,perchloronitrile,mercury nitrate,nitric acid,silver,silver nitrate,ammonia,silver oxide,ammonia,strong oxidising agents,nitrogen dioxide.May react dangerously with: bromoacetylene,chlorine acetylene,bromine trifluoride,chromium trioxide,chromyl chloride,fluorine,potassium tert-butoxide,lithium hydride,phosphorus trioxide,black platinum,zirconium (IV) chloride,zirconium (IV) iodide.Forms explosive mixtures with: air.

toluene

Risk of explosion on contact with: fuming sulphuric acid,nitric acid,silver perchlorate,nitrogen dioxide,non-metal halogenates,acetic acid,organic nitrocompounds.May form explosive mixtures with: air.May react dangerously with: strong oxidising agents,strong acids,sulphur.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

ETHANOL

Avoid exposure to: sources of heat,naked flames.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

**BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA
E VANIGLIA V2**

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

toluene
WORKERS: inhalation; contact with the skin.
POPULATION: ingestion of contaminated food or water; inhalation of ambient air; contact with the skin of products containing the substance.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

toluene
Toxic effect on the central and peripheral nervous system with encephalopathy and polyneuritis; irritating for the skin, conjunctiva, cornea and respiratory apparatus.

Interactive effects

toluene
Certain drugs and other industrial products can interfere with the metabolism of the toluene.

ACUTE TOXICITY

ATE (Inhalation) of the mixture:	Not classified (no significant component)
ATE (Oral) of the mixture:	Not classified (no significant component)
ATE (Dermal) of the mixture:	Not classified (no significant component)

ETHANOL

LD50 (Oral):	> 5000 mg/kg Rat
LC50 (Inhalation vapours):	120 mg/l/4h Pimephales promelas

ANISALDEHYDE

LD50 (Dermal):	> 5000 mg/kg rabbit
LD50 (Oral):	3210 mg/kg rat
LC50 (Inhalation vapours):	0,32 mg/l/7h 7h, rat

2H-CHROMEN-2-ONE

LD50 (Dermal):	293 mg/kg bw rat
LD50 (Oral):	290 mg/kg bw rat
LC50 (Inhalation mists/powders):	293 mg/kg rat

2,6-di-tert-butyl-p-cresol

LD50 (Dermal):	> 2000 mg/kg rat
LD50 (Oral):	2930 mg/kg rat

Suarez Company	Revision nr. 2
	Dated 14/02/2025
	Printed on 14/02/2025
	14/21
BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA E VANIGLIA V2	
Replaced revision:1 (Dated: 01/09/2023)	

toluene
LD50 (Dermal): > 5000 mg/kg bw Rabbit
LD50 (Oral): > 5000 mg/kg bw Rat
LC50 (Inhalation vapours): 100 ppm human

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:
2H-CHROMEN-2-ONE

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

toluene
Classified in Group 3 (not classifiable as a human carcinogen) by the International Agency for Research on Cancer (IARC) - (IARC, 1999).
The US Environmental Protection Agency (EPA) affirms that "the data is inadequate for an assessment of the carcinogenic potential".

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or

**BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA
E VANIGLIA V2**

contaminate soil or vegetation.

12.1. Toxicity

toluene

LC50 - for Fish	5,5 mg/l/96h Oncorhynchus kisutch
EC50 - for Crustacea	3,78 mg/l
EC50 - for Algae / Aquatic Plants	134 mg/l/3 h Chlorella vulgaris and Chlamydomonas angulosa
Chronic NOEC for Algae / Aquatic Plants	10 mg/l/72 h Skeletonema costatum

ANISALDEHYDE

LC50 - for Fish	148,32 mg/l/96h Leuciscus idus
EC50 - for Crustacea	82,8 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	81,11 mg/l/72h Desmodesmus subspicatus
Chronic NOEC for Fish	100 mg/l/96h Leuciscus idus

2,6-di-tert-butyl-p-cresol

LC50 - for Fish	0,199 mg/l/96h
EC50 - for Crustacea	0,48 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 0,4 mg/l/72h
Chronic NOEC for Fish	0,053 mg/l
Chronic NOEC for Crustacea	0,15 mg/l

ETHANOL

LC50 - for Fish	14200 mg/l/96h
EC50 - for Crustacea	454 mg/l/48h
EC50 - for Algae / Aquatic Plants	275 mg/l/72h
Chronic NOEC for Fish	250 mg/l
Chronic NOEC for Crustacea	96 mg/l
Chronic NOEC for Algae / Aquatic Plants	11,5 mg/l

2H-CHROMEN-2-ONE

LC50 - for Fish	1,324 mg/l/96h
EC50 - for Crustacea	8,012 mg/l/48h
EC50 - for Algae / Aquatic Plants	1,452 mg/l/72h
Chronic NOEC for Fish	0,119 mg/l
Chronic NOEC for Crustacea	0,448 mg/l
Chronic NOEC for Algae / Aquatic Plants	0,408 mg/l

12.2. Persistence and degradability

toluene

Solubility in water	100 - 1000 mg/l
---------------------	-----------------

Rapidly degradable

ANISALDEHYDE

Rapidly degradable

**BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA
E VANIGLIA V2**

2,6-di-tert-butyl-p-cresol

Rapidly degradable

ETHANOL

Solubility in water

1000 - 10000 mg/l

Rapidly degradable

2H-CHROMEN-2-ONE

Rapidly degradable

12.3. Bioaccumulative potential

toluene

Partition coefficient: n-octanol/water

2,73

BCF

90

2,6-di-tert-butyl-p-cresol

Partition coefficient: n-octanol/water

5,1

BCF

598,4 -

ETHANOL

Partition coefficient: n-octanol/water

-0,35

12.4. Mobility in soil

toluene

Partition coefficient: soil/water

2,31

ANISALDEHYDE

Partition coefficient: soil/water

1

2,6-di-tert-butyl-p-cresol

Partition coefficient: soil/water

4,2

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

Suarez Company

Revision nr. 2

Dated 14/02/2025

BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA E VANIGLIA V2

Printed on 14/02/2025

17/21

Replaced revision:1 (Dated: 01/09/2023)

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID, IMDG, IATA: UN 1170

14.2. UN proper shipping name

ADR / RID: ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (ETHANOL)

IMDG: ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (ETHANOL)

IATA: ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (ETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 3 Label: 3

IMDG: Class: 3 Label: 3

IATA: Class: 3 Label: 3



14.4. Packing group

ADR / RID, IMDG, IATA: II

14.5. Environmental hazards

ADR / RID: NO

IMDG: not marine pollutant

IATA: NO

14.6. Special precautions for user

ADR / RID: HIN - Kemler: 33

Special provision: 144, 601

Limited
Quantities: 1
lt

Tunnel
restriction
code: (D/E)

Suarez Company

Revision nr. 2

Dated 14/02/2025

BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA E VANIGLIA V2

Printed on 14/02/2025

18/21

Replaced revision:1 (Dated: 01/09/2023)

IMDG:	EMS: F-E, S-D	Limited Quantities: 1 lt	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 364
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 353
	Special provision:	A3, A58, A180	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: P5c

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

**BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA
E VANIGLIA V2**

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 3: Severe hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2	Flammable liquid, category 2
Repr. 2	Reproductive toxicity, category 2
Acute Tox. 4	Acute toxicity, category 4
Asp. Tox. 1	Aspiration hazard, category 1
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H225	Highly flammable liquid and vapour.
H361d	Suspected of damaging the unborn child.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H373	May cause damage to organs through prolonged or repeated exposure.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

**BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA
E VANIGLIA V2**

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
 23. Delegated Regulation (UE) 2023/707
 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)

Suarez Company

Revision nr. 2

Dated 14/02/2025

BLK0033-2 - SWEET HOME - PROFUMATORE AMBIENTE ORCHIDEA E VANIGLIA V2

Printed on 14/02/2025

21/21

Replaced revision:1 (Dated: 01/09/2023)

- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 04 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.