


2014

Flint changes water source from Detroit to the Flint River




2015

New water corrodes lead pipes

Lead gets into water → Lead **poisoning**











LEAD





PROBLEM

No city record of pipes, and digging up pipes is **expensive**

BLUECONDUIT'S MODEL

Uses city data to predict copper/lead.

- Model has 81% hit rate
- 15% hit rate without model



BLUECONDUIT'S MODEL

Uses city data to predict copper/lead.

- Model has 81% hit rate
- 15% hit rate without model



OUR TASK

Current Model

Uses no spatial predictors (e.g. long/latitude)

Goal

Improve accuracy of model using spatial predictors



OUR TASK

Current Model

Uses no spatial predictors (e.g. long/latitude)

Goal

Improve accuracy of model using spatial predictors



METHOD

1

NAIVE

Insert long/latitude as predictors.

2


SIMPLE

Group by regions, k-NN, autocorrelation, etc.

3

DIFFUSION

Encode homes with graph nodes, then model info sharing based on proximity.



METHOD

1

NAIVE

Insert long/latitude as predictors.

2


SIMPLE

Group by regions, k-NN, autocorrelation, etc.

3

DIFFUSION

Encode homes with graph nodes, then model info sharing based on proximity.



METHOD

1

NAIVE

Insert long/latitude as predictors.

2


SIMPLE

Group by regions, k-NN, autocorrelation, etc.

3


DIFFUSION

Encode homes with graph nodes, then model info sharing based on proximity.



WHAT IS SUCCESS?

- Spatial info improves current model's "hit rate".
- [Stretch] Spatial info improves model with small sample sizes.





Save lives in Flint

Save \$\$\$ in Flint

Save lives and \$\$\$ elsewhere

