

Setting Up Link Resolvers in ClinicalKey AI

Overview

ClinicalKey AI supports institutional link resolvers to help users access full-text journal articles through their library subscriptions. To use this feature, your institution must subscribe to a link resolver service (e.g., Ex Libris, EBSCO, OCLC). When configured, ClinicalKey AI will include a resolver link for each cited article, alongside PubMed and ClinicalKey links, where available.

Benefits

- Redirect users to full-text articles your institution already pays for
- Avoid unnecessary paywalls
- Maximize value from existing library subscriptions

How to Set It Up

To configure your institution's link resolver in ClinicalKey AI:

1. Submit a Support Request

Visit the [ClinicalKey AI Support Center](#) and submit a ticket requesting Link Resolver setup.

2. Include the Following Details in Your Request:

- Your institution's preferred link resolver base URL (must support the OpenURL standard). Your systems librarian, collection management librarian, or e-resources librarian will usually have this information.
- A logo to visually identify your resolver link and serve as the link resolver button. (Optional but recommended)

Logo Requirements

- The logo must be provided as a publicly accessible image URL (e.g., ending in .svg, .png, or .jpg). File uploads are not supported.
- Avoid screenshots or blurry images. Use the highest-quality logo available to you (ideally a PNG or SVG from your Communications or Branding team).
- If possible, use a version that is cropped tightly to the logo, without extra white space or padding.
- Logos will be scaled to 24px in height in the CK AI interface. Higher-resolution images will display more clearly when scaled.

Once your request is submitted, our support team will configure the link resolver for your institution and notify you once setup is complete. At that point, you'll be able to verify that resolver links are appearing correctly alongside citations in ClinicalKey AI.

Need Help?

For assistance, please submit a request through the [ClinicalKey AI Support Center](#).

Visuals

This screenshot shows an example of the default logo used when an organization does not provide a logo or when the submitted logo does not meet requirements. In practice, the placeholder text 'Elsevier Inc. Philadelphia' would be replaced with the organization's name.

Additional Information

References

1 Molecular Pathology of Breast Tumors ↗

Ross DS, Pareja F.
Surgical Pathology Clinics. 2021;14(3):455-471. doi:10.1016/j.path.2021.05.009

Last updated: August 31, 2021

 View at Elsevier Inc Philadelphia ↗

Details

This is an example of the default logo. Elsevier Inc Philadelphia is a place holder organization name.

Tips