Session — 2026-05-18 (EVE) — Frontend Polish Day

Branch: `feature/openai-realtime-migration` **Commits this session:** 13 — all pushed **HEAD:** `f6297a3` **Scope:** Single-evening frontend polish push. Regression fix on Store Overview KPI cards, full design-token migration across 31 CSS modules, admin / store / agency surface improvements, primitives (Skeleton + LoadMore) introduced and swept across every fetch-bound page, JSON diff viewer for AuditLog with mobile collapse fix, and dependency hygiene around recharts.

This is the third session of 2026-05-18 (after morning Phase 2 completion and afternoon Frontend Foundation Day). Earlier sessions: `docs/sessions/2026-05-18_phase2-completion/` and `docs/sessions/2026-05-18_responsive-and-proof-v2/`.

---

1. Commit chain

```
f6297a3  feat(agency):     skeleton loading for Overview + StoreDetail tabs
09adb4a  feat(store):      extend skeleton loading to store pages
73eefe3  feat(ui):         LoadMore primitive + Users/Agencies/Stores pagination
84272e9  fix(admin):       AuditLog diff mobile layout collapse
3886570  feat(ui):         Skeleton primitive + admin loading shimmer sweep
042a469  chore(deps):      pin recharts + retire one stray hex + record E2 completion
422d88a  feat(admin):      key-level diff for AuditLog before/after
af471b8  feat(store):      inline diff viewer for AI persona drafts
8a8081e  feat(store):      weekly busy schedule heatmap
9a8330b  feat(admin):      Stores multi-select + bulk Enable/Disable/Delete
a1ecfec  feat(admin):      donut chart + call volume bar on Overview
c20bab2  refactor(design): migrate 31 CSS modules to design tokens (Cat E2)
79b1ecd  fix(store):       stabilize handleMetrics with useCallback to break KPI fetch loop
```

13 commits · ≈ 50 files touched · ≈ +3,400 / –1,200 LOC.

---

2. Regression fix — Store Overview KPI render loop

Symptom

Admin reported KPI cards (MCRR / LCS / Total Monthly Impact / Supporting KPIs) stuck on `–` on both desktop and phone. Network tab showed `/store/metrics` resolved 200 with a populated body.

Root cause

The `2becdac` Section Registry refactor introduced a parent → child callback wire (`PrimaryKpiSection` fetches and notifies `Overview` via `onMetrics`). `handleMetrics` was a fresh function on every render. `PrimaryKpiSection`'s `useEffect([period, onMetrics])` therefore re-fired after each successful fetch, set `loading = true`, and never resolved before the next cycle started.

Fix (`79b1ecd`)

```
const handleMetrics = useCallback((m: Metrics | null) => {
  setMetrics(m); setLoadingMetrics(false);
}, []);
```

One-line change. KPIs render normally and the rule is now durable for any future section using an `onMetrics`-style callback.

---

3. Cat E2 — Design token migration (`c20bab2`)

Scope

31 / 31 CSS modules swept. **1,107 hex literals** → **`var(--color-*)`**. Zero visual change — every token resolves to the original hex.

Token additions (11)

`--color-brand-soft`, `--color-brand-soft-border`, `--color-brand-darker`, `--color-warn-soft`, `--color-warn-soft-border`, `--color-success-soft`, `--color-info-soft`, plus four sky/blue info shades that were already defined but not in the migration map (`--color-info`, `--color-info-bg`, `--color-info-border`, `--color-info-fg`).

Migration policy (in `tokens.css`)

- 2026-05-18 PM — tokens scaffold + new-code obligation.
- 2026-05-18 EVE — Cat E2 sweep complete. New components MUST use these variables.
- Remaining sparse hex (≤ 4 uses each: `#22c55e`, `#374151`, `#3730a3`, etc.) are intentional palette variations — promote only when reused in 3+ semantic places.
- recharts `<Cell fill>` / `<Bar fill>` need raw hex (SVG attributes don't interpolate CSS vars). Keep hex literals; sync with matching token comment.

---

4. Cat C — Admin polish

Admin Overview (`a1ecfec`)

Replaced the custom horizontal bar list with a recharts donut for **Stores by Vertical** (with swatch+icon legend and percent), and added a **Call Volume** stacked bar fed by `/admin/health/calls` (1h / 24h / 7d, Successful vs Failed). 2-column chart grid collapses to 1-col at ≤1024 px; KPI row drops to 1-col at ≤640 px.

Admin Stores — multi-select + bulk (`9a8330b`)

List view gains a checkbox column with select-all bound to the **currently displayed slice** (so selection grows predictably as Load more reveals more rows). A bulk bar appears when ≥1 row is selected: `Enable · Disable · Delete · Clear`. Each bulk action confirms with a 3-store preview + `+N more` suffix, then fires

`Promise.allSettled` so partial failures surface in the toast (`Disabled 2 / 3 (1 failed)`). Cards / compact views are left selection-less and clear selection on view switch.

System Health

Already shipped 30s polling + last-updated stamp + auto-refresh toggle in a prior session — left untouched.

---

5. Cat D2 — Store polish

Settings — Weekly Busy heatmap (`8a8081e`)

A **7 × 24 visual heatmap** above the editable schedule rows. Hour cells whose interval overlaps any saved busy window light up brand-blue. Day labels are buttons that smooth-scroll to the matching editable row. On phone the heatmap scrolls horizontally and cells shrink slightly. The existing chip + Add editor remains the source of truth.

AI Voice Bot — inline persona diff (`af471b8`)

Both persona textareas (Core AI Persona, Daily Instructions) gain a **Show diff** toggle that only appears when the draft differs from the saved value. Toggling renders an **LCS-based line diff** under the textarea — additions in green, removals in red, unchanged lines in slate — with a `+N / −M` summary header. LCS table is O(N×M), fine for a few hundred lines.

---

6. Cat F1 — AuditLog key-level JSON diff (`422d88a`)

Replaced the side-by-side raw JSON blocks with a primary **key-level diff** view:

Symbol	Meaning
`+` green	Added key
`−` red	Removed key
`~` amber	Modified value (`old → new`)
(blank)	Unchanged

A header chip shows `+N / −N / ~N` counts and a **Raw JSON** toggle keeps the original pretty-printed payload one click away for verification. Top-level keys only; nested values compare by `JSON.stringify` equality, which matches how audit payloads are written (flat row diff).

Mobile follow-up fix (`84272e9`)

Phone display showed values broken one glyph per line. Cause: 2-column grid `[16px, 1fr]` plus `word-break: break-word` forced long values into the narrow mark slot. Fix: at ≤640 px, collapse to a single column, hide the `+/−` mark, prefix old/new with sign glyphs inline, and switch to `overflow-wrap: anywhere` so wrapping prefers word boundaries.

---

7. PO cleanup (`042a469`)

Three small but load-bearing hygiene items bundled: 1. **`recharts ^3.8.1` pinned in `package.json`** — the import was added in commit `a1ecfec` but the dependency was never declared. It survived locally because an earlier `--no-save` install left it on disk. `npm install` pruned it and broke the build. Pinning restores fresh-checkout reproducibility (+40 transitive packages). 2. **`#7f1d1d` → `var(--color-danger-deeper)`** — the last hex laggard in `Overview.module.css`. 3. **`tokens.css` migration policy comment** updated to reflect E2 closure and the SVG-attribute caveat.

---

8. Skeleton sweep — Admin + Store + Agency (`3886570`, `09adb4a`, `f6297a3`)

Introduced a shared `<Skeleton>` primitive (`components/Skeleton/`) — a shimmer block that respects `prefers-reduced-motion`, is `aria-hidden`, and comes with a `<SkeletonRow cells={N}>` table-shape helper.

Applied to 13 surfaces

Page	Skeleton form
Admin / Overview	4 KPI tiles + 2 chart panels
Admin / Audit Log	6 timeline rows
Admin / Stores	6 table rows
Admin / Users	6 table rows
Admin / Agencies	5 table rows
Store / Reservations	6 table rows (7 cells)
Store / Call History	6 table rows (8 cells)
Store / Settings	3 section panels
Store / AI Voice Bot	4 section panels + Agent card
Store / Overview (Primary)	3 KPI values (per card)
Store / Overview (Support)	5 KPI values
Store / Live Orders	4 row skeletons
Store / Recent Calls	4 row skeletons
Agency / Overview	4 summary badges + 4 store cards
Agency / StoreDetail Overview tab	4 KPI cards + impact banner
Agency / StoreDetail Call History tab	6 table rows
Agency / StoreDetail Domain tab	6 table rows

---

9. LoadMore primitive + pagination (`73eefe3`)

Shared `<LoadMore>` component (`components/LoadMore/`) renders one of three states: - `Showing N of M [Load 50 more]` - `✓ All N loaded` - nothing (when total is 0)

Applied to **Users / Agencies / Stores** as client-side pagination — a `displayLimit` state (init 50) is incremented in 50-row chunks and reset on filter change. Stores applies it across all three views (cards / list / compact). The list-view select-all now targets only the currently displayed slice, so the meaning of "select all visible" stays predictable as Load more grows the set.

AuditLog (server-side Load more, paged via `offset/limit`) and **Reservations / CallHistory** (server-side `Prev / Next + page jump`) keep their existing pagers — both patterns are already a better fit there than a flat client-side Load more.

---

10. Environment + verification

Aspect	State
`tsc --noEmit`	clean after every commit
`vite build`	OK throughout (2.4 - 3.1 s, ArchProof 23.44 kB / 7.96 kB gzip stable)
Live phone test	confirmed by user after each commit at `http://192.168.0.135:5173`
Dev server PID	5032 alive (background, since AM session)
LAN IP mid-session	changed from `192.168.219.106` → `192.168.0.135` (location move)
Backend ngrok	untouched (`jmtechone.ngrok.app → :8000`) — Twilio webhook live

---

11. DO NOT TOUCH WITHOUT THINKING

Why	What
Backend track parallel ownership	`backend/app/templates/` , `skills/appointment/` , `realtime_voice.py` — separate worker. Beauty MVP Phase 5 live.
`tokens.css` is contract	40 vars used across 31 modules. Renaming `--color-brand-soft` etc. breaks daily-use surface.
Section Registry pattern	`OVERVIEW_SECTIONS` (Store) / `PROOF_SECTIONS` (ArchProof) — adding a section MUST be 1 array entry + 1 component file. Never edit orchestrators.
Mobile rule permanent	All new CSS 640 / 1024 only.
KPI fetch-loop guard	Any new section taking an `onMetrics` -style callback prop MUST wrap it in `useCallback` in the parent.
recharts SVG fill	`<Cell fill>` / `<Bar fill>` cannot use CSS vars — keep hex literals with matching token comment.
package-lock drift	recharts pin pulled +40 packages. Don't `npm prune` without re-checking.

---

12. Inflight observations (for next session)

- 7 sparse hex left in CSS (`#22c55e` × 4, `#374151` × 4, `#3730a3` × 3, etc.) — intentional palette variations. No token promotion warranted unless they cluster.

- `Overview.tsx` (admin) has `'rgba(99, 102, 241, 0.06)'` in a recharts cursor — alpha cannot be cleanly derived from a hex CSS var without `color-mix()`; leave as-is.
- StoreDetail has small inline `style={{ color: '#64748b' }}` etc. — minor cleanup candidate.
- Onboarding wizard steps not yet swept for Skeleton; `Step6_TestCall` still in backend-pending holding pattern.
- Login page is short and well-formed — no polish target.

---

13. Next session — see `[[next-session-frontend-2026-05-19]]`

Candidate options (frontend-owned, ordered by likely impact): 1. **A. Onboarding wizard Skeleton + Step polish** (~30 min) 2. **B. StoreDetail inline-style cleanup** (~20 min) 3. **C. Sparse hex policy decision** (~15 min, optional) 4. **D. P2 vertical-aware widgets** — blocked on backend `/api/store/appointments` 5. **E. Login / Layout polish** — low impact 6. **F. Bundle size investigation** (~30 min)

---

14. Related memories

- `[[session-resume-2026-05-18-eve-frontend-polish]]` — this session's machine-readable resume
- `[[next-session-frontend-2026-05-19]]` — updated entry guide
- `[[session-resume-2026-05-18-responsive]]` — yesterday afternoon (Foundation Day)
- `[[feedback-mobile-responsive-mandatory]]`, `[[feedback-careful-change-protocol]]`, `[[feedback-no-edits-during-live-call]]`, `[[feedback-session-end-pdf-archive]]`