

E1.2.8 OpenRouter Provider Comparison

Date: 2026-07-03T08:32:43.098745+00:00

Provider: OpenRouter

Model: qwen/qwen3.6-plus

Model selection: first_available_yushchenko_source_scope_execution_model

Route: yushchenko.source_scope_gate

Input kind: sanitized digest only

Raw private source sent: false

Provider Output Summary

- **Execution Route:** source_scope_gate → prd_blocks_graph → risk_gate_graph
- **Model:** qwen/qwen3.6-plus (primary execute), with qwen/qwen3-235b-a22b as fallback. Selection driven by role/node-based routing, not epic-based.
- **Input Scope:** Strictly limited to sanitized digest payloads (SRC-E128-MEETING-SUMMARY, SRC-E128-DISCOVERY-METHOD, SRC-E1-PUBLIC-STATE). Raw private source material was excluded from the provider call.
- **Output State:** Structured scope extraction and PRD comparison artifacts generated within the source_scope_gate node. Output remains gated pending ledger validation and AF Review before any frontier model routing or external delivery.

PRD Delta Versus Local Codex Run

- **Local Codex Baseline:** Marked ready_or_review. Contains the approved E1.2.8 testmeeting architecture, local dashboard selector, persistent browser-local chat, and provider-disabled API contract.
- **Provider Run Delta:** Introduces explicit governance gating (blocked_or_gated) for external provider comparison until the sanitized payload and ledger pass. The provider path enforces a structured digest-first workflow, whereas the local Codex run operates directly on browser-local state.
- **Structural Alignment:** Both paths target the same E1.2.8 architecture and service direction (AI-native PRD automation for B2B SaaS product teams). The provider delta adds explicit boundary enforcement and pre-review gating before any downstream PRD block generation.

Evidence And Boundary Review

- **Input Kind:** sanitized_digest_only
- **Raw Private Source Sent:** false
- **Redacted Identifiers:** Private source filenames, personal names, private URLs, Notion URLs, workspace/account/project identifiers, credentials, raw transcript text, raw DOCX body.
- **Boundary Enforcement:** The source_scope_gate node strictly filters inputs to approved digest IDs. No raw transcripts, DOCX bodies, or workspace credentials are exposed to the external provider.

Task/Backlog Improvements

- **Immediate Tasks:**

1. Finalize sanitized payload ledger validation.
2. Execute AF Review on the provider-generated PRD comparison packet.
3. Align provider output structure with the local Codex PRD baseline.
4. Prepare risk_gate_graph transition criteria.

- **Backlog Items (Gated):**

- Durable writeback implementation
- Railway hosted runtime provisioning
- Production promotion checklist
- External delivery channels (Telegram, Notion writeback) remain explicitly out of scope until gates clear.

Risks And Gaps

- **Blocked/Gated States:** External provider comparison, Railway hosted runtime, durable writeback, and production promotion are explicitly blocked until ledger and AF Review gates pass.
- **Ready/Review States:** Local Codex PRD package, local dashboard architecture selector, persistent browser-local chat, proactive interview start, and provider-disabled local API contract are cleared for review.
- **Operational Constraint:** The system is intentionally constrained to local/browser execution. Advancing to hosted runtime or external writeback requires explicit gate clearance and compliance validation.

Recommendation

- Maintain the local Codex PRD package as the authoritative baseline until the sanitized payload ledger passes and AF Review completes.
- Proceed with source_scope_gate → prd_blocks_graph execution using qwen/qwen3.6-plus strictly on the sanitized digest.
- Do not advance to Railway deployment, durable writeback, Telegram delivery, or Notion integration until all blocked_or_gated items are explicitly cleared.
- Focus immediate effort on finalizing the ledger pass, completing the AF Review, and documenting the risk_gate_graph acceptance criteria.

FACT / INTERPRETATION / HYPOTHESIS / GAP Separation

FACT

- The payload is a sanitized_external_provider_payload routed through source_scope_gate.
- Raw private source material was not sent; only sanitized digests (SRC-E128-*) were used.
- External provider comparison, Railway runtime, durable writeback, and production promotion are explicitly blocked_or_gated.
- Local Codex PRD, dashboard selector, browser-local chat, and provider-disabled API contract are ready_or_review.
- Service direction targets AI-native PRD automation for B2B SaaS product teams (Series B–D, 50–500 employees, 2–5 PMs).

INTERPRETATION

- The `source_scope_gate` enforces a strict digest-only boundary to prevent private data exposure during external provider execution.
- The blocked/gated status reflects intentional governance controls, not system failure; progression requires ledger validation and AF Review.
- The local vs. provider delta highlights a transition from direct local context to a governed, sanitized pipeline before any downstream PRD generation.

HYPOTHESIS

- Passing the sanitized payload ledger and completing AF Review will safely unblock external provider comparison without compromising source boundaries.
- Maintaining the provider-disabled local API contract as a fallback will preserve system stability during the transition to hosted runtime.
- Structured digest extraction will scale to frontier models once the `risk_gate_graph` criteria are formally defined and met.

GAP

- No explicit acceptance criteria or validation steps are documented for the `risk_gate_graph` transition.
- Durable state persistence outside browser-local storage is not yet implemented or validated.
- Ledger pass mechanics and AF Review sign-off thresholds are pending definition before external comparison can proceed.