

E1.2.8 Local PRD - Release Kickoff And Discovery-To-Delivery Handoff

Status: local/Codex sanitized PRD output

Architecture: Architecture 1 - PRD/ICP service output

Source Boundary

- Approved inputs: private test meeting transcript, private discovery-methodology document, prior public E1/E1.3 artifacts.
- Excluded raw inputs: raw transcript text, personal names, private URLs, screenshots, credentials, account identifiers.
- Source refs: `source-inventory.md`, `context-digest.md`, public E1 task reports.
- Public/private review status: public-safe derived output; no raw private material stored.

Meeting Summary

The source meeting reflects a product organization trying to improve how customer discovery, internal feedback, release communication, discovery sprints, and operational readiness flow into delivery. The strongest product problem is not a single UI feature. It is the handoff system that turns discovery and leadership discussion into clear release narratives, build-ready requirements, and reviewable priorities.

Product Context

- Product area: Product operating workflow for release kickoff, discovery, and delivery handoff.
- Problem: Product teams have many valuable signals, but the path from meeting discussion to PRD, task readiness, and release communication is inconsistent.
- Target user: Director or VP Product managing several PMs in a B2B SaaS scaleup.
- Non-goals: Replace Jira, Linear, Productboard, Dovetail, Notion, or product managers.
- Constraints: No raw private transcript storage; customer evidence must be source-labeled; provider-backed processing remains gated.

Stakeholders

Role	Owner	Responsibility	Review gate
Product leader	Director or VP Product	Decide operating standard for discovery-to-delivery handoff	Owner review
PM team	Product managers	Run interviews, write discovery notes, prepare release artifacts	PM review
Engineering partner	Engineering/architecture lead	Validate feasibility, scalability, performance, and delivery readiness	Engineering review
Research/UX partner	Research or design lead	Shape discovery sprint, interview method, and evidence quality	Research review
ArchFlow reviewer	AF Review	Verify source boundary, evidence labels, PRD completeness, and blocked claims	AF Review

ICP

- Account shape: B2B SaaS company, Series B-D, 50-500 employees, 2-5 PMs.
- Buyer role: Director or VP Product.
- Trigger: Product team is struggling to turn recurring discovery and leadership discussion into clear PRDs and delivery-ready tasks.
- Disqualifier: Company has no repeated product discovery, no PM team, or only needs a one-off template.
- Confidence: Medium-high for fit with current ICP hypothesis; not validated demand.
- Evidence grade: Internal source fit plus method alignment; external account evidence still belongs to E2.

Pains/JTBD

Job	Pain	Current workaround	Desired outcome	Proof needed
Keep PMs aligned on customer discovery	Interview goals, reminders, and follow-up lose force across meetings	Spreadsheets, manual reminders, ad hoc agendas	Interview cadence with evidence cards and follow-up owners	E2 evidence and owner acceptance
Communicate release value	Kickoff can become too broad, too technical, or too time-constrained	Live meeting plus scattered screenshots/videos	Problem-focused release packet and async deep dives	Pilot on one release
Select discovery sprint candidates	Teams need speed but cannot sprint every problem	Informal judgment	Criteria for when discovery sprint is worth the cost	Definition of Ready
Treat performance as product value	Performance/availability risks surface late	Reactive incident handling	PRD requirements include scale, limits, and Definition of Done	Engineering review
Separate discovery from delivery	Oversized work enters delivery before enough learning	Large issues and late UX/research work	Dual-track flow with discovery-ready and delivery-ready states	Process trial

Existing Workflow

1. Leadership meeting surfaces reminders, process issues, and product operating feedback.
2. PMs and partners manually translate discussion into issues, comments, kickoff material, and discovery work.
3. Some evidence stays in spreadsheets, handbook diffs, kickoff decks, videos, or meeting memory.
4. Engineering, UX, and product readiness concerns can arrive after scope has already formed.

Proposed Workflow

1. Capture a sanitized source packet from meeting, discovery notes, and approved docs.
2. Classify each point as fact, interpretation, hypothesis, gap, decision, risk, or task.
3. Generate PRD sections with evidence labels and explicit non-goals.
4. Convert the PRD into tasks, owner matrix, acceptance criteria, and review gates.
5. Feed approved summaries into the KB so future agents can retrieve the decision state.
6. Run AF Review before Notion/GitHub/WikiLLM/provider/writeback actions.

Requirements

Requirement	Type	Acceptance criteria	Source	Status
Source packet boundary	Safety	Raw transcript and names are excluded from public outputs	Source inventory	Complete

Requirement	Type	Acceptance criteria	Source	Status
Discovery-to-delivery PRD	Functional	PRD includes problem, ICP, workflow, requirements, risks, and tasks	Meeting themes + methodology	Complete
Evidence-labeled backlog	Functional	Every task includes source, owner, output, and gate	PRD template	Complete
Release kickoff improvement	Functional	Kickoff narrative is problem-focused and supports async detail	Meeting themes	Draft
Discovery sprint criteria	Functional	Defines when sprint format is justified	Discovery methodology	Draft
Performance readiness in PRD	Non-functional	PRD includes measurable scale/performance criteria where relevant	Meeting themes	Draft
Provider comparison	Runtime	OpenRouter uses sanitized digest only and writes ledger/budget proof	Provider gate	Gated

Decisions

Decision	Evidence	Owner	Confidence	Review trigger
Focus the PRD on release kickoff and discovery-to-delivery handoff	Dominant meeting themes	Codex local run	Medium-high	Owner acceptance
Treat performance/availability as product requirements	Meeting discussion includes scale and production readiness concerns	Product + engineering	Medium	Engineering review
Keep OpenRouter as separate comparison	Provider policy and budget gate	AF Review	High	Provider run
Use sanitized digest for any provider call	Public-safety and model-routing rules	AF Review	High	Before provider call

Questions

- Which single release or product area should be used for the first buyer-facing sample?
- Should the output be positioned as a PRD rescue, release kickoff redesign, or product operating system diagnostic?
- Which engineering partner owns performance/availability acceptance criteria in the pilot?
- Which PM/research owner confirms that the discovery sprint criteria are practical?

Risks

- Unsupported claim: This run does not prove customer demand or paid willingness.
- Runtime/provider: OpenRouter output must not be merged into local output without ledger and comparison review.
- Delivery: The PRD may be too process-oriented unless tied to one concrete release workflow.
- Data/safety: Raw meeting transcript must remain private.

Next Tasks

Task	Owner	Input	Output	Gate
Review local PRD	Owner + AF Review	This PRD	Accepted/revised PRD	Owner acceptance
Produce OpenRouter comparison	Codex + provider gate	Sanitized digest	OpenRouter PRD + ledger + comparison	Provider approval
Update E1.2.8 Notion task	Messi/Codex	Run artifacts	Status note and links	After artifacts exist
Add dashboard operating manual	LOL/Codex	Current dashboard	Markdown + PDF manual	Browser QA
Prepare Railway task	Ronaldinho/Codex	Local API proof	E1.7 hosted-runtime checklist	Owner approval

Backlog

Epic	Story	Acceptance criteria	Dependency	Priority
Release communication	As a product leader, I want release kickoff content to explain customer value quickly	Packet includes problem, target user, mockup/screenshot needs, and async detail links	Owner sample release	P1
Customer discovery	As a PM lead, I want interview follow-up visible and measurable	Interview targets, owners, and status are captured	Interview spreadsheet source	P1
Discovery sprint	As a PM, I want criteria for when to run a discovery sprint	Criteria include uncertainty, complexity, expected learning, and cost	Research/UX review	P2
Performance readiness	As an engineering partner, I want performance limits in PRDs	Requirements include scale, load, latency, and production readiness where relevant	Engineering review	P1
Dual-track workflow	As a product organization, I want discovery-ready and delivery-ready states	Issues can be classified before delivery commitment	Process owner	P2

Success Metrics

- Time from source packet to reviewed PRD: target measured in days, not weeks.
- Handoff questions reduced: fewer repeated clarifying questions after PRD review.
- Evidence-card completeness: each major claim has source label or gap marker.
- Review latency: owner can approve/revise from one packet.
- Buyer validation signal: later E2/E6 interviews confirm whether this PRD pack solves a paid pain.