

NORTH HUX / ARCHFLOW

YouTube AI-Agent Market Intelligence and Studio Campaign System

10,000-video broad screen · 1,010 creators · evidence-bound two-account strategy · ten original 30-second production plans

Run status: PASS_WITH_LIMITATIONS · strategic denominator: 2,949 analysis-eligible videos · native Shorts proved: 0

English report · 26 August 2026

Public YouTube observations + deterministic analysis + local PostgreSQL lineage + provider-disabled Studio planning

Executive conclusion

North Hux should not compete as another AI-news or tool-roundup account. The defensible territory is the operating layer between an impressive demo and a dependable business workflow: diagnose work, choose agency, define authority, connect evidence, evaluate, recover, and prove value.

The corpus is heavily weighted toward tutorials and agent-building content. The strategic opening is to retain the market's speed and specificity while changing the payload: a product-manager decision, a visible mechanism, an owned proof surface, an operational safeguard, and one next action. Two product-manager voices make this broad enough to sustain: practical integration and governed operations.

What is complete

Layer	Current evidence	Decision use
Market screen	10,000 videos / 1,010 creators	Discovery breadth and collection completeness
Strategic subset	2,949 deterministic relevance-positive videos	Topic, format, hook, story, and CTA distributions
Calibration review	211/250 independently accepted	Precision evidence for the prior 300-account lane
Transcripts	7,677 observed / 10,000 manifested	Hook and script-flow evidence; remaining gaps explicit
Visuals	120 sets / 1,042 frames	Local reference only; separate denominator
Audience	898 inherited calibration comments	Partial voice-of-audience, not 10K-wide sentiment
Studio	10 scripts / 100 individual frames / 10 EDLs	Owner review and creator capture package

Truth boundary

The 10K set is search-ranked and broad-screened; it is not 10,000 qualified direct competitors and not a probability sample. YouTube duration metadata does not prove native Shorts placement. Creator country is not viewer geography. Public metrics expose views, likes, and comments only; shares, sends, saves, retention, impressions, and conversions remain unavailable.

Method: from work to content

The AI Opportunity Audit Playbook is used as strategic context, not as an execution instruction. Its central method starts with work rather than tools: diagnose a workflow, score business value, feasibility, data readiness, risk controllability, and adoption readiness; choose augmentation, automation, or no action; then run the smallest safe pilot with one owner, metric, and review process.

Research layer	Question	Stored output
Discovery	Which English public videos discuss agents, AI workflows, integration, evaluation, and operations?	Frozen 10K cohort with raw pointers and request fingerprints
Evidence	What public transcript, metrics, comments, and visual fragments are observable?	Append-only transcript/frame attempts, hashes, typed gaps
Analysis	What topic, format, hook, story, CTA, and engagement patterns are present?	Rule-based per-video and per-account artifacts
Strategy	Where can two product-manager operators be differentiated and useful?	Two tracks, eight territories, seven franchises
Script	How does each short convert one decision into a proof-led story?	Ten 30-second scripts with claim boundary
Studio	Which shots are creator-recorded, deterministic proof, optional AI context, and gated?	100 shot/frame files + EDL + owner gates

Playbook evidence file SHA-256: 53a1c853ecf8b0c82a61ad9993b2f8425b1246688512ee48c495200cd4f6c4b3. The playbook informed the opportunity lens; the YouTube evidence informed the market claims.

Coverage, demographics, and platform caveats

Measure	Observed	What it does not prove
Creator contribution	4–10 videos; max 0.10%	Audience representativeness
Duration candidates	8.6K	Native Shorts distribution
Non-short	1.3K	Irrelevance; some are useful format/topic references
Creator countries in 300 calibration	US 96; GB 9; CA 8; AU 2; Europe present; 100 unreported	Viewer demographics or audience country mix
Language	English-evidenced discovery and transcript preference	Perfect English-only content or English-only viewers
Audience geography target	US, UK, Canada, Australia, and English-speaking Europe	An observed current audience; this is a targeting decision


Demographic decision

Because public competitor data does not expose reliable viewer age, role, company size, or country distributions, the strategy should use job-to-be-done segments instead: product managers integrating AI, operators modernizing recurring workflows, founders evaluating build versus buy, and transformation leads responsible for risk and adoption. Owned analytics after publication must supply real viewer demographics.

Topics in the analysis-eligible subset

Effective strategic denominator: 2,949. Counts are deterministic labels, not population prevalence or causal performance evidence.

Topics in the analysis-eligible subset



Interpretation


Agent building, business operations, and workflow design dominate. Authority, human review, recovery, requirements, and business-problem selection are much smaller—precisely the areas where ArchFlow's governed workflow experience can create differentiated practical content.

Label	Count	Share of eligible
Adoption And Change	18	0.6%
Agent Building	644	21.8%
Analytics Cost Roi	96	3.3%
Api Mcp System Integration	256	8.7%
Authority And Permissions	26	0.9%
Business Cases And Operations	850	28.8%
Business Problem Selection	16	0.5%
Evaluation And Observability	98	3.3%
General Ai Or Unresolved	27	0.9%
Human Review	22	0.7%
Orchestration And State	65	2.2%
Product Discovery	3	0.1%
Rag And Provenance	111	3.8%
Requirements And Specs	10	0.3%
Rollback Recovery Failure	52	1.8%
Tool And Model Selection	50	1.7%

Video types

Effective strategic denominator: 2,949. Counts are deterministic labels, not population prevalence or causal performance evidence.

Video types



Interpretation


Tutorial/build content dominates. North Hux should borrow visible demonstration and stepwise specificity, but organize episodes around decisions and operating consequences rather than tool choreography alone.

Label	Count	Share of eligible
Case Study	62	2.1%
Comparison Or Review	47	1.6%
Framework Or Explainer	53	1.8%
Listicle	32	1.1%
News Or Update	151	5.1%
Opinion Or Prediction	41	1.4%
Prompt Or Template	21	0.7%
Tool Demo	174	5.9%
Tutorial Or Build	2202	74.7%
Unresolved	166	5.6%

Hook mechanisms

Effective strategic denominator: 2,949. Counts are deterministic labels, not population prevalence or causal performance evidence.

Hook mechanisms



Interpretation


Questions, contrarian claims, direct benefits, specific results, and demonstration-first openings are reliable attention patterns. More than half of current hook labels may still rely on title proxies while transcript collection is incomplete, so exact shares remain provisional until the final evidence pass.

Label	Count	Share of eligible
Authority Or Case	57	1.9%
Breaking News	147	5.0%
Contrarian Claim	217	7.4%
Curiosity Gap	27	0.9%
Demonstration First	185	6.3%
Direct Benefit	150	5.1%
Pain Callout	48	1.6%
Question	434	14.7%
Specific Result	143	4.8%
Unresolved	1541	52.3%

Storytelling structures

Effective strategic denominator: 2,949. Counts are deterministic labels, not population prevalence or causal performance evidence.

Storytelling structures



Interpretation


Claim–proof–takeaway and problem–mechanism–solution are the strongest reusable structures. North Hux’s preferred compression is decision → mechanism → evidence → safeguard → next action, with the first proof surface visible by 6–8 seconds.

Label	Count	Share of eligible
Before After	148	5.0%
Claim Proof Takeaway	982	33.3%
Problem Mechanism Solution	1035	35.1%
Scenario To Demo	192	6.5%
Single Claim Or Unresolved	513	17.4%
Stepwise Process	79	2.7%

Calls to action

Effective strategic denominator: 2,949. Counts are deterministic labels, not population prevalence or causal performance evidence.

Calls to action



Interpretation


Follow/subscribe is common, but unresolved CTAs remain numerous. North Hux should favor one useful next action: save a decision tool, comment for a template, test a recovery path, or watch the next episode in the sequence.

Label	Count	Share of eligible
Comment Keyword	248	8.4%
Follow Or Subscribe	1152	39.1%
Link Or Lead Magnet	51	1.7%
Question To Audience	79	2.7%
Unresolved	1353	45.9%
Watch Next	66	2.2%

Audience activity and opinions

This section uses 898 bounded comments from the 300-account calibration only. It is qualitative and partial; it is not full-corpus sentiment.

Comment intent labels



Signal	Count	Editorial implication
Positive confirmation	94	Demonstrations and useful explanations earn validation
Implementation question	83	Show prerequisites, data, permissions, and exact next step
Pricing or purchase	39	Address cost and build/buy constraints without sales hype
Skepticism or objection	34	State evidence boundary and failure modes early
Request or idea	26	Use comment requests as a reviewed backlog, not automatic authority
Pain or blocker	6	Translate friction into workflow autopsies and review-queue episodes
Unresolved	615	Do not force sentiment where the text does not support it

Performance statistics: descriptive, not causal

Metric	Eligible subset	Interpretation boundary
Median views	58	Search-ranked point-in-time count
P90 views	2.3K	Long-tail reference, not expected performance
Median engagement proxy	1.75%	(likes + reported comments) / views; excludes hidden engagement
Native Shorts proved	0	Zero; duration candidate remains separate
Frame evidence	120/10000	Visual denominator is independent and currently partial

Use statistics correctly

The ranking score can choose references for human review; it cannot prove that a hook or visual caused views. Publication experiments should use owned impressions, retention, rewatches, saves, comments, click-through, and qualified business conversations, with predeclared hypotheses and comparable posting windows.

Reference cohort: ranks 1–25

Rank	Creator	Reference	Topic / type	Views
1	UCEJoO7Zkfv45zljuALuJLTQ	The Biggest AI Mistake Organizations Do	Business Problem Selection Unresolved	625
2	UCyqrukuGFbd5mH8iQhRNoHw	Google Turns YouTube Ads Into Instant Checkout	Product Discovery News Or Update	13
3	UCmIYRdU0D16ox9QkB_ZpKeQ	AI agents are fast, but are they actually reliable? #ai #tech	Requirements And Specs News Or Update	384
4	UCY6N8zZhs2V7gNTUxPuKWQ	What are AI Agents & How to Make Money with it?	Workflow Design Tutorial Or Build	78.8K
5	UCtQr9hkmqcOKezwpMtUDcqg	The End of Annoying AI Interruptions? LiveKit Turn Detector v1	Tool And Model Selection Tutorial Or Build	827.3K
6	UCL5pyu8ZIKGqrmMwZ-BGimQ	TOP 5 MCP Servers Every AI & LLM Developers Needs To Know In	Api Mcp System Integration Tutorial Or Build	18.9K
7	UCu2BkAfuFC24jpm9VS8ZpdA	How McLaren Automotive is Operationalizing AI Physics & Agenti	Agent Building Tutorial Or Build	2.3M
8	UCmYjP4LkPPuDP-p-KBO_XAg	How to Build a RAG on Supabase	Rag And Provenance Tutorial Or Build	1.5K
9	UCWg5od000xz_njb7lEtfooA	OpenAI Codex Tutorial For Beginners	Authority And Permissions Tutorial Or Build	141
10	UCiZTZt9fI91Xp-PVTPBESQQ	Agentic Architect Program The Blueprint for Agent Builders: Bu	Orchestration And State Tutorial Or Build	737
11	UC0Y5eWv0DF-FopNnuQzqusg	Watchdog: AI Agent & LLM Observability Kujo	Evaluation And Observability Tutorial Or Build	10
12	UCzTVTxamWRuAYdNFwZnEO_g	Superflow: AI Workflows With Real Reliability	Human Review Tutorial Or Build	1.1K
13	UCX0iaEGapS05VhL5T9lNovQ	The 3 Controls That Save AI Projects From Failure #AIGovernanc	Rollback Recovery Failure Tutorial Or Build	8.5K
14	UCxfOLuabjyxrPN0XP3OHplg	Why Claude 4 Is Now the Top Coding AI, Leaving Copilot Behind	Adoption And Change News Or Update	20
15	UCsyT1C1M-QoHQREjsixgayQ	How to Reduce Token Usage in Agentic AI Workflows	Analytics Cost Roi Tutorial Or Build	11.4K
16	UCzuMYhdfdoZeo3UoSgzEHqA	Is Enterprise Data Ready for AI Agents? Xebia Axis Agentic D	Business Cases And Operations Tutorial Or Build	70.5K
17	UC6hlQ0x6kPbAgjYkoZ53cvA	His Battalion of 750 Never Got Air Support. Now a 10-Person Sq	General Ai Or Unresolved Tutorial Or Build	2.5K
18	UCDyolBPiGzwwLeejNFbkSOW	Candice DeVille on AI Adoption, Confidence & Future Innovation	Business Problem Selection Tutorial Or Build	17
19	UCMQtriZHwNgXl6eff5dNTHQ	■ Developers Meet AI-DLC: AI Is Going Beyond Code! ■	Requirements And Specs Tutorial Or Build	200
20	UC37JpWP5PxLSma2lh79HU9A	Run Fable 5 + GPT-5.6 Together Inside Claude Code	Workflow Design Tutorial Or Build	21.7K
21	UCvEbA5RN5YLLeOwYlXwC-jhg	Top 5 Best AI Courses for Developers to Become AI Engineer in	Tool And Model Selection Tutorial Or Build	6.0K
22	UCAsAp7sqvNEmNv89RS5TnoA	Claude Replaced Higgsfield with This FREE MCP	Api Mcp System Integration Tutorial Or Build	65.2K
23	UCDPjHnjeQV0_knGaksmKTZw	Git for Data: Why Dolt is the Database for AI	Agent Building Tutorial Or Build	162.7K
24	UCHCThmyZ-2yWkv0UVeBDdnQ	How to Create a Knowledge Base for AI Agents in Oracle AI Data	Rag And Provenance Tutorial Or Build	710
25	UCXBxCNM4G5BFJjk4L43iZ-g	Prompts. Agents. Loops. What Actually Matters?	Authority And Permissions Tutorial Or Build	13

These links are review references. Titles and public metrics are observed metadata; no source footage is approved for production reuse.

Reference cohort: ranks 26–50

Rank	Creator	Reference	Topic / type	Views
26	UCqZMJXEtBw0umDvzFQ8oXtQ	Letta Office Hours: Free Dreaming, ACP, MCP, and Trajectory	Orchestration And State Tutorial Or Build	290
27	UC0j9YZk9dCusseqogvIk1bg	Enterprise AI agent evaluation tool - Run evaluation against t	Evaluation And Observability Tutorial Or Build	3.8K
28	UCIssfqj_KLgyZ_YhtETI7Aw	Redesigning Work: AI Agents and Your Future Role #shorts	Human Review Listicle	1.9K
29	UCrZ1TMshBB61QvIp3_1fl5g	AI Didn't Fail — We Gave It Control Without Proof	Rollback Recovery Failure Case Study	114
30	UC53w1qBaTiOWSED1RX4dwCw	ServiceNow EmployeeWorks Showcase Knowledge 2026	Adoption And Change Tool Demo	574
31	UC1CiqtvtzaHqbbp7Ep5nToA	We're at DAIS 2026! Here's What We're Dropping in SFO #shorts	Analytics Cost Roi News Or Update	102
32	UCUpqyzY878NEaZm5bc7m2sQ	'Headless Architecture' Explained Salesforce	Business Cases And Operations Tutorial Or Build	78.2K
33	UCsGakFibOsj-fgPFL1QIQa	Drag and Drop UI Builder for Java Web Apps (Vaadin Copilot)	General Ai Or Unresolved Tutorial Or Build	661
34	UC9KRqj_LATYij5l8xbHLnQ	I built a 3D website just by talking to my AI glasses (Hermes	Business Problem Selection Tutorial Or Build	173
35	UCo1kdRtjYYVU_Hi5VivU6ug	■■■■■■■■■■ ■■■■■■■■■■■■ ■■ ■■■■■■■■■■.	Requirements And Specs Tutorial Or Build	10
36	UCWrWDb-UlePbj16C4E_LKkg	RAILS by Opinov8: AI-Agent Deployment Platform #aiagents #aide	Workflow Design Tutorial Or Build	15.0K
37	UC6t7hG72mjZluuvM_m6p6pQ	FABLE BANNED - AI Agent Guardrails for Claude Code and Codex D	Tool And Model Selection Tutorial Or Build	156
38	UCs0yNnMKVLCN27tWmGvKYAw	Your MCP Server Won't Scale — Here's the 2026 Fix	Api Mcp System Integration Tutorial Or Build	88.5K
39	UCXi0dxbe1VPAEzpuq4Y4ZeA	Best Multi-Agent Framework? LangGraph vs CrewAI	Agent Building Tutorial Or Build	2.8K
40	UCbg90OJF3rVkev6wpl5_u5g	Learn AI Infrastructure with Akamai Cloud's GitHub Repo	Rag And Provenance Tutorial Or Build	6.1K
41	UCDMHEstgzYoerr4pVwIueMQ	OpenClaw ACP Agents: Run Claude Code from Chat Without Blurrin	Authority And Permissions Tutorial Or Build	12
42	UC__Elk6K7MmjX6uDpk4ENtQ	It's not just servers: Why your phone needs more AI memory	Orchestration And State Tutorial Or Build	1.1K
43	UC8LrTZdSpPg13-idYg5a9Q	Galtea - The AI evaluation platform for AI agents	Evaluation And Observability Tutorial Or Build	251
44	UCkUCBUhFQEW43f22BERpIWQ	Anthropic's AI-Native SDLC Playbook Explained: How AI Changes	Human Review Tutorial Or Build	1.9K
45	UCoqlVVN4MNeCqV49TeneWUQ	9 Seconds to Delete. 60 Hours to Recover.	Rollback Recovery Failure Tutorial Or Build	91
46	UC-hislZlnslmYe7Y5M4qVFA	AI in Manufacturing AI Team Lead Pro – Voice-Activated Task	Adoption And Change Tutorial Or Build	102
47	UCEXSpDUBxBsVvBiPjkF4UiA	Uber Blew Its Entire AI Budget in 4 Months - The \$2,000 Proble	Analytics Cost Roi Tutorial Or Build	67
48	UC4R6Y0yEwW7aAsuO3Tb6iog	Episode 25 Short 1 AI Without Context Is Vanity with Micros	Business Cases And Operations Tutorial Or Build	16.4K
49	UCjMceG0jS4Lr5ZACzpYjHfA	The Linux Moment for AI: Jensen Huang on OpenClaw and Open-Sou	General Ai Or Unresolved Tutorial Or Build	1.5K
50	UCZZ2u_B2afTxA0v-xcgfsaw	What can you do with an AI agent for customer communication?	Business Problem Selection Tutorial Or Build	23

These links are review references. Titles and public metrics are observed metadata; no source footage is approved for production reuse.

Reference cohort: ranks 51–75

Rank	Creator	Reference	Topic / type	Views
51	UCpVLs0eBSWeAgtBSVg4XC4A	How to Start career in AI in 2026 - AI Learning Roadmap	Workflow Design Tutorial Or Build	1.5K
52	UCA0JxuQ3t7jUyhZRx5rgQTQ	Create a Custom Agent in GitHub Copilot (Agent Files Explained	Tool And Model Selection Tutorial Or Build	4.7K
53	UCZTw1Zz2cezsCmqLE-Yp25A	Sora Is Gone — Meta Muse, MiniMax H3 & Wan 3.0 Reshape AI Vide	Api Mcp System Integration Tutorial Or Build	339
54	UC3YHhW96LPsAEo45yQSEYIA	Python Developer Roadmap 2026 From Basics to GenAI & AI Agen	Agent Building Tutorial Or Build	81.1K
55	UCP-sRoC4anDymx5z3tr3YRg	The Complete AI Engineer Roadmap for 2026 (Exact Courses + Ste	Rag And Provenance Tutorial Or Build	4.1K
56	UCm_kK2e0rPe9TqKaR-QE9Ug	AI Agents Need an Authority Layer Auctra Product Demo	Authority And Permissions Tutorial Or Build	9
57	UCpHYhyFUIRusEdW_fYbVf2A	Parallel AI agents without merge-conflict hell 14 Pillars of	Orchestration And State Unresolved	14
58	UCbqUIYQ7J2rS6C_nk4cNTxQ	AI Agent Observability: How to Build Intelligent Insight	Evaluation And Observability Tutorial Or Build	339
59	UCCrWEhPdQEN7IPzbUunajzw	This AI Agent Needed Real Human Approval — Live Demo (Not a Mo	Human Review Tutorial Or Build	0
60	UChZi_6BmK1HU5a5eJwIzd5w	LLM Judge Fails on Confident Misconceptions	Rollback Recovery Failure Tutorial Or Build	123
61	UCa0TE412wlNsXmfkl9rUaqQ	The Hidden API Cost Nobody Warns You About #AIBudget #MLOps #P	Analytics Cost Roi Tutorial Or Build	130
62	UCdhUisvadgHXhvjdmUo071A	The most intelligent people are not working; they are learning	Business Cases And Operations Tutorial Or Build	1.6K
63	UCiFokkdrdQawIPs3OvQu19w	White Label ElevenLabs Agents Under Your Brand VoiceAIWrapp	General Ai Or Unresolved Tutorial Or Build	88
64	UCardpDZZnOwWh4O2QK_cYuQ	AI Engineering Expert LLMs, RAG, AI Agents & Intelligent Aut	Workflow Design Tutorial Or Build	28
65	UCKVfrGwV-iG9bSsgCbrNPxQ	Ox Alpha – Use This While It's FREE (Stealth Model)	Tool And Model Selection Tutorial Or Build	39.6K
66	UCXrbe_ClsuG41Fkj06O-G9Q	Claude AI Roadmap 2026 ■ Beginner to AI Architect Claude C	Api Mcp System Integration Tutorial Or Build	99
67	UCHR9y84U9sYO6NU7jm7yCrA	GH-600 Domain 1: Agent Architecture GitHub Agentic AI Cert P	Agent Building Tutorial Or Build	1.7K
68	UCuY7JzXnpp874oa7uQbUwsA	How to Build a Voice AI Agent: What to Measure First #voiceai	Rag And Provenance Tutorial Or Build	360
69	UCUIQ5VolZE_kFbYjzUwHTKA	You're Probably Doing Backend-for-Frontend (BFF) Wrong	Authority And Permissions Tutorial Or Build	78
70	UCfpP3V3ZrESuA5UEtI8mM4g	AI Series #4 LangGraph Checkpointing Explained in 45 Seconds	Orchestration And State Framework Or Explainer	230
71	UCzwQ1HwfpVAGKpf_RAImQAQ	Agent Playground: Visually Build & Test Multi-Step AI Agents	Evaluation And Observability Tutorial Or Build	230
72	UCCHIPTgNDMUg_Xu8KPsVzWg	AI Guardrails Implementation in 30 Seconds ■ GenAI Safety	Rollback Recovery Failure Case Study	15
73	UCOfaOrM9umb6VpPetTV0RLQ	Claude Sonnet 5 Just Solved The Cost Problem For AI Agents	Analytics Cost Roi News Or Update	661
74	UCnPYdfg7Mkg5pozJCrAb6Ag	Agentic AI Keynote Speaker Reel 2026 Jay Kiew Change Fluen	Business Cases And Operations Tutorial Or Build	124.5K
75	UCpY8C4p-ThbDU67uP_942A	ChatGPT Work Plans My Entire Morning While I Sleep ■	General Ai Or Unresolved Tutorial Or Build	1.2K

These links are review references. Titles and public metrics are observed metadata; no source footage is approved for production reuse.

Reference cohort: ranks 76–100

Rank	Creator	Reference	Topic / type	Views
76	UCqjEFGQ7-yPEgCLg6EdLL4A	Build a self-improving @n8n-io AI agent creating @linear ticke	Workflow Design Tutorial Or Build	985
77	UCOf-B4Fciwgnpvmckk78AiQ	Are Southwork Cloud Scouts Human? Clarifying AI Agents vs Re	Tool And Model Selection Comparison Or Review	965
78	UC-ew9TfeD887qUSiWWAAj1w	Introducing the ElevenLabs MCP, now available in Claude.	Api Mcp System Integration Tutorial Or Build	16.9K
79	UCuaUv1EctrcVdhVxXnn6Jww	Kolibri by Konecta - industrialized agentic AI framework for C	Agent Building Case Study	317.4K
80	UCHJkp-oWIIA--ZwEU_ItP1w	RAG vs Fine Tuning Don't Waste Your Money! #Tech	Rag And Provenance News Or Update	130
81	UCOYINMXez5vwqeumQg-X6fA	The Hacker That Never Sleeps #AI #Cybersecurity #AIAgents #Tec	Authority And Permissions News Or Update	40
82	UC2a2dSMeynrFojdOzhSkjEg	Why your AI agent forgets you (the context window is not memor	Orchestration And State Tutorial Or Build	16
83	UC32Z9Cp7N5XvkcV-2VfqUIA	Catching a Silent AI Hallucination in Under 2 Minutes Galile	Evaluation And Observability Tool Demo	476
84	UCdSsl5RM4Tne4MhDRz2HjWw	8 hour GitHub outage. A postmortem.	Rollback Recovery Failure Tutorial Or Build	16.8K
85	UCSn43nJf9xiq9H_91CXNrIA	AI for Product Managers: Why Our Signups Dropped (AI Found It)	Analytics Cost Roi Tutorial Or Build	43
86	UCPGrgwfbkTlgPoOh2q1BAg	Ex-NASA dev reveals his Agentic Engineering Workflow	Business Cases And Operations Tutorial Or Build	193.6K
87	UCp-7QbSD2_43U9rEiacvrkw	Adapt to AI or Get Left Behind Harsh Truth #ai #devops	General Ai Or Unresolved Tutorial Or Build	79
88	UCV530kyA0r6c_kaOoO-KXuA	The Power of Being Mildly Helpful	Workflow Design Tutorial Or Build	572
89	UCqaTL8MDPdIAQmM3oUUL0K A	AI Explained Simply: LLM vs RAG vs AI Agent vs MCP	Tool And Model Selection Case Study	51
90	UCDrYxpEy-e8uVDWYzFK3dCA	Claude Code + Instagram = \$13,000/Month	Api Mcp System Integration Tutorial Or Build	28.2K
91	UCzD7P9CY74qCLjrNjme7pg	Production-Grade End to end SaaS LangGraph AI Agents #chat	Agent Building Tutorial Or Build	741
92	UCwj1zePOVEM51tnN2ilzgz	JIT Global Hiring Freshers 2026 ■ AI/ML Trainee Chennai	Rag And Provenance Tutorial Or Build	524
93	UCVwhpX4Vw4AbjXT_WzzLrSA	Compound Permissions: How Agentic AI Broke Traditional IAM H	Authority And Permissions Unresolved	1
94	UCmLYBvs9CwY2NC9oFERnVz A	This Voice AI Can Summarize, and Edit Your Entire Codebase B	Orchestration And State Tutorial Or Build	107
95	UCsQdhYUI2MWxPsMKYIC77og	Close the AI Observability Gap with Parloa Lens Parloa AI Ag	Evaluation And Observability Tool Demo	246
96	UCTjFoXRKU5_7b8SC3RxYN4w	Your Rollback Depends On GitHub #devops #cloud #sre #github #c	Rollback Recovery Failure Tool Demo	8
97	UC_x5XG1OV2P6uZZ5FSM9Ttw	Hands on with Gemini 3.7 Flash	Analytics Cost Roi Tutorial Or Build	19.4K
98	UCikNuPZpoh6poszSqlyqoxw	Tridens AI-Native Platform: Copilot, AI Agents, Voice & MCP	Business Cases And Operations Tutorial Or Build	105
99	UCK85rF_WKv1N6ojTzVbj3yw	Comment stopper Claude Code quand il dérape ? ■	Workflow Design Tutorial Or Build	3.1K
100	UCk5bonSxQxRqd3miJGNGYpg	Why is Deepseek v4 flash almost free? #ai #codex #deepseek #de	Tool And Model Selection Tutorial Or Build	103.5K

These links are review references. Titles and public metrics are observed metadata; no source footage is approved for production reuse.

Strategic territory and content skeleton

Position: two product managers who show how AI agents become useful business systems—not by promising autonomy, but by making workflow, authority, evidence, recovery, and value visible.

Eight search territories

Territory	Core buyer question	North Hux proof surface
Workflow diagnosis	What work is worth changing?	Trigger/input/decision/action/failure map
Agency design	Assist, recommend, or execute?	Authority ladder and reversibility
Business integration	How does it fit real systems?	Owned workflow prototype and receipts
Authority/control	What may it access or change?	Permission matrix and approval boundary
Evidence/evaluation	How do we know it works?	Outcome and trajectory checks
State/knowledge	What does it know and remember?	Source/state/memory/audit architecture
Failure/recovery	What happens when it is wrong?	Freeze/trace/revoke/restore/review
Economics/adoption	Does it improve the business?	Error-adjusted business case and usage

Seven recurring franchises

Workflow Autopsy · Agency Ladder · PM Writes the Agent Contract · Failure Lab · Proof Before Scale · ROI Without Fantasy Math · Human Queue Clinic.

Two creator accounts

Track	Role and promise	Best formats	Guardrail
Creator A — PM / Integration	Turns business work into bounded AI opportunities and integration decisions	Workflow autopsy, decision matrix, operating prototype, business case	No generic tool roundup without a workflow decision
Creator B — Governed Operations	Shows how authority, evidence, state, evaluation, and recovery make agents dependable	Failure lab, permission teardown, release gate, architecture explainer	Governance must be visual and operational, not abstract compliance language

Editorial sequence

#	Episode	Track	Purpose
1	Your AI Agent Is Not an Employee	Governed Agent Operations	Authority And Control
2	Automate the Workflow, Not the Job Title	Pm Integration	Workflow Diagnosis
3	One Workflow, Three Levels of Agency	Pm Integration	Agency Design
4	The Permission Your Agent Should Not Have Yet	Governed Agent Operations	Authority And Control
5	Build vs Buy Is the Wrong First Question	Pm Integration	Business Integration
6	RAG Is Not Memory—and Neither Is Chat History	Governed Agent Operations	State And Knowledge
7	A Passing Eval Is Not Permission to Deploy	Governed Agent Operations	Evaluation And Evidence
8	Watch the Agent Fail Safely	Governed Agent Operations	Failure And Recovery
9	What Belongs in the Human Review Queue?	Pm Integration	Human Review
10	The Agent Business Case After Reality	Pm Integration	Economics And Adoption

Short-form visual grammar

Time share	Mode	Function	Evidence rule
40% / 12s	Creator A-roll	Trust, interpretation, transitions between decisions	Original owner recording only
40% / 12s	Deterministic UI/diagram	Mechanism and proof	Owned or synthetic data; must support spoken claim
≤7% / 2s	Optional AI B-roll	Metaphorical context or emotional reset	Never evidence, UI, charts, people, results, or likeness
13% / 4s	End card	One next action and sequence continuity	Original deterministic brand asset

Transcript-to-visual flow

0–2s: creator hook. 2–5s: kinetic reframe. 5–8s: creator mechanism. 8–11s: first owned proof. 11–14s: creator implication. 14–18s: deterministic proof diagram. 18–20s: optional context insert. 20–24s: creator conclusion. 24–26s: visual takeaway. 26–30s: end card and next action.

If the optional AI insert is not separately approved, replace it with an original creator insert. The edit remains structurally complete without provider generation.

01. Your AI Agent Is Not an Employee

Track	Governed Agent Operations
Pillar	Authority And Control
Hook	Your AI agent is not an employee.
Proof visual	Five-node agent contract: INPUTS → TOOLS → AUTHORITY → EVIDENCE → HUMAN STOP.
CTA	Save this contract before your next agent build.
State	Owner review pending; provider generation, Resolve mutation, and publication blocked

Spoken script

Your AI agent is not an employee. It is a workflow that can read, decide, and sometimes act. If you cannot name its inputs, tools, and authority, you do not have an agent. You have an unbounded risk. Give it a contract: allowed data, allowed actions, required evidence, and a human stop. Then test failure before you test scale. Reliable agents are bounded, observable, and recoverable.

Why it belongs in the sequence

This episode advances the campaign from diagnosis toward controlled execution. It uses an operator claim, one visible mechanism, one safeguard, and one concrete next action; it is original North Hux synthesis, not a competitor transcript or imitation.

Creator capture

Record four A-roll beats in 9:16, two takes each, plus five seconds of room tone. Use calm operator delivery, direct eye line, and one physical emphasis per sentence. Capture any screen proof with owned or synthetic data. No synthetic voice or likeness is planned.

01. Shot-by-shot production plan

# / time	Mode	Narration / visual	Asset and gate
01 0.0–2.0s	Creator Aroll Evidence: none	Your AI agent is not an employee. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 01-agent-not-employee/frames/01.svg
02 2.0–5.0s	Deterministic Overlay Evidence: context	It is a workflow that can read, decide, and sometimes act. Visual: Kinetic type supports: It is a workflow that can read, decide, and sometimes act.	Review exact wording State: not_run Frame: 01-agent-not-employee/frames/02.svg
03 5.0–8.0s	Creator Aroll Evidence: none	If you cannot name its inputs, tools, and authority, you do not have an agent. You have an unbounded risk. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 01-agent-not-employee/frames/03.svg
04 8.0–11.0s	Screen Demo Evidence: proof	<visual beat> Visual: Five-node agent contract: INPUTS → TOOLS → AUTHORITY → EVIDENCE → HUMAN STOP.	Capture an owned deterministic prototype or render the supplied diagram State: not_run Frame: 01-agent-not-employee/frames/04.svg
05 11.0–14.0s	Creator Aroll Evidence: none	Give it a contract: allowed data, allowed actions, required evidence, and a human stop. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 01-agent-not-employee/frames/05.svg
06 14.0–18.0s	Deterministic Overlay Evidence: proof	Then test failure before you test scale. Visual: Five-node agent contract: INPUTS → TOOLS → AUTHORITY → EVIDENCE → HUMAN STOP.	Review exact wording State: not_run Frame: 01-agent-not-employee/frames/06.svg
07 18.0–20.0s	AI Generated Broll Evidence: context	<visual beat> Visual: Optional two-second metaphorical context insert. It must not carry evidence, results, UI, numbers, people, likeness, or logos.	Approve provider, prompt, budget, and rights before generation State: blocked_approval Frame: 01-agent-not-employee/frames/07.svg
08 20.0–24.0s	Creator Aroll Evidence: none	Reliable agents are bounded, observable, and recoverable. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 01-agent-not-employee/frames/08.svg
09 24.0–26.0s	Deterministic Overlay Evidence: context	<visual beat> Visual: Kinetic type supports: Save this contract before your next agent build.	Review exact wording State: not_run Frame: 01-agent-not-employee/frames/09.svg
10 26.0–30.0s	End Card Evidence: none	<visual beat> Visual: North Hux end card: Save this contract before your next agent build.	Approve CTA and brand lockup State: not_run Frame: 01-agent-not-employee/frames/10.svg

Canonical individual frame files: 01-agent-not-employee/frames/01.svg ... 10.svg. Contact sheet: 01-agent-not-employee/contact-sheet.svg (index only).

02. Automate the Workflow, Not the Job Title

Track	Pm Integration
Pillar	Workflow Diagnosis
Hook	Do not automate a job title.
Proof visual	Workflow decomposition canvas with five stages and an explicit AUGMENT / AUTOMATE / NO ACTION decision.
CTA	Comment WORKFLOW for the audit template.
State	Owner review pending; provider generation, Resolve mutation, and publication blocked

Spoken script

Do not automate a job title. A job is a bundle of decisions, exceptions, handoffs, and trust. Start with one recurring workflow and draw the trigger, inputs, decision, action, and failure path. Then choose: augment the human, automate one step, or leave it alone. The smallest safe pilot has one owner, one metric, and one review queue. That is how AI improves work without pretending people are process diagrams.

Why it belongs in the sequence

This episode advances the campaign from diagnosis toward controlled execution. It uses an operator claim, one visible mechanism, one safeguard, and one concrete next action; it is original North Hux synthesis, not a competitor transcript or imitation.

Creator capture

Record four A-roll beats in 9:16, two takes each, plus five seconds of room tone. Use calm operator delivery, direct eye line, and one physical emphasis per sentence. Capture any screen proof with owned or synthetic data. No synthetic voice or likeness is planned.

02. Shot-by-shot production plan

# / time	Mode	Narration / visual	Asset and gate
01 0.0–2.0s	Creator Aroll Evidence: none	Do not automate a job title. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 02-workflow-not-job/frames/01.svg
02 2.0–5.0s	Deterministic Overlay Evidence: context	A job is a bundle of decisions, exceptions, handoffs, and trust. Visual: Kinetic type supports: A job is a bundle of decisions, exceptions, handoffs, and trust.	Review exact wording State: not_run Frame: 02-workflow-not-job/frames/02.svg
03 5.0–8.0s	Creator Aroll Evidence: none	Start with one recurring workflow and draw the trigger, inputs, decision, action, and failure path. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 02-workflow-not-job/frames/03.svg
04 8.0–11.0s	Screen Demo Evidence: proof	<visual beat> Visual: Workflow decomposition canvas with five stages and an explicit AUGMENT / AUTOMATE / NO ACTION decision.	Capture an owned deterministic prototype or render the supplied diagram State: not_run Frame: 02-workflow-not-job/frames/04.svg
05 11.0–14.0s	Creator Aroll Evidence: none	Then choose: augment the human, automate one step, or leave it alone. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 02-workflow-not-job/frames/05.svg
06 14.0–18.0s	Deterministic Overlay Evidence: proof	The smallest safe pilot has one owner, one metric, and one review queue. Visual: Workflow decomposition canvas with five stages and an explicit AUGMENT / AUTOMATE / NO ACTION decision.	Review exact wording State: not_run Frame: 02-workflow-not-job/frames/06.svg
07 18.0–20.0s	Ai Generated Broll Evidence: context	<visual beat> Visual: Optional two-second metaphorical context insert. It must not carry evidence, results, UI, numbers, people, likeness, or logos.	Approve provider, prompt, budget, and rights before generation State: blocked_approval Frame: 02-workflow-not-job/frames/07.svg
08 20.0–24.0s	Creator Aroll Evidence: none	That is how AI improves work without pretending people are process diagrams. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 02-workflow-not-job/frames/08.svg
09 24.0–26.0s	Deterministic Overlay Evidence: context	<visual beat> Visual: Kinetic type supports: Comment WORKFLOW for the audit template.	Review exact wording State: not_run Frame: 02-workflow-not-job/frames/09.svg
10 26.0–30.0s	End Card Evidence: none	<visual beat> Visual: North Hux end card: Comment WORKFLOW for the audit template.	Approve CTA and brand lockup State: not_run Frame: 02-workflow-not-job/frames/10.svg

Canonical individual frame files: 02-workflow-not-job/frames/01.svg ... 10.svg. Contact sheet: 02-workflow-not-job/contact-sheet.svg (index only).

03. One Workflow, Three Levels of Agency

Track	Pm Integration
Pillar	Agency Design
Hook	The same workflow can contain three different agents.
Proof visual	Side-by-side authority ladder: DRAFT → RECOMMEND → EXECUTE, with reversibility and review controls.
CTA	Which level is your workflow actually ready for?
State	Owner review pending; provider generation, Resolve mutation, and publication blocked

Spoken script

The same workflow can contain three different levels of agency. An assistant drafts. A copilot recommends. A delegated agent executes inside a boundary. Use the same customer request and change only decision authority. Drafting is easy to reverse. Recommendations need evidence. Execution needs permissions, limits, and rollback. Do not buy the most autonomous option by default. Choose the lowest agency level that produces the business result.

Why it belongs in the sequence

This episode advances the campaign from diagnosis toward controlled execution. It uses an operator claim, one visible mechanism, one safeguard, and one concrete next action; it is original North Hux synthesis, not a competitor transcript or imitation.

Creator capture

Record four A-roll beats in 9:16, two takes each, plus five seconds of room tone. Use calm operator delivery, direct eye line, and one physical emphasis per sentence. Capture any screen proof with owned or synthetic data. No synthetic voice or likeness is planned.

03. Shot-by-shot production plan

# / time	Mode	Narration / visual	Asset and gate
01 0.0–2.0s	Creator Aroll Evidence: none	The same workflow can contain three different levels of agency. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 03-three-levels-agency/frames/01.svg
02 2.0–5.0s	Deterministic Overlay Evidence: context	An assistant drafts. A copilot recommends. A delegated agent executes inside a boundary. Visual: Kinetic type supports: An assistant drafts. A copilot recommends. A delegated agent executes inside a boundary.	Review exact wording State: not_run Frame: 03-three-levels-agency/frames/02.svg
03 5.0–8.0s	Creator Aroll Evidence: none	Use the same customer request and change only decision authority. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 03-three-levels-agency/frames/03.svg
04 8.0–11.0s	Screen Demo Evidence: proof	<visual beat> Visual: Side-by-side authority ladder: DRAFT → RECOMMEND → EXECUTE, with reversibility and review controls.	Capture an owned deterministic prototype or render the supplied diagram State: not_run Frame: 03-three-levels-agency/frames/04.svg
05 11.0–14.0s	Creator Aroll Evidence: none	Drafting is easy to reverse. Recommendations need evidence. Execution needs permissions, limits, and rollback. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 03-three-levels-agency/frames/05.svg
06 14.0–18.0s	Deterministic Overlay Evidence: proof	Do not buy the most autonomous option by default. Visual: Side-by-side authority ladder: DRAFT → RECOMMEND → EXECUTE, with reversibility and review controls.	Review exact wording State: not_run Frame: 03-three-levels-agency/frames/06.svg
07 18.0–20.0s	Ai Generated Broll Evidence: context	<visual beat> Visual: Optional two-second metaphorical context insert. It must not carry evidence, results, UI, numbers, people, likeness, or logos.	Approve provider, prompt, budget, and rights before generation State: blocked_approval Frame: 03-three-levels-agency/frames/07.svg
08 20.0–24.0s	Creator Aroll Evidence: none	Choose the lowest agency level that produces the business result. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 03-three-levels-agency/frames/08.svg
09 24.0–26.0s	Deterministic Overlay Evidence: context	<visual beat> Visual: Kinetic type supports: Which level is your workflow actually ready for?	Review exact wording State: not_run Frame: 03-three-levels-agency/frames/09.svg
10 26.0–30.0s	End Card Evidence: none	<visual beat> Visual: North Hux end card: Which level is your workflow actually ready for?	Approve CTA and brand lockup State: not_run Frame: 03-three-levels-agency/frames/10.svg

Canonical individual frame files: 03-three-levels-agency/frames/01.svg ... 10.svg. Contact sheet: 03-three-levels-agency/contact-sheet.svg (index only).

04. The Permission Your Agent Should Not Have Yet

Track	Governed Agent Operations
Pillar	Authority And Control
Hook	The dangerous permission is not read. It is irreversible write.
Proof visual	Permission matrix with READ, PROPOSE, REVERSIBLE WRITE, and EXECUTE; approval gate before irreversible action.
CTA	Audit one irreversible action today.
State	Owner review pending; provider generation, Resolve mutation, and publication blocked

Spoken script

The dangerous permission is not read. It is irreversible write. Reading data creates exposure. Writing creates consequences. Start with read, then propose, then reversible write, and only later bounded execution. For every step, log the source, decision, tool call, and outcome. If rollback is impossible, require human approval before the action. Authority should expand after evidence, never before it.

Why it belongs in the sequence

This episode advances the campaign from diagnosis toward controlled execution. It uses an operator claim, one visible mechanism, one safeguard, and one concrete next action; it is original North Hux synthesis, not a competitor transcript or imitation.

Creator capture

Record four A-roll beats in 9:16, two takes each, plus five seconds of room tone. Use calm operator delivery, direct eye line, and one physical emphasis per sentence. Capture any screen proof with owned or synthetic data. No synthetic voice or likeness is planned.

04. Shot-by-shot production plan

# / time	Mode	Narration / visual	Asset and gate
01 0.0–2.0s	Creator Aroll Evidence: none	The dangerous permission is not read. It is irreversible write. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 04-permission-not-yet/frames/01.svg
02 2.0–5.0s	Deterministic Overlay Evidence: context	Reading data creates exposure. Writing creates consequences. Visual: Kinetic type supports: Reading data creates exposure. Writing creates consequences.	Review exact wording State: not_run Frame: 04-permission-not-yet/frames/02.svg
03 5.0–8.0s	Creator Aroll Evidence: none	Start with read, then propose, then reversible write, and only later bounded execution. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 04-permission-not-yet/frames/03.svg
04 8.0–11.0s	Screen Demo Evidence: proof	<visual beat> Visual: Permission matrix with READ, PROPOSE, REVERSIBLE WRITE, and EXECUTE; approval gate before irreversible action.	Capture an owned deterministic prototype or render the supplied diagram State: not_run Frame: 04-permission-not-yet/frames/04.svg
05 11.0–14.0s	Creator Aroll Evidence: none	For every step, log the source, decision, tool call, and outcome. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 04-permission-not-yet/frames/05.svg
06 14.0–18.0s	Deterministic Overlay Evidence: proof	If rollback is impossible, require human approval before the action. Visual: Permission matrix with READ, PROPOSE, REVERSIBLE WRITE, and EXECUTE; approval gate before irreversible action.	Review exact wording State: not_run Frame: 04-permission-not-yet/frames/06.svg
07 18.0–20.0s	Ai Generated Broll Evidence: context	<visual beat> Visual: Optional two-second metaphorical context insert. It must not carry evidence, results, UI, numbers, people, likeness, or logos.	Approve provider, prompt, budget, and rights before generation State: blocked_approval Frame: 04-permission-not-yet/frames/07.svg
08 20.0–24.0s	Creator Aroll Evidence: none	Authority should expand after evidence, never before it. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 04-permission-not-yet/frames/08.svg
09 24.0–26.0s	Deterministic Overlay Evidence: context	<visual beat> Visual: Kinetic type supports: Audit one irreversible action today.	Review exact wording State: not_run Frame: 04-permission-not-yet/frames/09.svg
10 26.0–30.0s	End Card Evidence: none	<visual beat> Visual: North Hux end card: Audit one irreversible action today.	Approve CTA and brand lockup State: not_run Frame: 04-permission-not-yet/frames/10.svg

Canonical individual frame files: 04-permission-not-yet/frames/01.svg ... 10.svg. Contact sheet: 04-permission-not-yet/contact-sheet.svg (index only).

05. Build vs Buy Is the Wrong First Question

Track	Pm Integration
Pillar	Business Integration
Hook	Build or buy? Wrong first question.
Proof visual	Decision table scoring differentiation, integration depth, control, reversibility, and exit cost.
CTA	Save the five-question decision table.
State	Owner review pending; provider generation, Resolve mutation, and publication blocked

Spoken script

Build or buy? Wrong first question. First ask which control surface your workflow needs. Can you inspect evidence, change permissions, replace a model, recover state, and export your history? A bought tool can be right when the workflow is standard and reversible. Build when differentiation, integration depth, or control is the product. Choose by constraints and exit cost, not demo excitement.

Why it belongs in the sequence

This episode advances the campaign from diagnosis toward controlled execution. It uses an operator claim, one visible mechanism, one safeguard, and one concrete next action; it is original North Hux synthesis, not a competitor transcript or imitation.

Creator capture

Record four A-roll beats in 9:16, two takes each, plus five seconds of room tone. Use calm operator delivery, direct eye line, and one physical emphasis per sentence. Capture any screen proof with owned or synthetic data. No synthetic voice or likeness is planned.

05. Shot-by-shot production plan

# / time	Mode	Narration / visual	Asset and gate
01 0.0–2.0s	Creator Aroll Evidence: none	Build or buy? Wrong first question. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 05-build-buy-wrong-question/frames/01.svg
02 2.0–5.0s	Deterministic Overlay Evidence: context	First ask which control surface your workflow needs. Visual: Kinetic type supports: First ask which control surface your workflow needs.	Review exact wording State: not_run Frame: 05-build-buy-wrong-question/frames/02.svg
03 5.0–8.0s	Creator Aroll Evidence: none	Can you inspect evidence, change permissions, replace a model, recover state, and export your history? Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 05-build-buy-wrong-question/frames/03.svg
04 8.0–11.0s	Screen Demo Evidence: proof	<visual beat> Visual: Decision table scoring differentiation, integration depth, control, reversibility, and exit cost.	Capture an owned deterministic prototype or render the supplied diagram State: not_run Frame: 05-build-buy-wrong-question/frames/04.svg
05 11.0–14.0s	Creator Aroll Evidence: none	A bought tool can be right when the workflow is standard and reversible. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 05-build-buy-wrong-question/frames/05.svg
06 14.0–18.0s	Deterministic Overlay Evidence: proof	Build when differentiation, integration depth, or control is the product. Visual: Decision table scoring differentiation, integration depth, control, reversibility, and exit cost.	Review exact wording State: not_run Frame: 05-build-buy-wrong-question/frames/06.svg
07 18.0–20.0s	Ai Generated Broll Evidence: context	<visual beat> Visual: Optional two-second metaphorical context insert. It must not carry evidence, results, UI, numbers, people, likeness, or logos.	Approve provider, prompt, budget, and rights before generation State: blocked_approval Frame: 05-build-buy-wrong-question/frames/07.svg
08 20.0–24.0s	Creator Aroll Evidence: none	Choose by constraints and exit cost, not demo excitement. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 05-build-buy-wrong-question/frames/08.svg
09 24.0–26.0s	Deterministic Overlay Evidence: context	<visual beat> Visual: Kinetic type supports: Save the five-question decision table.	Review exact wording State: not_run Frame: 05-build-buy-wrong-question/frames/09.svg
10 26.0–30.0s	End Card Evidence: none	<visual beat> Visual: North Hux end card: Save the five-question decision table.	Approve CTA and brand lockup State: not_run Frame: 05-build-buy-wrong-question/frames/10.svg

Canonical individual frame files: 05-build-buy-wrong-question/frames/01.svg ... 10.svg. Contact sheet: 05-build-buy-wrong-question/contact-sheet.svg (index only).

06. RAG Is Not Memory—and Neither Is Chat History

Track	Governed Agent Operations
Pillar	State And Knowledge
Hook	RAG is not memory.
Proof visual	Four-layer knowledge architecture: SOURCE / WORKING STATE / REVIEWED MEMORY / AUDIT RECEIPT.
CTA	Map these four layers in your stack.
State	Owner review pending; provider generation, Resolve mutation, and publication blocked

Spoken script

RAG is not memory. And chat history is not an operating record. Retrieval finds source material. Working state tracks the current job. Durable memory preserves reviewed decisions. Audit evidence proves what happened. Mix these layers and stale context becomes invisible authority. Separate source, state, decision, and receipt—with retention rules for each. Your agent becomes easier to debug because every fact has a home.

Why it belongs in the sequence

This episode advances the campaign from diagnosis toward controlled execution. It uses an operator claim, one visible mechanism, one safeguard, and one concrete next action; it is original North Hux synthesis, not a competitor transcript or imitation.

Creator capture

Record four A-roll beats in 9:16, two takes each, plus five seconds of room tone. Use calm operator delivery, direct eye line, and one physical emphasis per sentence. Capture any screen proof with owned or synthetic data. No synthetic voice or likeness is planned.

06. Shot-by-shot production plan

# / time	Mode	Narration / visual	Asset and gate
01 0.0–2.0s	Creator Aroll Evidence: none	RAG is not memory. And chat history is not an operating record. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 06-rag-not-memory/frames/01.svg
02 2.0–5.0s	Deterministic Overlay Evidence: context	Retrieval finds source material. Working state tracks the current job. Visual: Kinetic type supports: Retrieval finds source material. Working state tracks the current job.	Review exact wording State: not_run Frame: 06-rag-not-memory/frames/02.svg
03 5.0–8.0s	Creator Aroll Evidence: none	Durable memory preserves reviewed decisions. Audit evidence proves what happened. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 06-rag-not-memory/frames/03.svg
04 8.0–11.0s	Screen Demo Evidence: proof	<visual beat> Visual: Four-layer knowledge architecture: SOURCE / WORKING STATE / REVIEWED MEMORY / AUDIT RECEIPT.	Capture an owned deterministic prototype or render the supplied diagram State: not_run Frame: 06-rag-not-memory/frames/04.svg
05 11.0–14.0s	Creator Aroll Evidence: none	Mix these layers and stale context becomes invisible authority. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 06-rag-not-memory/frames/05.svg
06 14.0–18.0s	Deterministic Overlay Evidence: proof	Separate source, state, decision, and receipt—with retention rules for each. Visual: Four-layer knowledge architecture: SOURCE / WORKING STATE / REVIEWED MEMORY / AUDIT RECEIPT.	Review exact wording State: not_run Frame: 06-rag-not-memory/frames/06.svg
07 18.0–20.0s	Ai Generated Broll Evidence: context	<visual beat> Visual: Optional two-second metaphorical context insert. It must not carry evidence, results, UI, numbers, people, likeness, or logos.	Approve provider, prompt, budget, and rights before generation State: blocked_approval Frame: 06-rag-not-memory/frames/07.svg
08 20.0–24.0s	Creator Aroll Evidence: none	Your agent becomes easier to debug because every fact has a home. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 06-rag-not-memory/frames/08.svg
09 24.0–26.0s	Deterministic Overlay Evidence: context	<visual beat> Visual: Kinetic type supports: Map these four layers in your stack.	Review exact wording State: not_run Frame: 06-rag-not-memory/frames/09.svg
10 26.0–30.0s	End Card Evidence: none	<visual beat> Visual: North Hux end card: Map these four layers in your stack.	Approve CTA and brand lockup State: not_run Frame: 06-rag-not-memory/frames/10.svg

Canonical individual frame files: 06-rag-not-memory/frames/01.svg ... 10.svg. Contact sheet: 06-rag-not-memory/contact-sheet.svg (index only).

07. A Passing Eval Is Not Permission to Deploy

Track	Governed Agent Operations
Pillar	Evaluation And Evidence
Hook	A passing eval is not permission to deploy.
Proof visual	Release gate showing QUALITY, TRAJECTORY, PERMISSIONS, MONITORING, and ROLLBACK as independent checks.
CTA	Send this to whoever owns your release gate.
State	Owner review pending; provider generation, Resolve mutation, and publication blocked

Spoken script

A passing eval is not permission to deploy. An eval measures behavior on a defined set. Production adds new users, tools, data, and failure costs. Separate quality evidence from release authority. Require outcome tests, trajectory checks, permission review, monitoring, and a rollback owner. Then release to the smallest reversible scope. Evaluation informs the gate. It does not replace the gate.

Why it belongs in the sequence

This episode advances the campaign from diagnosis toward controlled execution. It uses an operator claim, one visible mechanism, one safeguard, and one concrete next action; it is original North Hux synthesis, not a competitor transcript or imitation.

Creator capture

Record four A-roll beats in 9:16, two takes each, plus five seconds of room tone. Use calm operator delivery, direct eye line, and one physical emphasis per sentence. Capture any screen proof with owned or synthetic data. No synthetic voice or likeness is planned.

07. Shot-by-shot production plan

# / time	Mode	Narration / visual	Asset and gate
01 0.0–2.0s	Creator Aroll Evidence: none	A passing eval is not permission to deploy. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 07-eval-not-permission/frames/01.svg
02 2.0–5.0s	Deterministic Overlay Evidence: context	An eval measures behavior on a defined set. Production adds new users, tools, data, and failure costs. Visual: Kinetic type supports: An eval measures behavior on a defined set. Production adds new users, tools, data, and failure costs.	Review exact wording State: not_run Frame: 07-eval-not-permission/frames/02.svg
03 5.0–8.0s	Creator Aroll Evidence: none	Separate quality evidence from release authority. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 07-eval-not-permission/frames/03.svg
04 8.0–11.0s	Screen Demo Evidence: proof	<visual beat> Visual: Release gate showing QUALITY, TRAJECTORY, PERMISSIONS, MONITORING, and ROLLBACK as independent checks.	Capture an owned deterministic prototype or render the supplied diagram State: not_run Frame: 07-eval-not-permission/frames/04.svg
05 11.0–14.0s	Creator Aroll Evidence: none	Require outcome tests, trajectory checks, permission review, monitoring, and a rollback owner. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 07-eval-not-permission/frames/05.svg
06 14.0–18.0s	Deterministic Overlay Evidence: proof	Then release to the smallest reversible scope. Visual: Release gate showing QUALITY, TRAJECTORY, PERMISSIONS, MONITORING, and ROLLBACK as independent checks.	Review exact wording State: not_run Frame: 07-eval-not-permission/frames/06.svg
07 18.0–20.0s	Ai Generated Broll Evidence: context	<visual beat> Visual: Optional two-second metaphorical context insert. It must not carry evidence, results, UI, numbers, people, likeness, or logos.	Approve provider, prompt, budget, and rights before generation State: blocked_approval Frame: 07-eval-not-permission/frames/07.svg
08 20.0–24.0s	Creator Aroll Evidence: none	Evaluation informs the gate. It does not replace the gate. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 07-eval-not-permission/frames/08.svg
09 24.0–26.0s	Deterministic Overlay Evidence: context	<visual beat> Visual: Kinetic type supports: Send this to whoever owns your release gate.	Review exact wording State: not_run Frame: 07-eval-not-permission/frames/09.svg
10 26.0–30.0s	End Card Evidence: none	<visual beat> Visual: North Hux end card: Send this to whoever owns your release gate.	Approve CTA and brand lockup State: not_run Frame: 07-eval-not-permission/frames/10.svg

Canonical individual frame files: 07-eval-not-permission/frames/01.svg ... 10.svg. Contact sheet: 07-eval-not-permission/contact-sheet.svg (index only).

08. Watch the Agent Fail Safely

Track	Governed Agent Operations
Pillar	Failure And Recovery
Hook	This agent just sent the wrong price.
Proof visual	Controlled fictional failure trace: FREEZE → TRACE → REVOKE → RESTORE → REVIEW → TEST FIXTURE.
CTA	Test one recovery path before your next demo.
State	Owner review pending; provider generation, Resolve mutation, and publication blocked

Spoken script

This agent just sent the wrong price. Do not hide the failure. Freeze the workflow. Trace the input, model decision, tool call, and evidence it used. Revoke the action, restore the last good state, and route the case to a human. Now save the failure as a permanent evaluation case. Reliable agents are not failure-free. They are recoverable.

Why it belongs in the sequence

This episode advances the campaign from diagnosis toward controlled execution. It uses an operator claim, one visible mechanism, one safeguard, and one concrete next action; it is original North Hux synthesis, not a competitor transcript or imitation.

Creator capture

Record four A-roll beats in 9:16, two takes each, plus five seconds of room tone. Use calm operator delivery, direct eye line, and one physical emphasis per sentence. Capture any screen proof with owned or synthetic data. No synthetic voice or likeness is planned.

08. Shot-by-shot production plan

# / time	Mode	Narration / visual	Asset and gate
01 0.0–2.0s	Creator Aroll Evidence: none	This agent just sent the wrong price. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 08-fail-safely/frames/01.svg
02 2.0–5.0s	Deterministic Overlay Evidence: context	Do not hide the failure. Freeze the workflow. Visual: Kinetic type supports: Do not hide the failure. Freeze the workflow.	Review exact wording State: not_run Frame: 08-fail-safely/frames/02.svg
03 5.0–8.0s	Creator Aroll Evidence: none	Trace the input, model decision, tool call, and evidence it used. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 08-fail-safely/frames/03.svg
04 8.0–11.0s	Screen Demo Evidence: proof	<visual beat> Visual: Controlled fictional failure trace: FREEZE → TRACE → REVOKE → RESTORE → REVIEW → TEST FIXTURE.	Capture an owned deterministic prototype or render the supplied diagram State: not_run Frame: 08-fail-safely/frames/04.svg
05 11.0–14.0s	Creator Aroll Evidence: none	Revoke the action, restore the last good state, and route the case to a human. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 08-fail-safely/frames/05.svg
06 14.0–18.0s	Deterministic Overlay Evidence: proof	Now save the failure as a permanent evaluation case. Visual: Controlled fictional failure trace: FREEZE → TRACE → REVOKE → RESTORE → REVIEW → TEST FIXTURE.	Review exact wording State: not_run Frame: 08-fail-safely/frames/06.svg
07 18.0–20.0s	Ai Generated Broll Evidence: context	<visual beat> Visual: Optional two-second metaphorical context insert. It must not carry evidence, results, UI, numbers, people, likeness, or logos.	Approve provider, prompt, budget, and rights before generation State: blocked_approval Frame: 08-fail-safely/frames/07.svg
08 20.0–24.0s	Creator Aroll Evidence: none	Reliable agents are not failure-free. They are recoverable. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 08-fail-safely/frames/08.svg
09 24.0–26.0s	Deterministic Overlay Evidence: context	<visual beat> Visual: Kinetic type supports: Test one recovery path before your next demo.	Review exact wording State: not_run Frame: 08-fail-safely/frames/09.svg
10 26.0–30.0s	End Card Evidence: none	<visual beat> Visual: North Hux end card: Test one recovery path before your next demo.	Approve CTA and brand lockup State: not_run Frame: 08-fail-safely/frames/10.svg

Canonical individual frame files: 08-fail-safely/frames/01.svg ... 10.svg. Contact sheet: 08-fail-safely/contact-sheet.svg (index only).

09. What Belongs in the Human Review Queue?

Track	Pm Integration
Pillar	Human Review
Hook	Human review is not a safety strategy until you define the queue.
Proof visual	Two-by-two routing matrix plus queue metrics: age, override rate, exception recurrence.
CTA	Build the queue before you activate execution.
State	Owner review pending; provider generation, Resolve mutation, and publication blocked

Spoken script

Human review is not a safety strategy until you define the queue. Route work by ambiguity, reversibility, value, and risk. Low ambiguity and easy rollback can flow automatically. High value or irreversible action needs named approval and evidence. Measure queue age, override rate, and repeated exception types. The goal is not more review. It is review where human judgment changes the outcome.

Why it belongs in the sequence

This episode advances the campaign from diagnosis toward controlled execution. It uses an operator claim, one visible mechanism, one safeguard, and one concrete next action; it is original North Hux synthesis, not a competitor transcript or imitation.

Creator capture

Record four A-roll beats in 9:16, two takes each, plus five seconds of room tone. Use calm operator delivery, direct eye line, and one physical emphasis per sentence. Capture any screen proof with owned or synthetic data. No synthetic voice or likeness is planned.

09. Shot-by-shot production plan

# / time	Mode	Narration / visual	Asset and gate
01 0.0–2.0s	Creator Aroll Evidence: none	Human review is not a safety strategy until you define the queue. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 09-human-review-queue/frames/01.svg
02 2.0–5.0s	Deterministic Overlay Evidence: context	Route work by ambiguity, reversibility, value, and risk. Visual: Kinetic type supports: Route work by ambiguity, reversibility, value, and risk.	Review exact wording State: not_run Frame: 09-human-review-queue/frames/02.svg
03 5.0–8.0s	Creator Aroll Evidence: none	Low ambiguity and easy rollback can flow automatically. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 09-human-review-queue/frames/03.svg
04 8.0–11.0s	Screen Demo Evidence: proof	<visual beat> Visual: Two-by-two routing matrix plus queue metrics: age, override rate, exception recurrence.	Capture an owned deterministic prototype or render the supplied diagram State: not_run Frame: 09-human-review-queue/frames/04.svg
05 11.0–14.0s	Creator Aroll Evidence: none	High value or irreversible action needs named approval and evidence. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 09-human-review-queue/frames/05.svg
06 14.0–18.0s	Deterministic Overlay Evidence: proof	Measure queue age, override rate, and repeated exception types. Visual: Two-by-two routing matrix plus queue metrics: age, override rate, exception recurrence.	Review exact wording State: not_run Frame: 09-human-review-queue/frames/06.svg
07 18.0–20.0s	Ai Generated Broll Evidence: context	<visual beat> Visual: Optional two-second metaphorical context insert. It must not carry evidence, results, UI, numbers, people, likeness, or logos.	Approve provider, prompt, budget, and rights before generation State: blocked_approval Frame: 09-human-review-queue/frames/07.svg
08 20.0–24.0s	Creator Aroll Evidence: none	The goal is not more review. It is review where human judgment changes the outcome. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 09-human-review-queue/frames/08.svg
09 24.0–26.0s	Deterministic Overlay Evidence: context	<visual beat> Visual: Kinetic type supports: Build the queue before you activate execution.	Review exact wording State: not_run Frame: 09-human-review-queue/frames/09.svg
10 26.0–30.0s	End Card Evidence: none	<visual beat> Visual: North Hux end card: Build the queue before you activate execution.	Approve CTA and brand lockup State: not_run Frame: 09-human-review-queue/frames/10.svg

Canonical individual frame files: 09-human-review-queue/frames/01.svg ... 10.svg. Contact sheet: 09-human-review-queue/contact-sheet.svg (index only).

10. The Agent Business Case After Reality

Track	Pm Integration
Pillar	Economics And Adoption
Hook	Your automation ROI is probably missing four costs.
Proof visual	Transparent business-case equation: benefit × adoption – integration – review – exceptions – error cost.
CTA	Use the real equation before you promise savings.
State	Owner review pending; provider generation, Resolve mutation, and publication blocked

Spoken script

Your automation ROI is probably missing four costs. Time saved is only the first line. Subtract integration, review, exceptions, and change adoption. Then adjust the benefit by actual usage and error cost. Pilot one workflow with one owner, one baseline, and one outcome metric. Scale only when the workflow and customer outcome improve—not when the demo looks impressive.

Why it belongs in the sequence

This episode advances the campaign from diagnosis toward controlled execution. It uses an operator claim, one visible mechanism, one safeguard, and one concrete next action; it is original North Hux synthesis, not a competitor transcript or imitation.

Creator capture

Record four A-roll beats in 9:16, two takes each, plus five seconds of room tone. Use calm operator delivery, direct eye line, and one physical emphasis per sentence. Capture any screen proof with owned or synthetic data. No synthetic voice or likeness is planned.

10. Shot-by-shot production plan

# / time	Mode	Narration / visual	Asset and gate
01 0.0–2.0s	Creator Aroll Evidence: none	Your automation ROI is probably missing four costs. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 10-business-case-reality/frames/01.svg
02 2.0–5.0s	Deterministic Overlay Evidence: context	Time saved is only the first line. Visual: Kinetic type supports: Time saved is only the first line.	Review exact wording State: not_run Frame: 10-business-case-reality/frames/02.svg
03 5.0–8.0s	Creator Aroll Evidence: none	Subtract integration, review, exceptions, and change adoption. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 10-business-case-reality/frames/03.svg
04 8.0–11.0s	Screen Demo Evidence: proof	<visual beat> Visual: Transparent business-case equation: benefit × adoption – integration – review – exceptions – error cost.	Capture an owned deterministic prototype or render the supplied diagram State: not_run Frame: 10-business-case-reality/frames/04.svg
05 11.0–14.0s	Creator Aroll Evidence: none	Then adjust the benefit by actual usage and error cost. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 10-business-case-reality/frames/05.svg
06 14.0–18.0s	Deterministic Overlay Evidence: proof	Pilot one workflow with one owner, one baseline, and one outcome metric. Visual: Transparent business-case equation: benefit × adoption – integration – review – exceptions – error cost.	Review exact wording State: not_run Frame: 10-business-case-reality/frames/06.svg
07 18.0–20.0s	Ai Generated Broll Evidence: context	<visual beat> Visual: Optional two-second metaphorical context insert. It must not carry evidence, results, UI, numbers, people, likeness, or logos.	Approve provider, prompt, budget, and rights before generation State: blocked_approval Frame: 10-business-case-reality/frames/07.svg
08 20.0–24.0s	Creator Aroll Evidence: none	Scale only when the workflow and customer outcome improve—not when the demo looks impressive. Visual: Creator speaking directly to camera. Chest-up 9:16, eye line at upper third, practical operator tone, natural hand movement, clean depth separation.	Record original creator take State: not_run Frame: 10-business-case-reality/frames/08.svg
09 24.0–26.0s	Deterministic Overlay Evidence: context	<visual beat> Visual: Kinetic type supports: Use the real equation before you promise savings.	Review exact wording State: not_run Frame: 10-business-case-reality/frames/09.svg
10 26.0–30.0s	End Card Evidence: none	<visual beat> Visual: North Hux end card: Use the real equation before you promise savings.	Approve CTA and brand lockup State: not_run Frame: 10-business-case-reality/frames/10.svg

Canonical individual frame files: 10-business-case-reality/frames/01.svg ... 10.svg. Contact sheet: 10-business-case-reality/contact-sheet.svg (index only).

Multi-engine system blueprint

Engine	Consumes	Produces	Gate
Research	Approved queries, public platform routes	Cohorts, source registry, raw pointers, receipts	Source rights and bounded brief
Evidence	Public metadata, captions, comments, storyboards	Immutable transcript/frame attempts and hashes	Typed availability; no invented zero
Market analyst	Evidence artifacts	Per-video labels, account aggregates, reference ranking	Strategic denominator and independent review
Opportunity analyst	Market + business workflow	Augment/automate/no-action recommendation	Value, feasibility, data, risk, adoption
Script engine	Reviewed strategy and claim map	Ten versioned original scripts	Maker/reviewer + owner approval
Shot planner	Script beats and evidence roles	A-roll/UI/AI-context shot plans and frames	AI cannot be proof
Studio/EDL	Approved shots and owner media	Validated timeline and rough-cut plan	Provider, likeness, Resolve mutation gates
Publication	Approved final video	Published asset + owned analytics	Separate publication approval

Canonical seam

Every durable object is an ArtifactEnvelope: stable ID, run/content identity, schema/version, URI, SHA-256, source hashes, epistemic and rights state, maker/reviewer, review state, public-safety flag, and supersession edge. This prevents separate incompatible truth models across YouTube analysis, PostgreSQL, Studio, EDL, Notion, and WikiLLM.

Database, retention, access, and recovery

Layer	Storage	Contents
Raw	Run-local files	Official metadata responses, public subtitle files, local-only storyboards
Normalized	Run-local JSON + PostgreSQL	Transcript layers, frame manifests, availability/gap states
Cleaned	PostgreSQL	Accounts, content, public metrics, transcript segments, media/frame pointers
Analytical	PostgreSQL + run artifacts	Rule labels, reference rankings, evidence completeness
Strategy/Studio	PostgreSQL + public-safe files	Strategy release, scripts, shots, EDLs, individual frame plans
Projection	Notion and Obsidian/WikiLLM	Aggregates, tasks, decisions, gates, links and hashes only

Local access

PostgreSQL listens locally on 127.0.0.1:55432 in database north_hux, schema north_hux. Use project scripts and views rather than editing rows manually. Raw transcript, comment, media, and frame bytes stay outside Notion, Obsidian durable memory, and Git.

Backup plan

Create two independent backups: a PostgreSQL custom-format dump and a hashed artifact manifest/archive. Record SHA-256, size, retention, and restore-test receipt. Test restore into a disposable database and compare critical table counts and artifact hashes. Git is a reproducible code package, not a database or media backup.

Obsidian, WikiLLM, Notion, and Git boundaries

Surface	Purpose	Must not contain
Obsidian	Human-readable cases, run summaries, reviewed syntheses, decisions, Studio handoff, gaps	Raw corpus, credentials, copied comment/transcript dumps
WikiLLM	Independently reviewed reusable memory, insights, runs, issues, decisions	Unreviewed raw findings or unstable counts
Notion	Owner-facing Kanban, progress, aggregate dashboards, selected reference links, human actions	Raw transcript/comment/media warehouse
GitHub	Cloneable code, migrations, schemas, tests, docs, public-safe fixtures and handoffs	keys.md, local DB, raw evidence, private PDFs, media, frames from sources

Optimal sparse vault skeleton

00 Home · 01 Cases · 02 Runs · 03 Evidence Syntheses · 04 PM Tracks and Strategy · 05 Studio · 06 Reviews and Gaps · 07 Decisions · 08 Handoffs · _templates · _views · _maps. Each note carries identifiers, scope, aggregate coverage, evidence/rights/freshness, reviewer state, manifest links/hashes, and the next gate.

Owner review and next actions

Priority	Human action	Why required
1	Review the ten hooks, spoken scripts, CTAs, and creator-track ownership	Editorial approval cannot be inferred from analysis
2	Choose the first three episodes and approve or reject each optional 2-second AI B-roll slot	Provider generation remains separately gated and optional
3	Record the four A-roll beats per selected episode using the capture notes	Original creator media is required for production
4	Approve the owned prototype/UI proof for each selected episode	Proof must not rely on generated or competitor imagery
5	Approve provider, budget, prompt, rights, and data packet if AI context inserts are desired	No paid/provider call has run
6	Approve the exact Resolve/Studio mutation packet after media is received	Planning does not authorize editing mutation
7	Approve publication separately after rough-cut review	Publishing and analytics readback are independent gates
8	Approve the exact Obsidian target-note correction packet	Broad vault approval is intentionally insufficient for those external writes

Questions to decide

Which creator owns each track? Which three episodes should launch first? Should the voice be more technical, more commercial, or split by account? What concrete owned ArchFlow workflows can be shown without exposing private client data? Which CTA should lead to a public template versus a conversation? What weekly publishing capacity can the two creators sustain?

Recommended launch order: 1) Your AI Agent Is Not an Employee, 2) Automate the Workflow, Not the Job Title, 3) Watch the Agent Fail Safely. Together they establish the mental model, the opportunity method, and the operational proof standard.