

RW3 Module Report - model_vecm

INTERPRETATION GUIDE

- ADF $p > 0.05$ and KPSS $p < 0.05$ -> likely $I(1)$ -like; prefer differences/cointegration models.
- ADF $p < 0.05$ and KPSS $p > 0.05$ -> stationary; level models are more admissible.
- Ljung-Box $p < 0.05$ -> autocorrelation; add lag structure.
- BP/White $p < 0.05$ -> heteroskedasticity; use robust or HAC standard errors.
- JB $p < 0.05$ -> non-normality; use robust inference and avoid strict normality assumptions.
- Stability flag=1 -> potential breaks/drift; use rolling or split-sample robustness.
- For retail transmission, compare no-promo vs promo-controlled estimates.

RUN NOTES

module=model_vecm

xlsx_files=1

png_files=1

Interpretation: read test diagnostics first, then coefficients/effects with robustness context.

Table: model_vecm_output_VECM_Summary

standardized_type	system	y_series_source	x_series_sources	frequency	sample_period	lags_selected	cointegration_rank	cointegration_vectors	adjustment_alpha	abs_mean	diagnostics_flags	interpretation_note
hard_cheese	System A	ProducerUA	ConsumerUA, EU	weekly	2021-12-28..2025-12-23	k_ar_diff=3	1	1.000; -0.643; -0.104	0.6905463602735168	VECM estimated Rank>0	supports long-run ..	
milk	System A	ProducerUA	ConsumerUA, EU	weekly	2021-12-28..2025-12-23	k_ar_diff=3	3	1.000; 0.000; 0.000	0.07202042647366828	VECM estimated Rank>0	supports long-run ..	
milk	System D	ProducerUA	EU, CME	weekly	2021-12-28..2025-12-23	k_ar_diff=3	3	1.000; -0.000; 0.000	0.06026866786576559	VECM estimated Rank>0	supports long-run ..	

VECM Adjustment Alpha (abs mean)

